

# ArcSech

View the online version at

● [functions.wolfram.com](https://functions.wolfram.com)

Download the

● PDF File

## Notations

---

### Traditional name

Inverse hyperbolic secant

### Traditional notation

$\operatorname{sech}^{-1}(z)$

### Mathematica StandardForm notation

ArcSech[z]

## Primary definition

---

01.30.02.0001.01

$$\operatorname{sech}^{-1}(z) = \log \left( \sqrt{\frac{1}{z} - 1} \sqrt{1 + \frac{1}{z} + \frac{1}{z}} \right)$$

The function  $\operatorname{sech}^{-1}(z)$  can also be defined as the inverse function for  $\operatorname{sech}(w)$ :

$w = \operatorname{sech}^{-1}(z)$  if and only if  $\operatorname{sech}(w) = z$ .

## Specific values

---

### Values at fixed points

01.30.03.0001.01

$$\operatorname{sech}^{-1}(0) = \infty$$

01.30.03.0002.01

$$\operatorname{sech}^{-1}(1) = 0$$

01.30.03.0003.01

$$\operatorname{sech}^{-1}(-1) = \pi i$$

01.30.03.0004.01

$$\operatorname{sech}^{-1}(\sqrt{6} - \sqrt{2}) = \frac{\pi i}{12}$$

01.30.03.0005.01

$$\operatorname{sech}^{-1}(\sqrt{2} - \sqrt{6}) = \frac{11\pi i}{12}$$

01.30.03.0006.01

$$\operatorname{sech}^{-1}\left(\sqrt{2 - \frac{2}{\sqrt{5}}}\right) = \frac{\pi i}{10}$$

01.30.03.0007.01

$$\operatorname{sech}^{-1}\left(-\sqrt{2 - \frac{2}{\sqrt{5}}}\right) = \frac{9\pi i}{10}$$

01.30.03.0008.01

$$\operatorname{sech}^{-1}\left(\frac{2}{\sqrt{2 + \sqrt{2}}}\right) = \frac{\pi i}{8}$$

01.30.03.0009.01

$$\operatorname{sech}^{-1}\left(-\frac{2}{\sqrt{2 + \sqrt{2}}}\right) = \frac{7\pi i}{8}$$

01.30.03.0010.01

$$\operatorname{sech}^{-1}\left(\frac{2}{\sqrt{3}}\right) = \frac{\pi i}{6}$$

01.30.03.0011.01

$$\operatorname{sech}^{-1}\left(-\frac{2}{\sqrt{3}}\right) = \frac{5\pi i}{6}$$

01.30.03.0012.01

$$\operatorname{sech}^{-1}(\sqrt{5} - 1) = \frac{\pi i}{5}$$

01.30.03.0013.01

$$\operatorname{sech}^{-1}(1 - \sqrt{5}) = \frac{4\pi i}{5}$$

01.30.03.0014.01

$$\operatorname{sech}^{-1}(\sqrt{2}) = \frac{\pi i}{4}$$

01.30.03.0015.01

$$\operatorname{sech}^{-1}(-\sqrt{2}) = \frac{3\pi i}{4}$$

01.30.03.0016.01

$$\operatorname{sech}^{-1}\left(\sqrt{2 + \frac{2}{\sqrt{5}}}\right) = \frac{3\pi i}{10}$$

01.30.03.0017.01

$$\operatorname{sech}^{-1}\left(-\sqrt{2 + \frac{2}{\sqrt{5}}}\right) = \frac{7\pi i}{10}$$

01.30.03.0018.01

$$\operatorname{sech}^{-1}(2) = \frac{\pi i}{3}$$

01.30.03.0019.01

$$\operatorname{sech}^{-1}(-2) = \frac{2\pi i}{3}$$

01.30.03.0020.01

$$\operatorname{sech}^{-1}\left(\sqrt{2(2+\sqrt{2})}\right) = \frac{3\pi i}{8}$$

01.30.03.0021.01

$$\operatorname{sech}^{-1}\left(-\sqrt{2(2+\sqrt{2})}\right) = \frac{5\pi i}{8}$$

01.30.03.0022.01

$$\operatorname{sech}^{-1}(1+\sqrt{5}) = \frac{2\pi i}{5}$$

01.30.03.0023.01

$$\operatorname{sech}^{-1}(-1-\sqrt{5}) = \frac{3\pi i}{5}$$

01.30.03.0024.01

$$\operatorname{sech}^{-1}(\sqrt{6}+\sqrt{2}) = \frac{5\pi i}{12}$$

01.30.03.0025.01

$$\operatorname{sech}^{-1}(-\sqrt{6}-\sqrt{2}) = \frac{7\pi i}{12}$$

01.30.03.0026.01

$$\operatorname{sech}^{-1}(i) = -\frac{\pi i}{2} + \log(\sqrt{2}+1)$$

01.30.03.0027.01

$$\operatorname{sech}^{-1}(-i) = \frac{\pi i}{2} + \log(\sqrt{2}+1)$$

## Values at infinities

01.30.03.0028.01

$$\operatorname{sech}^{-1}(\infty) = \frac{i\pi}{2}$$

01.30.03.0029.01

$$\operatorname{sech}^{-1}(-\infty) = \frac{i\pi}{2}$$

01.30.03.0030.01

$$\operatorname{sech}^{-1}(i\infty) = -\frac{i\pi}{2}$$

01.30.03.0031.01

$$\operatorname{sech}^{-1}(-i\infty) = \frac{i\pi}{2}$$

01.30.03.0032.01

$$\operatorname{sech}^{-1}(\infty) = i$$

## General characteristics

### Domain and analyticity

$\operatorname{sech}^{-1}(z)$  is an analytical function of  $z$ , which is defined over the whole complex  $z$ -plane.

01.30.04.0001.01

$$z \rightarrow \operatorname{sech}^{-1}(z) : \mathbb{C} \rightarrow \mathbb{C}$$

### Symmetries and periodicities

#### Mirror symmetry

01.30.04.0002.01

$$\operatorname{sech}^{-1}(\bar{z}) = \overline{\operatorname{sech}^{-1}(z)}; z \notin (-\infty, 0) \wedge z \notin (1, \infty)$$

#### Periodicity

No periodicity

### Poles and essential singularities

The function  $\operatorname{sech}^{-1}(z)$  has one singular point:

$z = \infty$  is the simple pole with residue  $i$ .

01.30.04.0003.01

$$\operatorname{Sing}_z(\operatorname{sech}^{-1}(z)) = \{\{\infty, 1\}\}$$

01.30.04.0004.01

$$\operatorname{res}_z(\operatorname{sech}^{-1}(z))(\infty) = i$$

### Branch points

The function  $\operatorname{sech}^{-1}(z)$  has three branch points:  $z = \pm 1$ ,  $z = 0$ .

01.30.04.0005.01

$$\mathcal{BP}_z(\operatorname{sech}^{-1}(z)) = \{-1, 0, 1\}$$

01.30.04.0006.01

$$\mathcal{R}_z(\operatorname{sech}^{-1}(z), 1) = 2$$

01.30.04.0007.01

$$\mathcal{R}_z(\operatorname{sech}^{-1}(z), 0) = \log$$

01.30.04.0008.01

$$\mathcal{R}_z(\operatorname{sech}^{-1}(z), -1) = 2$$

## Branch cut endpoints

At  $z = \infty$  two branch points coincide in "different" directions:  $\operatorname{sech}^{-1}(z) \propto \frac{\sqrt{\frac{1}{z}-1}}{\sqrt{1-\frac{1}{z}}} \left( \frac{\pi}{2} + O\left(\frac{1}{z}\right) \right) /;$  ( $|z| \rightarrow \infty$ ). This results in  $z = \infty$  not being a branch point anymore; instead, two disconnected sheets arise.

## Branch cuts

It has three branch cuts, two of which are joined together at the point  $z = -1$ . The branch cut caused by  $\sqrt{1+1/z}$  extends from 0 to  $-1$ . The branch cut caused by  $\sqrt{-1+1/z}$  extends from  $\infty$  to 1 and from 0 to  $-\infty$ . At  $\infty$  the two pieces of this branch cut meet and annihilate their branch points, resulting in a two-valued, discontinuous function there. The branch cut of  $\sqrt{1+1/z} \sqrt{-1+1/z} + 1/z$  extends from 0 to  $-1$ .

This means that the function  $\operatorname{sech}^{-1}(z)$  is a single-valued function on the  $z$ -plane cut along the intervals  $(-\infty, 0)$  and  $(1, \infty)$ . The function  $\operatorname{sech}^{-1}(z)$  is continuous from below on the intervals  $(-\infty, 0)$  and  $(1, \infty)$ .

01.30.04.0009.01

$$\mathcal{B}C_z(\operatorname{sech}^{-1}(z)) = \{(-\infty, 0], i\}, \{[1, \infty), i\}$$

01.30.04.0010.01

$$\lim_{\epsilon \rightarrow +0} \operatorname{sech}^{-1}(x - i\epsilon) = \operatorname{sech}^{-1}(x) /; x \in \mathbb{R} \wedge |x| > 1$$

01.30.04.0011.01

$$\lim_{\epsilon \rightarrow +0} \operatorname{sech}^{-1}(x + i\epsilon) = -\operatorname{sech}^{-1}(x) /; x \in \mathbb{R} \wedge |x| > 1$$

01.30.04.0012.01

$$\lim_{\epsilon \rightarrow +0} \operatorname{sech}^{-1}(x - i\epsilon) = \operatorname{sech}^{-1}(x) /; -1 < x < 0$$

01.30.04.0013.01

$$\lim_{\epsilon \rightarrow +0} \operatorname{sech}^{-1}(x + i\epsilon) = \operatorname{sech}^{-1}(x) - 2i\pi /; -1 < x < 0$$

## Analytic continuations

The analytic continuation of  $\operatorname{sech}^{-1}$  has infinitely many sheets; the values of  $\tilde{\operatorname{sech}}^{-1}$  are  $\tilde{\operatorname{sech}}^{-1}(z) = \operatorname{sech}^{-1}(z) + 2k i\pi /; k \in \mathbb{Z}$ .

## Series representations

### Generalized power series

Expansions at generic point  $z = z_0$

### For the function itself

01.30.06.0042.01

$\operatorname{sech}^{-1}(z) \propto$

$$\frac{1}{\sqrt{z_0-1}} \left( \sqrt{1-z_0} \sqrt{z_0} \right) \sqrt{\frac{1}{z_0} \left( \frac{z_0}{1-z_0} \right)^{\frac{1}{2} \left[ \frac{\arg\left(\frac{z_0-z}{z_0}\right)}{2\pi} \right]}} \left( \frac{1-z_0}{z_0} \right)^{\frac{1}{2} \left[ \frac{\arg\left(\frac{z_0-z}{z_0}\right)}{2\pi} \right]} \left( -2\pi i i^{\left[ \frac{\arg\left(\frac{z_0-z}{z_0}\right)}{2\pi} \right]} \left[ \frac{\arg\left(\frac{z_0-z}{z_0}\right)}{2\pi} \right] \left[ \frac{\arg\left(\frac{z_0+1}{z_0}\right) + \pi}{2\pi} \right] \right) +$$

$$\left( \frac{z_0}{z_0+1} \right)^{\frac{1}{2} \left[ \frac{\arg\left(\frac{z_0-z}{z_0}\right)}{2\pi} \right]} \left( \frac{z_0+1}{z_0} \right)^{\frac{1}{2} \left[ \frac{\arg\left(\frac{z_0-z}{z_0}\right)}{2\pi} \right]} \left( \operatorname{sec}^{-1}(z_0) + \frac{z-z_0}{z_0^2 \sqrt{\frac{z_0^2-1}{z_0^2}}} - \frac{(2z_0^2-1)(z-z_0)^2}{2\sqrt{1-\frac{1}{z_0^2}} z_0^3 (z_0^2-1)} + \dots \right) /; (z \rightarrow z_0)$$

01.30.06.0043.01

$\operatorname{sech}^{-1}(z) \propto$

$$\frac{1}{\sqrt{z_0-1}} \left( \sqrt{1-z_0} \sqrt{z_0} \right) \sqrt{\frac{1}{z_0} \left( \frac{z_0}{1-z_0} \right)^{\frac{1}{2} \left[ \frac{\arg\left(\frac{z_0-z}{z_0}\right)}{2\pi} \right]}} \left( \frac{1-z_0}{z_0} \right)^{\frac{1}{2} \left[ \frac{\arg\left(\frac{z_0-z}{z_0}\right)}{2\pi} \right]} \left( -2\pi i i^{\left[ \frac{\arg\left(\frac{z_0-z}{z_0}\right)}{2\pi} \right]} \left[ \frac{\arg\left(\frac{z_0-z}{z_0}\right)}{2\pi} \right] \left[ \frac{\arg\left(\frac{z_0+1}{z_0}\right) + \pi}{2\pi} \right] \right) +$$

$$\left( \frac{z_0}{z_0+1} \right)^{\frac{1}{2} \left[ \frac{\arg\left(\frac{z_0-z}{z_0}\right)}{2\pi} \right]} \left( \frac{z_0+1}{z_0} \right)^{\frac{1}{2} \left[ \frac{\arg\left(\frac{z_0-z}{z_0}\right)}{2\pi} \right]} \left( \operatorname{sec}^{-1}(z_0) + \frac{z-z_0}{z_0^2 \sqrt{\frac{z_0^2-1}{z_0^2}}} - \frac{(2z_0^2-1)(z-z_0)^2}{2\sqrt{1-\frac{1}{z_0^2}} z_0^3 (z_0^2-1)} + O((z-z_0)^3) \right) \right)$$

01.30.06.0044.01

$\operatorname{sech}^{-1}(z) =$

$$\frac{1}{\sqrt{z_0-1}} \left( \sqrt{1-z_0} \sqrt{z_0} \right) \sqrt{\frac{1}{z_0} \left( \frac{z_0}{1-z_0} \right)^{\frac{1}{2} \left[ \frac{\arg\left(\frac{z_0-z}{z_0}\right)}{2\pi} \right]}} \left( \frac{1-z_0}{z_0} \right)^{\frac{1}{2} \left[ \frac{\arg\left(\frac{z_0-z}{z_0}\right)}{2\pi} \right]} \left( -2\pi i i^{\left[ \frac{\arg\left(\frac{z_0-z}{z_0}\right)}{2\pi} \right]} \left[ \frac{\arg\left(\frac{z_0-z}{z_0}\right)}{2\pi} \right] \left[ \frac{\arg\left(\frac{z_0+1}{z_0}\right) + \pi}{2\pi} \right] \right) +$$

$$\left( \frac{z_0}{z_0+1} \right)^{\frac{1}{2} \left[ \frac{\arg\left(\frac{z_0-z}{z_0}\right)}{2\pi} \right]} \left( \frac{z_0+1}{z_0} \right)^{\frac{1}{2} \left[ \frac{\arg\left(\frac{z_0-z}{z_0}\right)}{2\pi} \right]} \left( \frac{\pi}{2} - \sum_{k=0}^{\infty} (-1)^k z_0^{-k-1} {}_3F_2 \left( \frac{1}{2}, \frac{k+1}{2}, \frac{k}{2} + 1; 1, \frac{3}{2}; \frac{1}{z_0^2} \right) (z-z_0)^k \right) \right)$$

01.30.06.0045.01

$$\operatorname{sech}^{-1}(z) \propto \frac{1}{\sqrt{z_0-1}} \left( \sqrt{1-z_0} \sqrt{z_0} \right) \sqrt{\frac{1}{z_0} \left( \frac{z_0}{1-z_0} \right)^{\frac{1}{2}} \left[ \frac{\arg\left(\frac{z_0-z}{z_0}\right)}{2\pi} \right]} \left( \frac{1-z_0}{z_0} \right)^{\frac{1}{2}} \left[ \frac{\arg\left(\frac{z_0-z}{z_0}\right)}{2\pi} \right]}$$

$$\left( -2\pi i i \left[ \frac{\arg\left(\frac{z_0-z}{z_0}\right)}{2\pi} \right] \left[ \frac{\arg\left(\frac{z_0-z}{z_0}\right)}{2\pi} \right] \left[ \frac{\arg\left(\frac{z_0+1}{z_0}\right) + \pi}{2\pi} \right] + \left( \frac{z_0}{z_0+1} \right)^{\frac{1}{2}} \left[ \frac{\arg\left(\frac{z_0-z}{z_0}\right)}{2\pi} \right] \left( \frac{z_0+1}{z_0} \right)^{\frac{1}{2}} \left[ \frac{\arg\left(\frac{z_0-z}{z_0}\right)}{2\pi} \right] \operatorname{sec}^{-1}(z_0) \right) (1 + O(z-z_0))$$

**Expansions on branch cuts**

**For the function itself**

**In the left half-plane near the origin**

01.30.06.0046.01

$$\operatorname{sech}^{-1}(z) \propto 2\pi \left[ \frac{\arg(x-z)}{2\pi} \right] e^{-\frac{\pi i}{2} \left[ \frac{\arg(x-z)}{2\pi} \right]} + i \left( \operatorname{sec}^{-1}(x) - \frac{z-x}{x\sqrt{x^2-1}} + \frac{(2x^2-1)(z-x)^2}{2\sqrt{x^2-1} x^2(x^2-1)} + \dots \right) /;$$

$(z \rightarrow x) \wedge x \in \mathbb{R} \wedge -1 < x < 0$

01.30.06.0047.01

$$\operatorname{sech}^{-1}(z) \propto 2\pi \left[ \frac{\arg(x-z)}{2\pi} \right] e^{-\frac{\pi i}{2} \left[ \frac{\arg(x-z)}{2\pi} \right]} + i \left( \operatorname{sec}^{-1}(x) - \frac{z-x}{x\sqrt{x^2-1}} + \frac{(2x^2-1)(z-x)^2}{2\sqrt{x^2-1} x^2(x^2-1)} + O((z-x)^3) \right) /; x \in \mathbb{R} \wedge -1 < x < 0$$

01.30.06.0048.01

$$\operatorname{sech}^{-1}(z) = 2\pi \left[ \frac{\arg(x-z)}{2\pi} \right] e^{-\frac{\pi i}{2} \left[ \frac{\arg(x-z)}{2\pi} \right]} + \frac{\pi i}{2} - i \sum_{k=0}^{\infty} (-1)^k x^{-k-1} {}_3F_2\left(\frac{1}{2}, \frac{k+1}{2}, \frac{k}{2} + 1; 1, \frac{3}{2}; \frac{1}{x^2}\right) (z-x)^k /; x \in \mathbb{R} \wedge -1 < x < 0$$

01.30.06.0049.01

$$\operatorname{sech}^{-1}(z) \propto 2\pi e^{-\frac{\pi i}{2} \left[ \frac{\arg(x-z)}{2\pi} \right]} \left[ \frac{\arg(x-z)}{2\pi} \right] + i \operatorname{sec}^{-1}(x) (1 + O(z-x)) /; x \in \mathbb{R} \wedge -1 < x < 0$$

**In the left half-plane**

01.30.06.0050.01

$$\operatorname{sech}^{-1}(z) \propto i e^{\pi i \left[ \frac{\arg(x-z)}{2\pi} \right]} \left( \operatorname{sec}^{-1}(x) - \frac{z-x}{x\sqrt{x^2-1}} + \frac{(2x^2-1)(z-x)^2}{2\sqrt{x^2-1} x^2(x^2-1)} + \dots \right) /; (z \rightarrow x) \wedge x \in \mathbb{R} \wedge x < -1$$

01.30.06.0051.01

$$\operatorname{sech}^{-1}(z) \propto i e^{\pi i \left[ \frac{\arg(x-z)}{2\pi} \right]} \left( \operatorname{sec}^{-1}(x) - \frac{z-x}{x\sqrt{x^2-1}} + \frac{(2x^2-1)(z-x)^2}{2\sqrt{x^2-1} x^2(x^2-1)} + O((z-x)^3) \right) /; x \in \mathbb{R} \wedge x < -1$$

01.30.06.0052.01

$$\operatorname{sech}^{-1}(z) = i e^{\pi i \left\lfloor \frac{\arg(x-z)}{2\pi} \right\rfloor} \left( \frac{\pi}{2} - \sum_{k=0}^{\infty} (-1)^k x^{-k-1} {}_3F_2 \left( \frac{1}{2}, \frac{k+1}{2}, \frac{k}{2} + 1; 1, \frac{3}{2}; \frac{1}{x^2} \right) (z-x)^k \right); x \in \mathbb{R} \wedge x < -1$$

01.30.06.0053.01

$$\operatorname{sech}^{-1}(z) \propto i e^{\pi i \left\lfloor \frac{\arg(x-z)}{2\pi} \right\rfloor} \sec^{-1}(x) (1 + O(z-x)); x \in \mathbb{R} \wedge x < -1$$

### In the right half-plane

01.30.06.0054.01

$$\operatorname{sech}^{-1}(z) \propto i e^{\pi i \left\lfloor \frac{\arg(x-z)}{2\pi} \right\rfloor} \left( \sec^{-1}(x) + \frac{z-x}{x \sqrt{x^2-1}} - \frac{(2x^2-1)(z-x)^2}{2 \sqrt{x^2-1} x^2 (x^2-1)} + \dots \right); (z \rightarrow x) \wedge x \in \mathbb{R} \wedge x > 1$$

01.30.06.0055.01

$$\operatorname{sech}^{-1}(z) \propto i e^{\pi i \left\lfloor \frac{\arg(x-z)}{2\pi} \right\rfloor} \left( \sec^{-1}(x) + \frac{z-x}{x \sqrt{x^2-1}} - \frac{(2x^2-1)(z-x)^2}{2 \sqrt{x^2-1} x^2 (x^2-1)} + O((z-x)^3) \right); x \in \mathbb{R} \wedge x > 1$$

01.30.06.0056.01

$$\operatorname{sech}^{-1}(z) = i e^{\pi i \left\lfloor \frac{\arg(x-z)}{2\pi} \right\rfloor} \left( \frac{\pi}{2} - \sum_{k=0}^{\infty} (-1)^k x^{-k-1} {}_3F_2 \left( \frac{1}{2}, \frac{k+1}{2}, \frac{k}{2} + 1; 1, \frac{3}{2}; \frac{1}{x^2} \right) (z-x)^k \right); x \in \mathbb{R} \wedge x > 1$$

01.30.06.0057.01

$$\operatorname{sech}^{-1}(z) \propto i e^{\pi i \left\lfloor \frac{\arg(x-z)}{2\pi} \right\rfloor} \sec^{-1}(x) (1 + O(z-x)); x \in \mathbb{R} \wedge x > 1$$

### Expansions at $z = 0$

### For the function itself

01.30.06.0001.02

$$\operatorname{sech}^{-1}(z) \propto \log\left(\frac{2}{z}\right) - \frac{z^2}{4} \left( 1 + \frac{3z^2}{8} + \frac{5z^4}{24} + \dots \right); (z \rightarrow 0)$$

01.30.06.0058.01

$$\operatorname{sech}^{-1}(z) \propto \log\left(\frac{2}{z}\right) - \frac{z^2}{4} \left( 1 + \frac{3z^2}{8} + \frac{5z^4}{24} + O(z^6) \right)$$

01.30.06.0002.01

$$\operatorname{sech}^{-1}(z) = \log\left(\frac{2}{z}\right) - \frac{1}{2} \sum_{k=1}^{\infty} \frac{\left(\frac{1}{2}\right)_k z^{2k}}{k k!}; |z| < 1$$

01.30.06.0003.01

$$\operatorname{sech}^{-1}(z) = \log\left(\frac{2}{z}\right) - \frac{z^2}{4} {}_3F_2 \left( 1, 1, \frac{3}{2}; 2, 2; z^2 \right); z \notin (-\infty, -1)$$

01.30.06.0004.02

$$\operatorname{sech}^{-1}(z) \propto \log\left(\frac{2}{z}\right) - \frac{z^2}{4} (1 + O(z^2))$$



01.30.06.0059.01

$$\operatorname{sech}^{-1}(z) \propto \begin{cases} \log(2) - \log(z) & \arg(z) < \pi \\ 2i\pi + \log(2) - \log(z) & \text{True} \end{cases} /; (z \rightarrow 0)$$

01.30.06.0060.01

$$\operatorname{sech}^{-1}(z) = F_{\infty}(z) /;$$

$$\left( \left( F_n(z) = \log\left(\frac{2}{z}\right) - \frac{1}{4} z^2 \sum_{k=0}^n \frac{\left(\frac{3}{2}\right)_k z^{2k}}{(k+1)^2 k!} = \operatorname{sech}^{-1}(z) + \frac{z^{2n+4} \left(\frac{3}{2}\right)_{n+1}}{4(n+2)(n+2)!} {}_4F_3\left(1, n + \frac{5}{2}, n+2, n+2; n+2, n+3, n+3; z^2\right) \right) \wedge \right. \\ \left. n \in \mathbb{N} \right)$$

Summed form of the truncated series expansion.

### For small integer powers of the function

For the second power

01.30.06.0061.01

$$\operatorname{sech}^{-1}(z)^2 \propto \log^2\left(\frac{2}{z}\right) - \frac{1}{2} \log\left(\frac{2}{z}\right) z^2 \left(1 + \frac{3z^2}{8} + \frac{5z^4}{24} + \dots\right) + \frac{z^4}{16} \left(1 + \frac{3z^2}{4} + \frac{107z^4}{192} + \dots\right) /; (z \rightarrow 0)$$

01.30.06.0062.01

$$\operatorname{sech}^{-1}(z)^2 \propto \log^2\left(\frac{2}{z}\right) - \frac{1}{2} \log\left(\frac{2}{z}\right) z^2 \left(1 + \frac{3z^2}{8} + \frac{5z^4}{24} + O(z^6)\right) + \frac{z^4}{16} \left(1 + \frac{3z^2}{4} + \frac{107z^4}{192} + O(z^6)\right) /; (z \rightarrow 0)$$

01.30.06.0063.01

$$\operatorname{sech}^{-1}(z)^2 = \log^2\left(\frac{2}{z}\right) - \frac{z^2}{2} \log\left(\frac{2}{z}\right) \sum_{k=0}^{\infty} \frac{\left(\frac{3}{2}\right)_k z^{2k}}{(k+1)^2 k!} + \frac{z^4}{16} \left( \sum_{k=0}^{\infty} \frac{\left(\frac{3}{2}\right)_k z^{2k}}{(k+1)^2 k!} \right)^2 /; |z| < 1$$

01.30.06.0064.01

$$\operatorname{sech}^{-1}(z)^2 = \log^2\left(\frac{2}{z}\right) + 2 \log\left(\frac{2}{z}\right) \log\left(\frac{1}{2} \left(\sqrt{1-z^2} + 1\right)\right) - \frac{z^2}{4} \log\left(\frac{1}{2} \left(\sqrt{1-z^2} + 1\right)\right) /; |z| < 1$$

01.30.06.0065.01

$$\operatorname{sech}^{-1}(z)^2 = \log^2\left(\frac{2}{z}\right) - \frac{z^2}{2} \log\left(\frac{2}{z}\right) {}_3F_2\left(\frac{3}{2}, 1, 1; 2, 2; z^2\right) + \frac{z^4}{16} \left({}_3F_2\left(\frac{3}{2}, 1, 1; 2, 2; z^2\right)\right)^2 /; z \notin (-\infty, -1)$$

01.30.06.0066.01

$$\operatorname{sech}^{-1}(z)^2 = \log^2\left(\frac{2}{z}\right) - \frac{z^2}{2} \log\left(\frac{2}{z}\right) {}_3F_2\left(\frac{3}{2}, 1, 1; 2, 2; z^2\right) - \\ \frac{z^2}{2} {}_4F_3\left(\frac{3}{2}, 1, 1, 1; 2, 2, 2; z^2\right) + \frac{z^2}{4} \sum_{k=0}^{\infty} \frac{\left(\frac{3}{2}\right)_k \left(\psi\left(-k - \frac{1}{2}\right) - \psi(k+1)\right) z^{2k}}{(k+1)^2 k!} /; |z| < 1$$

01.30.06.0067.01

$$\operatorname{sech}^{-1}(z)^2 = \log^2\left(\frac{2}{z}\right) - \frac{z^2}{2} \log\left(\frac{2}{z}\right) {}_3F_2\left(\frac{3}{2}, 1, 1; 2, 2; z^2\right) + \frac{z^4}{16} \left({}_3F_2\left(\frac{3}{2}, 1, 1; 2, 2; z^2\right)\right)^2 /; z \notin (-\infty, -1)$$

01.30.06.0068.01

$$\operatorname{sech}^{-1}(z)^2 \propto \log^2\left(\frac{2}{z}\right) - \frac{1}{2} \log\left(\frac{2}{z}\right) z^2 (1 + O(z^2)) + \frac{z^4}{16} (1 + O(z^2)); (z \rightarrow 0)$$

01.30.06.0069.01

$$\operatorname{sech}^{-1}(z)^2 \propto \log^2(z); (z \rightarrow 0)$$

01.30.06.0070.01

$$\operatorname{sech}^{-1}(z)^2 = F_\infty(z); \left( \left( F_n(z) = -\frac{\pi^2}{4} + \frac{1}{4} \log^2\left(-\frac{4}{z^2}\right) - \frac{\pi z}{2} \sqrt{-\frac{1}{z^2}} \log\left(-\frac{4}{z^2}\right) - \frac{1}{4} z^2 \left( \log\left(-\frac{4}{z^2}\right) - \pi z \sqrt{-\frac{1}{z^2}} \right) \sum_{k=0}^n \frac{\left(\frac{3}{2}\right)_k z^{2k}}{(k+1)^2 k!} + \frac{1}{16} z^4 \left( \sum_{k=0}^n \frac{\left(\frac{3}{2}\right)_k z^{2k}}{(k+1)^2 k!} \right)^2 - \frac{z^{4(n+2)}}{16(n+2)^4(n+1)!^2} \left( 4(n+2)^2 z^{-2(n+2)} \operatorname{sech}^{-1}(z) (n+1)! - 3 \left(\frac{5}{2}\right)_n {}_3F_2\left(1, n+2, n+\frac{5}{2}; n+3, n+3; z^2\right) \right)^2 \right) \wedge n \in \mathbb{N}$$

Summed form of the truncated series expansion.

01.30.06.0071.01

$$\operatorname{sech}^{-1}(z)^2 = F_\infty(z); \left( \left( F_n(z) = \left( \log\left(\frac{2}{z}\right) - \frac{z^2}{4} \sum_{k=0}^n \frac{\left(\frac{3}{2}\right)_k z^{2k}}{(k+1)^2 k!} \right)^2 - \frac{z^{4n+8}}{64(n+2)^2((n+2)!)^2} \left( 8(n+2)(n+2)! z^{-2n-4} \operatorname{sech}^{-1}(z) + 3 \left(\frac{5}{2}\right)_n {}_3F_2\left(1, n+2, n+\frac{5}{2}; n+3, n+3; z^2\right) \right)^2 \right) \wedge n \in \mathbb{N}$$

Summed form of the truncated series expansion.

**Expansions at z = 1**

**For the function itself**

01.30.06.0005.02

$$\operatorname{sech}^{-1}(z) \propto \sqrt{2} \sqrt{1-z} \left( 1 - \frac{5(z-1)}{12} + \frac{43(z-1)^2}{160} + \dots \right); (z \rightarrow 1)$$

01.30.06.0072.01

$$\operatorname{sech}^{-1}(z) \propto \sqrt{2} \sqrt{1-z} \left( 1 - \frac{5(z-1)}{12} + \frac{43(z-1)^2}{160} + O((z-1)^3) \right)$$

01.30.06.0006.01

$$\operatorname{sech}^{-1}(z) = 2 \sqrt{1-z} \sum_{k=0}^{\infty} \frac{(-1)^k \left(\frac{1}{2}\right)_k}{k!} {}_2F_1\left(\frac{1}{2}, k + \frac{3}{2}; \frac{3}{2}; -1\right) (z-1)^k; |z-1| < 1$$

01.30.06.0007.01

$$\operatorname{sech}^{-1}(z) = \sqrt{2} \sqrt{1-z} F_{0 \times 1 \times 1}^{1 \times 1 \times 1} \left( \begin{matrix} \frac{3}{2}, \frac{1}{2}, \frac{1}{2} \\ \frac{3}{2}, \frac{3}{2} \end{matrix}; -1, 1-z \right)$$

01.30.06.0008.02

$$\operatorname{sech}^{-1}(z) \propto \sqrt{2} \sqrt{1-z} (1 + O(z-1))$$

01.30.06.0073.01

$$\operatorname{sech}^{-1}(z) = F_{\infty}(z) /; \left( \left( F_n(z) = 2 \sqrt{1-z} \sum_{k=0}^n \frac{(-1)^k \left(\frac{1}{2}\right)_k}{k!} {}_2F_1\left(\frac{1}{2}, k + \frac{3}{2}; \frac{3}{2}; -1\right) (z-1)^k = \right. \right. \\ \left. \left. \operatorname{sech}^{-1}(z) - \frac{2 \left(\frac{1}{2}\right)_{n+1}}{(n+1)!} (1-z)^{n+\frac{3}{2}} F_{0 \times 1 \times 2}^{1 \times 1 \times 2} \left( \begin{matrix} n + \frac{5}{2}, \frac{1}{2}; 1, n + \frac{3}{2} \\ \frac{3}{2}, n+2, n + \frac{5}{2} \end{matrix}; -1, 1-z \right) \right) \wedge n \in \mathbb{N} \right)$$

Summed form of the truncated series expansion.

### For small integer powers of the function

#### For the second power

01.30.06.0074.01

$$\operatorname{sech}^{-1}(z)^2 \propto -2(z-1) \left( 1 - \frac{5}{6}(z-1) + \frac{32}{45}(z-1)^2 + \dots \right) /; (z \rightarrow 1)$$

01.30.06.0075.01

$$\operatorname{sech}^{-1}(z)^2 \propto -2(z-1) \left( 1 - \frac{5}{6}(z-1) + \frac{32}{45}(z-1)^2 + O((z-1)^3) \right)$$

01.30.06.0076.01

$$\operatorname{sech}^{-1}(z)^2 = -4(z-1) \left( \sum_{k=0}^{\infty} \frac{(-1)^k \left(\frac{1}{2}\right)_k}{k!} {}_2F_1\left(\frac{1}{2}, k + \frac{3}{2}; \frac{3}{2}; -1\right) (z-1)^k \right)^2 /; |z-1| < 2$$

01.30.06.0077.01

$$\operatorname{sech}^{-1}(z)^2 = -2(z-1) F_{0 \times 1 \times 1}^{1 \times 1 \times 1} \left( \begin{matrix} \frac{3}{2}, \frac{1}{2}, \frac{1}{2} \\ \frac{3}{2}, \frac{3}{2} \end{matrix}; -1, 1-z \right)^2$$

01.30.06.0078.01

$$\operatorname{sech}^{-1}(z)^2 \propto -2(z-1) (1 + O(z-1))$$

01.30.06.0079.01

$$\operatorname{sech}^{-1}(z)^2 = F_{\infty}(z) /; \left( F_n(z) = -4(z-1) \sum_{k=0}^n \frac{(-1)^k \left(\frac{1}{2}\right)_k}{k!} {}_2F_1\left(\frac{1}{2}, k + \frac{3}{2}; \frac{3}{2}; -1\right) (z-1)^k \right)^2 =$$

$$\left( \operatorname{sech}^{-1}(z) - \frac{2 \left(\frac{1}{2}\right)_{n+1}}{(n+1)!} (1-z)^{n+\frac{3}{2}} F_{0 \times 1 \times 2}^{1 \times 1 \times 2}\left(\frac{n+\frac{5}{2}; \frac{1}{2}; 1, n+\frac{3}{2}; \frac{3}{2}; n+2, n+\frac{5}{2}; -1, 1-z\right) \right)^2 \bigwedge n \in \mathbb{N}$$

Summed form of the truncated series expansion.

**Expansions at  $z = -1$**

**For the function itself**

**In the upper half-plane**

01.30.06.0009.02

$$\operatorname{sech}^{-1}(z) \propto -i \left( \pi - \sqrt{2} \sqrt{-1-z} \left( 1 + \frac{5(z+1)}{12} + \frac{43(z+1)^2}{160} + \dots \right) \right) /; (z \rightarrow -1) \wedge \operatorname{Im}(z) > 0$$

01.30.06.0080.01

$$\operatorname{sech}^{-1}(z) \propto -i \left( \pi - \sqrt{2} \sqrt{-1-z} \left( 1 + \frac{5(z+1)}{12} + \frac{43(z+1)^2}{160} + O((z+1)^3) \right) \right) /; \operatorname{Im}(z) > 0$$

01.30.06.0010.01

$$\operatorname{sech}^{-1}(z) = -i \left( \pi - 2 \sqrt{-z-1} \sum_{k=0}^{\infty} \frac{\left(\frac{1}{2}\right)_k}{k!} {}_2F_1\left(\frac{1}{2}, k + \frac{3}{2}; \frac{3}{2}; -1\right) (z+1)^k \right) /; |z+1| < 1 \wedge \operatorname{Im}(z) > 0$$

01.30.06.0011.01

$$\operatorname{sech}^{-1}(z) = -i \left( \pi - \sqrt{2} \sqrt{-z-1} F_{0 \times 1 \times 1}^{1 \times 1 \times 1}\left(\frac{3}{2}; \frac{1}{2}; \frac{1}{2}; -1, 1+z\right) \right) /; \operatorname{Im}(z) > 0 \vee 0 < z < 1$$

01.30.06.0021.02

$$\operatorname{sech}^{-1}(z) \propto -i \left( \pi - \sqrt{2} \sqrt{-z-1} (1 + O(z+1)) \right) /; \operatorname{Im}(z) > 0$$

01.30.06.0081.01

$$\operatorname{sech}^{-1}(z) = F_{\infty}(z) /; \left( F_n(z) = -i \left( \pi - 2 \sqrt{-z-1} \sum_{k=0}^n \frac{\left(\frac{1}{2}\right)_k}{k!} {}_2F_1\left(\frac{1}{2}, k + \frac{3}{2}; \frac{3}{2}; -1\right) (z+1)^k \right) \right)^2 =$$

$$\operatorname{sech}^{-1}(z) - \frac{2i \left(\frac{1}{2}\right)_{n+1}}{(n+1)!} (z+1)^{n+1} \sqrt{-z-1} F_{0 \times 1 \times 2}^{1 \times 1 \times 2}\left(\frac{n+\frac{5}{2}; \frac{1}{2}; 1, n+\frac{3}{2}; \frac{3}{2}; n+2, n+\frac{5}{2}; -1, z+1\right) \bigwedge n \in \mathbb{N} \bigwedge \operatorname{Im}(z) > 0$$

Summed form of the truncated series expansion.

**In the lower half-plane**

01.30.06.0012.02

$$\operatorname{sech}^{-1}(z) \propto i \left( \pi - \sqrt{2} \sqrt{-1-z} \left( 1 + \frac{5(z+1)}{12} + \frac{43(z+1)^2}{160} + \dots \right) \right); (z \rightarrow -1) \wedge \operatorname{Im}(z) \leq 0$$

01.30.06.0082.01

$$\operatorname{sech}^{-1}(z) \propto i \left( \pi - \sqrt{2} \sqrt{-1-z} \left( 1 + \frac{5(z+1)}{12} + \frac{43(z+1)^2}{160} + O((z+1)^3) \right) \right); \operatorname{Im}(z) \leq 0$$

01.30.06.0013.01

$$\operatorname{sech}^{-1}(z) = i \left( \pi - 2 \sqrt{-z-1} \sum_{k=0}^{\infty} \frac{\left(\frac{1}{2}\right)_k}{k!} {}_2F_1\left(\frac{1}{2}, k + \frac{3}{2}; \frac{3}{2}; -1\right) (z+1)^k \right); |z+1| < 1 \wedge \operatorname{Im}(z) \leq 0$$

01.30.06.0014.01

$$\operatorname{sech}^{-1}(z) = i \left( \pi - \sqrt{2} \sqrt{-z-1} F_{0 \times 1 \times 1}^{1 \times 1 \times 1} \left( \begin{matrix} \frac{3}{2}, \frac{1}{2}, \frac{1}{2} \\ \frac{3}{2}, \frac{3}{2} \end{matrix}; -1, 1+z \right) \right); \operatorname{Im}(z) < 0 \vee z < 0 \vee z > 1$$

01.30.06.0022.02

$$\operatorname{sech}^{-1}(z) \propto i \left( \pi - \sqrt{2} \sqrt{-z-1} (1 + O(z+1)) \right); \operatorname{Im}(z) \leq 0$$

01.30.06.0083.01

$$\begin{aligned} \operatorname{sech}^{-1}(z) = F_{\infty}(z) /; \left( F_n(z) = i \left( \pi - 2 \sqrt{-z-1} \sum_{k=0}^n \frac{\left(\frac{1}{2}\right)_k}{k!} {}_2F_1\left(\frac{1}{2}, k + \frac{3}{2}; \frac{3}{2}; -1\right) (z+1)^k \right) = \right. \\ \left. \operatorname{sech}^{-1}(z) + \frac{2i \left(\frac{1}{2}\right)_{n+1}}{(n+1)!} (z+1)^{n+1} \sqrt{-z-1} F_{0 \times 1 \times 2}^{1 \times 1 \times 2} \left( \begin{matrix} n + \frac{5}{2}, \frac{1}{2}, 1, n + \frac{3}{2} \\ \frac{3}{2}, n+2, n + \frac{5}{2} \end{matrix}; -1, z+1 \right) \right) \wedge n \in \mathbb{N} \wedge \operatorname{Im}(z) \leq 0 \end{aligned}$$

Summed form of the truncated series expansion.

In the whole plane

01.30.06.0015.02

$$\operatorname{sech}^{-1}(z) \propto i \left( 2 \theta \left( \operatorname{Im} \left( \frac{1}{z} \right) \right) - 1 \right) \left( \pi - \sqrt{2} \sqrt{-1-z} \left( 1 + \frac{5(z+1)}{12} + \frac{43(z+1)^2}{160} + \dots \right) \right); (z \rightarrow -1)$$

01.30.06.0084.01

$$\operatorname{sech}^{-1}(z) \propto i \left( 2 \theta \left( \operatorname{Im} \left( \frac{1}{z} \right) \right) - 1 \right) \left( \pi - \sqrt{2} \sqrt{-1-z} \left( 1 + \frac{5(z+1)}{12} + \frac{43(z+1)^2}{160} + O((z+1)^3) \right) \right)$$

01.30.06.0016.01

$$\operatorname{sech}^{-1}(z) = i \left( 2 \theta \left( \operatorname{Im} \left( \frac{1}{z} \right) \right) - 1 \right) \left( \pi - 2 \sqrt{-z-1} \sum_{k=0}^{\infty} \frac{\left(\frac{1}{2}\right)_k}{k!} {}_2F_1\left(\frac{1}{2}, k + \frac{3}{2}; \frac{3}{2}; -1\right) (z+1)^k \right); |z+1| < 1$$

01.30.06.0017.01

$$\operatorname{sech}^{-1}(z) = i \left( 2 \theta \left( \operatorname{Im} \left( \frac{1}{z} \right) \right) - 1 \right) \left( \pi - \sqrt{2} \sqrt{-z-1} F_{0 \times 1 \times 1}^{1 \times 1 \times 1} \left( \begin{matrix} \frac{3}{2}, \frac{1}{2}, \frac{1}{2} \\ \frac{3}{2}, \frac{3}{2} \end{matrix}; -1, 1+z \right) \right); z \notin (0, 1)$$

01.30.06.0023.02

$$\operatorname{sech}^{-1}(z) \propto i \left( 2 \theta \left( \operatorname{Im} \left( \frac{1}{z} \right) \right) - 1 \right) (\pi - \sqrt{2} \sqrt{-z-1} (1 + O(z+1)))$$

01.30.06.0018.02

$$\operatorname{sech}^{-1}(z) \propto \frac{1}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left( \pi - \sqrt{2} \sqrt{-z-1} \left( 1 + \frac{5(z+1)}{12} + \frac{43}{160} (z+1)^2 + \dots \right) \right); (z \rightarrow -1)$$

01.30.06.0085.01

$$\operatorname{sech}^{-1}(z) \propto \frac{1}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left( \pi - \sqrt{2} \sqrt{-z-1} \left( 1 + \frac{5(z+1)}{12} + \frac{43}{160} (z+1)^2 + O((z+1)^3) \right) \right)$$

01.30.06.0019.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left( \pi - 2 \sqrt{-z-1} \sum_{k=0}^{\infty} \frac{1}{k!} \left( \frac{1}{2} \right)_k {}_2F_1 \left( \frac{1}{2}, k + \frac{3}{2}; \frac{3}{2}; -1 \right) (z+1)^k \right); |z+1| < 1$$

01.30.06.0020.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left( \pi - \sqrt{2} \sqrt{-z-1} F_{0 \times 1 \times 1}^{1 \times 1 \times 1} \left( \begin{matrix} \frac{3}{2}; \frac{1}{2}, \frac{1}{2} \\ \frac{3}{2}; \frac{3}{2} \end{matrix}; -1, 1+z \right) \right)$$

01.30.06.0024.02

$$\operatorname{sech}^{-1}(z) \propto \frac{\sqrt{\frac{1}{z}-1}}{\sqrt{1-\frac{1}{z}}} (\pi - \sqrt{2} \sqrt{-z-1} (1 + O(z+1)))$$

01.30.06.0086.01

$$\operatorname{sech}^{-1}(z) \propto \begin{cases} i\pi & \arg(z+1) \leq 0 \vee \arg(z+1) = \pi \\ -i\pi & \text{True} \end{cases}; (z \rightarrow -1)$$

01.30.06.0087.01

$$\operatorname{sech}^{-1}(z) = F_{\infty}(z); \left( \left( F_n(z) = \frac{\sqrt{\frac{1-z}{z}}}{\sqrt{\frac{z-1}{z}}} \left( \pi - 2 \sqrt{-z-1} \sum_{k=0}^n \frac{\left(\frac{1}{2}\right)_k}{k!} {}_2F_1 \left( \frac{1}{2}, k + \frac{3}{2}; \frac{3}{2}; -1 \right) (z+1)^k \right) = \right. \right. \\ \left. \left. \operatorname{sech}^{-1}(z) + \frac{2 \left(\frac{1}{2}\right)_{n+1}}{(n+1)!} (z+1)^{n+1} \frac{\sqrt{\frac{1-z}{z}}}{\sqrt{\frac{z-1}{z}}} \sqrt{-z-1} F_{0 \times 1 \times 2}^{1 \times 1 \times 2} \left( \begin{matrix} n + \frac{5}{2}; \frac{1}{2}, 1, n + \frac{3}{2} \\ \frac{3}{2}; n+2, n + \frac{5}{2} \end{matrix}; -1, z+1 \right) \right) \bigwedge n \in \mathbb{N} \right)$$

Summed form of the truncated series expansion.

### For small integer powers of the function

For the second power

01.30.06.0088.01

$$\operatorname{sech}^{-1}(z)^2 \propto -\pi^2 + 2\sqrt{2}\pi\sqrt{-z-1} \left( 1 + \frac{5(z+1)}{12} + \frac{43(z+1)^2}{160} + \dots \right) + 2(z+1) \left( 1 + \frac{5(z+1)}{6} + \frac{32}{45}(z+1)^2 + \dots \right); (z \rightarrow -1)$$

01.30.06.0089.01

$$\operatorname{sech}^{-1}(z)^2 \propto -\pi^2 + 2\sqrt{2}\pi\sqrt{-z-1} \left( 1 + \frac{5(z+1)}{12} + \frac{43(z+1)^2}{160} + O((z+1)^3) \right) + 2(z+1) \left( 1 + \frac{5(z+1)}{6} + \frac{32}{45}(z+1)^2 + O((z+1)^3) \right)$$

01.30.06.0090.01

$$\operatorname{sech}^{-1}(z)^2 = -\pi^2 + 4\pi\sqrt{-z-1} \sum_{k=0}^{\infty} \frac{\left(\frac{1}{2}\right)_k}{k!} {}_2F_1\left(\frac{1}{2}, k + \frac{3}{2}; \frac{3}{2}; -1\right) (z+1)^k + 4(z+1) \left( \sum_{k=0}^{\infty} \frac{\left(\frac{1}{2}\right)_k}{k!} {}_2F_1\left(\frac{1}{2}, k + \frac{3}{2}; \frac{3}{2}; -1\right) (z+1)^k \right)^2;$$

$$|z+1| < 2$$

01.30.06.0091.01

$$\operatorname{sech}^{-1}(z)^2 = -\pi^2 + \pi 2\sqrt{2}\sqrt{-z-1} F_{0 \times 1 \times 1}^{1 \times 1 \times 1} \left( \begin{matrix} \frac{3}{2}, \frac{1}{2}; \frac{1}{2}; \\ \frac{3}{2}, \frac{3}{2}; \end{matrix} -1, z+1 \right) + 2(z+1) F_{0 \times 1 \times 1}^{1 \times 1 \times 1} \left( \begin{matrix} \frac{3}{2}, \frac{1}{2}; \frac{1}{2}; \\ \frac{3}{2}, \frac{3}{2}; \end{matrix} -1, z+1 \right)^2$$

01.30.06.0092.01

$$\operatorname{sech}^{-1}(z)^2 \propto -\pi^2 + 2\sqrt{2}\pi\sqrt{-z-1} (1 + O(z+1)) + 2(z+1)(1 + O(z+1))$$

01.30.06.0093.01

$$\operatorname{sech}^{-1}(z)^2 = F_{\infty}(z); \left( F_n(z) = -\left( \pi - 2\sqrt{-z-1} \sum_{k=0}^n \frac{\left(\frac{1}{2}\right)_k}{k!} {}_2F_1\left(\frac{1}{2}, k + \frac{3}{2}; \frac{3}{2}; -1\right) (z+1)^k \right)^2 = -\left( \operatorname{sech}^{-1}(z) + \frac{2\left(\frac{1}{2}\right)_{n+1}}{(n+1)!} (z+1)^{n+1} \sqrt{-z-1} F_{0 \times 1 \times 1}^{1 \times 1 \times 2} \left( \begin{matrix} n + \frac{5}{2}; \frac{1}{2}; 1, n + \frac{3}{2}; \\ \frac{3}{2}; n + 2, n + \frac{5}{2}; \end{matrix} -1, z+1 \right) \right)^2 \bigwedge n \in \mathbb{N} \right)$$

Summed form of the truncated series expansion.

Expansions at  $z = \infty$

### For the function itself

In the upper half-plane

01.30.06.0025.02

$$\operatorname{sech}^{-1}(z) \propto -i \left( \frac{\pi}{2} - \frac{1}{z} - \frac{1}{6z^3} - \frac{3}{40z^5} - \dots \right); (|z| \rightarrow \infty) \wedge \operatorname{Im}(z) > 0$$

01.30.06.0094.01

$$\operatorname{sech}^{-1}(z) \propto -i \left( \frac{\pi}{2} - \frac{1}{z} - \frac{1}{6z^3} - \frac{3}{40z^5} + O\left(\frac{1}{z^7}\right) \right)$$

01.30.06.0026.01

$$\operatorname{sech}^{-1}(z) = -i \left( \frac{\pi}{2} - \sum_{k=0}^{\infty} \frac{\left(\frac{1}{2}\right)_k z^{-2k-1}}{(2k+1)k!} \right); |z| > 1 \wedge \operatorname{Im}(z) > 0$$

01.30.06.0027.01

$$\operatorname{sech}^{-1}(z) = -i \left( \frac{\pi}{2} - \frac{1}{z} {}_2F_1\left(\frac{1}{2}, \frac{1}{2}; \frac{3}{2}; \frac{1}{z^2}\right) \right); \operatorname{Im}(z) > 0 \vee 0 < z < 1$$

01.30.06.0037.02

$$\operatorname{sech}^{-1}(z) \propto -\frac{i\pi}{2} + O\left(\frac{1}{z}\right); \operatorname{Im}[z] > 0$$

01.30.06.0095.01

$$\operatorname{sech}^{-1}(z) = F_{\infty}(z);$$

$$\left( \left( F_n(z) = -i \left( \frac{\pi}{2} - \sum_{k=0}^n \frac{\left(\frac{1}{2}\right)_k z^{-2k-1}}{(2k+1)k!} \right) = \operatorname{sech}^{-1}(z) - \frac{i z^{-2n-3}}{2\sqrt{\pi}} \Gamma\left(n + \frac{3}{2}\right) {}_3\tilde{F}_2\left(1, n + \frac{3}{2}, n + \frac{3}{2}; n + 2, n + \frac{5}{2}; \frac{1}{z^2}\right) \right) \wedge n \in \mathbb{N} \right) \wedge \operatorname{Im}[z] > 0$$

Summed form of the truncated series expansion.

In the lower half-plane

01.30.06.0028.02

$$\operatorname{sech}^{-1}(z) \propto i \left( \frac{\pi}{2} - \frac{1}{z} - \frac{1}{6z^3} - \frac{3}{40z^5} - \dots \right); (|z| \rightarrow \infty) \wedge \operatorname{Im}(z) \leq 0$$

01.30.06.0096.01

$$\operatorname{sech}^{-1}(z) \propto i \left( \frac{\pi}{2} - \frac{1}{z} - \frac{1}{6z^3} - \frac{3}{40z^5} + O\left(\frac{1}{z^7}\right) \right)$$

01.30.06.0029.01

$$\operatorname{sech}^{-1}(z) = i \left( \frac{\pi}{2} - \sum_{k=0}^{\infty} \frac{\left(\frac{1}{2}\right)_k z^{-2k-1}}{(2k+1)k!} \right); |z| > 1 \wedge \operatorname{Im}(z) \leq 0$$

01.30.06.0030.01

$$\operatorname{sech}^{-1}(z) = i \left( \frac{\pi}{2} - \frac{1}{z} {}_2F_1\left(\frac{1}{2}, \frac{1}{2}; \frac{3}{2}; \frac{1}{z^2}\right) \right); \operatorname{Im}(z) < 0 \vee z < 0 \vee z > 1$$

01.30.06.0038.02

$$\operatorname{sech}^{-1}(z) \propto \frac{i\pi}{2} + O\left(\frac{1}{z}\right); \operatorname{Im}[z] \leq 0$$



01.30.06.0097.01

$$\operatorname{sech}^{-1}(z) = F_{\infty}(z) /;$$

$$\left( \left( F_n(z) = i \left( \frac{\pi}{2} - \sum_{k=0}^n \frac{\left(\frac{1}{2}\right)_k z^{-2k-1}}{(2k+1)k!} \right) = \operatorname{sech}^{-1}(z) + \frac{i z^{-2n-3}}{2\sqrt{\pi}} \Gamma\left(n + \frac{3}{2}\right) {}_3\tilde{F}_2\left(1, n + \frac{3}{2}, n + \frac{3}{2}; n + 2, n + \frac{5}{2}; \frac{1}{z^2}\right) \right) \wedge n \in \mathbb{N} \right) \wedge$$

$$\operatorname{Im}[z] \leq 0$$

Summed form of the truncated series expansion.

In the whole plane

01.30.06.0034.02

$$\operatorname{sech}^{-1}(z) \propto i \left( 2\theta\left(\operatorname{Im}\left(\frac{1}{z}\right)\right) - 1 \right) \left( \frac{\pi}{2} - \frac{1}{z} - \frac{1}{6z^3} - \frac{3}{40z^5} - \dots \right) /; (|z| \rightarrow \infty)$$

01.30.06.0098.01

$$\operatorname{sech}^{-1}(z) \propto i \left( 2\theta\left(\operatorname{Im}\left(\frac{1}{z}\right)\right) - 1 \right) \left( \frac{\pi}{2} - \frac{1}{z} - \frac{1}{6z^3} - \frac{3}{40z^5} + \mathcal{O}\left(\frac{1}{z^7}\right) \right)$$

01.30.06.0035.01

$$\operatorname{sech}^{-1}(z) = i \left( 2\theta\left(\operatorname{Im}\left(\frac{1}{z}\right)\right) - 1 \right) \left( \frac{\pi}{2} - \sum_{k=0}^{\infty} \frac{\left(\frac{1}{2}\right)_k z^{-2k-1}}{(2k+1)k!} \right) /; |z| > 1$$

01.30.06.0036.01

$$\operatorname{sech}^{-1}(z) = i \left( 2\theta\left(\operatorname{Im}\left(\frac{1}{z}\right)\right) - 1 \right) \left( \frac{\pi}{2} - \frac{1}{z} {}_2F_1\left(\frac{1}{2}, \frac{1}{2}; \frac{3}{2}; \frac{1}{z^2}\right) \right) /; z \notin (0, 1)$$

01.30.06.0099.01

$$\operatorname{sech}^{-1}(z) \propto \frac{\pi i}{2} \left( 2\theta\left(\operatorname{Im}\left(\frac{1}{z}\right)\right) - 1 \right) \left( 1 + \mathcal{O}\left(\frac{1}{z}\right) \right)$$

01.30.06.0031.02

$$\operatorname{sech}^{-1}(z) \propto \frac{\sqrt{\frac{1}{z} - 1}}{\sqrt{1 - \frac{1}{z}}} \left( \frac{\pi}{2} - \frac{1}{z} - \frac{1}{6z^3} - \frac{3}{40z^5} - \dots \right) /; (|z| \rightarrow \infty)$$

01.30.06.0100.01

$$\operatorname{sech}^{-1}(z) \propto \frac{\sqrt{\frac{1}{z} - 1}}{\sqrt{1 - \frac{1}{z}}} \left( \frac{\pi}{2} - \frac{1}{z} - \frac{1}{6z^3} - \frac{3}{40z^5} + \mathcal{O}\left(\frac{1}{z^7}\right) \right)$$

01.30.06.0032.01

$$\operatorname{sech}^{-1}(z) = \frac{\sqrt{\frac{1}{z} - 1}}{\sqrt{1 - \frac{1}{z}}} \left( \frac{\pi}{2} - \sum_{k=0}^{\infty} \frac{\left(\frac{1}{2}\right)_k z^{-2k-1}}{(2k+1)k!} \right) /; |z| > 1$$

01.30.06.0033.01

$$\operatorname{sech}^{-1}(z) = \frac{\sqrt{\frac{1}{z}-1}}{\sqrt{1-\frac{1}{z}}} \left( \frac{\pi}{2} - \frac{1}{z} {}_2F_1\left(\frac{1}{2}, \frac{1}{2}; \frac{3}{2}; \frac{1}{z^2}\right) \right)$$

01.30.06.0101.01

$$\operatorname{sech}^{-1}(z) = \sqrt{-z} \sqrt{\frac{1}{z}} \left( \frac{\pi}{2} - \sum_{k=0}^{\infty} \frac{\left(\frac{1}{2}\right)_k z^{-2k-1}}{(2k+1)k!} \right) ; |z| > 1$$

01.30.06.0039.02

$$\operatorname{sech}^{-1}(z) \propto \frac{\pi \sqrt{\frac{1}{z}-1}}{2 \sqrt{1-\frac{1}{z}}} + O\left(\frac{1}{z}\right)$$

01.30.06.0102.01

$$\operatorname{sech}^{-1}(z) \propto \begin{cases} \frac{i\pi}{2} & \arg(z) \leq 0 \vee \arg(z) = \pi \\ -\frac{1}{2}(i\pi) & \text{True} \end{cases} ; (|z| \rightarrow \infty)$$

01.30.06.0103.01

$$\operatorname{sech}^{-1}(z) = F_{\infty}(z) ; \left( \left( F_n(z) = \frac{\sqrt{\frac{1}{z}-1}}{\sqrt{1-\frac{1}{z}}} \left( \frac{\pi}{2} - \sum_{k=0}^n \frac{\left(\frac{1}{2}\right)_k z^{-2k-1}}{(2k+1)k!} \right) = \operatorname{sech}^{-1}(z) + \frac{z^{-2n-3}}{2\sqrt{\pi}} \Gamma\left(n + \frac{3}{2}\right) \frac{\sqrt{\frac{1}{z}-1}}{\sqrt{1-\frac{1}{z}}} {}_3\tilde{F}_2\left(1, n + \frac{3}{2}, n + \frac{3}{2}; n + 2, n + \frac{5}{2}; \frac{1}{z^2}\right) \right) \wedge n \in \mathbb{N} \right)$$

Summed form of the truncated series expansion.

### For small integer powers of the function

For the second power

01.30.06.0104.01

$$\operatorname{sech}^{-1}(z)^2 \propto -\frac{\pi^2}{4} + \frac{\pi}{z} - \frac{1}{z^2} + \frac{\pi}{6z^3} - \dots ; |z| \rightarrow \infty$$

01.30.06.0105.01

$$\operatorname{sech}^{-1}(z)^2 \propto -\frac{\pi^2}{4} + \frac{\pi}{z} - \frac{1}{z^2} + \frac{\pi}{6z^3} + O\left(\frac{1}{z^4}\right)$$

01.30.06.0106.01

$$\operatorname{sech}^{-1}(z)^2 = -\frac{\pi^2}{4} + \frac{\pi}{z} \sum_{k=0}^{\infty} \frac{\left(\frac{1}{2}\right)_k z^{-2k}}{(2k+1)k!} - \frac{1}{z^2} \sum_{k=0}^{\infty} \frac{2^{2k} k!^2 z^{-2k}}{(2k+1)!(k+1)} ; |z| > 1$$

01.30.06.0107.01

$$\operatorname{sech}^{-1}(z)^2 = -\frac{\pi^2}{4} + \frac{\pi}{z} {}_2F_1\left(\frac{1}{2}, \frac{1}{2}; \frac{3}{2}; \frac{1}{z^2}\right) - \frac{1}{z^2} {}_3F_2\left(1, 1, 1; \frac{3}{2}, 2; \frac{1}{z^2}\right)$$

01.30.06.0108.01

$$\operatorname{sech}^{-1}(z)^2 \propto -\frac{\pi^2}{4} + O\left(\frac{1}{z}\right)$$

01.30.06.0109.01

$$\operatorname{sech}^{-1}(z)^2 = F_{\infty}(z) ; \left( \left( F_n(z) = -\frac{1}{z^2} \sum_{k=0}^n \frac{2^{2k} k!^2 z^{-2k}}{(2k+1)!(k+1)} + \frac{\pi}{z} \sum_{k=0}^n \frac{\left(\frac{1}{2}\right)_k z^{-2k}}{(2k+1)k!} - \frac{\pi^2}{4} = \right. \right. \\ \left. \left. -\frac{1}{2} \sqrt{\pi} \Gamma\left(n + \frac{3}{2}\right)^2 z^{-2n-3} {}_3\tilde{F}_2\left(1, n + \frac{3}{2}, n + \frac{3}{2}; n + 2, n + \frac{5}{2}; \frac{1}{z^2}\right) + \right. \right. \\ \left. \left. \frac{1}{2} \sqrt{\pi} \Gamma(n + 2)^2 z^{-2n-4} {}_3\tilde{F}_2\left(1, n + 2, n + 2; n + \frac{5}{2}, n + 3; \frac{1}{z^2}\right) + \operatorname{sech}^{-1}(z)^2 \right) \bigwedge n \in \mathbb{N}$$

Summed form of the truncated series expansion.

## Residue representations

01.30.06.0040.01

$$\operatorname{sech}^{-1}(z) = \frac{\sqrt{\frac{1}{z} - 1}}{\sqrt{1 - \frac{1}{z}}} \left( \frac{1}{2\sqrt{\pi} z} \sum_{j=0}^{\infty} \operatorname{res}_s \left( \frac{\Gamma(s) \left(-\frac{1}{z}\right)^{-s}}{\Gamma\left(\frac{3}{2} - s\right)} \Gamma\left(\frac{1}{2} - s\right)^2 \right) \left(\frac{1}{2} + j\right) + \frac{\pi}{2} \right) ; |z| < 1$$

01.30.06.0041.01

$$\operatorname{sech}^{-1}(z) = \frac{\sqrt{\frac{1}{z} - 1}}{\sqrt{1 - \frac{1}{z}}} \left( \frac{z}{2\sqrt{\pi}} \sum_{j=1}^{\infty} \operatorname{res}_s \left( \frac{\Gamma\left(-s - \frac{1}{2}\right)^2 \left(-\frac{1}{z}\right)^{-s}}{\Gamma\left(\frac{1}{2} - s\right)} \Gamma(s + 1) \right) (-j) + \frac{\pi}{2} \right) ; |z| > 1$$

## Integral representations

### On the real axis

#### Of the direct function

01.30.07.0001.01

$$\operatorname{sech}^{-1}(z) = \int_z^1 \frac{1}{t \sqrt{1 - t^2}} dt ; z \notin (-\infty, 0)$$

01.30.07.0002.01

$$\operatorname{sech}^{-1}(z) = - \int_1^z \frac{1}{t \sqrt{\frac{1-t}{1+t}} (1+t)} dt ; z \notin (-1, 0)$$

### Contour integral representations

01.30.07.0003.01

$$\operatorname{sech}^{-1}(z) = \frac{\sqrt{\frac{1}{z} - 1}}{\sqrt{1 - \frac{1}{z}}} \left( \frac{\pi}{2} - \frac{1}{(2\sqrt{\pi} z) 2\pi i} \int_{\mathcal{L}} \frac{\Gamma(s) \Gamma\left(\frac{1}{2} - s\right)^2}{\Gamma\left(\frac{3}{2} - s\right)} \left(-\frac{1}{z^2}\right)^{-s} ds \right) ; |\arg(-z^{-2})| < \pi$$

01.30.07.0004.01

$$\operatorname{sech}^{-1}(z) = \frac{\sqrt{\frac{1}{z} - 1}}{\sqrt{1 - \frac{1}{z}}} \left( \frac{\pi}{2} - \frac{1}{(2\sqrt{\pi} z) 2\pi i} \int_{\mathcal{L}} \Gamma(s) \Gamma\left(s + \frac{1}{2}\right) \Gamma\left(\frac{1}{2} - s\right)^2 \left(1 - \frac{1}{z^2}\right)^{-s} ds \right) ; |\arg(1 - z^{-2})| < \pi$$

01.30.07.0005.01

$$\operatorname{sech}^{-1}(z) = \frac{\sqrt{\frac{1}{z} - 1}}{\sqrt{1 - \frac{1}{z}}} \left( \frac{\pi}{2} - \frac{1}{(2\sqrt{\pi} z) 2\pi i} \int_{\gamma-i\infty}^{\gamma+i\infty} \frac{\Gamma(s) \Gamma\left(\frac{1}{2} - s\right)^2}{\Gamma\left(\frac{3}{2} - s\right)} \left(-\frac{1}{z^2}\right)^{-s} ds \right) ; 0 < \gamma < \frac{1}{2} \wedge |\arg(-z^{-2})| < \pi$$

01.30.07.0006.01

$$\operatorname{sech}^{-1}(z) = \frac{\sqrt{\frac{1}{z} - 1}}{\sqrt{1 - \frac{1}{z}}} \left( \frac{\pi}{2} - \frac{1}{(2\sqrt{\pi} z) 2\pi i} \int_{\gamma-i\infty}^{\gamma+i\infty} \Gamma(s) \Gamma\left(s + \frac{1}{2}\right) \Gamma\left(\frac{1}{2} - s\right)^2 \left(1 - \frac{1}{z^2}\right)^{-s} ds \right) ; 0 < \gamma < \frac{1}{2} \wedge |\arg(1 - z^{-2})| < \pi$$

### Continued fraction representations

01.30.10.0001.01

$$\operatorname{sech}^{-1}(z) = \frac{\sqrt{\frac{1}{z} - 1}}{\sqrt{1 - \frac{1}{z}}} \left( \frac{\pi}{2} - \frac{z^{-1} \sqrt{1 - z^{-2}}}{1 - \frac{1 \times 2 z^{-2}}{3 - \frac{1 \times 2 z^{-2}}{5 - \frac{3 \times 4 z^{-2}}{7 - \frac{3 \times 4 z^{-2}}{9 - \frac{5 \times 6 z^{-2}}{11 - \dots}}}}} \right) /; z \notin (-1, 1)$$

01.30.10.0002.01

$$\operatorname{sech}^{-1}(z) = \frac{\sqrt{\frac{1}{z} - 1}}{\sqrt{1 - \frac{1}{z}}} \left( \frac{\pi}{2} - \frac{z^{-1} \sqrt{1 - z^{-2}}}{1 + K_k \left( -2 \left( 2 \left\lfloor \frac{k+1}{2} \right\rfloor - 1 \right) \left\lfloor \frac{k+1}{2} \right\rfloor z^{-2}, 2k+1 \right)_1^\infty} \right) /; z \notin (-1, 1)$$

## Differential equations

### Ordinary linear differential equations and wronskians

For the direct function itself

01.30.13.0001.01

$$\sqrt{1-z} z w'(z) = -\sqrt{\frac{1}{z+1}} /; w(z) = \operatorname{sech}^{-1}(z) \wedge w(-1) = i\pi$$

## Transformations

### Transformations and argument simplifications

Argument involving basic arithmetic operations

Involving  $\operatorname{sech}^{-1}(-z)$

Involving  $\operatorname{sech}^{-1}(-z)$  and  $\operatorname{sech}^{-1}(z)$

01.30.16.0001.02

$$\operatorname{sech}^{-1}(-z) = \operatorname{sech}^{-1}(z) + i\pi /; \operatorname{Im}(z) > 0 \vee 0 < z < 1$$

01.30.16.0002.02

$$\operatorname{sech}^{-1}(-z) = \operatorname{sech}^{-1}(z) - i\pi /; \operatorname{Im}(z) < 0 \vee -1 < z < 0$$

01.30.16.0015.01

$$\operatorname{sech}^{-1}(-z) = -\operatorname{sech}^{-1}(z) + i\pi /; (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.16.0003.01

$$\operatorname{sech}^{-1}(-z) = \frac{\sqrt{-1 - \frac{1}{z}}}{\sqrt{1 + \frac{1}{z}}} \left( \frac{\sqrt{\frac{1}{z} - 1}}{\sqrt{1 - \frac{1}{z}}} \operatorname{sech}^{-1}(z) + \pi \right)$$

## Involving $\operatorname{sech}^{-1}(cz)$

### Involving $\operatorname{sech}^{-1}(iz)$ and $\operatorname{sech}^{-1}\left(\frac{z^2}{z^2+2}\right)$

01.30.16.0016.01

$$\operatorname{sech}^{-1}(iz) = -\frac{\pi i}{2} + \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{z^2}{z^2+2}\right) /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.30.16.0017.01

$$\operatorname{sech}^{-1}(iz) = \frac{\pi i}{2} + \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{z^2}{z^2+2}\right) /; \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.16.0018.01

$$\operatorname{sech}^{-1}(iz) = \frac{\pi i}{2} - \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{z^2}{z^2+2}\right) /; (iz \in \mathbb{R} \wedge iz > 1)$$

01.30.16.0019.01

$$\operatorname{sech}^{-1}(iz) = \frac{1}{2} \sqrt{1-iz} \sqrt{\frac{1}{1-iz}} \operatorname{sech}^{-1}\left(\frac{z^2}{z^2+2}\right) - \frac{1}{2} (\pi i) z \sqrt{\frac{1}{z^2}} \sqrt{1-iz} \sqrt{\frac{1}{1-iz}}$$

### Involving $\operatorname{sech}^{-1}(-iz)$ and $\operatorname{sech}^{-1}\left(\frac{z^2}{z^2+2}\right)$

01.30.16.0020.01

$$\operatorname{sech}^{-1}(-iz) = \frac{\pi i}{2} + \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{z^2}{z^2+2}\right) /; -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.30.16.0021.01

$$\operatorname{sech}^{-1}(-iz) = -\frac{\pi i}{2} + \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{z^2}{z^2+2}\right) /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.30.16.0022.01

$$\operatorname{sech}^{-1}(-iz) = \frac{\pi i}{2} - \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{z^2}{z^2+2}\right) /; (iz \in \mathbb{R} \wedge iz < -1)$$

01.30.16.0023.01

$$\operatorname{sech}^{-1}(-iz) = \frac{1}{2} \sqrt{1+iz} \sqrt{\frac{1}{1+iz}} \operatorname{sech}^{-1}\left(\frac{z^2}{z^2+2}\right) + \frac{\pi i}{2} z \sqrt{\frac{1}{z^2}} \sqrt{1+iz} \sqrt{\frac{1}{1+iz}}$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{z^2}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{z^2}\right)$  and  $\operatorname{sech}^{-1}(z)$

01.30.16.0024.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = \operatorname{sech}^{-1}(z) /; -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.30.16.0025.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = \pi i + \operatorname{sech}^{-1}(z) /; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.16.0026.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = -\pi i + \operatorname{sech}^{-1}(z) /; -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.16.0027.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = \pi i - \operatorname{sech}^{-1}(z) /; (z \in \mathbb{R} \wedge z < -1)$$

01.30.16.0006.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = \sqrt{z+1} \sqrt{\frac{1}{z+1}} \left( \operatorname{sech}^{-1}(z) - \frac{\pi}{2} \sqrt{-\frac{1}{z^2}} \left( \sqrt{z^2} - z \right) \right)$$

### Involving $\operatorname{sech}^{-1}\left(a(bz^c)^m\right)$

Involving  $\operatorname{sech}^{-1}\left(a(bz^c)^m\right)$  and  $\operatorname{sech}^{-1}\left(ab^m z^{mc}\right)$

01.30.16.0028.01

$$\operatorname{sech}^{-1}\left(a(bz^c)^m\right) = \frac{\sqrt{1/a(bz^c)^{-m}-1}}{\sqrt{1-1/a(bz^c)^{-m}}} \left( \frac{\pi}{2} - \frac{b^m z^{mc}}{(bz^c)^m} \left( \frac{\pi}{2} - \frac{\sqrt{1-1/ab^{-m}z^{-mc}}}{\sqrt{1/ab^{-m}z^{-mc}-1}} \operatorname{sech}^{-1}\left(ab^m z^{mc}\right) \right) \right) /; 2m \in \mathbb{Z}$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{1}{z}\right)$

01.30.16.0029.01

$$\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right) = 2 \operatorname{sech}^{-1}\left(\frac{1}{z}\right) - \pi i /; 0 < \arg(z) \leq \pi$$

01.30.16.0030.01

$$\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right) = 2 \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + \pi i /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.16.0031.01

$$\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right) = -2 \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + \pi i /; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.16.0032.01

$$\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right) = 2 \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + \pi i \left( \frac{i \sqrt{z^2-1} \sqrt{-z} \sqrt{z^2}}{\sqrt{1-z^2} \sqrt{z}} \sqrt{-\frac{1}{z^2}} + \sqrt{z+1} \sqrt{\frac{1}{z+1}} - \sqrt{1-z} \sqrt{\frac{1}{1-z}} \right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right)$ and $\operatorname{sech}^{-1}\left(\frac{1}{z}\right)$

01.30.16.0033.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = 2 \operatorname{sech}^{-1}\left(\frac{1}{z}\right) /; -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.30.16.0034.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = 2 \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + 2\pi i /; -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.30.16.0035.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = -2 \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + 2\pi i /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.16.0036.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = 2 \operatorname{sech}^{-1}\left(\frac{1}{z}\right) - 2\pi i /; \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.16.0037.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = \frac{\pi \sqrt{z^2-1}}{\sqrt{1-z^2}} \left(1 - \frac{\sqrt{z^2}}{z}\right) + 2 \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} \operatorname{sech}^{-1}\left(\frac{1}{z}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{z^2}{z^2-2}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{z^2}{z^2-2}\right)$ and $\operatorname{sech}^{-1}(z)$

01.30.16.0038.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{z^2-2}\right) = 2 \operatorname{sech}^{-1}(z) + \pi i /; \operatorname{Im}[z] > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$



01.30.16.0039.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{z^2-2}\right) = 2 \operatorname{sech}^{-1}(z) - \pi i ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.16.0040.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{z^2-2}\right) = -2 \operatorname{sech}^{-1}(z) + \pi i ; (z \in \mathbb{R} \wedge z > 1)$$

01.30.16.0041.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{z^2-2}\right) = i\pi \left( -\sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} + \sqrt{1+\frac{1}{z}} \sqrt{\frac{z}{z+1}} - \frac{i\sqrt{-z}\sqrt{z^2}\sqrt{z^2-1}}{\sqrt{(1-z)z}\sqrt{z+1}} \sqrt{-\frac{1}{z^2}} \right) + 2\sqrt{\frac{1}{1-z}} \sqrt{1-z} \operatorname{sech}^{-1}(z)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right)$ and $\operatorname{sech}^{-1}(z)$

01.30.16.0042.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = 2 \operatorname{sech}^{-1}(z) ; -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.30.16.0043.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = 2 \operatorname{sech}^{-1}(z) + 2\pi i ; \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.16.0044.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = 2 \operatorname{sech}^{-1}(z) - 2\pi i ; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.16.0045.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = -2 \operatorname{sech}^{-1}(z) + 2\pi i ; (z \in \mathbb{R} \wedge z < -1)$$

01.30.16.0046.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = \frac{\pi\sqrt{z^2-z^4}}{z\sqrt{z^2-1}} \left( z\sqrt{\frac{1}{z^2}-1} \right) + \frac{2\sqrt{z+1}}{\sqrt{\frac{z^2-1}{z^2}}} \sqrt{\frac{z-1}{z^2}} \operatorname{sech}^{-1}(z)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right)$ and $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.16.0047.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = -\frac{\pi i}{2} + \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right); 0 < \arg(z) \leq \pi$$

01.30.16.0048.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = \frac{\pi i}{2} + \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right); -\pi < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.16.0049.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = \frac{\pi i}{2} - \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.16.0050.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) + \frac{\pi \sqrt{-z^2}}{2z}$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right)$  and  $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.16.0051.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = -\frac{\pi i}{2} + \operatorname{sech}^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) > 0$$

01.30.16.0052.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = \frac{\pi i}{2} + \operatorname{sech}^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.16.0053.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = \frac{\pi i}{2} - \operatorname{sech}^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.16.0054.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} \operatorname{sech}^{-1}\left(\sqrt{\frac{1}{z}}\right) + \frac{1}{2} \pi \sqrt{\frac{1}{z}} \sqrt{-z}$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.16.0055.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = -\frac{\pi i}{2} + \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right); 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.16.0056.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = \frac{\pi i}{2} + \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right); -\pi < \arg(z) < 0$$

01.30.16.0057.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = \frac{\pi i}{2} - \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.16.0058.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = \frac{\pi i}{2} \left( \frac{i\sqrt{z}}{\sqrt{-z}} + \sqrt{1-z} \sqrt{\frac{1}{1-z}} - 1 \right) + \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right)$  and  $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.16.0059.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = -\frac{\pi i}{2} + \operatorname{sech}^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.16.0060.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = \frac{\pi i}{2} + \operatorname{sech}^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.16.0061.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = \frac{\pi i}{2} - \operatorname{sech}^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.16.0062.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = \frac{\pi i}{2} \left( -i\sqrt{\frac{1}{z}} \sqrt{-z} + \sqrt{1-z} \sqrt{\frac{1}{1-z}} - 1 \right) + \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} \operatorname{sech}^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1+cz}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1+z}}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{1}{z}\right)$

01.30.16.0063.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{z+1}}\right) = \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{1}{z}\right)$

01.30.16.0064.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right) = -\frac{\pi i}{2} + \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.16.0065.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} + \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.16.0066.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} - \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.30.16.0067.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} \left(1 - \frac{i\sqrt{-z^2}}{z} - \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}}\right) + \frac{1}{2} \sqrt{\frac{z^2-1}{z^2}} \sqrt{\frac{z^2}{z^2-1}} \operatorname{sech}^{-1}\left(\frac{1}{z}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1+cz}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1+z}}\right)$ and $\operatorname{sech}^{-1}\left(\frac{1}{z}\right)$

01.30.16.0068.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1+z}}\right) = \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right); z \notin (-\infty, -1)$$

01.30.16.0069.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1+z}}\right) = \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right) - \pi i; (z \in \mathbb{R} \wedge z < -1)$$

01.30.16.0070.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1+z}}\right) = \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + \left(\sqrt{z+1} \sqrt{\frac{1}{z+1}} - 1\right) \frac{\pi i}{2}$$

#### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right)$ and $\operatorname{sech}^{-1}\left(\frac{1}{z}\right)$

01.30.16.0071.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = -\frac{\pi i}{2} + \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.16.0072.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = \frac{\pi i}{2} + \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0$$

01.30.16.0073.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = \frac{\pi i}{2} - \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.30.16.0074.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = \frac{\pi i}{2} \left( -\frac{i\sqrt{-z^2}}{z} - \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} + \sqrt{1-z} \sqrt{\frac{1}{1-z}} \right) + \frac{1}{2} \sqrt{\frac{z^2-1}{z^2}} \sqrt{\frac{z^2}{z^2-1}} \operatorname{sech}^{-1}\left(\frac{1}{z}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right)$  and  $\operatorname{sech}^{-1}(\sqrt{z})$

01.30.16.0075.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = \frac{\pi i}{2} + \operatorname{sech}^{-1}(\sqrt{z}); 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.16.0076.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = -\frac{\pi i}{2} + \operatorname{sech}^{-1}(\sqrt{z}); \operatorname{Im}(z) < 0$$

01.30.16.0077.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = \frac{\pi i}{2} - \operatorname{sech}^{-1}(\sqrt{z}); (z \in \mathbb{R} \wedge z > 1)$$

01.30.16.0078.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = \sqrt{\frac{1}{1-z}} \sqrt{1-z} \operatorname{sech}^{-1}(\sqrt{z}) + \frac{1}{2} \pi \sqrt{-\frac{1}{z}} \sqrt{z}$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right)$  and  $\operatorname{sech}^{-1}(\sqrt{z})$

01.30.16.0079.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} + \operatorname{sech}^{-1}(\sqrt{z}); 0 < \arg(z) \leq \pi$$

01.30.16.0080.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = -\frac{\pi i}{2} + \operatorname{sech}^{-1}(\sqrt{z}); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

$$\text{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} - \text{sech}^{-1}(\sqrt{z}) ; (z \in \mathbb{R} \wedge z > 1)$$

$$\text{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} \left( \frac{i\sqrt{-z^2}}{z} - \sqrt{1-z} \sqrt{\frac{1}{1-z}} + 1 \right) + \sqrt{\frac{1}{1-z}} \sqrt{1-z} \text{sech}^{-1}(\sqrt{z})$$

### Involving $\text{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right)$

#### Involving $\text{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right)$ and $\text{sech}^{-1}(\sqrt{z})$

$$\text{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = \frac{\pi i}{2} + \text{sech}^{-1}(\sqrt{z}) ; 0 < \arg(z) \leq \pi$$

$$\text{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = -\frac{\pi i}{2} + \text{sech}^{-1}(\sqrt{z}) ; \text{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

$$\text{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = \frac{\pi i}{2} - \text{sech}^{-1}(\sqrt{z}) ; (z \in \mathbb{R} \wedge z > 1)$$

$$\text{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = \sqrt{\frac{1}{1-z}} \sqrt{1-z} \text{sech}^{-1}(\sqrt{z}) + \frac{\pi \sqrt{(1-z)z}}{2\sqrt{-z}} \sqrt{\frac{1}{1-z}}$$

### Involving $\text{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+a}}\right)$

#### Involving $\text{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right)$ and $\text{sech}^{-1}(z)$

$$\text{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right) = \frac{\pi i}{2} + \frac{1}{2} \text{sech}^{-1}(z) ; \text{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

$$\text{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right) = -\frac{\pi i}{2} + \frac{1}{2} \text{sech}^{-1}(z) ; \text{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

$$\text{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right) = \frac{\pi i}{2} - \frac{1}{2} \text{sech}^{-1}(z) ; (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.16.0090.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right) = \frac{\pi i}{2} \left( \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - i \sqrt{-\frac{1}{z}} \sqrt{z} - 1 \right) + \frac{1}{2} \sqrt{\frac{1+z}{1-z}} \sqrt{\frac{1-z}{1+z}} \operatorname{sech}^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right)$  and  $\operatorname{sech}^{-1}(z)$

01.30.16.0091.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right) = \frac{1}{2} \operatorname{sech}^{-1}(z); z \notin (-1, 0)$$

01.30.16.0092.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right) = \frac{1}{2} \operatorname{sech}^{-1}(z) - \pi i; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.16.0005.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right) = \frac{1}{2} \operatorname{sech}^{-1}(z) + \frac{\pi i}{2} \left( \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1 \right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{a-z}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-z-1}}\right)$  and  $\operatorname{sech}^{-1}(z)$

01.30.16.0093.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-z-1}}\right) = \frac{1}{2} \operatorname{sech}^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right)$  and  $\operatorname{sech}^{-1}(z)$

01.30.16.0094.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} + \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0$$

01.30.16.0095.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right) = -\frac{\pi i}{2} + \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.30.16.0096.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} - \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.16.0097.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} \left( \frac{i\sqrt{-z^2}}{z} + \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - \sqrt{1-z} \sqrt{\frac{1}{1-z}} \right) + \frac{1}{2} \sqrt{\frac{z+1}{1-z}} \sqrt{\frac{1-z}{z+1}} \operatorname{sech}^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+a}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right)$  and  $\operatorname{sech}^{-1}(z)$

01.30.16.0098.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right) = \frac{\pi i}{2} + \frac{1}{2} \operatorname{sech}^{-1}(z) ; \operatorname{Im}(z) > 0$$

01.30.16.0099.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right) = -\frac{\pi i}{2} + \frac{1}{2} \operatorname{sech}^{-1}(z) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.30.16.0100.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right) = \frac{\pi i}{2} - \frac{1}{2} \operatorname{sech}^{-1}(z) ; (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.16.0101.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right) = \frac{\pi i}{2} \left( \sqrt{\frac{z^2}{z^2-1}} \sqrt{\frac{z^2-1}{z^2}} - i \sqrt{-\frac{1}{z}} \sqrt{z-1} \right) + \frac{1}{2} \sqrt{\frac{z+1}{1-z}} \sqrt{\frac{1-z}{z+1}} \operatorname{sech}^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right)$  and  $\operatorname{sech}^{-1}(z)$

01.30.16.0102.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right) = \frac{1}{2} \operatorname{sech}^{-1}(z) ; z \notin (-1, 0)$$

01.30.16.0103.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right) = \frac{1}{2} \operatorname{sech}^{-1}(z) - \pi i ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.16.0004.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right) = \frac{1}{2} \operatorname{sech}^{-1}(z) + \frac{\pi i}{2} \left( \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1 \right)$$



### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{1}{z}\right)$

01.30.16.0104.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right) = -\frac{\pi i}{2} + \operatorname{sech}^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) \leq \pi$$

01.30.16.0105.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right) = \frac{\pi i}{2} + \operatorname{sech}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.16.0106.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right) = \frac{\pi i}{2} - \operatorname{sech}^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.16.0107.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right) = \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + \frac{\pi \sqrt{-z}}{2 \sqrt{z}}$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{1}{z}\right)$

01.30.16.0108.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = -\frac{\pi i}{2} + \operatorname{sech}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.16.0109.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = \frac{\pi i}{2} + \operatorname{sech}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0$$

01.30.16.0110.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = \frac{\pi i}{2} - \operatorname{sech}^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.16.0111.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = \frac{\pi i}{2} \left( -\frac{i\sqrt{-z}}{\sqrt{z}} + \sqrt{1-z^2} \sqrt{\frac{1}{1-z^2} - 1} \right) + \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} \operatorname{sech}^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right)$  and  $\operatorname{sech}^{-1}(z)$

01.30.16.0112.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = \frac{\pi i}{2} + \operatorname{sech}^{-1}(z) /; 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1) \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.30.16.0113.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = -\frac{\pi i}{2} + \operatorname{sech}^{-1}(z) /; -\frac{\pi}{2} < \arg(z) < 0$$

01.30.16.0114.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = \frac{3\pi i}{2} + \operatorname{sech}^{-1}(z) /; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.16.0115.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = -\frac{3\pi i}{2} + \operatorname{sech}^{-1}(z) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.16.0116.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = \frac{\pi i}{2} - \operatorname{sech}^{-1}(z) /; (z \in \mathbb{R} \wedge z > 1)$$

01.30.16.0117.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = \frac{3\pi i}{2} - \operatorname{sech}^{-1}(z) /; (z \in \mathbb{R} \wedge z < -1)$$

01.30.16.0118.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = \frac{\pi}{2} \left( \sqrt{-\frac{1}{z}} \sqrt{z} - \frac{\sqrt{-z}}{\sqrt{z}} + \sqrt{\frac{1}{z^2}} \sqrt{-z^2} + 3i \left( \sqrt{1+\frac{1}{z}} \sqrt{\frac{z}{z+1}} - 1 \right) + i \sqrt{iz} \sqrt{-\frac{i}{z}} - i \sqrt{-iz} \sqrt{\frac{i}{z}} \right) + \sqrt{\frac{z+1}{1-z}} \sqrt{\frac{1-z}{z+1}} \operatorname{sech}^{-1}(z)$$

**Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right)$**

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right)$  and  $\operatorname{sech}^{-1}(z)$

01.30.16.0119.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right) = \frac{\pi i}{2} + \operatorname{sech}^{-1}(z) \text{ ; } \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.16.0120.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right) = -\frac{\pi i}{2} + \operatorname{sech}^{-1}(z) \text{ ; } \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.16.0121.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right) = \frac{\pi i}{2} - \operatorname{sech}^{-1}(z) \text{ ; } (z \in \mathbb{R} \wedge z > 1)$$

01.30.16.0122.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right) = \sqrt{\frac{1}{1-z}} \sqrt{1-z} \operatorname{sech}^{-1}(z) + \frac{\pi z}{2} \sqrt{-\frac{1}{z^2}}$$

**Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right)$**

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right)$  and  $\operatorname{sech}^{-1}(z)$

01.30.16.0123.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = \frac{\pi i}{2} + \operatorname{sech}^{-1}(z) ; \operatorname{Im}(z) > 0$$

01.30.16.0124.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = -\frac{\pi i}{2} + \operatorname{sech}^{-1}(z) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1) \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.16.0125.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = \frac{\pi i}{2} - \operatorname{sech}^{-1}(z) ; (z \in \mathbb{R} \wedge z > 1)$$

01.30.16.0126.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = -\frac{3\pi i}{2} + \operatorname{sech}^{-1}(z) ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.16.0127.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = \frac{\pi i}{2} \left( \frac{i\sqrt{-z^2}}{z} + 2\sqrt{z} \sqrt{\frac{1}{z}} - \sqrt{1-z} \sqrt{\frac{1}{1-z}} - \sqrt{z+1} \sqrt{\frac{1}{z+1}} \right) + \sqrt{1-z} \sqrt{\frac{1}{1-z}} \operatorname{sech}^{-1}(z)$$

**Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right)$**

**Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right)$  and  $\operatorname{sech}^{-1}(z)$**

01.30.16.0128.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = \frac{\pi i}{2} + \operatorname{sech}^{-1}(z) ; \operatorname{Im}(z) > 0$$

01.30.16.0129.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = -\frac{\pi i}{2} + \operatorname{sech}^{-1}(z) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.16.0130.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = \frac{\pi i}{2} - \operatorname{sech}^{-1}(z) ; (z \in \mathbb{R} \wedge z > 1)$$

01.30.16.0131.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = -\frac{3\pi i}{2} + \operatorname{sech}^{-1}(z) ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.16.0132.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = \frac{\pi i}{2} \left( \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - \frac{i\sqrt{z-1}\sqrt{-z^2}}{\sqrt{1-z}} \sqrt{-\frac{1}{z^2}-1} \right) + \sqrt{\frac{1}{1-z}} \sqrt{1-z} \operatorname{sech}^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{1}{z}\right)$

01.30.16.0133.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right) = -\frac{\pi i}{2} + 2 \operatorname{sech}^{-1}\left(\frac{1}{z}\right) ; 0 < \arg(z) \leq \frac{3\pi}{4}$$

01.30.16.0134.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right) = \frac{\pi i}{2} + 2 \operatorname{sech}^{-1}\left(\frac{1}{z}\right) ; -\frac{3\pi}{4} \leq \arg(z) < 0$$

01.30.16.0135.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right) = 2 \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + \frac{\pi\sqrt{-z^2}}{2z} ; 0 < \arg(z) \leq \frac{3\pi}{4} \vee -\frac{1}{4} (3\pi \leq \arg(z) < 0)$$

01.30.16.0136.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right) =$$

$$\frac{\sqrt{2z\sqrt{1-z^2}-1}}{\sqrt{1-2z\sqrt{1-z^2}}} \left( \frac{\pi}{2} - \frac{\pi\sqrt{1-2z^2}\sqrt{z^4-z^2}}{2\sqrt{-z^2}\sqrt{z^2-1}\sqrt{2z^2-1}} \left( \frac{\sqrt{z^2}}{z} - \sqrt{\frac{1}{z}} \sqrt{z} \sqrt{\frac{1}{\sqrt{2}z+1}} \sqrt{\sqrt{2}z+1} + \right. \right. \\ \left. \left. \sqrt{\frac{1}{z}} \sqrt{-z} \sqrt{\frac{1}{1-\sqrt{2}z}} \sqrt{1-\sqrt{2}z} + \frac{\sqrt{z^4-z^2}}{z\sqrt{z^2-1}} - 2 \right) - \frac{2\sqrt{1-z}\sqrt{1-2z^2}\sqrt{z^4-z^2}}{\sqrt{z-1}\sqrt{-z^2}\sqrt{z^2-1}\sqrt{2z^2-1}} \operatorname{sech}^{-1}\left(\frac{1}{z}\right) \right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right)$  and  $\operatorname{sech}^{-1}(z)$

01.30.16.0137.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = \frac{\pi i}{2} + 2 \operatorname{sech}^{-1}(z) ; 0 < \arg(z) \leq \frac{\pi}{2} \quad \bigvee \quad (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.16.0138.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = -\frac{\pi i}{2} + 2 \operatorname{sech}^{-1}(z) ; -\frac{\pi}{2} < \arg(z) < 0 \quad \bigvee \quad (z \in \mathbb{R} \wedge z > 1)$$

01.30.16.0139.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = \frac{3\pi i}{2} + 2 \operatorname{sech}^{-1}(z) ; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.16.0140.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = -\frac{3\pi i}{2} + 2 \operatorname{sech}^{-1}(z) ; -\pi < \arg(z) \leq -\frac{\pi}{2} \quad \bigvee \quad (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.16.0141.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = \frac{\sqrt{\frac{2\sqrt{z^2-1}}{z^2} - 1}}{\sqrt{1 - \frac{2\sqrt{z^2-1}}{z^2}}} \left( \frac{\pi}{2} + \frac{z^3 \sqrt{z^2-2} \sqrt{z^2-1}}{2\sqrt{1-z} (z+1) \sqrt{-z^4+3z^2-2}} \sqrt{\frac{1-z^2}{z^4}} \sqrt{\frac{1}{z}} \right. \\ \left. \sqrt{\frac{z+1}{z}} \left( \pi \left( \frac{z^3}{1-z^2} \sqrt{\frac{1-z^2}{z^2}} \sqrt{\frac{1-z^2}{z^4}} + \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{z}} \sqrt{\frac{z}{z+\sqrt{2}}} \sqrt{\frac{z+\sqrt{2}}{z}} \sqrt{z} + \right. \right. \right. \\ \left. \left. \left. \sqrt{1 - \frac{\sqrt{2}}{z}} \sqrt{-\frac{1}{z}} \sqrt{-z} \sqrt{\frac{z}{z-\sqrt{2}}} - 2 \right) + \frac{4}{\sqrt{\frac{1}{z} - 1}} \sqrt{1 - \frac{1}{z}} \operatorname{sech}^{-1}(z) \right) \right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2} / \sqrt{1 - \sqrt{1 + cz^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2} / \sqrt{1 - \sqrt{1 + z^2}}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{i}{z}\right)$

01.30.16.0142.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{z^2+1}}}\right) = -\frac{\pi i}{4} + \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{i}{z}\right); 0 < \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.16.0143.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{z^2+1}}}\right) = \frac{3\pi i}{4} + \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{i}{z}\right); -\frac{\pi}{2} < \arg(z) \leq 0$$

01.30.16.0144.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{z^2+1}}}\right) = \frac{\pi i}{4} + \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{i}{z}\right); \frac{\pi}{2} < \arg(z) \leq \pi \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.30.16.0145.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{z^2+1}}}\right) = -\frac{3\pi i}{4} + \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{i}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.30.16.0146.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{z^2+1}}}\right) = \frac{3\pi i}{4} - \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{i}{z}\right); (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.16.0147.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) =$$

$$\frac{i\pi}{4} \left( \frac{z-2i\sqrt{-z^2}}{\sqrt{z^2}} - \sqrt{\frac{z}{-i+z}} \sqrt{\frac{-i+z}{z}} - 3\sqrt{\frac{z}{i+z}} \sqrt{\frac{i+z}{z}} + 4 \right) + \frac{1}{2} \sqrt{\frac{z}{z+i}} \sqrt{\frac{z+i}{z}} \operatorname{sech}^{-1}\left(\frac{i}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1-z^2}}}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{1}{z}\right)$

01.30.16.0148.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{4} + \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.16.0149.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1-z^2}}}\right) = -\frac{\pi i}{4} + \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.16.0150.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1-z^2}}}\right) = -\frac{3\pi i}{4} + \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.16.0151.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1-z^2}}}\right) = \frac{3\pi i}{4} + \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.30.16.0152.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1-z^2}}}\right) = \frac{3\pi i}{4} - \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.16.0153.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1-z^2}}}\right) =$$

$$\frac{1}{4} i \pi \left( \sqrt{\frac{1}{1-z}} \sqrt{1-z} - 2 \sqrt{-\frac{1}{z}} \sqrt{-z} - 2 \sqrt{\frac{1}{z}} \sqrt{z} + i \sqrt{-\frac{1}{z^2}} z + \frac{2i\sqrt{-z^4}}{z^2} + 3 \sqrt{\frac{1}{z+1}} \sqrt{z+1} \right) +$$

$$\frac{1}{2} \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} \operatorname{sech}^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2/\left(1-\sqrt{1+cz^2}\right)}\right)$



Involving  $\operatorname{sech}^{-1}\left(\sqrt{2/\left(1-\sqrt{1+z^2}\right)}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{i}{z}\right)$

01.30.16.0154.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{4} + \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{i}{z}\right); 0 \leq \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.16.0155.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = \frac{3\pi i}{4} + \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{i}{z}\right); -\frac{\pi}{2} < \arg(z) < 0$$

01.30.16.0156.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{4} + \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{i}{z}\right); \frac{\pi}{2} < \arg(z) < \pi \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.30.16.0157.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = -\frac{3\pi i}{4} + \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{i}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.16.0158.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = \frac{3\pi i}{4} - \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{i}{z}\right); (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.16.0159.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{4} \left( 2 + \frac{z}{\sqrt{z^2}} - \frac{2i\sqrt{-z^2}}{\sqrt{z^2}} + \frac{2\sqrt{-z^4}}{\sqrt{z^2}} \sqrt{-\frac{1}{z^2}} - \sqrt{\frac{z}{-i+z}} \sqrt{\frac{-i+z}{z}} - 3\sqrt{\frac{z}{i+z}} \sqrt{\frac{i+z}{z}} \right) + \frac{1}{2} \sqrt{\frac{z}{z+i}} \sqrt{\frac{z+i}{z}} \operatorname{sech}^{-1}\left(\frac{i}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2/\left(1-\sqrt{1-z^2}\right)}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{1}{z}\right)$

01.30.16.0160.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{4} + \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.16.0161.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = -\frac{\pi i}{4} + \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.16.0162.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = -\frac{3\pi i}{4} + \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.16.0163.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = \frac{3\pi i}{4} + \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.16.0164.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = \frac{3\pi i}{4} - \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.16.0165.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = \frac{\pi}{4} \left( \frac{2z^2 - z\sqrt{z^2}}{\sqrt{-z^4}} + 2i - i\sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} + 2i\sqrt{\frac{1}{z^2}} \sqrt{z^2} - 3i\sqrt{1+\frac{1}{z}} \sqrt{\frac{z}{z+1}} \right) + \frac{1}{2} \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} \operatorname{sech}^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z^2} / \left(z\sqrt{1-\sqrt{1-z^2}}\right)\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z^2} / \left(z\sqrt{1-\sqrt{1-z^2}}\right)\right)$  and  $\operatorname{sech}^{-1}\left(\frac{1}{z}\right)$

01.30.16.0166.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z^2}}{z\sqrt{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{4} + \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.16.0167.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z^2}}{z\sqrt{1-\sqrt{1-z^2}}}\right) = -\frac{\pi i}{4} + \frac{1}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.16.0168.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z^2}}{z\sqrt{1-\sqrt{1-z^2}}}\right) = \frac{1}{2}\operatorname{sech}^{-1}\left(\frac{1}{z}\right) - \frac{\pi\sqrt{1-z}}{4\sqrt{z-1}}$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{z}\sqrt{2z^2/\left(1-\sqrt{1-z^2}\right)}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{z}\sqrt{2z^2/\left(1-\sqrt{1-z^2}\right)}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{1}{z}\right)$

01.30.16.0169.01

$$\operatorname{sech}^{-1}\left(\frac{1}{z}\sqrt{\frac{2z^2}{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{4} + \frac{1}{2}\operatorname{sech}^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.16.0170.01

$$\operatorname{sech}^{-1}\left(\frac{1}{z}\sqrt{\frac{2z^2}{1-\sqrt{1-z^2}}}\right) = -\frac{\pi i}{4} + \frac{1}{2}\operatorname{sech}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.16.0171.01

$$\operatorname{sech}^{-1}\left(\frac{1}{z}\sqrt{\frac{2z^2}{1-\sqrt{1-z^2}}}\right) = \frac{1}{2}\operatorname{sech}^{-1}\left(\frac{1}{z}\right) - \frac{\pi\sqrt{1-z}}{4\sqrt{z-1}}$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z}/\sqrt{z-\sqrt{z^2-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z}/\sqrt{z-\sqrt{z^2-1}}\right)$  and  $\operatorname{sech}^{-1}(z)$

01.30.16.0172.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2-1}}}\right) = -\frac{\pi i}{4} + \frac{1}{2}\operatorname{cosh}^{-1}\left(\frac{1}{z}\right);$$

$$0 < \arg(z) \leq \frac{\pi}{2} \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1) \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.16.0173.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2-1}}}\right) = \frac{\pi i}{4} + \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.16.0174.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2-1}}}\right) = -\frac{5\pi i}{4} + \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.16.0175.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2-1}}}\right) = \frac{\pi i}{4} \left( -i \sqrt{-z} \sqrt{z^2} \left(\frac{1}{z}\right)^{3/2} + \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} + 2 \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 3 \right) + \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z/(z-\sqrt{z^2-1})}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z/(z-\sqrt{z^2-1})}\right)$  and  $\operatorname{sech}^{-1}(z)$

01.30.16.0176.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{z^2-1}}}\right) = -\frac{\pi i}{4} + \frac{1}{2} \operatorname{sech}^{-1}(z);$$

$$0 < \arg(z) \leq \frac{\pi}{2} \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.16.0177.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{z^2-1}}}\right) = \frac{\pi i}{4} + \frac{1}{2} \operatorname{sech}^{-1}(z); -\frac{\pi}{2} < \arg(z) < 0 \vee \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.16.0178.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{z^2-1}}}\right) = \frac{\pi i}{4} \left( -\frac{i \sqrt{-z} z}{\sqrt{z^2}} \sqrt{\frac{1}{z}} + \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - 1 \right) + \frac{1}{2} \operatorname{sech}^{-1}(z)$$

## Products, sums, and powers of the direct function

### Sums of the direct function

01.30.16.0007.01

$$\operatorname{sech}^{-1}(x) + \operatorname{sech}^{-1}(y) = i\pi \left(1 - \operatorname{sgn}\left(\frac{x+y}{xy}\right)\right) + \cosh^{-1}\left(\sqrt{\frac{1}{x^2}-1} \sqrt{\frac{1}{y^2}-1} + \frac{1}{xy}\right) \operatorname{sgn}\left(\frac{x+y}{xy}\right); \left|x + \frac{1}{2}\right| > \frac{1}{2} \wedge \left|y + \frac{1}{2}\right| > \frac{1}{2}$$

01.30.16.0008.01

$$\operatorname{sech}^{-1}(x) + \operatorname{sech}^{-1}(y) = \pi i \left(1 - \operatorname{sgn}\left(\frac{x+y}{xy}\right)\right) - \operatorname{sgn}\left(\frac{x+y}{xy}\right) \cosh^{-1}\left(\sqrt{\frac{1}{x^2}-1} \sqrt{\frac{1}{y^2}-1} + \frac{1}{xy}\right); -1 < x < 0 \wedge -1 < y < 0$$

01.30.16.0009.01

$$\operatorname{sech}^{-1}(x) + \operatorname{sech}^{-1}(y) = \cosh^{-1}\left(\frac{1}{xy} - \sqrt{\frac{1}{x^2}-1} \sqrt{\frac{1}{y^2}-1}\right); 0 < x < 1 \wedge -1 < y < 0 \vee -1 < x < 0 \wedge 0 < x < 1$$

01.30.16.0010.01

$$\operatorname{sech}^{-1}(x) + \operatorname{sech}^{-1}(y) = \pi i \left(1 - \operatorname{sgn}\left(\frac{x+y}{xy}\right)\right) - \operatorname{sgn}\left(\frac{x+y}{xy}\right) \cosh^{-1}\left(\frac{1}{xy} - \sqrt{\frac{1}{x^2}-1} \sqrt{\frac{1}{y^2}-1}\right);$$

$$|x| > 1 \wedge -1 < y < 0 \vee |y| > 1 \wedge -1 < x < 0$$

01.30.16.0179.01

$$\operatorname{sech}^{-1}(x) + \operatorname{sech}^{-1}(y) = \sinh^{-1}\left((-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{\frac{1}{x}+1} \sqrt{\frac{1}{y}-1} \sqrt{\frac{1}{y}+1} + \frac{1}{xy}\right)}{\pi} \right\rfloor} \left( \frac{\sqrt{\frac{1}{x}-1} \sqrt{\frac{1}{x}+1}}{y} + \frac{\sqrt{\frac{1}{y}-1} \sqrt{\frac{1}{y}+1}}{x} \right)\right) +$$

$$\frac{1}{2} \pi \left( \frac{1}{2} i (-1)^{\left\lfloor -\frac{\arg\left(1-\frac{1}{x}\right)}{2\pi} \right\rfloor} + \frac{1}{2} i (-1)^{\left\lfloor -\frac{\arg\left(1-\frac{1}{y}\right)}{2\pi} \right\rfloor} \right)$$

$$\left( \left( \left( -1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2}} - \frac{1}{xy}\right)}{\pi} \right\rfloor} \right) \left( \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} + \frac{i}{y}\right)}{2\pi} \right) + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2}} - \frac{1}{xy}\right)}{\pi} \right\rfloor} \right) +$$

$$\left( \left( \left( 1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2}} - \frac{1}{xy}\right)}{\pi} \right\rfloor} \right) \left( \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} + \frac{i}{y}\right)}{2\pi} \right) + 1 \right) +$$

$$\left( \frac{1}{2} i (-1) \left[ -\frac{\arg\left(1-\frac{1}{x}\right)}{2\pi} \right] - \frac{1}{2} i (-1) \left[ -\frac{\arg\left(1-\frac{1}{y}\right)}{2\pi} \right] \right) \left( 2 \left[ -1 + (-1) \left[ \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2} + \frac{1}{xy}}\right)}{\pi} \right] \right] \right)$$

$$\left[ \frac{\arg\left(\sqrt{1-\frac{1}{x^2} + \frac{i}{x}}\right) + \arg\left(\sqrt{1-\frac{1}{y^2} - \frac{i}{y}}\right)}{2\pi} \right] + (-1) \left[ \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2} + \frac{1}{xy}}\right)}{\pi} \right] +$$

$$2 \left( 1 + (-1) \left[ \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2} + \frac{1}{xy}}\right)}{\pi} \right] \right) \left( \left[ \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2} + \frac{i}{x}}\right) + \arg\left(\sqrt{1-\frac{1}{y^2} - \frac{i}{y}}\right)}{2\pi} \right] - 1 \right)$$

**Differences of the direct function**

01.30.16.0011.01

$$\operatorname{sech}^{-1}(x) - \operatorname{sech}^{-1}(y) = -\operatorname{sgn}\left(\frac{x-y}{xy}\right) \cosh^{-1}\left(\frac{1}{xy} - \sqrt{\frac{1}{x^2} - 1} \sqrt{\frac{1}{y^2} - 1}\right) /;$$

$$|x| > 1 \wedge 0 < y < 1 \vee 0 < x < 1 \wedge y > 0 \vee 0 < x < 1 \wedge y < -1$$

01.30.16.0012.01

$$\operatorname{sech}^{-1}(x) - \operatorname{sech}^{-1}(y) = \operatorname{sgn}\left(\frac{x-y}{xy}\right) \cosh^{-1}\left(\frac{1}{xy} - \sqrt{\frac{1}{x^2} - 1} \sqrt{\frac{1}{y^2} - 1}\right) /; |x| > 1 \wedge |y| > 1 \vee -1 < x < 0 \wedge -1 < y < 0$$

01.30.16.0013.01

$$\operatorname{sech}^{-1}(x) - \operatorname{sech}^{-1}(y) = \pi i \left( \operatorname{sgn}\left(\frac{x+y}{xy}\right) + 1 \right) - \operatorname{sgn}\left(\frac{x+y}{xy}\right) \cosh^{-1}\left(\sqrt{\frac{1}{x^2} - 1} \sqrt{\frac{1}{y^2} - 1} + \frac{1}{xy}\right) /;$$

$$-1 < x < 0 \wedge y < -1 \vee -1 < x < 0 \wedge y > 0$$

01.30.16.0014.01

$$\operatorname{sech}^{-1}(x) - \operatorname{sech}^{-1}(y) = \cosh^{-1}\left(\sqrt{\frac{1}{x^2} - 1} \sqrt{\frac{1}{y^2} - 1} + \frac{1}{xy}\right) \operatorname{sgn}\left(\frac{x+y}{xy}\right) + i\pi \left( \operatorname{sgn}\left(\frac{x+y}{xy}\right) + 1 \right) /;$$

$$x < -1 \wedge -1 < y < 0 \vee x > 0 \wedge -1 < y < 0$$

01.30.16.0180.01

$$\operatorname{sech}^{-1}(x) - \operatorname{sech}^{-1}(y) = \sinh^{-1} \left( (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{\frac{1}{x}} \sqrt{\frac{1}{y}-1} \sqrt{\frac{1}{y} + \frac{1}{xy}}\right)}{\pi} \right\rfloor} \left( \frac{\sqrt{\frac{1}{y}-1} \sqrt{\frac{1}{x}}}{x} - \frac{\sqrt{\frac{1}{x}-1} \sqrt{\frac{1}{y}}}{y} \right) \right) +$$

$$\frac{1}{2} \pi \left( \frac{1}{2} i (-1)^{\left\lfloor -\frac{\arg\left(1-\frac{1}{x}\right)}{2\pi} \right\rfloor} - \frac{1}{2} i (-1)^{\left\lfloor -\frac{\arg\left(1-\frac{1}{y}\right)}{2\pi} \right\rfloor} \right)$$

$$\left( \left( \left( -1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2}} \frac{1}{xy}\right)}{\pi} \right\rfloor} \right) \left( \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} + \frac{i}{y}\right)}{2\pi} \right) + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2}} \frac{1}{xy}\right)}{\pi} \right\rfloor} \right) \right) +$$

$$\left( \left( \left( 1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2}} \frac{1}{xy}\right)}{\pi} \right\rfloor} \right) \left( \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} + \frac{i}{y}\right)}{2\pi} \right) + 1 \right) \right) +$$

$$\left( \frac{1}{2} i (-1)^{\left\lfloor -\frac{\arg\left(1-\frac{1}{x}\right)}{2\pi} \right\rfloor} + \frac{1}{2} i (-1)^{\left\lfloor -\frac{\arg\left(1-\frac{1}{y}\right)}{2\pi} \right\rfloor} \right) \left( \left( -1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2}} \frac{1}{xy}\right)}{\pi} \right\rfloor} \right) \right)$$

$$\left( \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} - \frac{i}{y}\right)}{2\pi} + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2}} \frac{1}{xy}\right)}{\pi} \right\rfloor} \right) +$$

$$\left( \left( \left( 1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2}} \frac{1}{xy}\right)}{\pi} \right\rfloor} \right) \left( \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} - \frac{i}{y}\right)}{2\pi} \right) - 1 \right) \right)$$

**Linear combinations of the direct function**

01.30.16.0181.01

$$\begin{aligned}
 a \operatorname{sech}^{-1}(x) + b \operatorname{sech}^{-1}(y) &= \log \left( \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right)^a \left( \sqrt{\frac{1}{y} - 1} \sqrt{1 + \frac{1}{y} + \frac{1}{y}} \right)^b \right) - \\
 & 2i\pi \left[ \frac{-\arg \left( \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right)^a \right) - \arg \left( \left( \sqrt{\frac{1}{y} - 1} \sqrt{1 + \frac{1}{y} + \frac{1}{y}} \right)^b \right) + \pi}{2\pi} \right] + \\
 & \left[ \frac{\pi - \operatorname{Im} \left( a \log \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right) \right)}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im} \left( b \log \left( \sqrt{\frac{1}{y} - 1} \sqrt{1 + \frac{1}{y} + \frac{1}{y}} \right) \right)}{2\pi} \right]
 \end{aligned}$$



01.30.16.0182.01

$$\begin{aligned}
 a \operatorname{sech}^{-1}(x) + b \operatorname{sech}^{-1}(y) &= i \pi \left( 1 - (-1) \left[ \frac{\arg\left(\left(\sqrt{\frac{1}{y}-1} \sqrt{1+\frac{1}{y}+\frac{1}{y}}\right)^b \left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a + 1\right)}{2\pi} \right] - \left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a \left(\sqrt{\frac{1}{y}-1} \sqrt{1+\frac{1}{y}+\frac{1}{y}}\right)^b\right)}{2\pi} \right] \right) + \\
 & (-1) \left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a \left(\sqrt{\frac{1}{y}-1} \sqrt{1+\frac{1}{y}+\frac{1}{y}}\right)^b\right)}{\pi} - \frac{2 \arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a \left(\sqrt{\frac{1}{y}-1} \sqrt{1+\frac{1}{y}+\frac{1}{y}}\right)^b - 1\right)}{\pi} \right] + \left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a \left(\sqrt{\frac{1}{y}-1} \sqrt{1+\frac{1}{y}+\frac{1}{y}}\right)^b\right)}{\pi} \right] - \left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}}\right)}{\pi} \right)}{\pi} \right] \\
 & \operatorname{sech}^{-1} \left( \frac{2 \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a \left( \sqrt{\frac{1}{y}-1} \sqrt{1+\frac{1}{y}+\frac{1}{y}} \right)^b}{\left( \left( \sqrt{\frac{1}{y}-1} \sqrt{1+\frac{1}{y}+\frac{1}{y}} \right)^{2b} \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^{2a} + 1 \right)} \right) - \\
 & 2 i \pi \left( \frac{-\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a\right) - \arg\left(\left(\sqrt{\frac{1}{y}-1} \sqrt{1+\frac{1}{y}+\frac{1}{y}}\right)^b\right) + \pi}{2\pi} \right) + \\
 & \left[ \frac{\pi - \operatorname{Im}\left(a \log\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(b \log\left(\sqrt{\frac{1}{y}-1} \sqrt{1+\frac{1}{y}+\frac{1}{y}}\right)\right)}{2\pi} \right]
 \end{aligned}$$

**Related transformations**

**Sums involving the direct function**

**Involving log(z)**

01.30.16.0183.01

$$\operatorname{sech}^{-1}(x) + \log(y) = \log\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)y\right) - 2 i \pi \left[ \frac{-\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) - \arg(y) + \pi}{2\pi} \right]$$

01.30.16.0184.01

$$\operatorname{sech}^{-1}(x) + \log(y) = i\pi \left( 1 - (-1)^{\left\lfloor \frac{\arg\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)y+1}{2\pi} \right\rfloor - \left\lfloor \frac{\arg\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)y}{2\pi} \right\rfloor \right) +$$

$$(-1)^{\left\lfloor \frac{\arg\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)y}{\pi} - 2\arg\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)y-1 \right\rfloor} \left\lfloor \frac{\arg\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)y}{\pi} \right\rfloor - \left\lfloor \frac{\arg\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)y-1}{2\pi} \right\rfloor + \left\lfloor \frac{\arg\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)y+1}{2\pi} \right\rfloor \right)$$

$$\operatorname{sech}^{-1} \left( \frac{2 \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right) y}{\left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^2 y^2 + 1} \right) - 2i\pi \left[ \frac{-\arg\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) - \arg(y) + \pi}{2\pi} \right]$$

### Involving $\sin^{-1}(z)$

01.30.16.0185.01

$\operatorname{sech}^{-1}(x) + \sin^{-1}(y) =$

$$\log\left(\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy + \sqrt{1-y^2})^{-i}\right) - 2i\pi \left[ \frac{-\arg\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) - \arg\left((iy + \sqrt{1-y^2})^{-i}\right) + \pi}{2\pi} \right] +$$

$$\left[ \frac{\operatorname{Re}\left(\log\left(iy + \sqrt{1-y^2}\right)\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right]$$

01.30.16.0186.01

$$\operatorname{sech}^{-1}(x) + \sin^{-1}(y) = i\pi \left( 1 - (-1) \left| \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy+\sqrt{1-y^2})^{-i} + 1\right)}{2\pi} \right| - \left| \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy+\sqrt{1-y^2})^{-i}\right)}{2\pi} \right| \right) +$$

$$(-1) \left| \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy+\sqrt{1-y^2})^{-i}\right)}{\pi} - \frac{2\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy+\sqrt{1-y^2})^{-i} - 1\right)}{\pi} \right| + \left| \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy+\sqrt{1-y^2})^{-i}\right)}{\pi} \right| - \left| \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy+\sqrt{1-y^2})^{-i} - 1\right)}{2\pi} \right|$$

$$\operatorname{sech}^{-1} \left( \frac{2 \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right) (iy+\sqrt{1-y^2})^{-i}}{\left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^2 (iy+\sqrt{1-y^2})^{-2i} + 1} \right) -$$

$$2i\pi \left( \frac{-\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) - \arg\left((iy+\sqrt{1-y^2})^{-i}\right) + \pi}{2\pi} \right) +$$

$$\left( \frac{\operatorname{Re}\left(\log(iy+\sqrt{1-y^2})\right) + \pi}{2\pi} \right) + \left( \frac{\pi - \operatorname{Im}\left(\log\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right)$$

01.30.16.0187.01

$$\operatorname{sech}^{-1}(x) + i \sin^{-1}(y) =$$

$$\frac{i \sqrt{(-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \sqrt{1-y^2} - \frac{y}{x}\right)}{\pi} \right\rfloor} \left( \sqrt{\frac{1}{x}-1} - i \sqrt{1+\frac{1}{x}} y + \frac{\sqrt{1-y^2}}{x} \right) + 1}{\sqrt{(-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \sqrt{1-y^2} - \frac{y}{x}\right)}{\pi} \right\rfloor} \left( \sqrt{\frac{1}{x}-1} - i \sqrt{1+\frac{1}{x}} y + \frac{\sqrt{1-y^2}}{x} \right) - 1}} \operatorname{sech}^{-1} \left( \frac{(-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \sqrt{1-y^2} - \frac{y}{x}\right)}{\pi} \right\rfloor}}{\sqrt{\frac{1}{x}-1} (-i) \sqrt{1+\frac{1}{x}} y - \frac{\sqrt{1-y^2}}{x}}} \right) -$$

$$\frac{1}{2} \pi i \left( -\frac{1}{2} \left( 1 + (-1)^{\left\lfloor -\frac{\arg\left(1-\frac{1}{x}\right)}{2\pi} \right\rfloor} \right) \right) \left( \left( -1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y}{x} + \sqrt{1-\frac{1}{x^2}} \sqrt{1-y^2}\right)}{\pi} \right\rfloor} \right) \left| \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1-y^2} - i y\right)}{2\pi} \right| + \right.$$

$$\left. (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y}{x} + \sqrt{1-\frac{1}{x^2}} \sqrt{1-y^2}\right)}{\pi} \right\rfloor} + 2 \left( 1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y}{x} + \sqrt{1-\frac{1}{x^2}} \sqrt{1-y^2}\right)}{\pi} \right\rfloor} \right) \left| \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1-y^2} - i y\right)}{2\pi} \right| \right) +$$

$$\frac{1}{2} \left( 1 - (-1)^{\left\lfloor -\frac{\arg\left(1-\frac{1}{x}\right)}{2\pi} \right\rfloor} \right) \left( \left( -1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-y^2} - \frac{y}{x}\right)}{\pi} \right\rfloor} \right) \left| \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(i y + \sqrt{1-y^2}\right)}{2\pi} \right| + \right.$$

$$\left. (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-y^2} - \frac{y}{x}\right)}{\pi} \right\rfloor} + \right.$$

$$\left. 2 \left( 1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-y^2} - \frac{y}{x}\right)}{\pi} \right\rfloor} \right) \left| \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(i y + \sqrt{1-y^2}\right)}{2\pi} \right| + 1 \right)$$

Involving  $\cos^{-1}(z)$

01.30.16.0188.01

$$\operatorname{sech}^{-1}(x) + \cos^{-1}(y) =$$

$$-2i\pi \left[ \frac{-\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) - \arg\left((iy + \sqrt{1-y^2})^i\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Re}\left(\log\left(iy + \sqrt{1-y^2}\right)\right)}{2\pi} \right] + \log\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy + \sqrt{1-y^2})^i\right) + \frac{\pi}{2}$$

01.30.16.0189.01

$$\operatorname{sech}^{-1}(x) + \cos^{-1}(y) =$$

$$-2i\pi \left[ \frac{-\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) - \arg\left((iy + \sqrt{1-y^2})^i\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Re}\left(\log\left(iy + \sqrt{1-y^2}\right)\right)}{2\pi} \right] + i\pi \left[ 1 - (-1)^{\left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy + \sqrt{1-y^2})^i + 1\right)}{2\pi} \right] \left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy + \sqrt{1-y^2})^i\right)}{2\pi} \right] \right] + (-1)^{\left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy + \sqrt{1-y^2})^i\right)}{\pi} \right] - \frac{2\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy + \sqrt{1-y^2})^i - 1\right)}{\pi} \right] \left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy + \sqrt{1-y^2})^i\right)}{\pi} \right] \left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy + \sqrt{1-y^2})^i - 1\right)}{2\pi} \right] \right] + \operatorname{sech}^{-1}\left(\frac{2\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy + \sqrt{1-y^2})^i}{\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^2 (iy + \sqrt{1-y^2})^{2i} + 1}\right) + \frac{\pi}{2}$$

01.30.16.0190.01

$$\operatorname{sech}^{-1}(x) + i \cos^{-1}(y) =$$

$$\frac{i \sqrt{(-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y+i\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}}\sqrt{1-y^2}\right)}{\pi} \rfloor} \left(\frac{\sqrt{1-y^2}}{x} - i\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}}y\right) + 1}}{\sqrt{(-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y+i\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}}\sqrt{1-y^2}\right)}{\pi} \rfloor} \left(\frac{\sqrt{1-y^2}}{x} - i\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}}y\right) - 1}} \operatorname{sech}^{-1}\left(\frac{(-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y+i\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}}\sqrt{1-y^2}\right)}{\pi} \rfloor} \left(\frac{\sqrt{1-y^2}}{x} - i\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}}y - \frac{\sqrt{1-y^2}}{x}\right)}{i\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}}y - \frac{\sqrt{1-y^2}}{x}}}\right)}{\frac{1}{2} i \pi \left( \frac{1}{2} \left( 1 - (-1)^{\lfloor \frac{\arg\left(1-\frac{1}{x}\right)}{2\pi} \rfloor} \right) \right) \left( 2 \left( -1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y+i\sqrt{1-\frac{1}{x^2}}\sqrt{1-y^2}\right)}{\pi} \rfloor} \right) \right) \left( \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1-y^2} - iy\right)}{2\pi} \right) + \left( (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y+i\sqrt{1-\frac{1}{x^2}}\sqrt{1-y^2}\right)}{\pi} \rfloor} \right) + 2 \left( 1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y+i\sqrt{1-\frac{1}{x^2}}\sqrt{1-y^2}\right)}{\pi} \rfloor} \right) \left( \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1-y^2} - iy\right)}{2\pi} \right) \right) + \left( \frac{1}{2} \left( 1 + (-1)^{\lfloor \frac{\arg\left(1-\frac{1}{x}\right)}{2\pi} \rfloor} \right) \right) \left( 2 \left( -1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}}\sqrt{1-y^2} - \frac{y}{x}\right)}{\pi} \rfloor} \right) \right) \left( \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(iy + \sqrt{1-y^2}\right)}{2\pi} \right) + \left( (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}}\sqrt{1-y^2} - \frac{y}{x}\right)}{\pi} \rfloor} \right) + 2 \left( 1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}}\sqrt{1-y^2} - \frac{y}{x}\right)}{\pi} \rfloor} \right) \left( \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(iy + \sqrt{1-y^2}\right)}{2\pi} \right) \right) \right)$$

Involving  $\tan^{-1}(z)$

01.30.16.0191.01

$$\operatorname{sech}^{-1}(x) + \tan^{-1}(y) = -2i\pi \left( \left[ \frac{-\arg\left((iy+1)^{-\frac{i}{2}}\right) - \arg\left(\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(1-iy)^{i/2}\right) + \pi}{2\pi} \right] + \left[ \frac{\frac{1}{2}\operatorname{Re}(\log(iy+1)) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(1-iy)^{i/2}\right)\right)}{2\pi} \right] \right) - 2i\pi \left( \left[ \frac{-\arg\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) - \arg((1-iy)^{i/2}) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2}\operatorname{Re}(\log(1-iy))}{2\pi} \right] + \log\left(\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(1-iy)^{i/2}(iy+1)^{-\frac{i}{2}}\right) \right)$$

01.30.16.0192.01

$$\begin{aligned}
 \operatorname{sech}^{-1}(x) + \tan^{-1}(y) = & -2i\pi \left[ \frac{-\arg\left((iy+1)^{-\frac{i}{2}}\right) - \arg\left(\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(1-iy)^{i/2}\right) + \pi}{2\pi} \right] + \\
 & \left[ \frac{\frac{1}{2}\operatorname{Re}(\log(iy+1)) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(1-iy)^{i/2}\right)\right)}{2\pi} \right] - \\
 & 2i\pi \left[ \frac{-\arg\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) - \arg((1-iy)^{i/2}) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right] + \\
 & \left[ \frac{\pi - \frac{1}{2}\operatorname{Re}(\log(1-iy))}{2\pi} \right] + i\pi \left[ 1 - (-1)^{\left[ \frac{\arg\left((iy+1)^{-\frac{i}{2}}\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(1-iy)^{i/2+1}\right)}{2\pi} \right] - \left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(1-iy)^{i/2}(iy+1)^{-\frac{i}{2}}\right)}{2\pi} \right]} \right] + \\
 & (-1)^{\left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(1-iy)^{i/2}(iy+1)^{-\frac{i}{2}}\right)}{\pi} - 2\arg\left(\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(1-iy)^{i/2}(iy+1)^{-\frac{i}{2}-1}\right)}{\pi} \right] + \left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(1-iy)^{i/2}(iy+1)^{-\frac{i}{2}}\right)}{\pi} \right] - \left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(1-iy)^{i/2}(i; \right)}{2\pi} \right]} \right] \\
 \operatorname{sech}^{-1} & \frac{2\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(1-iy)^{i/2}(iy+1)^{-\frac{i}{2}}}{\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^2(1-iy)^i(iy+1)^{-i}+1}
 \end{aligned}$$



01.30.16.0193.01

$$\begin{aligned}
 \operatorname{sech}^{-1}(x) + i \tan^{-1}(y) = & \frac{i \sqrt{1 - \frac{\left( \frac{\frac{1}{2} \left[ \frac{\arg \left( \frac{\sqrt{\frac{1-x}{x}} - 1 \right) i \sqrt{1 + \frac{1}{x}} y + \frac{1}{x}} \right)}{\sqrt{y^2 + 1}} \right]}{\pi} \right)}{(-1)^{\lfloor \cdot \rfloor}} \left( i \sqrt{\frac{1-x}{x}} - 1 \sqrt{1 + \frac{1}{x} - \frac{y}{x}} \right)}{\sqrt{y^2 + 1}} \operatorname{sech}^{-1} \left( \frac{(-1)^{\lfloor \frac{\frac{1}{2} \left[ \frac{\arg \left( \frac{\sqrt{\frac{1-x}{x}} - 1 \right) i \sqrt{1 + \frac{1}{x}} y + \frac{1}{x}} \right)}{\sqrt{y^2 + 1}} \right]}{\pi} \rfloor} \sqrt{y^2 + 1}}{i \sqrt{\frac{1-x}{x}} - 1 \sqrt{1 + \frac{1}{x} - \frac{y}{x}}} \right) + \\
 & \sqrt{\frac{\left( \frac{\frac{1}{2} \left[ \frac{\arg \left( \frac{\sqrt{\frac{1-x}{x}} - 1 \right) i \sqrt{1 + \frac{1}{x}} y + \frac{1}{x}} \right)}{\sqrt{y^2 + 1}} \right)}{\pi} \right)}{(-1)^{\lfloor \cdot \rfloor}} \left( i \sqrt{\frac{1-x}{x}} - 1 \sqrt{1 + \frac{1}{x} - \frac{y}{x}} \right) - 1} \\
 & \frac{1}{4} \left( 1 - (-1)^{\left\lfloor -\frac{\arg \left( 1 - \frac{1}{x} \right)}{2\pi} \right\rfloor} \right) \pi i \left( 2 \left( \frac{\frac{1}{2} \left[ \frac{\arg \left( \frac{\sqrt{1 - \frac{1}{x^2}} y + \frac{1}{x}} \right)}{\sqrt{y^2 + 1}} \right]}{\pi} \right)}{(-1)^{\lfloor \cdot \rfloor}} \right) \left( \frac{\arg \left( \frac{i-y}{\sqrt{y^2 + 1}} \right) + \arg \left( \sqrt{1 - \frac{1}{x^2}} + \frac{i}{x} \right)}{2\pi} \right) +
 \end{aligned}$$

$$\begin{aligned}
 & \left( (-1)^{\lfloor \frac{1}{2} \left\lfloor \frac{\arg\left(\frac{\sqrt{1-\frac{1}{x^2} + \frac{y+1}{x}}{\sqrt{y^2+1}}}\right)}{\pi} \right\rfloor} - 2 \right) \left( -1 + (-1)^{\lfloor \frac{1}{2} \left\lfloor \frac{\arg\left(\frac{\sqrt{1-\frac{1}{x^2} + \frac{y+1}{x}}{\sqrt{y^2+1}}}\right)}{\pi} \right\rfloor} \right) \left[ \frac{1}{2} - \frac{\arg\left(\frac{i-y}{\sqrt{y^2+1}}\right) + \arg\left(\sqrt{1-\frac{1}{x^2} + \frac{i}{x}}\right)}{2\pi} \right] - 1 \right) \\
 & \frac{1}{4} \left( 1 + (-1)^{\lfloor -\frac{\arg\left(1-\frac{1}{x}\right)}{2\pi} \rfloor} \right) \pi i \left( 2 \left( -1 + (-1)^{\lfloor \frac{1}{2} \left\lfloor \frac{\arg\left(\frac{\frac{1}{x}\sqrt{1-\frac{1}{x^2}} + y}{\sqrt{y^2+1}}}\right)}{\pi} \right\rfloor} \right) \left[ \frac{\arg\left(\frac{y+i}{\sqrt{y^2+1}}\right) + \arg\left(\sqrt{1-\frac{1}{x^2} + \frac{i}{x}}\right)}{2\pi} \right] + \right. \\
 & \left. (-1)^{\lfloor \frac{1}{2} \left\lfloor \frac{\arg\left(\frac{\frac{1}{x}\sqrt{1-\frac{1}{x^2}} + y}{\sqrt{y^2+1}}}\right)}{\pi} \right\rfloor} - 2 \right) \left( -1 + (-1)^{\lfloor \frac{1}{2} \left\lfloor \frac{\arg\left(\frac{\frac{1}{x}\sqrt{1-\frac{1}{x^2}} + y}{\sqrt{y^2+1}}}\right)}{\pi} \right\rfloor} \right) \left[ \frac{1}{2} - \frac{\arg\left(\frac{y+i}{\sqrt{y^2+1}}\right) + \arg\left(\sqrt{1-\frac{1}{x^2} + \frac{i}{x}}\right)}{2\pi} \right] - 1 - \frac{\pi i}{2} \right)
 \end{aligned}$$

Involving  $\cot^{-1}(z)$

01.30.16.0194.01

$$\operatorname{sech}^{-1}(x) + \cot^{-1}(y) = -2i\pi \left[ \frac{-\arg\left(1 + \frac{i}{y}\right)^{-\frac{i}{2}} - \arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)\left(1 - \frac{i}{y}\right)^{i/2}\right) + \pi}{2\pi} \right] +$$

$$\left[ \frac{\frac{1}{2} \operatorname{Re}\left(\log\left(1 + \frac{i}{y}\right)\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)\left(1 - \frac{i}{y}\right)^{i/2}\right)\right)}{2\pi} \right] -$$

$$2i\pi \left[ \frac{-\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right) - \arg\left(\left(1 - \frac{i}{y}\right)^{i/2}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)\right)}{2\pi} \right] +$$

$$\left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(\log\left(1 - \frac{i}{y}\right)\right)}{2\pi} \right] + \log\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)\left(1 - \frac{i}{y}\right)^{i/2} \left(1 + \frac{i}{y}\right)^{-\frac{i}{2}}\right)$$

01.30.16.0195.01

$$\operatorname{sech}^{-1}(x) + \cot^{-1}(y) = -2i\pi \left[ \frac{-\arg\left(1 + \frac{i}{y}\right)^{-\frac{i}{2}} - \arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)\left(1 - \frac{i}{y}\right)^{i/2}\right) + \pi}{2\pi} \right] +$$

$$\left[ \frac{\frac{1}{2} \operatorname{Re}\left(\log\left(1 + \frac{i}{y}\right)\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)\left(1 - \frac{i}{y}\right)^{i/2}\right)\right)}{2\pi} \right] -$$

$$2i\pi \left[ \frac{-\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right) - \arg\left(1 - \frac{i}{y}\right)^{i/2} + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)\right)}{2\pi} \right] +$$

$$\left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(\log\left(1 - \frac{i}{y}\right)\right)}{2\pi} \right] + i\pi \left[ 1 - (-1)^{\frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)\left(1 + \frac{i}{y}\right)^{-\frac{i}{2}}\left(1 - \frac{i}{y}\right)^{i/2} + 1\right)}{2\pi} - \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)\left(1 - \frac{i}{y}\right)^{i/2}\left(1 + \frac{i}{y}\right)^{-\frac{i}{2}}\right)}{2\pi} \right] +$$

$$(-1)^{\frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)\left(1 - \frac{i}{y}\right)^{i/2}\left(1 + \frac{i}{y}\right)^{-\frac{i}{2}}\right)}{\pi} - \frac{2 \arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)\left(1 - \frac{i}{y}\right)^{i/2}\left(1 + \frac{i}{y}\right)^{-\frac{i}{2}} - 1\right)}{\pi} + \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)\left(1 - \frac{i}{y}\right)^{i/2}\left(1 + \frac{i}{y}\right)^{-\frac{i}{2}}\right)}{\pi} - \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)\left(1 - \frac{i}{y}\right)^{i/2}\left(1 + \frac{i}{y}\right)^{-\frac{i}{2}}\right)}{2\pi}}$$

$$\operatorname{sech}^{-1} \left( \frac{2 \left( \sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right) \left(1 - \frac{i}{y}\right)^{i/2} \left(1 + \frac{i}{y}\right)^{-\frac{i}{2}}}{\left( \sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right)^2 \left(1 - \frac{i}{y}\right)^i \left(1 + \frac{i}{y}\right)^{-i} + 1} \right)$$

01.30.16.0196.01

$$\begin{aligned}
 \operatorname{sech}^{-1}(x) + i \cot^{-1}(y) = & \frac{i \sqrt{1 - \frac{1}{y^2}} \left( (-1)^{\lfloor \frac{1}{2} \left( \frac{\arg \left( \frac{i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} + \frac{1}{x}} \right)}{\sqrt{1+\frac{1}{y^2}}} \right) \right)} \left( i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x} - \frac{1}{xy}} \right) \right)}{\sqrt{1+\frac{1}{y^2}}} \operatorname{sech}^{-1} \left( \frac{i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x} - \frac{1}{xy}}}{i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} - \frac{1}{xy}} \right) + \\
 & \frac{i \sqrt{1 - \frac{1}{y^2}} \left( (-1)^{\lfloor \frac{1}{2} \left( \frac{\arg \left( \frac{i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} + \frac{1}{x}} \right)}{\sqrt{1+\frac{1}{y^2}}} \right) \right)} \left( i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x} - \frac{1}{xy}} \right) \right)}{\sqrt{1+\frac{1}{y^2}}} - 1 \\
 & \frac{1}{4} \left( 1 - (-1)^{\lfloor -\frac{\arg \left( 1 - \frac{1}{x} \right)}{2\pi} \rfloor} \right) \pi i \left( 2 \left( (-1)^{\lfloor \frac{1}{2} \left( \frac{\arg \left( \frac{\sqrt{1-\frac{1}{x^2}} + \frac{1}{x}} \right)}{\sqrt{1+\frac{1}{y^2}}} \right) \right)} \left( \arg \left( \sqrt{1 - \frac{1}{x^2}} + \frac{i}{x} \right) + \arg \left( \frac{i - \frac{1}{y}}{\sqrt{1+\frac{1}{y^2}}} \right) \right) \right) \right) +
 \end{aligned}$$

$$\left( (-1)^{\frac{1}{2}} \frac{\arg \left( \frac{\sqrt{1-\frac{1}{x^2}}}{y} + \frac{1}{x} \right)}{\sqrt{1+\frac{1}{y^2}}} \right)^{-2} \left( (-1)^{\frac{1}{2}} \frac{\arg \left( \frac{\sqrt{1-\frac{1}{x^2}}}{y} + \frac{1}{x} \right)}{\sqrt{1+\frac{1}{y^2}}} \right)^{-1+(-1)} \left| \frac{\arg \left( \sqrt{1-\frac{1}{x^2}} + \frac{i}{x} \right) + \arg \left( \frac{i-\frac{1}{y}}{\sqrt{1+\frac{1}{y^2}}} \right)}{2\pi} \right|^{-1}$$

$$\frac{1}{4} \left( 1 + (-1)^{\left[ -\frac{\arg \left( 1-\frac{1}{x} \right)}{2\pi} \right]} \right) \pi i \left( (-1)^{\frac{1}{2}} \frac{\arg \left( \frac{\sqrt{1-\frac{1}{x^2}}}{y} \right)}{\sqrt{1+\frac{1}{y^2}}} \right)^{-2} \left( (-1)^{\frac{1}{2}} \frac{\arg \left( \frac{\sqrt{1-\frac{1}{x^2}}}{y} \right)}{\sqrt{1+\frac{1}{y^2}}} \right)^{-1+(-1)} \left| \frac{\arg \left( \sqrt{1-\frac{1}{x^2}} + \frac{i}{x} \right) + \arg \left( \frac{i+\frac{1}{y}}{\sqrt{1+\frac{1}{y^2}}} \right)}{2\pi} \right| +$$

$$\left( (-1)^{\frac{1}{2}} \frac{\arg \left( \frac{\sqrt{1-\frac{1}{x^2}}}{y} \right)}{\sqrt{1+\frac{1}{y^2}}} \right)^{-2} \left( (-1)^{\frac{1}{2}} \frac{\arg \left( \frac{\sqrt{1-\frac{1}{x^2}}}{y} \right)}{\sqrt{1+\frac{1}{y^2}}} \right)^{-1+(-1)} \left| \frac{\arg \left( \sqrt{1-\frac{1}{x^2}} + \frac{i}{x} \right) + \arg \left( \frac{i+\frac{1}{y}}{\sqrt{1+\frac{1}{y^2}}} \right)}{2\pi} \right|^{-1} - \frac{\pi i}{2}$$

### Involving $\csc^{-1}(z)$

01.30.16.0197.01

$$\operatorname{sech}^{-1}(x) + \csc^{-1}(y) =$$

$$\log\left(\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^{-i}\right) - 2i\pi \left[ \frac{-\arg\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) - \arg\left(\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^{-i}\right) + \pi}{2\pi} \right] +$$

$$\left[ \frac{\operatorname{Re}\left(\log\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right]$$

01.30.16.0198.01

$$\operatorname{sech}^{-1}(x) + \operatorname{csc}^{-1}(y) = i\pi \left( 1 - (-1) \left[ \frac{\left| \frac{\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) \left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^{-i} + 1}{2\pi} \right|}{2\pi} \right] + \frac{\left| \frac{\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) \left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^{-i}}{2\pi} \right|}{2\pi} \right) +$$

$$(-1) \left[ \frac{\left| \frac{\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) \left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^{-i}}{\pi} \right|}{\pi} - \frac{\left| \frac{2 \arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) \left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^{-i} - 1}{\pi} \right|}{\pi} \right] + \frac{\left| \frac{\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) \left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^{-i}}{\pi} \right|}{\pi} - \frac{\left| \frac{\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) \left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^{-i}}{2\pi} \right|}{2\pi} -$$

$$\operatorname{sech}^{-1} \left( \frac{2 \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right) \left( \sqrt{1-\frac{1}{y^2}+\frac{i}{y}} \right)^{-i}}{\left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^2 \left( \sqrt{1-\frac{1}{y^2}+\frac{i}{y}} \right)^{-2i} + 1} \right) -$$

$$2i\pi \left( \frac{-\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) - \arg\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^{-i} + \pi}{2\pi} \right) +$$

$$\left[ \frac{\operatorname{Re}\left(\log\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right]$$

01.30.16.0199.01

$$\operatorname{sech}^{-1}(x) + i \operatorname{csc}^{-1}(y) =$$

$$i \sqrt{1 + (-1) \left[ \frac{\left| \frac{\frac{1}{2} \frac{\arg\left(i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \sqrt{1-\frac{1}{y^2}-\frac{1}{xy}}\right)}{\pi} \right|}{\pi} \right]} \left( \frac{i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} + \sqrt{1-\frac{1}{y^2}}}{y} \right) \operatorname{sech}^{-1} \left( (-1) \left[ \frac{\left| \frac{\frac{1}{2} \frac{\arg\left(i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \sqrt{1-\frac{1}{y^2}-\frac{1}{xy}}\right)}{\pi} \right|}{\pi} \right]} \right) -$$

$$\sqrt{-(-1) \left[ \frac{\left| \frac{\frac{1}{2} \frac{\arg\left(i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \sqrt{1-\frac{1}{y^2}-\frac{1}{xy}}\right)}{\pi} \right|}{\pi} \right]} \left( \frac{i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} + \sqrt{1-\frac{1}{y^2}}}{y} \right) - 1 \left( \frac{i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} - \sqrt{1-\frac{1}{y^2}}}{y} \right) \right]$$



$$\begin{aligned}
 & \frac{1}{2} \pi i \left( \frac{1}{2} \left( 1 - (-1) \left[ -\frac{\arg\left(1 - \frac{1}{x}\right)}{2\pi} \right] \right) \right) \left( 2 \left( -1 + (-1) \left[ \frac{1}{2} - \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} \sqrt{1 - \frac{1}{y^2}} + \frac{1}{xy}\right)}{\pi} \right] \right) \right) \left( \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1 - \frac{1}{y^2}} + \frac{i}{y}\right)}{2\pi} \right) + \\
 & \left( -1 \right) \left[ \frac{1}{2} - \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} \sqrt{1 - \frac{1}{y^2}} - \frac{1}{xy}\right)}{\pi} \right] + 2 \left( 1 + (-1) \left[ \frac{1}{2} - \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} \sqrt{1 - \frac{1}{y^2}} - \frac{1}{xy}\right)}{\pi} \right] \right) \\
 & \left( \frac{1}{2} - \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1 - \frac{1}{y^2}} + \frac{i}{y}\right)}{2\pi} \right) - \frac{1}{2} \left( 1 + (-1) \left[ -\frac{\arg\left(1 - \frac{1}{x}\right)}{2\pi} \right] \right) \\
 & \left( 2 \left( -1 + (-1) \left[ \frac{1}{2} - \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} \sqrt{1 - \frac{1}{y^2}} + \frac{1}{xy}\right)}{\pi} \right] \right) \right) \left( \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1 - \frac{1}{y^2}} - \frac{i}{y}\right)}{2\pi} \right) + (-1) \left[ \frac{1}{2} - \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} \sqrt{1 - \frac{1}{y^2}} + \frac{1}{xy}\right)}{\pi} \right] + \\
 & 2 \left( 1 + (-1) \left[ \frac{1}{2} - \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} \sqrt{1 - \frac{1}{y^2}} + \frac{1}{xy}\right)}{\pi} \right] \right) \left( \frac{1}{2} - \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1 - \frac{1}{y^2}} - \frac{i}{y}\right)}{2\pi} \right) + 1
 \end{aligned}$$

Involving  $\sec^{-1}(z)$

01.30.16.0200.01

$$\operatorname{sech}^{-1}(x) + \operatorname{sec}^{-1}(y) =$$

$$-2i\pi \left[ \frac{-\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) - \arg\left(\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^i\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right] +$$

$$\left[ \frac{\pi - \operatorname{Re}\left(\log\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)\right)}{2\pi} \right] + \log\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^i\right) + \frac{\pi}{2}$$

01.30.16.0201.01

$$\operatorname{sech}^{-1}(x) + \operatorname{sec}^{-1}(y) =$$

$$-2i\pi \left[ \frac{-\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) - \arg\left(\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^i\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right] +$$

$$\left[ \frac{\pi - \operatorname{Re}\left(\log\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)\right)}{2\pi} \right] + i\pi \left[ 1 - (-1)^{\left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^i + 1\right)}{2\pi} \right] \left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^i\right)}{2\pi} \right]} \right] +$$

$$(-1)^{\left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^i\right)}{\pi} \right] - \left[ \frac{2\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^i - 1\right)}{\pi} \right] \left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^i\right)}{\pi} \right] - \left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^i - 1\right)}{2\pi} \right]} \right] +$$

$$\operatorname{sech}^{-1} \left( \frac{2 \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right) \left( \sqrt{1-\frac{1}{y^2}+\frac{i}{y}} \right)^i}{\left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^2 \left( \sqrt{1-\frac{1}{y^2}+\frac{i}{y}} \right)^{2i} + 1} \right) + \frac{\pi}{2}$$

01.30.16.0202.01

$$\operatorname{sech}^{-1}(x) + i \operatorname{sec}^{-1}(y) = \frac{i \sqrt{1 - (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \sqrt{1-\frac{1}{y^2} + \frac{1}{xy}}\right)\right\rfloor}}{\pi}}}{\left(\frac{i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}}}{y} - \frac{\sqrt{1-\frac{1}{y^2}}}{x}\right)}}{\sqrt{(-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \sqrt{1-\frac{1}{y^2} + \frac{1}{xy}}\right)\right\rfloor}}{\pi}} \left(\frac{i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}}}{y} - \frac{\sqrt{1-\frac{1}{y^2}}}{x}\right) - 1}}$$

$$\operatorname{sech}^{-1} \left( \frac{(-1)^{\left\lfloor -\frac{1}{2} - \frac{\arg\left(i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \sqrt{1-\frac{1}{y^2} + \frac{1}{xy}}\right)\right\rfloor}}{\pi}}}{\frac{i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}}}{y} - \frac{\sqrt{1-\frac{1}{y^2}}}{x}} \right) - \frac{1}{2} i \pi \left( -\frac{1}{2} \left( 1 + (-1)^{\left\lfloor -\frac{\arg\left(\frac{1}{x}\right)}{2\pi} \right\rfloor} \right) \right)$$

$$\left( \left( \left( -1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2} - \frac{1}{xy}}\right)\right\rfloor}}{\pi} \right) \left( \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} + \frac{i}{y}\right)}{2\pi} \right) + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2} - \frac{1}{xy}}\right)\right\rfloor}}{\pi} \right) + \right.$$

$$\left. 2 \left( 1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2} + \frac{1}{xy}}\right)\right\rfloor}}{\pi} \right) \left( \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} + \frac{i}{y}\right)}{2\pi} \right) + \frac{1}{2} \left( 1 - (-1)^{\left\lfloor -\frac{\arg\left(\frac{1}{x}\right)}{2\pi} \right\rfloor} \right) \right)$$

$$\left( \left( -1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2} + \frac{1}{xy}}\right)\right\rfloor}}{\pi} \right) \left( \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} - \frac{i}{y}\right)}{2\pi} \right) + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2} + \frac{1}{xy}}\right)\right\rfloor}}{\pi} \right) + \right.$$

$$\left. 2 \left( 1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2} + \frac{1}{xy}}\right)\right\rfloor}}{\pi} \right) \left( \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} - \frac{i}{y}\right)}{2\pi} \right) \right)$$

### Involving $\sinh^{-1}(z)$

01.30.16.0203.01

$$\operatorname{sech}^{-1}(x) + \sinh^{-1}(y) =$$

$$\frac{i \sqrt{1+(-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\frac{iy+i\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}}\sqrt{y^2+1}\right)}{\pi} \right\rfloor} \left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}}y + \frac{\sqrt{y^2+1}}{x}\right)}}{\sqrt{-(-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\frac{iy+i\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}}\sqrt{y^2+1}\right)}{\pi} \right\rfloor} \left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}}y + \frac{\sqrt{y^2+1}}{x}\right)} - 1}} \operatorname{sech}^{-1}\left(\frac{(-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\frac{iy+i\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}}\sqrt{y^2+1}\right)}{\pi} \right\rfloor} \left(-\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}}y - \frac{\sqrt{y^2+1}}{x}\right)}}{\left(\frac{1}{2} - \frac{\arg\left(\frac{iy+i\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}}\sqrt{y^2+1}\right)}{\pi} \right)}\right)}{\left(\frac{1}{2} - \frac{\arg\left(\frac{iy+i\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}}\sqrt{y^2+1}\right)}{\pi} \right)}\right)} +$$

$$\frac{1}{2} \pi i \left( \frac{1}{2} \left( 1 - (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(1 - \frac{1}{x}\right)}{2\pi} \right\rfloor} \right) \right) \left( \frac{1}{2} - \frac{\arg\left(\frac{iy+\sqrt{y^2+1}\sqrt{1-\frac{1}{x^2}}\right)}{\pi} \right) \right) \left( \frac{\arg\left(y + \sqrt{y^2+1}\right) + \arg\left(\sqrt{1 - \frac{1}{x^2}} + \frac{i}{x}\right)}{2\pi} \right) +$$

$$\left( (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\frac{iy+\sqrt{y^2+1}\sqrt{1-\frac{1}{x^2}}\right)}{\pi} \right\rfloor} + 2 \left( 1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\frac{iy+\sqrt{y^2+1}\sqrt{1-\frac{1}{x^2}}\right)}{\pi} \right\rfloor} \right) \right) \left( \frac{1}{2} - \frac{\arg\left(y + \sqrt{y^2+1}\right) + \arg\left(\sqrt{1 - \frac{1}{x^2}} + \frac{i}{x}\right)}{2\pi} \right) -$$

$$\frac{1}{2} \left( 1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(1 - \frac{1}{x}\right)}{2\pi} \right\rfloor} \right) \left( 2 \left( -1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}}\sqrt{y^2+1} - \frac{iy}{x}\right)}{\pi} \right\rfloor} \right) \right) \left( \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{y^2+1} - y\right)}{2\pi} \right) +$$

$$\left( (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}}\sqrt{y^2+1} - \frac{iy}{x}\right)}{\pi} \right\rfloor} + \right.$$

$$\left. 2 \left( 1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}}\sqrt{y^2+1} - \frac{iy}{x}\right)}{\pi} \right\rfloor} \right) \right) \left( \frac{1}{2} - \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{y^2+1} - y\right)}{2\pi} \right) + 1$$

### Involving $\cosh^{-1}(z)$

01.30.16.0204.01

$$\operatorname{sech}^{-1}(x) + \operatorname{cosh}^{-1}(y) = - \frac{i \sqrt{(-1)^L \left[ \frac{1}{2} - \frac{\arg\left(\frac{y}{x} + \sqrt{\frac{1}{x} - 1} \sqrt{y-1} \sqrt{y+1} \sqrt{1 + \frac{1}{x}}\right)}{\pi} \right]} i \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x}} y + \frac{\sqrt{y-1} \sqrt{y+1}}{x} \right) + 1}{\sqrt{(-1)^L \left[ \frac{1}{2} - \frac{\arg\left(\frac{y}{x} + \sqrt{\frac{1}{x} - 1} \sqrt{y-1} \sqrt{y+1} \sqrt{1 + \frac{1}{x}}\right)}{\pi} \right]} (-i) \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x}} y + \frac{\sqrt{y-1} \sqrt{y+1}}{x} \right) - 1}$$

$$\operatorname{sech}^{-1} \left( \frac{i(-1)^L \left[ \frac{1}{2} - \frac{\arg\left(\frac{y}{x} + \sqrt{\frac{1}{x} - 1} \sqrt{y-1} \sqrt{y+1} \sqrt{1 + \frac{1}{x}}\right)}{\pi} \right]}{\sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x}} y + \frac{\sqrt{y-1} \sqrt{y+1}}{x}} \right) +$$

$$\frac{1}{2} \pi \left( \left( \left( \left( -1 + (-1)^L \left[ \frac{1}{2} - \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} \sqrt{1 - y^2} - \frac{y}{x}\right)}{\pi} \right] \right) \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} + \frac{i}{x}\right) + \arg(iy + \sqrt{1 - y^2})}{2\pi} \right) + (-1)^L \left[ \frac{1}{2} - \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} \sqrt{1 - y^2} - \frac{y}{x}\right)}{\pi} \right] \right) +$$

$$2 \left( \left( \left( 1 + (-1)^L \left[ \frac{1}{2} - \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} \sqrt{1 - y^2} - \frac{y}{x}\right)}{\pi} \right] \right) \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} + \frac{i}{x}\right) + \arg(iy + \sqrt{1 - y^2})}{2\pi} \right) + 1 \right)$$

$$\left( \frac{1}{2} i (-1)^{\left\lfloor -\frac{\arg\left(1-\frac{1}{x}\right)}{2\pi} \right\rfloor} + \frac{1}{2} i (-1)^{\left\lfloor -\frac{\arg(1-y)}{2\pi} \right\rfloor} \right) + \left( \left( -1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y}{x} + \sqrt{1-\frac{1}{x^2}} \sqrt{1-y^2}\right)}{\pi} \right\rfloor} \right) \right)$$

$$\left( \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} - \frac{i}{x}\right) + \arg\left(iy + \sqrt{1-y^2}\right)}{2\pi} + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y}{x} + \sqrt{1-\frac{1}{x^2}} \sqrt{1-y^2}\right)}{\pi} \right\rfloor} + 2 \left( 1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y}{x} + \sqrt{1-\frac{1}{x^2}} \sqrt{1-y^2}\right)}{\pi} \right\rfloor} \right) \right)$$

$$\left( \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} - \frac{i}{x}\right) + \arg\left(iy + \sqrt{1-y^2}\right)}{2\pi} \right) - 1 \left( \left( -\frac{1}{2} i (-1)^{\left\lfloor -\frac{\arg\left(1-\frac{1}{x}\right)}{2\pi} \right\rfloor} + \frac{1}{2} i (-1)^{\left\lfloor -\frac{\arg(1-y)}{2\pi} \right\rfloor} \right) \right) + \frac{i\pi}{2}$$

**Involving  $\tanh^{-1}(z)$**

01.30.16.0205.01

$$\begin{aligned}
 \operatorname{sech}^{-1}(x) + \operatorname{tanh}^{-1}(y) &= \frac{i \sqrt{1 - \frac{\left( \frac{\frac{1}{2} \left[ \frac{\arg \left( \frac{\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} y + \frac{1}{x}} \right)}{\sqrt{1-y^2}} \right)}{\pi} \right)}{(-1)^{\lfloor \cdot \rfloor}} \left( \frac{iy}{x} + i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \right)}{\sqrt{1-y^2}}}{\sqrt{1-y^2} \operatorname{sech}^{-1} \left( \frac{(-1)^{\lfloor \frac{\frac{1}{2} \left[ \frac{\arg \left( \frac{\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} y + \frac{1}{x}} \right)}{\sqrt{1-y^2}} \right)}{\pi} \right)}{(-1)^{\lfloor \cdot \rfloor}} \sqrt{1-y^2}}{\frac{iy}{x} + i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}}} \right)} \\
 &= \frac{\frac{1}{4} \left( 1 + (-1)^{\left\lfloor -\frac{\arg \left( 1 - \frac{1}{x} \right)}{2\pi} \right\rfloor} \right) \pi i \left( 2 \left( 1 + (-1)^{\left\lfloor \frac{\frac{1}{2} \left[ \frac{\arg \left( \frac{i \sqrt{1-\frac{1}{x^2}} y + \frac{1}{x}} \right)}{\sqrt{1-y^2}} \right)}{\pi} \right)}{\lfloor \cdot \rfloor} \right) \right)}{\arg \left( \sqrt{1 - \frac{1}{x^2}} + \frac{i}{x} \right) + \arg \left( \frac{i-iy}{\sqrt{1-y^2}} \right)} +
 \end{aligned}$$

$$\begin{aligned}
 & \left( (-1)^{\lfloor \frac{1}{2} \left\lfloor \frac{\arg\left(\frac{i\sqrt{1-\frac{1}{x^2}} + \frac{y+\frac{1}{x}}{\sqrt{1-y^2}}\right)}{\pi} \right\rfloor \right\rfloor} - 2 \left( -1 + (-1)^{\lfloor \frac{1}{2} \left\lfloor \frac{\arg\left(\frac{i\sqrt{1-\frac{1}{x^2}} + \frac{y+\frac{1}{x}}{\sqrt{1-y^2}}\right)}{\pi} \right\rfloor \right\rfloor} \right) \left[ \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\frac{i-y}{\sqrt{1-y^2}}\right)}{2\pi} \right] - 1 \right) + \\
 & \frac{1}{4} \left( 1 - (-1)^{\lfloor \frac{\arg\left(1-\frac{1}{x}\right)}{2\pi} \rfloor} \right) \pi i \left( 2 \left( 1 + (-1)^{\lfloor \frac{1}{2} \left\lfloor \frac{\arg\left(\frac{\frac{1-i}{x}\sqrt{1-\frac{1}{x^2}} + y}{\sqrt{1-y^2}}\right)}{\pi} \right\rfloor \right\rfloor} \right) \left[ \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\frac{i y+i}{\sqrt{1-y^2}}\right)}{2\pi} \right] + \right. \\
 & \left. (-1)^{\lfloor \frac{1}{2} \left\lfloor \frac{\arg\left(\frac{\frac{1-i}{x}\sqrt{1-\frac{1}{x^2}} + y}{\sqrt{1-y^2}}\right)}{\pi} \right\rfloor \right\rfloor} - 2 \left( -1 + (-1)^{\lfloor \frac{1}{2} \left\lfloor \frac{\arg\left(\frac{\frac{1-i}{x}\sqrt{1-\frac{1}{x^2}} + y}{\sqrt{1-y^2}}\right)}{\pi} \right\rfloor \right\rfloor} \right) \left[ \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\frac{i y+i}{\sqrt{1-y^2}}\right)}{2\pi} \right] - 1 - \frac{\pi i}{2} \right)
 \end{aligned}$$

Involving  $\coth^{-1}(z)$



01.30.16.0206.01

$$\operatorname{sech}^{-1}(x) + \operatorname{coth}^{-1}(y) = \frac{i \sqrt{1 - \frac{1}{y^2}} \left( (-1)^{\frac{1}{2}} \frac{\arg \left( \frac{\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} + \frac{1}{x}}{y \sqrt{1-\frac{1}{y^2}}} \right)}{\pi} \right)}{\sqrt{1 - \frac{1}{y^2}} \left( i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x} + \frac{i}{xy}} \right)}$$

$$\operatorname{sech}^{-1} \left( \frac{i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x} + \frac{i}{xy}}}{\sqrt{1 - \frac{1}{y^2}} - 1} \right)$$

$$\frac{1}{4} \left( 1 + (-1)^{\left[ -\frac{\arg \left( 1 - \frac{1}{x} \right)}{2\pi} \right]} \right) \pi i \left( 2 \left( (-1)^{\frac{1}{2}} \frac{\arg \left( \frac{i \sqrt{1 - \frac{1}{x^2}} + \frac{1}{x}}{y \sqrt{1 - \frac{1}{y^2}}} \right)}{\pi} \right) \right) \frac{\arg \left( \sqrt{1 - \frac{1}{x^2}} + \frac{i}{x} \right) + \arg \left( \frac{i - \frac{i}{y}}{\sqrt{1 - \frac{1}{y^2}}} \right)}{2\pi} +$$

$$\begin{aligned}
 & \left( (-1)^{\frac{1}{2}} \left[ \frac{\arg \left( \frac{i \sqrt{1-\frac{1}{x^2}} + \frac{1}{y}}{\sqrt{1-\frac{1}{y^2}}} \right)}{\pi} \right] - 2 \left( -1 + (-1)^{\frac{1}{2}} \left[ \frac{\arg \left( \frac{i \sqrt{1-\frac{1}{x^2}} + \frac{1}{y}}{\sqrt{1-\frac{1}{y^2}}} \right)}{\pi} \right] - 1 + \frac{1}{2} \frac{\arg \left( \sqrt{1-\frac{1}{x^2}} + \frac{i}{x} \right) + \arg \left( \frac{i-\frac{i}{y}}{\sqrt{1-\frac{1}{y^2}}} \right)}{2\pi} \right] - 1 \right) + \\
 & \frac{1}{4} \left( 1 - (-1)^{\left[ \frac{\arg \left( 1-\frac{1}{x} \right)}{2\pi} \right]} \right) \pi i \left( 2 \left( 1 + (-1)^{\frac{1}{2}} \left[ \frac{\arg \left( \frac{i \sqrt{1-\frac{1}{x^2}} + \frac{1}{y}}{\sqrt{1-\frac{1}{y^2}}} \right)}{\pi} \right] - 1 + \frac{1}{2} \frac{\arg \left( \sqrt{1-\frac{1}{x^2}} + \frac{i}{x} \right) + \arg \left( \frac{i+\frac{i}{y}}{\sqrt{1-\frac{1}{y^2}}} \right)}{2\pi} \right) + \right. \\
 & \left. \left( (-1)^{\frac{1}{2}} \left[ \frac{\arg \left( \frac{i \sqrt{1-\frac{1}{x^2}} + \frac{1}{y}}{\sqrt{1-\frac{1}{y^2}}} \right)}{\pi} \right] - 2 \left( -1 + (-1)^{\frac{1}{2}} \left[ \frac{\arg \left( \frac{i \sqrt{1-\frac{1}{x^2}} + \frac{1}{y}}{\sqrt{1-\frac{1}{y^2}}} \right)}{\pi} \right] - 1 + \frac{1}{2} \frac{\arg \left( \sqrt{1-\frac{1}{x^2}} + \frac{i}{x} \right) + \arg \left( \frac{i+\frac{i}{y}}{\sqrt{1-\frac{1}{y^2}}} \right)}{2\pi} \right] - 1 - \frac{\pi i}{2} \right) \right)
 \end{aligned}$$

### Involving $\operatorname{csch}^{-1}(z)$

01.30.16.0207.01

$$\operatorname{sech}^{-1}(x) + \operatorname{csch}^{-1}(y) =$$

$$\frac{i \sqrt{1 - (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \sqrt{1+\frac{1}{y^2} + \frac{i}{xy}}\right)}{\pi} \right\rfloor} \left( -\frac{\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}}}{y} - \frac{\sqrt{1+\frac{1}{y^2}}}{x} \right)}}{\sqrt{(-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \sqrt{1+\frac{1}{y^2} + \frac{i}{xy}}\right)}{\pi} \right\rfloor} \left( -\frac{\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}}}{y} - \frac{\sqrt{1+\frac{1}{y^2}}}{x} \right) - 1}} \operatorname{sech}^{-1} \left( (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \sqrt{1+\frac{1}{y^2} + \frac{i}{xy}}\right)}{\pi} \right\rfloor} \left( -\frac{\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}}}{y} - \frac{\sqrt{1+\frac{1}{y^2}}}{x} \right) \right) -$$

$$\frac{1}{2} \pi i \left( \frac{1}{2} \left( 1 - (-1)^{\left\lfloor -\frac{\arg\left(1 - \frac{1}{x}\right)}{2\pi} \right\rfloor} \right) \right) \left( \left( -1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} \sqrt{1 + \frac{1}{y^2} + \frac{i}{xy}}\right)}{\pi} \right\rfloor} \right) \left( \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1 + \frac{1}{y^2}} + \frac{1}{y}\right)}{2\pi} \right) \right) +$$

$$(-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} \sqrt{1 + \frac{1}{y^2} + \frac{i}{xy}}\right)}{\pi} \right\rfloor} + 2 \left( 1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} \sqrt{1 + \frac{1}{y^2} + \frac{i}{xy}}\right)}{\pi} \right\rfloor} \right) \left( \frac{1}{2} - \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1 + \frac{1}{y^2}} + \frac{1}{y}\right)}{2\pi} \right) - \frac{1}{2} \left( 1 + (-1)^{\left\lfloor -\frac{\arg\left(1 - \frac{1}{x}\right)}{2\pi} \right\rfloor} \right)$$

$$\left( \left( -1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} \sqrt{1 + \frac{1}{y^2} - \frac{i}{xy}}\right)}{\pi} \right\rfloor} \right) \left( \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1 + \frac{1}{y^2}} - \frac{1}{y}\right)}{2\pi} \right) \right) + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} \sqrt{1 + \frac{1}{y^2} - \frac{i}{xy}}\right)}{\pi} \right\rfloor} +$$

$$\left( \left( \frac{1}{2} - \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} \sqrt{1 + \frac{1}{y^2} - \frac{i}{xy}}\right)}{\pi} \right) \right) \left( \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1 + \frac{1}{y^2}} - \frac{1}{y}\right)}{2\pi} \right) \right)$$

$$2 \left( 1 + (-1)^l \left| \left| \frac{\arg \left( \frac{\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}}{y} \right)}{2\pi} \right| \right| + 1 \right)$$

**Differences involving the direct function**

**Involving log(z)**

01.30.16.0208.01

$$\operatorname{sech}^{-1}(x) - \log(y) = \log \left( \frac{\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}}{y} \right) - 2i\pi \left[ \frac{-\arg \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right) + \arg(y) + \pi}{2\pi} \right]$$

01.30.16.0209.01

$$\operatorname{sech}^{-1}(x) - \log(y) = i\pi \left( 1 - (-1)^l \left| \left| \frac{\arg \left( \frac{\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}}{y} \right)}{2\pi} \right| \right| - \left| \left| \frac{\arg \left( \frac{\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}}{y} \right)}{2\pi} \right| \right| \right) +$$

$$(-1)^l \left| \left| \frac{\arg \left( \frac{\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}}{y} \right)}{\pi} \right| - \left| \left| \frac{2 \arg \left( \frac{\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}}{y} \right) - 1}{\pi} \right| \right| + \left| \left| \frac{\arg \left( \frac{\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}}{y} \right)}{\pi} \right| \right| - \left| \left| \frac{\arg \left( \frac{\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}}{y} \right) - 1}{2\pi} \right| \right| + \left| \left| \frac{\arg \left( \frac{\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}}{y} \right)}{2\pi} \right| \right| \right|$$

$$\operatorname{sech}^{-1} \left( \frac{2 \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)}{\left( \frac{\left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^2}{y^2} + 1 \right) y} \right) - 2i\pi \left[ \frac{-\arg \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right) + \arg(y) + \pi}{2\pi} \right]$$

**Involving sin<sup>-1</sup>(z)**

01.30.16.0210.01

$$\operatorname{sech}^{-1}(x) - \sin^{-1}(y) =$$

$$\log\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy+\sqrt{1-y^2})^i\right) - 2i\pi \left[ \frac{-\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) - \arg\left((iy+\sqrt{1-y^2})^i\right) + \pi}{2\pi} \right] +$$

$$\left[ \frac{\pi - \operatorname{Im}\left(\log\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Re}\left(\log\left(iy+\sqrt{1-y^2}\right)\right)}{2\pi} \right]$$

01.30.16.0211.01

$$\operatorname{sech}^{-1}(x) - \sin^{-1}(y) = i\pi \left( 1 - (-1)^{\left\lfloor \frac{\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy+\sqrt{1-y^2})^i + 1}{2\pi} \right\rfloor - \left\lfloor \frac{\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy+\sqrt{1-y^2})^i}{2\pi} \right\rfloor \right) +$$

$$(-1)^{\left\lfloor \frac{\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy+\sqrt{1-y^2})^i}{\pi} - \frac{2\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy+\sqrt{1-y^2})^i - 1}{\pi} \right\rfloor + \left\lfloor \frac{\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy+\sqrt{1-y^2})^i}{\pi} \right\rfloor - \left\lfloor \frac{\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy+\sqrt{1-y^2})^i - 1}{2\pi} \right\rfloor \right)}$$

$$\operatorname{sech}^{-1} \left( \frac{2 \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right) (iy+\sqrt{1-y^2})^i}{\left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^2 (iy+\sqrt{1-y^2})^{2i} + 1} \right) -$$

$$2i\pi \left[ \frac{-\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) - \arg\left((iy+\sqrt{1-y^2})^i\right) + \pi}{2\pi} \right] +$$

$$\left[ \frac{\pi - \operatorname{Im}\left(\log\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Re}\left(\log\left(iy+\sqrt{1-y^2}\right)\right)}{2\pi} \right]$$

01.30.16.0212.01

$$\operatorname{sech}^{-1}(x) - i \sin^{-1}(y) =$$

$$\frac{i \sqrt{(-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y+i\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}}\sqrt{1-y^2}\right)}{\pi} \rfloor} \left( \frac{\sqrt{1-y^2}}{x} - i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} y \right) + 1}}{\sqrt{(-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y+i\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}}\sqrt{1-y^2}\right)}{\pi} \rfloor} \left( \frac{\sqrt{1-y^2}}{x} - i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} y \right) - 1}} \operatorname{sech}^{-1} \left( \frac{(-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y+i\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}}\sqrt{1-y^2}\right)}{\pi} \rfloor} \left( \frac{\sqrt{1-y^2}}{x} - i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} y - \frac{\sqrt{1-y^2}}{x} \right)}}{i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} y - \frac{\sqrt{1-y^2}}{x}} \right)}{-$$

$$\frac{1}{2} i \pi \left( \frac{1}{2} \left( 1 - (-1)^{\lfloor \frac{\arg\left(1-\frac{1}{x}\right)}{2\pi} \rfloor} \right) \right) \left( 2 \left( -1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y+i\sqrt{1-\frac{1}{x^2}}\sqrt{1-y^2}\right)}{\pi} \rfloor} \right) \right) \left( \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1-y^2} - i y\right)}{2\pi} \right) +$$

$$\left( -1 \right)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y+i\sqrt{1-\frac{1}{x^2}}\sqrt{1-y^2}\right)}{\pi} \rfloor} + 2 \left( 1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y+i\sqrt{1-\frac{1}{x^2}}\sqrt{1-y^2}\right)}{\pi} \rfloor} \right) \left( \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1-y^2} - i y\right)}{2\pi} \right) -$$

$$\frac{1}{2} \left( 1 + (-1)^{\lfloor \frac{\arg\left(1-\frac{1}{x}\right)}{2\pi} \rfloor} \right) \left( 2 \left( -1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}}\sqrt{1-y^2} - \frac{y}{x}\right)}{\pi} \rfloor} \right) \right) \left( \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(i y + \sqrt{1-y^2}\right)}{2\pi} \right) +$$

$$\left( -1 \right)^{\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}}\sqrt{1-y^2} - \frac{y}{x}\right)}{\pi} \rfloor} +$$

$$2 \left( 1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}}\sqrt{1-y^2} - \frac{y}{x}\right)}{\pi} \rfloor} \right) \left( \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(i y + \sqrt{1-y^2}\right)}{2\pi} \right) + 1$$

Involving  $\cos^{-1}(z)$

01.30.16.0213.01

$$\operatorname{sech}^{-1}(x) - \cos^{-1}(y) = -2i\pi \left[ \frac{-\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) - \arg\left((iy+\sqrt{1-y^2})^{-i}\right) + \pi}{2\pi} \right] + \left[ \frac{\operatorname{Re}\left(\log\left(iy+\sqrt{1-y^2}\right)\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right] + \log\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy+\sqrt{1-y^2})^{-i}\right) - \frac{\pi}{2}$$

01.30.16.0214.01

$$\operatorname{sech}^{-1}(x) - \cos^{-1}(y) = -2i\pi \left[ \frac{-\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) - \arg\left((iy+\sqrt{1-y^2})^{-i}\right) + \pi}{2\pi} \right] + \left[ \frac{\operatorname{Re}\left(\log\left(iy+\sqrt{1-y^2}\right)\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right] + \left( \left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy+\sqrt{1-y^2})^{-i} + 1\right)}{2\pi} \right] - \left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy+\sqrt{1-y^2})^{-i}\right)}{2\pi} \right] \right) + (-1) \left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy+\sqrt{1-y^2})^{-i}\right)}{\pi} - \frac{2\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy+\sqrt{1-y^2})^{-i}\right)}{\pi} \right] + \left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy+\sqrt{1-y^2})^{-i}\right)}{\pi} \right] - \left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy+\sqrt{1-y^2})^{-i}\right)}{2\pi} \right] - \frac{\pi}{2} \left[ \frac{2\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(iy+\sqrt{1-y^2})^{-i}}{\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^2 (iy+\sqrt{1-y^2})^{-2i} + 1} \right]$$

01.30.16.0215.01

$$\operatorname{sech}^{-1}(x) - i \cos^{-1}(y) =$$

$$\frac{i \sqrt{(-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \sqrt{1-y^2} - \frac{y}{x}\right)}{\pi} \rfloor} \left( \sqrt{\frac{1}{x}-1} - i \sqrt{1+\frac{1}{x}} y + \frac{\sqrt{1-y^2}}{x} \right) + 1}{\sqrt{(-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \sqrt{1-y^2} - \frac{y}{x}\right)}{\pi} \rfloor} \left( \sqrt{\frac{1}{x}-1} - i \sqrt{1+\frac{1}{x}} y + \frac{\sqrt{1-y^2}}{x} \right) - 1}} \operatorname{sech}^{-1} \left( \frac{(-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \sqrt{1-y^2} - \frac{y}{x}\right)}{\pi} \rfloor}}{\sqrt{\frac{1}{x}-1} (-i) \sqrt{1+\frac{1}{x}} y - \frac{\sqrt{1-y^2}}{x}}} \right) -$$

$$\frac{1}{2} \pi i \left( -\frac{1}{2} \left( 1 + (-1)^{\lfloor -\frac{\arg\left(1-\frac{1}{x}\right)}{2\pi} \rfloor} \right) \right) \left( \left( -1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y}{x} + \sqrt{1-\frac{1}{x^2}} \sqrt{1-y^2}\right)}{\pi} \rfloor} \right) \left| \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1-y^2} - i y\right)}{2\pi} \right| + \right.$$

$$\left. (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y}{x} + \sqrt{1-\frac{1}{x^2}} \sqrt{1-y^2}\right)}{\pi} \rfloor} + 2 \left( 1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y}{x} + \sqrt{1-\frac{1}{x^2}} \sqrt{1-y^2}\right)}{\pi} \rfloor} \right) \left| \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1-y^2} - i y\right)}{2\pi} \right| \right) +$$

$$\frac{1}{2} \left( 1 - (-1)^{\lfloor -\frac{\arg\left(1-\frac{1}{x}\right)}{2\pi} \rfloor} \right) \left( \left( -1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-y^2} - \frac{y}{x}\right)}{\pi} \rfloor} \right) \left| \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(i y + \sqrt{1-y^2}\right)}{2\pi} \right| + \right.$$

$$\left. (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-y^2} - \frac{y}{x}\right)}{\pi} \rfloor} + \right.$$

$$\left. \left. \left( 1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-y^2} - \frac{y}{x}\right)}{\pi} \rfloor} \right) \left| \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(i y + \sqrt{1-y^2}\right)}{2\pi} \right| \right) + 2 \right)$$

Involving  $\tan^{-1}(z)$



01.30.16.0216.01

$$\operatorname{sech}^{-1}(x) - \tan^{-1}(y) = -2i\pi \left( \left[ \frac{-\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) - \arg\left((1-iy)^{-\frac{i}{2}}\right) + \pi}{2\pi} \right] + \left[ \frac{\frac{1}{2} \operatorname{Re}(\log(1-iy)) + \pi}{2\pi} \right] + \right. \\ \left. \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right] - 2i\pi \left( \left[ \frac{-\arg((iy+1)^{i/2}) - \arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(1-iy)^{-\frac{i}{2}}\right) + \pi}{2\pi} \right] + \right. \right. \\ \left. \left. \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(1-iy)^{-\frac{i}{2}}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}(\log(iy+1))}{2\pi} \right] + \right. \right. \\ \left. \left. \log\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(1-iy)^{-\frac{i}{2}}(iy+1)^{i/2}\right) \right) \right)$$

01.30.16.0217.01

$$\operatorname{sech}^{-1}(x) - \tan^{-1}(y) = -2i\pi \left( \left[ \frac{-\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) - \arg\left((1-iy)^{-\frac{i}{2}}\right) + \pi}{2\pi} \right] + \left[ \frac{\frac{1}{2} \operatorname{Re}(\log(1-iy)) + \pi}{2\pi} \right] + \right. \\ \left. \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right] - 2i\pi \left( \left[ \frac{-\arg((iy+1)^{i/2}) - \arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(1-iy)^{-\frac{i}{2}}\right) + \pi}{2\pi} \right] + \right. \right. \\ \left. \left. \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(1-iy)^{-\frac{i}{2}}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}(\log(iy+1))}{2\pi} \right] + \right. \right. \\ \left. \left. i\pi \left( 1 - (-1)^{\left\lfloor \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(1-iy)^{-\frac{i}{2}}(iy+1)^{i/2+1}\right)}{2\pi} \right\rfloor} - \left\lfloor \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(1-iy)^{-\frac{i}{2}}(iy+1)^{i/2}\right)}{2\pi} \right\rfloor \right) + \right. \right. \\ \left. \left. (-1)^{\left\lfloor \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(1-iy)^{-\frac{i}{2}}(iy+1)^{i/2}\right)}{\pi} \right\rfloor} - \frac{2 \arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(1-iy)^{-\frac{i}{2}}(iy+1)^{i/2-1}\right)}{\pi} \right\rfloor + \left\lfloor \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(1-iy)^{-\frac{i}{2}}(iy+1)^{i/2}\right)}{\pi} \right\rfloor - \left\lfloor \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)(1-iy)^{-\frac{i}{2}}(iy+1)^{i/2}\right)}{2\pi} \right\rfloor \right. \right. \\ \left. \left. \operatorname{sech}^{-1} \left( \frac{2 \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right) (1-iy)^{-\frac{i}{2}} (iy+1)^{i/2}}{(iy+1)^i \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^2 (1-iy)^{-i} + 1} \right) \right)$$

01.30.16.0218.01

$$\operatorname{sech}^{-1}(x) - i \tan^{-1}(y) = \frac{i \sqrt{1 - \frac{\left( \frac{1-i}{x} \sqrt{\frac{1-x}{x}} \sqrt{1+\frac{1}{x}} y \right)}{\sqrt{y^2+1}}}{(-1)^{\frac{1}{2}}}}{\sqrt{y^2+1}} \operatorname{sech}^{-1} \left( \frac{(-1)^{\frac{1}{2}} \sqrt{y^2+1}}{\frac{y}{x} + i \sqrt{\frac{1-x}{x}} \sqrt{1+\frac{1}{x}}} \right) - \frac{\left( \frac{1-i}{x} \sqrt{\frac{1-x}{x}} \sqrt{1+\frac{1}{x}} y \right)}{\sqrt{y^2+1}}}{\left( \frac{1-i}{x} \sqrt{\frac{1-x}{x}} \sqrt{1+\frac{1}{x}} y \right)}{\sqrt{y^2+1}}}$$

$$\frac{1}{4} i \left( 1 + (-1)^{\left[ -\frac{\arg\left(1 - \frac{1}{x}\right)}{2\pi} \right]} \right) \pi \left( 2 \left( 1 + (-1)^{\left[ \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} y + \frac{1}{x}\right)}{\sqrt{y^2+1}} \right]} \right) \left[ \frac{\arg\left(\frac{i-y}{\sqrt{y^2+1}}\right) + \arg\left(\sqrt{1 - \frac{1}{x^2}} + \frac{i}{x}\right)}{2\pi} \right] \right) +$$

$$\begin{aligned}
 & \left( (-1)^{\lfloor \frac{1}{2} \left\lfloor \frac{\arg\left(\frac{\sqrt{1-\frac{1}{x^2}} + \frac{y+\frac{1}{x}}{\sqrt{y^2+1}}}\right)}{\pi} \right\rfloor} \right) - 2 \left( -1 + (-1)^{\lfloor \frac{1}{2} \left\lfloor \frac{\arg\left(\frac{\sqrt{1-\frac{1}{x^2}} + \frac{y+\frac{1}{x}}{\sqrt{y^2+1}}}\right)}{\pi} \right\rfloor} \right) \left[ \frac{1}{2} - \frac{\arg\left(\frac{i-y}{\sqrt{y^2+1}}\right) + \arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right)}{2\pi} \right] - 1 \right) + \\
 & \frac{1}{4} i \left( 1 - (-1)^{\lfloor \frac{\arg\left(1-\frac{1}{x}\right)}{2\pi} \rfloor} \right) \pi \left( 2 \left( 1 + (-1)^{\lfloor \frac{1}{2} \left\lfloor \frac{\arg\left(\frac{\frac{1}{x}\sqrt{1-\frac{1}{x^2}} + y}{\sqrt{y^2+1}}}\right)}{\pi} \right\rfloor} \right) \left[ \frac{\arg\left(\frac{y+i}{\sqrt{y^2+1}}\right) + \arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right)}{2\pi} \right] + \right. \\
 & \left. (-1)^{\lfloor \frac{1}{2} \left\lfloor \frac{\arg\left(\frac{\frac{1}{x}\sqrt{1-\frac{1}{x^2}} + y}{\sqrt{y^2+1}}}\right)}{\pi} \right\rfloor} \right) - 2 \left( -1 + (-1)^{\lfloor \frac{1}{2} \left\lfloor \frac{\arg\left(\frac{\frac{1}{x}\sqrt{1-\frac{1}{x^2}} + y}{\sqrt{y^2+1}}}\right)}{\pi} \right\rfloor} \right) \left[ \frac{1}{2} - \frac{\arg\left(\frac{y+i}{\sqrt{y^2+1}}\right) + \arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right)}{2\pi} \right] - 1 - \frac{i\pi}{2} \right)
 \end{aligned}$$

Involving  $\cot^{-1}(z)$

01.30.16.0219.01

$$\operatorname{sech}^{-1}(x) - \cot^{-1}(y) = -2i\pi \left( \left[ \frac{-\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) - \arg\left(1-\frac{i}{y}\right)^{-\frac{i}{2}} + \pi}{2\pi} \right] + \left[ \frac{\frac{1}{2} \operatorname{Re}\left(\log\left(1-\frac{i}{y}\right)\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right] \right) - 2i\pi \left( \left[ \frac{-\arg\left(1+\frac{i}{y}\right)^{i/2} - \arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(1-\frac{i}{y}\right)^{-\frac{i}{2}}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(1-\frac{i}{y}\right)^{-\frac{i}{2}}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(\log\left(1+\frac{i}{y}\right)\right)}{2\pi} \right] + \log\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(1-\frac{i}{y}\right)^{-\frac{i}{2}}\left(1+\frac{i}{y}\right)^{i/2}\right) \right)$$

01.30.16.0220.01

$$\operatorname{sech}^{-1}(x) - \cot^{-1}(y) = -2i\pi \left( \left| \frac{-\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) - \arg\left(1-\frac{i}{y}\right)^{-\frac{i}{2}} + \pi}{2\pi} \right| + \left| \frac{\frac{1}{2} \operatorname{Re}(\log(1-\frac{i}{y})) + \pi}{2\pi} \right| + \left| \frac{\pi - \operatorname{Im}\left(\log\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right| - 2i\pi \left( \left| \frac{-\arg\left(1+\frac{i}{y}\right)^{i/2} - \arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(1-\frac{i}{y}\right)^{-\frac{i}{2}}\right) + \pi}{2\pi} \right| + \left| \frac{\pi - \operatorname{Im}\left(\log\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(1-\frac{i}{y}\right)^{-\frac{i}{2}}\right)\right)}{2\pi} \right| + \left| \frac{\pi - \frac{1}{2} \operatorname{Re}(\log(1+\frac{i}{y}))}{2\pi} \right| + \left. i\pi \left( 1 - (-1)^{\left| \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(1-\frac{i}{y}\right)^{-\frac{i}{2}}\left(1+\frac{i}{y}\right)^{i/2} + 1\right)}{2\pi} \right| - \left| \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(1-\frac{i}{y}\right)^{-\frac{i}{2}}\left(1+\frac{i}{y}\right)^{i/2}\right)}{2\pi} \right| \right) + (-1)^{\left| \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(1-\frac{i}{y}\right)^{-\frac{i}{2}}\left(1+\frac{i}{y}\right)^{i/2}\right)}{\pi} \right| - \left| \frac{2\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(1-\frac{i}{y}\right)^{-\frac{i}{2}}\left(1+\frac{i}{y}\right)^{i/2} - 1\right)}{\pi} \right| + \left| \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(1-\frac{i}{y}\right)^{-\frac{i}{2}}\left(1+\frac{i}{y}\right)^{i/2}\right)}{\pi} \right| - \left| \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(1-\frac{i}{y}\right)^{-\frac{i}{2}}\left(1+\frac{i}{y}\right)^{i/2}\right)}{2\pi} \right| \right) \operatorname{sech}^{-1} \left( \frac{2\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(1-\frac{i}{y}\right)^{-\frac{i}{2}}\left(1+\frac{i}{y}\right)^{i/2}}{\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^2 \left(1+\frac{i}{y}\right)^i \left(1-\frac{i}{y}\right)^{-i} + 1} \right)$$

01.30.16.0221.01

$$\begin{aligned}
 \operatorname{sech}^{-1}(x) - i \cot^{-1}(y) &= \frac{i \sqrt{1 - \frac{1}{y^2}} \left( \frac{1}{2} - \frac{\arg \left( \frac{\frac{1}{x} \frac{i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}}}{y}}{\sqrt{1+\frac{1}{y^2}}} \right)}{\pi} \right)}{(-1) \left( i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x} + \frac{1}{xy}} \right)} \operatorname{sech}^{-1} \left( \frac{\frac{1}{x} \frac{i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}}}{y}}{\sqrt{1+\frac{1}{y^2}}} \right) \sqrt{1+\frac{1}{y^2}} \\
 &= \frac{i \sqrt{1 - \frac{1}{y^2}} \left( \frac{1}{2} - \frac{\arg \left( \frac{\frac{1}{x} \frac{i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}}}{y}}{\sqrt{1+\frac{1}{y^2}}} \right)}{\pi} \right)}{(-1) \left( i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x} + \frac{1}{xy}} \right) - 1} \operatorname{sech}^{-1} \left( \frac{\frac{1}{x} \frac{i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}}}{y}}{\sqrt{1+\frac{1}{y^2}}} \right) \sqrt{1+\frac{1}{y^2}} \\
 &= \frac{1}{4} i \left( 1 + (-1) \left[ -\frac{\arg \left( 1 - \frac{1}{x} \right)}{2\pi} \right] \right) \pi \left( 2 \left( 1 + (-1) \left[ \frac{\arg \left( \sqrt{1 - \frac{1}{x^2}} + \frac{i}{x} \right) + \arg \left( \frac{i - \frac{1}{y}}{\sqrt{1+\frac{1}{y^2}}} \right)}{2\pi} \right] \right) \right) +
 \end{aligned}$$

$$\left( (-1)^{\frac{1}{2}} \frac{\arg\left(\frac{\sqrt{1-\frac{1}{x^2}}}{y} + \frac{1}{x}\right)}{\pi} \right)^{-2} \left( (-1)^{\frac{1}{2}} \frac{\arg\left(\frac{\sqrt{1-\frac{1}{x^2}}}{y} + \frac{1}{x}\right)}{\pi} \right)^{-1+(-1)} \left( \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\frac{i-\frac{1}{y}}{\sqrt{1+\frac{1}{y^2}}}\right)}{2\pi} \right)^{-1} +$$

$$\frac{1}{4} i \left( 1 - (-1)^{\left[ -\frac{\arg\left(1-\frac{1}{x}\right)}{2\pi} \right]} \right) \pi \left( (-1)^{\frac{1}{2}} \frac{\arg\left(\frac{\sqrt{1-\frac{1}{x^2}}}{y}\right)}{\pi} \right)^{-2} \left( (-1)^{\frac{1}{2}} \frac{\arg\left(\frac{\sqrt{1-\frac{1}{x^2}}}{y}\right)}{\pi} \right)^{-1+(-1)} \left( \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\frac{i+\frac{1}{y}}{\sqrt{1+\frac{1}{y^2}}}\right)}{2\pi} \right)^{-1} +$$

$$\left( (-1)^{\frac{1}{2}} \frac{\arg\left(\frac{\sqrt{1-\frac{1}{x^2}}}{y}\right)}{\pi} \right)^{-2} \left( (-1)^{\frac{1}{2}} \frac{\arg\left(\frac{\sqrt{1-\frac{1}{x^2}}}{y}\right)}{\pi} \right)^{-1+(-1)} \left( \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\frac{i+\frac{1}{y}}{\sqrt{1+\frac{1}{y^2}}}\right)}{2\pi} \right)^{-1} - \frac{i\pi}{2}$$



### Involving $\csc^{-1}(z)$

01.30.16.0222.01

$$\operatorname{sech}^{-1}(x) - \operatorname{csc}^{-1}(y) =$$

$$\log\left(\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^i\right) - 2i\pi\left(\frac{-\arg\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) - \arg\left(\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^i\right) + \pi}{2\pi}\right) +$$

$$\left(\frac{\pi - \operatorname{Im}\left(\log\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi}\right) + \left(\frac{\pi - \operatorname{Re}\left(\log\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)\right)}{2\pi}\right)$$

01.30.16.0223.01

$$\operatorname{sech}^{-1}(x) - \operatorname{csc}^{-1}(y) = i\pi \left( 1 - (-1) \left[ \frac{\left| \frac{\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^i + 1}{2\pi} \right|}{\left| \frac{\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^i \right|}{2\pi} \right] \right) +$$

$$(-1) \left[ \frac{\left| \frac{\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^i}{\pi} - \frac{2\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^i - 1}{\pi} \right|}{\left| \frac{\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^i}{\pi} \right|} + \frac{\left| \frac{\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^i - 1}{2\pi} \right|}{\left| \frac{\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^i - 1}{2\pi} \right|} \right) +$$

$$\operatorname{sech}^{-1} \left( \frac{2 \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right) \left( \sqrt{1-\frac{1}{y^2}+\frac{i}{y}} \right)^i}{\left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^2 \left( \sqrt{1-\frac{1}{y^2}+\frac{i}{y}} \right)^{2i} + 1} \right) -$$

$$2i\pi \left( \frac{\left| -\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right) - \arg\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right) + \pi \right|}{2\pi} \right) +$$

$$\left[ \frac{\left| \pi - \operatorname{Im} \left( \log \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right) \right) \right|}{2\pi} \right] + \left[ \frac{\left| \pi - \operatorname{Re} \left( \log \left( \sqrt{1-\frac{1}{y^2}+\frac{i}{y}} \right) \right) \right|}{2\pi} \right]$$

01.30.16.0224.01

$$\operatorname{sech}^{-1}(x) - i \operatorname{csc}^{-1}(y) = \frac{i \sqrt{1 - (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \sqrt{1-\frac{1}{y^2} + \frac{1}{xy}}\right)\right\rfloor}}{\pi}}}{\left(\frac{i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}}}{y} - \frac{\sqrt{1-\frac{1}{y^2}}}{x}\right)}}{\sqrt{(-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \sqrt{1-\frac{1}{y^2} + \frac{1}{xy}}\right)\right\rfloor}}{\pi}} \left(\frac{i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}}}{y} - \frac{\sqrt{1-\frac{1}{y^2}}}{x}\right) - 1}}$$

$$\operatorname{sech}^{-1} \left( \frac{(-1)^{\left\lfloor -\frac{1}{2} - \frac{\arg\left(i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \sqrt{1-\frac{1}{y^2} + \frac{1}{xy}}\right)\right\rfloor}}{\pi}}}{\frac{i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}}}{y} - \frac{\sqrt{1-\frac{1}{y^2}}}{x}} \right) - \frac{1}{2} i \pi \left( -\frac{1}{2} \left( 1 + (-1)^{\left\lfloor -\frac{\arg\left(1-\frac{1}{x}\right)\right\rfloor}{2\pi} \right)} \right)$$

$$\left( \left( \left( \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2} - \frac{1}{xy}}\right)}{\pi} \right) \right) \left( \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} + \frac{i}{y}\right)}{2\pi} \right) + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2} - \frac{1}{xy}}\right)}{\pi} \right\rfloor} \right) +$$

$$2 \left( 1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2} - \frac{1}{xy}}\right)}{\pi} \right\rfloor} \right) \left( \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} + \frac{i}{y}\right)}{2\pi} \right) + \frac{1}{2} \left( 1 - (-1)^{\left\lfloor -\frac{\arg\left(1-\frac{1}{x}\right)\right\rfloor}{2\pi} \right)$$

$$\left( \left( \left( \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2} + \frac{1}{xy}}\right)}{\pi} \right) \right) \left( \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} - \frac{i}{y}\right)}{2\pi} \right) + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2} + \frac{1}{xy}}\right)}{\pi} \right\rfloor} \right) +$$

$$2 \left( 1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2} + \frac{1}{xy}}\right)}{\pi} \right\rfloor} \right) \left( \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} - \frac{i}{y}\right)}{2\pi} \right) + 1$$

### Involving $\text{sech}^{-1}(z)$

01.30.16.0225.01

$$\text{sech}^{-1}(x) - \text{sech}^{-1}(y) = -2i\pi \left[ \frac{-\arg\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}} - \arg\left(\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^{-i}\right) + \pi}{2\pi} \right] + \left[ \frac{\text{Re}\left(\log\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \text{Im}\left(\log\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right] + \log\left(\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^{-i}\right) - \frac{\pi}{2}$$

01.30.16.0226.01

$$\text{sech}^{-1}(x) - \text{sech}^{-1}(y) = -2i\pi \left[ \frac{-\arg\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}} - \arg\left(\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^{-i}\right) + \pi}{2\pi} \right] + \left[ \frac{\text{Re}\left(\log\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \text{Im}\left(\log\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right] + \left( \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^{-i}\right)}{2\pi} - \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^{-i}\right)}{2\pi} \right) + \left( \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^{-i}\right)}{\pi} - \frac{2\arg\left(\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^{-i}\right)}{\pi} + \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^{-i}\right)}{\pi} - \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\left(\sqrt{1-\frac{1}{y^2}+\frac{i}{y}}\right)^{-i}\right)}{2\pi} \right) - \frac{\pi}{2}$$

01.30.16.0227.01

$$\operatorname{sech}^{-1}(x) - i \operatorname{sec}^{-1}(y) =$$

$$\frac{i \sqrt{1+(-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \sqrt{1-\frac{1}{y^2}-\frac{1}{xy}}\right)\rfloor} \left(\frac{i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} + \sqrt{1-\frac{1}{y^2}}}{y} + \frac{\sqrt{1-\frac{1}{y^2}}}{x}\right)}}{\sqrt{-(-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \sqrt{1-\frac{1}{y^2}-\frac{1}{xy}}\right)\rfloor} \left(\frac{i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} + \sqrt{1-\frac{1}{y^2}}}{y} + \frac{\sqrt{1-\frac{1}{y^2}}}{x}\right)} - 1}} \operatorname{sech}^{-1}\left(\frac{(-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \sqrt{1-\frac{1}{y^2}-\frac{1}{xy}}\right)\rfloor} \left(\frac{i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} + \sqrt{1-\frac{1}{y^2}}}{y} + \frac{\sqrt{1-\frac{1}{y^2}}}{x}\right)}}{-\frac{i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} - \sqrt{1-\frac{1}{y^2}}}{y} - \frac{\sqrt{1-\frac{1}{y^2}}}{x}}\right) -$$

$$\frac{1}{2} \pi i \left( \frac{1}{2} \left( 1 - (-1)^{\lfloor -\frac{\arg\left(1-\frac{1}{x}\right)\rfloor}{2\pi} \right) \right) \left( 2 \left( -1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2}-\frac{1}{xy}}\right)\rfloor} \right) \left( \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} + \frac{i}{y}\right)}{2\pi} \right) \right) +$$

$$(-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2}-\frac{1}{xy}}\right)\rfloor} \right) + 2 \left( 1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2}-\frac{1}{xy}}\right)\rfloor} \right)$$

$$\left( \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} + \frac{i}{y}\right)}{2\pi} \right) - \frac{1}{2} \left( 1 + (-1)^{\lfloor -\frac{\arg\left(1-\frac{1}{x}\right)\rfloor}{2\pi} \right)$$

$$\left( \left( 2 \left( -1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2}+\frac{1}{xy}}\right)\rfloor} \right) \left( \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} - \frac{i}{y}\right)}{2\pi} \right) \right) + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2}+\frac{1}{xy}}\right)\rfloor} \right) +$$

$$2 \left( 1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-\frac{1}{y^2}+\frac{1}{xy}}\right)\rfloor} \right) \left( \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} - \frac{i}{y}\right)}{2\pi} \right) + 2$$

### Involving $\sinh^{-1}(z)$

01.30.16.0228.01

$$\operatorname{sech}^{-1}(x) - \sinh^{-1}(y) =$$

$$\frac{i \sqrt{(-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \sqrt{y^2+1} - \frac{iy}{x}\right)}{\pi} \rfloor} \left( \frac{\sqrt{y^2+1}}{x} - \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} y \right) + 1}{\sqrt{(-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \sqrt{y^2+1} - \frac{iy}{x}\right)}{\pi} \rfloor} \left( \frac{\sqrt{y^2+1}}{x} - \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} y \right) - 1}} \operatorname{sech}^{-1} \left( (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \sqrt{y^2+1} - \frac{iy}{x}\right)}{\pi} \rfloor} \frac{\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} y - \frac{\sqrt{y^2+1}}{x}} \right)}{\frac{1}{2} i \pi \left( -\frac{1}{2} \left( 1 + (-1)^{\lfloor -\frac{\arg\left(1-\frac{1}{x}\right)}{2\pi} \rfloor} \right) \right) \left( 2 \left( -1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{iy+\sqrt{y^2+1}}{x} \sqrt{1-\frac{1}{x^2}}\right)}{\pi} \rfloor} \right) \right) \left( \frac{\arg\left(y + \sqrt{y^2+1}\right) + \arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right)}{2\pi} \right) + \left( (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{iy+\sqrt{y^2+1}}{x} \sqrt{1-\frac{1}{x^2}}\right)}{\pi} \rfloor} + 2 \left( 1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{iy+\sqrt{y^2+1}}{x} \sqrt{1-\frac{1}{x^2}}\right)}{\pi} \rfloor} \right) \right) \left( \frac{1}{2} - \frac{\arg\left(y + \sqrt{y^2+1}\right) + \arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right)}{2\pi} \right) \right) + \left( \frac{1}{2} \left( 1 - (-1)^{\lfloor -\frac{\arg\left(1-\frac{1}{x}\right)}{2\pi} \rfloor} \right) \right) \left( 2 \left( -1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{y^2+1} - \frac{iy}{x}\right)}{\pi} \rfloor} \right) \right) \left( \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{y^2+1} - y\right)}{2\pi} \right) + \left( (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{y^2+1} - \frac{iy}{x}\right)}{\pi} \rfloor} \right) + \left( 2 \left( 1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{y^2+1} - \frac{iy}{x}\right)}{\pi} \rfloor} \right) \right) \left( \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{y^2+1} - y\right)}{2\pi} \right) + 1 \right)$$

### Involving $\cosh^{-1}(z)$

01.30.16.0229.01

$$\operatorname{sech}^{-1}(x) - \operatorname{cosh}^{-1}(y) = \frac{i \sqrt{(-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}}\sqrt{y-1}\sqrt{y+1}-\frac{y}{x}\right)}\rfloor}}}{\sqrt{(-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}}\sqrt{y-1}\sqrt{y+1}-\frac{y}{x}\right)}\rfloor}}} i \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} y - \frac{\sqrt{y-1}\sqrt{y+1}}{x} \right) + 1}{\sqrt{(-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}}\sqrt{y-1}\sqrt{y+1}-\frac{y}{x}\right)}\rfloor}}} (-i) \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} y - \frac{\sqrt{y-1}\sqrt{y+1}}{x} \right) - 1}$$

$$\operatorname{sech}^{-1} \left( \frac{i(-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}}\sqrt{y-1}\sqrt{y+1}-\frac{y}{x}\right)}\rfloor}}{\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} y - \frac{\sqrt{y-1}\sqrt{y+1}}{x}}} \right) -$$

$$\frac{1}{2} \pi \left( \left( \left( \left( \left( \left( \frac{\arg\left(\sqrt{1-\frac{1}{x^2}}-\frac{i}{x}\right) + \arg\left(iy + \sqrt{1-y^2}\right)}{2\pi} \right) + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y}{x} + \sqrt{1-\frac{1}{x^2}}\sqrt{1-y^2}\right)}\rfloor} \right) \right) \right) \right) \right) +$$

$$2 \left( \left( \left( \left( \left( \left( \frac{\arg\left(\sqrt{1-\frac{1}{x^2}}-\frac{i}{x}\right) + \arg\left(iy + \sqrt{1-y^2}\right)}{2\pi} \right) - 1 \right) \right) \right) \right) \right)$$

$$\left( \frac{1}{2} i (-1)^{\left\lfloor -\frac{\arg\left(1-\frac{1}{x}\right)}{2\pi} \right\rfloor} + \frac{1}{2} i (-1)^{\left\lfloor -\frac{\arg(1-y)}{2\pi} \right\rfloor} \right) + \left( \left( -1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-y^2} - \frac{y}{x}\right)}{\pi} \right\rfloor} \right) \right)$$

$$\left[ \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg(iy + \sqrt{1-y^2})}{2\pi} + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-y^2} - \frac{y}{x}\right)}{\pi} \right\rfloor} + 2 \left( 1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1-y^2} - \frac{y}{x}\right)}{\pi} \right\rfloor} \right) \right]$$

$$\left[ \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg(iy + \sqrt{1-y^2})}{2\pi} + 1 \left( \left( -\frac{1}{2} i (-1)^{\left\lfloor -\frac{\arg\left(1-\frac{1}{x}\right)}{2\pi} \right\rfloor} + \frac{1}{2} i (-1)^{\left\lfloor -\frac{\arg(1-y)}{2\pi} \right\rfloor} \right) \right) - \frac{i\pi}{2} \right]$$

**Involving  $\tanh^{-1}(z)$**



01.30.16.0230.01

$$\begin{aligned}
 \operatorname{sech}^{-1}(x) - \tanh^{-1}(y) &= \frac{i \sqrt{1 - \frac{\left| \frac{\frac{1}{x} \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} y \right|}{\sqrt{1-y^2}}}{\pi}}}{(-1)^{\frac{1}{2}}} \sqrt{1-y^2}}{\sqrt{1-y^2}} \operatorname{sech}^{-1} \left( \frac{(-1)^{\frac{1}{2}} \left| \frac{\frac{1}{x} \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} y \right|}{\sqrt{1-y^2}}}{\pi} \right) \sqrt{1-y^2}}{i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} - \frac{iy}{x}}} + \\
 &= \frac{1}{4} i \left( 1 - (-1)^{\left[ -\frac{\arg\left(1-\frac{1}{x}\right)}{2\pi} \right]} \right) \pi \left( 2 \left( 1 + (-1)^{\left[ \frac{\frac{1}{2} \left| \frac{i \sqrt{1-\frac{1}{x^2}} y + \frac{1}{x}}{\sqrt{1-y^2}} \right|}{\pi} \right]} \right) \left| \frac{\arg\left( \sqrt{1-\frac{1}{x^2}} + \frac{i}{x} \right) + \arg\left( \frac{i-iy}{\sqrt{1-y^2}} \right)}{2\pi} \right| \right) +
 \end{aligned}$$

$$\begin{aligned}
 & \left( (-1)^{\frac{1}{2}} \left[ \frac{\arg \left( \frac{i \sqrt{1 - \frac{1}{x^2}} + \frac{1}{x}}{\sqrt{1-y^2}} \right)}{\pi} \right] - 2 \left( -1 + (-1)^{\frac{1}{2}} \left[ \frac{\arg \left( \frac{i \sqrt{1 - \frac{1}{x^2}} + \frac{1}{x}}{\sqrt{1-y^2}} \right)}{\pi} \right] \right) \right. \\
 & \left. \left[ \frac{1}{2} - \frac{\arg \left( \sqrt{1 - \frac{1}{x^2}} + \frac{i}{x} \right) + \arg \left( \frac{i-y}{\sqrt{1-y^2}} \right)}{2\pi} \right] - 1 \right) \\
 & \left( \frac{1}{4} i \left( 1 + (-1)^{\frac{1}{2}} \left[ \frac{\arg \left( 1 - \frac{1}{x} \right)}{2\pi} \right] \right) \pi \right. \\
 & \left. \left( 2 \left( 1 + (-1)^{\frac{1}{2}} \left[ \frac{\arg \left( \frac{\frac{1-i}{x} \sqrt{1 - \frac{1}{x^2}} + y}{\sqrt{1-y^2}} \right)}{\pi} \right] \right) \right) \right. \\
 & \left. \left[ \frac{\arg \left( \sqrt{1 - \frac{1}{x^2}} + \frac{i}{x} \right) + \arg \left( \frac{i y + i}{\sqrt{1-y^2}} \right)}{2\pi} \right] + \right) \\
 & \left( (-1)^{\frac{1}{2}} \left[ \frac{\arg \left( \frac{\frac{1-i}{x} \sqrt{1 - \frac{1}{x^2}} + y}{\sqrt{1-y^2}} \right)}{\pi} \right] - 2 \left( -1 + (-1)^{\frac{1}{2}} \left[ \frac{\arg \left( \frac{\frac{1-i}{x} \sqrt{1 - \frac{1}{x^2}} + y}{\sqrt{1-y^2}} \right)}{\pi} \right] \right) \right. \\
 & \left. \left[ \frac{1}{2} - \frac{\arg \left( \sqrt{1 - \frac{1}{x^2}} + \frac{i}{x} \right) + \arg \left( \frac{i y + i}{\sqrt{1-y^2}} \right)}{2\pi} \right] - 1 - \frac{i \pi}{2} \right)
 \end{aligned}$$

Involving  $\coth^{-1}(z)$

01.30.16.0231.01

$$\operatorname{sech}^{-1}(x) - \operatorname{coth}^{-1}(y) =$$

$$\left( \left( \frac{i \sqrt{1 - \frac{1}{y^2}}}{\sqrt{1 - \frac{1}{y^2}}} \right) \operatorname{sech}^{-1} \left( \frac{(-1)^{\frac{1}{2}} \left( \frac{\frac{1}{x} \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}}}{y} \right)}{\sqrt{1 - \frac{1}{y^2}}} \right) \right)$$

$$\left( \frac{(-1)^{\frac{1}{2}} \left( \frac{\frac{1}{x} \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}}}{y} \right)}{\sqrt{1 - \frac{1}{y^2}}} - 1 \right) +$$

$$\frac{1}{4} i \left( 1 - (-1)^{\left\lfloor \frac{\arg\left(1 - \frac{1}{x}\right)}{2\pi} \right\rfloor} \right) \pi \left( 2 \left( 1 + (-1)^{\left\lfloor \frac{\frac{1}{2} - \frac{\arg\left(\frac{i\sqrt{1 - \frac{1}{x^2}}}{y} + \frac{1}{x}\right)}{\sqrt{1 - \frac{1}{y^2}}}\right)}{\pi} \right\rfloor} \right) \left[ \frac{\arg\left(\sqrt{1 - \frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\frac{i - \frac{i}{y}}{\sqrt{1 - \frac{1}{y^2}}}\right)}{2\pi} \right] + \right)$$

$$\begin{aligned}
 & \left( (-1)^{\frac{1}{2}} \left[ \frac{\arg \left( \frac{i \sqrt{1-\frac{1}{x^2}} + \frac{1}{y}}{\sqrt{1-\frac{1}{y^2}}} \right)}{\pi} \right] - 2 \left( -1 + (-1)^{\frac{1}{2}} \left[ \frac{\arg \left( \frac{i \sqrt{1-\frac{1}{x^2}} + \frac{1}{y}}{\sqrt{1-\frac{1}{y^2}}} \right)}{\pi} \right] - 1 \right) \right. \\
 & \left. \left[ \frac{\arg \left( \sqrt{1-\frac{1}{x^2}} + \frac{i}{x} \right) + \arg \left( \frac{i-\frac{i}{y}}{\sqrt{1-\frac{1}{y^2}}} \right)}{2\pi} \right] - 1 \right) \\
 & \left( \frac{1}{4} i \left( 1 + (-1)^{\left[ -\frac{\arg(1-\frac{1}{x})}{2\pi} \right]} \right) \pi \right) \left( 2 \left( -1 + (-1)^{\frac{1}{2}} \left[ \frac{\arg \left( \frac{i \sqrt{1-\frac{1}{x^2}} + \frac{1}{y}}{\sqrt{1-\frac{1}{y^2}}} \right)}{\pi} \right] - 1 \right) \right. \\
 & \left. \left[ \frac{\arg \left( \sqrt{1-\frac{1}{x^2}} + \frac{i}{x} \right) + \arg \left( \frac{i+\frac{i}{y}}{\sqrt{1-\frac{1}{y^2}}} \right)}{2\pi} \right] + \right) \\
 & \left( (-1)^{\frac{1}{2}} \left[ \frac{\arg \left( \frac{i \sqrt{1-\frac{1}{x^2}} + \frac{1}{y}}{\sqrt{1-\frac{1}{y^2}}} \right)}{\pi} \right] - 2 \left( -1 + (-1)^{\frac{1}{2}} \left[ \frac{\arg \left( \frac{i \sqrt{1-\frac{1}{x^2}} + \frac{1}{y}}{\sqrt{1-\frac{1}{y^2}}} \right)}{\pi} \right] - 1 \right) \right. \\
 & \left. \left[ \frac{\arg \left( \sqrt{1-\frac{1}{x^2}} + \frac{i}{x} \right) + \arg \left( \frac{i+\frac{i}{y}}{\sqrt{1-\frac{1}{y^2}}} \right)}{2\pi} \right] - 1 \right) - \frac{i\pi}{2}
 \end{aligned}$$

### Involving $\operatorname{csch}^{-1}(z)$

01.30.16.0232.01

$$\operatorname{sech}^{-1}(x) - \operatorname{csch}^{-1}(y) = \frac{i \sqrt{1 - (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \sqrt{1+\frac{1}{y^2}} \frac{-i}{xy}\right)}{\pi} \right\rfloor}}}{\sqrt{\left(\frac{\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}}}{y} - \frac{\sqrt{1+\frac{1}{y^2}}}{x}\right)^2}}}{\sqrt{(-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \sqrt{1+\frac{1}{y^2}} \frac{-i}{xy}\right)}{\pi} \right\rfloor}} \left(\frac{\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}}}{y} - \frac{\sqrt{1+\frac{1}{y^2}}}{x}\right) - 1}}$$

$$\operatorname{sech}^{-1} \left( (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(i \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}} \sqrt{1+\frac{1}{y^2}} \frac{-i}{xy}\right)}{\pi} \right\rfloor} \frac{\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}}}{y} - \frac{\sqrt{1+\frac{1}{y^2}}}{x} \right) - \frac{1}{2} i \pi \left( -\frac{1}{2} \left( 1 + (-1)^{\left\lfloor -\frac{\arg\left(1-\frac{1}{x}\right)}{2\pi} \right\rfloor} \right) \right)$$

$$\left( \left( \left( \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1+\frac{1}{y^2}} \frac{i}{xy}\right)}{\pi} \right) \right) \left( \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1+\frac{1}{y^2}} + \frac{1}{y}\right)}{2\pi} \right) + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1+\frac{1}{y^2}} \frac{i}{xy}\right)}{\pi} \right\rfloor} \right) +$$

$$2 \left( 1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1+\frac{1}{y^2}} \frac{i}{xy}\right)}{\pi} \right\rfloor} \right) \left( \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1+\frac{1}{y^2}} + \frac{1}{y}\right)}{2\pi} \right) + \frac{1}{2} \left( 1 - (-1)^{\left\lfloor -\frac{\arg\left(1-\frac{1}{x}\right)}{2\pi} \right\rfloor} \right)$$

$$\left( \left( \left( \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1+\frac{1}{y^2}} \frac{i}{xy}\right)}{\pi} \right) \right) \left( \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1+\frac{1}{y^2}} - \frac{1}{y}\right)}{2\pi} \right) + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1+\frac{1}{y^2}} \frac{i}{xy}\right)}{\pi} \right\rfloor} \right) +$$

$$\left( \left( \frac{1}{2} - \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} \sqrt{1+\frac{1}{y^2}} \frac{i}{xy}\right)}{\pi} \right) \left( \frac{\arg\left(\sqrt{1-\frac{1}{x^2}} + \frac{i}{x}\right) + \arg\left(\sqrt{1+\frac{1}{y^2}} - \frac{1}{y}\right)}{2\pi} \right) \right)$$

$$2 \left[ 1 + (-1)^l \left[ \left[ \frac{2}{2\pi} \sqrt{\dots} \right] + 1 \right] \right]$$

**Linear combinations involving the direct function**

**Involving log(z)**

01.30.16.0233.01

$$a \operatorname{sech}^{-1}(x) + b \log(y) = \log \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a y^b \right) -$$

$$2i\pi \left[ \frac{-\arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a \right) - \arg(y^b) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im} \left( a \log \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right) \right)}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}(b \log(y))}{2\pi} \right]$$

01.30.16.0234.01

$$a \operatorname{sech}^{-1}(x) + b \log(y) = i\pi \left[ 1 - (-1)^l \left[ \frac{\arg \left( y^b \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a + 1 \right)}{2\pi} \right] - \frac{\arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a y^b \right)}{2\pi} \right] +$$

$$(-1)^l \left[ \frac{\arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a y^b \right)}{\pi} - \frac{2 \arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a y^{b-1} \right)}{\pi} \right] + \left[ \frac{\arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a y^b \right)}{\pi} \right] - \left[ \frac{\arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a y^{b-1} \right)}{2\pi} \right] + \left[ \frac{\arg \left( y^b \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a + 1 \right)}{2\pi} \right]$$

$$\operatorname{sech}^{-1} \left( \frac{2 \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a y^b}{y^{2b} \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^{2a} + 1} \right) -$$

$$2i\pi \left[ \frac{-\arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a \right) - \arg(y^b) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im} \left( a \log \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right) \right)}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}(b \log(y))}{2\pi} \right]$$

**Involving sin<sup>-1</sup>(z)**

01.30.16.0235.01

$$\begin{aligned}
 a \operatorname{sech}^{-1}(x) + b \sin^{-1}(y) &= \log \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a (iy + \sqrt{1-y^2})^{-ib} \right) - \\
 & 2i\pi \left[ \frac{-\arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a \right) - \arg \left( (iy + \sqrt{1-y^2})^{-ib} \right) + \pi}{2\pi} \right] + \\
 & \left[ \frac{\operatorname{Re} \left( b \log (iy + \sqrt{1-y^2}) \right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im} \left( a \log \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right) \right)}{2\pi} \right]
 \end{aligned}$$

01.30.16.0236.01

$$\begin{aligned}
 a \operatorname{sech}^{-1}(x) + b \sin^{-1}(y) &= i\pi \left( 1 - (-1)^{\left[ \frac{\arg \left( (iy + \sqrt{1-y^2})^{-ib} \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a + 1 \right)}{2\pi} \right] - \frac{\arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a (iy + \sqrt{1-y^2})^{-ib} \right)}{2\pi} \right]} \right) + \\
 & (-1)^{\left[ \frac{\arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a (iy + \sqrt{1-y^2})^{-ib} \right)}{\pi} - \frac{2 \arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a (iy + \sqrt{1-y^2})^{-ib} - 1 \right)}{\pi} \right]} \right] + \left[ \frac{\arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a (iy + \sqrt{1-y^2})^{-ib} \right)}{\pi} \right] - \frac{\arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a (iy + \sqrt{1-y^2})^{-ib} \right)}{2\pi} \\
 & \operatorname{sech}^{-1} \left( \frac{2 \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a (iy + \sqrt{1-y^2})^{-ib}}{\left( (iy + \sqrt{1-y^2})^{-2ib} \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^{2a} + 1 \right)} \right) - \\
 & 2i\pi \left[ \frac{-\arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a \right) - \arg \left( (iy + \sqrt{1-y^2})^{-ib} \right) + \pi}{2\pi} \right] + \\
 & \left[ \frac{\operatorname{Re} \left( b \log (iy + \sqrt{1-y^2}) \right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im} \left( a \log \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right) \right)}{2\pi} \right]
 \end{aligned}$$

Involving  $\cos^{-1}(z)$



01.30.16.0237.01

$$a \operatorname{sech}^{-1}(x) + b \cos^{-1}(y) =$$

$$\frac{\pi b}{2} - 2i\pi \left[ \frac{-\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a\right) - \arg\left(\left(iy + \sqrt{1-y^2}\right)^{ib}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(a \log\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Re}\left(b \log\left(iy + \sqrt{1-y^2}\right)\right)}{2\pi} \right] + \log\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a \left(iy + \sqrt{1-y^2}\right)^{ib}\right)$$

01.30.16.0238.01

$$a \operatorname{sech}^{-1}(x) + b \cos^{-1}(y) =$$

$$\frac{\pi b}{2} - 2i\pi \left[ \frac{-\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a\right) - \arg\left(\left(iy + \sqrt{1-y^2}\right)^{ib}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(a \log\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Re}\left(b \log\left(iy + \sqrt{1-y^2}\right)\right)}{2\pi} \right] + i\pi \left[ 1 - (-1)^{\left| \frac{\arg\left(\left(iy + \sqrt{1-y^2}\right)^{ib} \left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a + 1\right)}{2\pi} \right| - \left| \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a \left(iy + \sqrt{1-y^2}\right)^{ib}\right)}{2\pi} \right|} \right] + (-1)^{\left| \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a \left(iy + \sqrt{1-y^2}\right)^{ib}\right)}{\pi} - \frac{2 \arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a \left(iy + \sqrt{1-y^2}\right)^{ib} - 1\right)}{\pi} \right|} \left| \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a \left(iy + \sqrt{1-y^2}\right)^{ib}\right)}{\pi} \right| - \left| \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a \left(iy + \sqrt{1-y^2}\right)^{ib}\right)}{2\pi} \right|} \right] \operatorname{sech}^{-1} \left( \frac{2 \left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a \left(iy + \sqrt{1-y^2}\right)^{ib}}{\left(iy + \sqrt{1-y^2}\right)^{2ib} \left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^{2a} + 1} \right)$$

Involving  $\tan^{-1}(z)$

01.30.16.0239.01

$$a \operatorname{sech}^{-1}(x) + b \tan^{-1}(y) =$$

$$\begin{aligned}
 & -2i\pi \left( \left[ \frac{-\arg\left((iy+1)^{-\frac{1}{2}(ib)}\right) - \arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a (1-iy)^{\frac{ib}{2}}\right) + \pi}{2\pi} \right] + \left[ \frac{\frac{1}{2} \operatorname{Re}(b \log(iy+1)) + \pi}{2\pi} \right] + \right. \\
 & \left. \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a (1-iy)^{\frac{ib}{2}}\right)\right)}{2\pi} \right] \right) - \\
 & 2i\pi \left( \left[ \frac{-\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a\right) - \arg\left((1-iy)^{\frac{ib}{2}}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(a \log\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right] + \right. \\
 & \left. \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}(b \log(1-iy))}{2\pi} \right] + \log\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a (1-iy)^{\frac{ib}{2}} (iy+1)^{-\frac{1}{2}(ib)}\right) \right)
 \end{aligned}$$

01.30.16.0240.01

$$a \operatorname{sech}^{-1}(x) + b \tan^{-1}(y) =$$

$$\begin{aligned}
 & -2i\pi \left( \left[ \frac{-\arg\left((iy+1)^{-\frac{1}{2}(ib)}\right) - \arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a (1-iy)^{\frac{ib}{2}}\right) + \pi}{2\pi} \right] + \left[ \frac{\frac{1}{2} \operatorname{Re}(b \log(iy+1)) + \pi}{2\pi} \right] + \right. \\
 & \left. \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a (1-iy)^{\frac{ib}{2}}\right)\right)}{2\pi} \right] \right) - \\
 & 2i\pi \left( \left[ \frac{-\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a\right) - \arg\left((1-iy)^{\frac{ib}{2}}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(a \log\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right] + \right. \\
 & \left. \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}(b \log(1-iy))}{2\pi} \right] + i\pi \left( 1 - (-1)^{\left\lfloor \frac{\arg\left((iy+1)^{-\frac{1}{2}(ib)}\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a (1-iy)^{\frac{ib}{2}+1}\right)}{2\pi} \right\rfloor - \left\lfloor \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a (1-iy)^{\frac{ib}{2}} (iy+1)^{-\frac{1}{2}(ib)}\right)}{2\pi} \right\rfloor \right) \right) + \\
 & (-1)^{\left\lfloor \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a (1-iy)^{\frac{ib}{2}} (iy+1)^{-\frac{1}{2}(ib)}\right)}{\pi} \right\rfloor - 2 \left\lfloor \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a (1-iy)^{\frac{ib}{2}} (iy+1)^{-\frac{1}{2}(ib)} - 1\right)}{\pi} \right\rfloor \right) + \left\lfloor \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a (1-iy)^{\frac{ib}{2}} (iy+1)^{-\frac{1}{2}(ib)}\right)}{\pi} \right\rfloor - \left\lfloor \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a (1-iy)^{\frac{ib}{2}} (iy+1)^{-\frac{1}{2}(ib)}\right)}{\pi} \right\rfloor \right) \\
 & \operatorname{sech}^{-1} \left( \frac{2 \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a (1-iy)^{\frac{ib}{2}} (iy+1)^{-\frac{1}{2}(ib)}}{(iy+1)^{-ib} (1-iy)^{ib} \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^{2a} + 1} \right)
 \end{aligned}$$

Involving  $\cot^{-1}(z)$

01.30.16.0241.01

$$a \operatorname{sech}^{-1}(x) + b \cot^{-1}(y) =$$

$$\begin{aligned}
 & -2i\pi \left[ \frac{-\arg\left(1 + \frac{i}{y}\right)^{-\frac{1}{2}(ib)} - \arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)^a \left(1 - \frac{i}{y}\right)^{\frac{ib}{2}}\right) + \pi}{2\pi} \right] + \left[ \frac{\frac{1}{2} \operatorname{Re}\left(b \log\left(1 + \frac{i}{y}\right)\right) + \pi}{2\pi} \right] + \\
 & \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)^a \left(1 - \frac{i}{y}\right)^{\frac{ib}{2}}\right)\right)}{2\pi} \right] - \\
 & 2i\pi \left[ \frac{-\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)^a\right) - \arg\left(\left(1 - \frac{i}{y}\right)^{\frac{ib}{2}}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(a \log\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)\right)}{2\pi} \right] + \\
 & \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(b \log\left(1 - \frac{i}{y}\right)\right)}{2\pi} \right] + \log\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)^a \left(1 - \frac{i}{y}\right)^{\frac{ib}{2}} \left(1 + \frac{i}{y}\right)^{-\frac{1}{2}(ib)}\right)
 \end{aligned}$$

01.30.16.0242.01

$$a \operatorname{sech}^{-1}(x) + b \cot^{-1}(y) =$$

$$\begin{aligned}
 & -2i\pi \left[ \frac{-\arg\left(1 + \frac{i}{y}\right)^{-\frac{1}{2}(ib)} - \arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)^a \left(1 - \frac{i}{y}\right)^{\frac{ib}{2}}\right) + \pi}{2\pi} \right] + \left[ \frac{\frac{1}{2} \operatorname{Re}(b \log\left(1 + \frac{i}{y}\right)) + \pi}{2\pi} \right] + \\
 & \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)^a \left(1 - \frac{i}{y}\right)^{\frac{ib}{2}}\right)\right)}{2\pi} \right] - \\
 & 2i\pi \left[ \frac{-\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)^a\right) - \arg\left(\left(1 - \frac{i}{y}\right)^{\frac{ib}{2}}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(a \log\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)\right)}{2\pi} \right] + \\
 & \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}(b \log\left(1 - \frac{i}{y}\right))}{2\pi} \right] + i\pi \left[ 1 - (-1)^{\left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)^a \left(1 + \frac{i}{y}\right)^{-\frac{1}{2}(ib)} \left(1 - \frac{i}{y}\right)^{\frac{ib}{2} + 1}\right)}{2\pi} \right] - \left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)^a \left(1 - \frac{i}{y}\right)^{\frac{ib}{2}} \left(1 + \frac{i}{y}\right)^{-\frac{1}{2}(ib)}\right)}{2\pi} \right] \right] + \\
 & (-1)^{\left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)^a \left(1 - \frac{i}{y}\right)^{\frac{ib}{2}} \left(1 + \frac{i}{y}\right)^{-\frac{1}{2}(ib)}\right)}{\pi} \right] - \frac{2 \arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)^a \left(1 - \frac{i}{y}\right)^{\frac{ib}{2}} \left(1 + \frac{i}{y}\right)^{-\frac{1}{2}(ib)}\right)}{\pi} \right] + \left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)^a \left(1 - \frac{i}{y}\right)^{\frac{ib}{2}} \left(1 + \frac{i}{y}\right)^{-\frac{1}{2}(ib)}\right)}{\pi} \right] - \left[ \frac{\arg\left(\sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}}\right)}{\pi} \right] \right] \\
 & \operatorname{sech}^{-1} \left( \frac{2 \left( \sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right)^a \left(1 - \frac{i}{y}\right)^{\frac{ib}{2}} \left(1 + \frac{i}{y}\right)^{-\frac{1}{2}(ib)}}{\left(1 + \frac{i}{y}\right)^{-ib} \left(1 - \frac{i}{y}\right)^{ib} \left( \sqrt{\frac{1}{x}-1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right)^{2a} + 1} \right)
 \end{aligned}$$

Involving  $\operatorname{csc}^{-1}(z)$

01.30.16.0243.01

$$\begin{aligned}
 a \operatorname{sech}^{-1}(x) + b \operatorname{csc}^{-1}(y) &= \log \left( \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right)^a \left( \sqrt{1 - \frac{1}{y^2} + \frac{i}{y}} \right)^{-ib} \right) - \\
 & 2i\pi \left( \frac{-\arg \left( \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right)^a \right) - \arg \left( \left( \sqrt{1 - \frac{1}{y^2} + \frac{i}{y}} \right)^{-ib} \right) + \pi}{2\pi} \right) + \\
 & \left( \frac{\operatorname{Re} \left( b \log \left( \sqrt{1 - \frac{1}{y^2} + \frac{i}{y}} \right) \right) + \pi}{2\pi} \right) + \left( \frac{\pi - \operatorname{Im} \left( a \log \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right) \right)}{2\pi} \right)
 \end{aligned}$$

01.30.16.0244.01

$$\begin{aligned}
 a \operatorname{sech}^{-1}(x) + b \operatorname{csc}^{-1}(y) &= i \pi \left( 1 - (-1) \left[ \frac{\left| \arg \left( \left( \sqrt{1 - \frac{1}{y^2}} + \frac{i}{y} \right)^{-ib} \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right)^a + 1 \right) \right|}{2\pi} \right] - \left[ \frac{\left| \arg \left( \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right)^a \left( \sqrt{1 - \frac{1}{y^2}} + \frac{i}{y} \right)^{-ib} \right) \right|}{2\pi} \right] \right) + \\
 &(-1) \left[ \frac{\left| \arg \left( \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right)^a \left( \sqrt{1 - \frac{1}{y^2}} + \frac{i}{y} \right)^{-ib} \right) \right|}{\pi} - \frac{\left| 2 \arg \left( \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right)^a \left( \sqrt{1 - \frac{1}{y^2}} + \frac{i}{y} \right)^{-ib} - 1 \right) \right|}{\pi} \right] + \left[ \frac{\left| \arg \left( \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right)^a \left( \sqrt{1 - \frac{1}{y^2}} + \frac{i}{y} \right)^{-ib} \right) \right|}{\pi} \right] - \left[ \frac{\left| \arg \left( \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right)^a \left( \sqrt{1 - \frac{1}{y^2}} + \frac{i}{y} \right)^{-ib} \right) \right|}{2\pi} \right] \\
 &\operatorname{sech}^{-1} \left( \frac{2 \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right)^a \left( \sqrt{1 - \frac{1}{y^2}} + \frac{i}{y} \right)^{-ib}}{\left( \left( \sqrt{1 - \frac{1}{y^2}} + \frac{i}{y} \right)^{-2ib} \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right)^{2a} + 1 \right)} \right) - \\
 &2 i \pi \left( \frac{-\arg \left( \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right)^a \right) - \arg \left( \left( \sqrt{1 - \frac{1}{y^2}} + \frac{i}{y} \right)^{-ib} \right) + \pi}{2\pi} \right) + \\
 &\left[ \frac{\operatorname{Re} \left( b \log \left( \sqrt{1 - \frac{1}{y^2}} + \frac{i}{y} \right) \right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im} \left( a \log \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right) \right)}{2\pi} \right] \Bigg)
 \end{aligned}$$

Involving  $\sinh^{-1}(z)$

01.30.16.0245.01

$$a \operatorname{sech}^{-1}(x) + b \operatorname{sinh}^{-1}(y) =$$

$$\log \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a (y+\sqrt{y^2+1})^b \right) - 2i\pi \left[ \frac{-\arg \left( (y+\sqrt{y^2+1})^b \right) - \arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a \right) + \pi}{2\pi} \right] +$$

$$\left[ \frac{\pi - \operatorname{Im} \left( b \log \left( y + \sqrt{y^2+1} \right) \right)}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im} \left( a \log \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right) \right)}{2\pi} \right]$$

01.30.16.0246.01

$$a \operatorname{sech}^{-1}(x) + b \operatorname{sinh}^{-1}(y) = i\pi \left( 1 - (-1)^{\left\lfloor \frac{\arg \left( (y+\sqrt{y^2+1})^b \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a + 1 \right)}{2\pi} \right\rfloor} \right) \left[ \frac{\arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a (y+\sqrt{y^2+1})^b \right)}{2\pi} \right] +$$

$$(-1)^{\left\lfloor \frac{\arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a (y+\sqrt{y^2+1})^b \right)}{\pi} - \frac{2 \arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a (y+\sqrt{y^2+1})^b - 1 \right)}{\pi} \right\rfloor} \left[ \frac{\arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a (y+\sqrt{y^2+1})^b \right)}{\pi} \right] + \left[ \frac{\arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a (y+\sqrt{y^2+1})^b - 1 \right)}{2\pi} \right] +$$

$$\operatorname{sech}^{-1} \left( \frac{2 \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a (y+\sqrt{y^2+1})^b}{(y+\sqrt{y^2+1})^{2b} \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^{2a} + 1} \right) -$$

$$2i\pi \left[ \frac{-\arg \left( (y+\sqrt{y^2+1})^b \right) - \arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a \right) + \pi}{2\pi} \right] +$$

$$\left[ \frac{\pi - \operatorname{Im} \left( b \log \left( y + \sqrt{y^2+1} \right) \right)}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im} \left( a \log \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right) \right)}{2\pi} \right]$$

Involving  $\operatorname{cosh}^{-1}(z)$



01.30.16.0247.01

$$\begin{aligned}
 a \operatorname{sech}^{-1}(x) + b \operatorname{cosh}^{-1}(y) &= \log \left( \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right)^a (y + \sqrt{y-1} \sqrt{y+1})^b \right) - \\
 & 2i\pi \left[ \frac{-\arg((y + \sqrt{y-1} \sqrt{y+1})^b) - \arg \left( \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right)^a \right) + \pi}{2\pi} \right] + \\
 & \left[ \frac{\pi - \operatorname{Im}(b \log(y + \sqrt{y-1} \sqrt{y+1}))}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im} \left( a \log \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right) \right)}{2\pi} \right]
 \end{aligned}$$

01.30.16.0248.01

$$\begin{aligned}
 a \operatorname{sech}^{-1}(x) + b \operatorname{cosh}^{-1}(y) &= i\pi \left( 1 - (-1)^{\left\lfloor \frac{\arg \left( (y + \sqrt{y-1} \sqrt{y+1})^b \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right)^a + 1 \right)}{2\pi} \right\rfloor} - \frac{\arg \left( \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right)^a (y + \sqrt{y-1} \sqrt{y+1})^b \right)}{2\pi} \right) + \\
 & (-1)^{\left\lfloor \frac{\arg \left( \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right)^a (y + \sqrt{y-1} \sqrt{y+1})^b \right)}{\pi} - \frac{2 \arg \left( \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right)^a (y + \sqrt{y-1} \sqrt{y+1})^b - 1 \right)}{\pi} \right\rfloor} - \frac{\arg \left( \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right)^a (y + \sqrt{y-1} \sqrt{y+1})^b \right)}{\pi} \right) - \frac{\arg \left( \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right)^a \right)}{2\pi} \\
 & \operatorname{sech}^{-1} \left( \frac{2 \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right)^a (y + \sqrt{y-1} \sqrt{y+1})^b}{(y + \sqrt{y-1} \sqrt{y+1})^{2b} \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right)^{2a} + 1} \right) - \\
 & 2i\pi \left[ \frac{-\arg((y + \sqrt{y-1} \sqrt{y+1})^b) - \arg \left( \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right)^a \right) + \pi}{2\pi} \right] + \\
 & \left[ \frac{\pi - \operatorname{Im}(b \log(y + \sqrt{y-1} \sqrt{y+1}))}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im} \left( a \log \left( \sqrt{\frac{1}{x} - 1} \sqrt{1 + \frac{1}{x} + \frac{1}{x}} \right) \right)}{2\pi} \right]
 \end{aligned}$$

Involving  $\operatorname{tanh}^{-1}(z)$

01.30.16.0249.01

$$\begin{aligned}
 a \operatorname{sech}^{-1}(x) + b \tanh^{-1}(y) = & -2i\pi \left[ \frac{-\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a\right) - \arg\left((1-y)^{-\frac{b}{2}}\right) + \pi}{2\pi} \right] + \\
 & \left[ \frac{\frac{1}{2} \operatorname{Im}(b \log(1-y)) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(a \log\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right] - \\
 2i\pi \left[ \frac{-\arg((y+1)^{b/2}) - \arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a (1-y)^{-\frac{b}{2}}\right) + \pi}{2\pi} \right] & + \left[ \frac{\pi - \frac{1}{2} \operatorname{Im}(b \log(y+1))}{2\pi} \right] + \\
 \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a (1-y)^{-\frac{b}{2}}\right)\right)}{2\pi} \right] & + \log\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a (1-y)^{-\frac{b}{2}} (y+1)^{b/2}\right)
 \end{aligned}$$

01.30.16.0250.01

$$\begin{aligned}
 a \operatorname{sech}^{-1}(x) + b \tanh^{-1}(y) = & -2i\pi \left[ \frac{-\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a\right) - \arg\left((1-y)^{-\frac{b}{2}}\right) + \pi}{2\pi} \right] + \\
 & \left[ \frac{\frac{1}{2} \operatorname{Im}(b \log(1-y)) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(a \log\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right] - \\
 & 2i\pi \left[ \frac{-\arg((y+1)^{b/2}) - \arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a (1-y)^{-\frac{b}{2}}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Im}(b \log(y+1))}{2\pi} \right] + \\
 & \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a (1-y)^{-\frac{b}{2}}\right)\right)}{2\pi} \right] + \\
 & i\pi \left[ 1 - (-1)^{\left| \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a (1-y)^{-\frac{b}{2}} (y+1)^{b/2+1}\right)}{2\pi} \right| - \left| \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a (1-y)^{-\frac{b}{2}} (y+1)^{b/2}\right)}{2\pi} \right|} \right] + \\
 & (-1)^{\left| \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a (1-y)^{-\frac{b}{2}} (y+1)^{b/2}\right)}{\pi} \right| - \left| \frac{2 \arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a (1-y)^{-\frac{b}{2}} (y+1)^{b/2-1}\right)}{\pi} \right|} \right| - \left| \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a (1-y)^{-\frac{b}{2}} (y+1)^{b/2}\right)}{\pi} \right|} \right| - \left| \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a (1-y)^{-\frac{b}{2}} (y+1)^{b/2}\right)}{2\pi} \right|} \right|} \\
 & \operatorname{sech}^{-1} \left( \frac{2 \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a (1-y)^{-\frac{b}{2}} (y+1)^{b/2}}{(y+1)^b (1-y)^{-b} \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^{2a} + 1} \right)
 \end{aligned}$$

Involving  $\operatorname{coth}^{-1}(z)$

01.30.16.0251.01

$$\begin{aligned}
 a \operatorname{sech}^{-1}(x) + b \operatorname{coth}^{-1}(y) = & -2i\pi \left[ \frac{-\arg\left(\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a\right) - \arg\left(1-\frac{1}{y}\right)^{-\frac{b}{2}} + \pi}{2\pi} \right] + \\
 & \left[ \frac{\frac{1}{2}\operatorname{Im}\left(b\log\left(1-\frac{1}{y}\right)\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(a\log\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right] - \\
 & 2i\pi \left[ \frac{-\arg\left(1+\frac{1}{y}\right)^{b/2} - \arg\left(\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a\left(1-\frac{1}{y}\right)^{-\frac{b}{2}}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2}\operatorname{Im}\left(b\log\left(1+\frac{1}{y}\right)\right)}{2\pi} \right] + \\
 & \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a\left(1-\frac{1}{y}\right)^{-\frac{b}{2}}\right)\right)}{2\pi} \right] + \log\left(\left(\sqrt{\frac{1}{x}-1}\sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a\left(1-\frac{1}{y}\right)^{-\frac{b}{2}}\left(1+\frac{1}{y}\right)^{b/2}\right)
 \end{aligned}$$

01.30.16.0252.01

$$\begin{aligned}
 a \operatorname{sech}^{-1}(x) + b \operatorname{coth}^{-1}(y) &= -2i\pi \left[ \frac{-\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a\right) - \arg\left(1-\frac{1}{y}\right)^{-\frac{b}{2}} + \pi}{2\pi} \right] + \\
 &\left[ \frac{\frac{1}{2} \operatorname{Im}\left(b \log\left(1-\frac{1}{y}\right)\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(a \log\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)\right)}{2\pi} \right] - \\
 2i\pi &\left[ \frac{-\arg\left(1+\frac{1}{y}\right)^{b/2} - \arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a \left(1-\frac{1}{y}\right)^{-\frac{b}{2}}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Im}\left(b \log\left(1+\frac{1}{y}\right)\right)}{2\pi} \right] + \\
 &\left[ \frac{\pi - \operatorname{Im}\left(\log\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a \left(1-\frac{1}{y}\right)^{-\frac{b}{2}}\right)\right)}{2\pi} \right] + \\
 i\pi &\left[ 1 - (-1)^{\lfloor \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a \left(1-\frac{1}{y}\right)^{-\frac{b}{2}} \left(1+\frac{1}{y}\right)^{b/2} + 1\right)}{2\pi} \rfloor} \right] \left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a \left(1-\frac{1}{y}\right)^{-\frac{b}{2}} \left(1+\frac{1}{y}\right)^{b/2}\right)}{2\pi} \right] + \\
 (-1)^{\lfloor \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a \left(1-\frac{1}{y}\right)^{-\frac{b}{2}} \left(1+\frac{1}{y}\right)^{b/2}\right)}{\pi} \rfloor} &\left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a \left(1-\frac{1}{y}\right)^{-\frac{b}{2}} \left(1+\frac{1}{y}\right)^{b/2}\right)}{\pi} \right] - \left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a \left(1-\frac{1}{y}\right)^{-\frac{b}{2}} \left(1+\frac{1}{y}\right)^{b/2}\right)}{\pi} \right] \left[ \frac{\arg\left(\left(\sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}}\right)^a \left(1-\frac{1}{y}\right)^{-\frac{b}{2}} \left(1+\frac{1}{y}\right)^{b/2}\right)}{2\pi} \right] - \\
 \operatorname{sech}^{-1} &\left( \frac{2 \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a \left(1-\frac{1}{y}\right)^{-\frac{b}{2}} \left(1+\frac{1}{y}\right)^{b/2}}{\left(1+\frac{1}{y}\right)^b \left(1-\frac{1}{y}\right)^{-b} \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^{2a} + 1} \right)
 \end{aligned}$$

Involving  $\operatorname{csch}^{-1}(z)$

01.30.16.0253.01

$$a \operatorname{sech}^{-1}(x) + b \operatorname{csch}^{-1}(y) =$$

$$\log \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a \left( \sqrt{1+\frac{1}{y^2}+\frac{1}{y}} \right)^b \right) - 2i\pi \left( \frac{-\arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a \right) - \arg \left( \left( \sqrt{1+\frac{1}{y^2}+\frac{1}{y}} \right)^b \right) + \pi}{2\pi} \right) +$$

$$\left[ \frac{\pi - \operatorname{Im} \left( a \log \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right) \right)}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im} \left( b \log \left( \sqrt{1+\frac{1}{y^2}+\frac{1}{y}} \right) \right)}{2\pi} \right]$$

01.30.16.0254.01

$$a \operatorname{sech}^{-1}(x) + b \operatorname{csch}^{-1}(y) = i\pi \left( 1 - (-1)^{\left\lfloor \frac{\arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^b \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a + 1 \right)}{2\pi} \right\rfloor} - \frac{\arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a \left( \sqrt{1+\frac{1}{y^2}+\frac{1}{y}} \right)^b \right)}{2\pi} \right) +$$

$$(-1)^{\left\lfloor \frac{\arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a \left( \sqrt{1+\frac{1}{y^2}+\frac{1}{y}} \right)^b \right)}{\pi} - 2 \frac{\arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a \left( \sqrt{1+\frac{1}{y^2}+\frac{1}{y}} \right)^b - 1 \right)}{\pi} \right\rfloor} + \frac{\arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a \left( \sqrt{1+\frac{1}{y^2}+\frac{1}{y}} \right)^b \right)}{\pi} - \frac{\arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a \left( \sqrt{1+\frac{1}{y^2}+\frac{1}{y}} \right)^b \right)}{2\pi}$$

$$\operatorname{sech}^{-1} \left( \frac{2 \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a \left( \sqrt{1+\frac{1}{y^2}+\frac{1}{y}} \right)^b}{\left( \sqrt{1+\frac{1}{y^2}+\frac{1}{y}} \right)^{2b} \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^{2a} + 1} \right) -$$

$$2i\pi \left( \frac{-\arg \left( \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right)^a \right) - \arg \left( \left( \sqrt{1+\frac{1}{y^2}+\frac{1}{y}} \right)^b \right) + \pi}{2\pi} \right) +$$

$$\left[ \frac{\pi - \operatorname{Im} \left( a \log \left( \sqrt{\frac{1}{x}-1} \sqrt{1+\frac{1}{x}+\frac{1}{x}} \right) \right)}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im} \left( b \log \left( \sqrt{1+\frac{1}{y^2}+\frac{1}{y}} \right) \right)}{2\pi} \right]$$

## Identities

### Functional identities

01.30.17.0001.01

$$(z_2^2 z_1^2 - z_1^2 - z_2^2) \operatorname{sech}^2(w(z_1) + w(z_2)) + 2 z_1 z_2 \operatorname{sech}(w(z_1) + w(z_2)) - z_1^2 z_2^2 = 0 /; w(z) = \operatorname{sech}^{-1}(z)$$

## Complex characteristics

### Real part

01.30.19.0001.01

$$\operatorname{Re}(\operatorname{sech}^{-1}(x + i y)) = \log \left( \sqrt{\frac{1}{x^2 + y^2}} \left( 2(x+1) \sqrt{\frac{\sqrt{x^2 - 2x + y^2 + 1}}{\sqrt{x^2 + 2x + y^2 + 1}}} \cos \left( \frac{1}{2} \tan^{-1} \left( -\frac{x^2 + y^2 - 1}{x^2 + 2x + y^2 + 1}, -\frac{2y}{x^2 + 2x + y^2 + 1} \right) \right) - 2y \sqrt{\frac{\sqrt{x^2 - 2x + y^2 + 1}}{\sqrt{x^2 + 2x + y^2 + 1}}} \sin \left( \frac{1}{2} \tan^{-1} \left( -\frac{x^2 + y^2 - 1}{x^2 + 2x + y^2 + 1}, -\frac{2y}{x^2 + 2x + y^2 + 1} \right) \right) + \sqrt{x^2 - 2x + y^2 + 1} \sqrt{(x+1)^2 + y^2 + 1} \right)$$

### Imaginary part

01.30.19.0002.01

$$\operatorname{Im}(\operatorname{sech}^{-1}(x + i y)) =$$

$$\tan^{-1} \left( \frac{1}{x^2 + y^2} \left( x + (x^2 + x + y^2) \sqrt{\frac{\sqrt{x^2 - 2x + y^2 + 1}}{\sqrt{x^2 + 2x + y^2 + 1}}} \cos \left( \frac{1}{2} \tan^{-1} \left( -\frac{x^2 + y^2 - 1}{x^2 + 2x + y^2 + 1}, -\frac{2y}{x^2 + 2x + y^2 + 1} \right) \right) + y \sqrt{\frac{\sqrt{x^2 - 2x + y^2 + 1}}{\sqrt{x^2 + 2x + y^2 + 1}}} \sin \left( \frac{1}{2} \tan^{-1} \left( -\frac{x^2 + y^2 - 1}{x^2 + 2x + y^2 + 1}, -\frac{2y}{x^2 + 2x + y^2 + 1} \right) \right) \right) - \frac{1}{x^2 + y^2} \left( \sqrt{\frac{\sqrt{x^2 - 2x + y^2 + 1}}{\sqrt{x^2 + 2x + y^2 + 1}}} \cos \left( \frac{1}{2} \tan^{-1} \left( -\frac{x^2 + y^2 - 1}{x^2 + 2x + y^2 + 1}, -\frac{2y}{x^2 + 2x + y^2 + 1} \right) \right) y + y - (x^2 + x + y^2) \sqrt{\frac{\sqrt{x^2 - 2x + y^2 + 1}}{\sqrt{x^2 + 2x + y^2 + 1}}} \sin \left( \frac{1}{2} \tan^{-1} \left( -\frac{x^2 + y^2 - 1}{x^2 + 2x + y^2 + 1}, -\frac{2y}{x^2 + 2x + y^2 + 1} \right) \right) \right)$$

### Absolute value

01.30.19.0003.01

$|\operatorname{sech}^{-1}(x + iy)| =$

$$\begin{aligned} & \sqrt{\left( \tan^{-1}\left(\frac{1}{x^2+y^2}\left(x+(x^2+x+y^2)\sqrt{\frac{\sqrt{x^2-2x+y^2+1}}{\sqrt{x^2+2x+y^2+1}}}\cos\left(\frac{1}{2}\tan^{-1}\left(-\frac{x^2+y^2-1}{x^2+2x+y^2+1},-\frac{2y}{x^2+2x+y^2+1}\right)\right)\right)+ \right. \\ & \quad \left. y\sqrt{\frac{\sqrt{x^2-2x+y^2+1}}{\sqrt{x^2+2x+y^2+1}}}\sin\left(\frac{1}{2}\tan^{-1}\left(-\frac{x^2+y^2-1}{x^2+2x+y^2+1},-\frac{2y}{x^2+2x+y^2+1}\right)\right)\right)^2} \\ & - \frac{1}{x^2+y^2}\left(\sqrt{\frac{\sqrt{x^2-2x+y^2+1}}{\sqrt{x^2+2x+y^2+1}}}\cos\left(\frac{1}{2}\tan^{-1}\left(-\frac{x^2+y^2-1}{x^2+2x+y^2+1},-\frac{2y}{x^2+2x+y^2+1}\right)\right)y+y- \right. \\ & \quad \left. (x^2+x+y^2)\sqrt{\frac{\sqrt{x^2-2x+y^2+1}}{\sqrt{x^2+2x+y^2+1}}}\sin\left(\frac{1}{2}\tan^{-1}\left(-\frac{x^2+y^2-1}{x^2+2x+y^2+1},-\frac{2y}{x^2+2x+y^2+1}\right)\right)\right)^2} \\ & \log^2\left(\sqrt{\left(\frac{1}{x^2+y^2}\left(2(x+1)\sqrt{\frac{\sqrt{x^2-2x+y^2+1}}{\sqrt{x^2+2x+y^2+1}}}\cos\left(\frac{1}{2}\tan^{-1}\left(-\frac{x^2+y^2-1}{x^2+2x+y^2+1},-\frac{2y}{x^2+2x+y^2+1}\right)\right)\right)- \right. \right. \\ & \quad \left. \left. 2y\sqrt{\frac{\sqrt{x^2-2x+y^2+1}}{\sqrt{x^2+2x+y^2+1}}}\sin\left(\frac{1}{2}\tan^{-1}\left(-\frac{x^2+y^2-1}{x^2+2x+y^2+1},-\frac{2y}{x^2+2x+y^2+1}\right)\right)\right)+ \right. \\ & \quad \left. \left. \sqrt{x^2-2x+y^2+1}\sqrt{(x+1)^2+y^2+1}\right)\right)} \end{aligned}$$

**Argument**



01.30.19.0004.01

$$\arg(\operatorname{sech}^{-1}(x + i y)) =$$

$$\tan^{-1} \left( \log \left( \sqrt{\frac{1}{x^2 + y^2}} \left( 2(x+1) \sqrt{\frac{\sqrt{x^2 - 2x + y^2 + 1}}{\sqrt{x^2 + 2x + y^2 + 1}}} \cos \left( \frac{1}{2} \tan^{-1} \left( -\frac{x^2 + y^2 - 1}{x^2 + 2x + y^2 + 1}, -\frac{2y}{x^2 + 2x + y^2 + 1} \right) \right) - \right. \right. \right. \\ \left. \left. \left. 2y \sqrt{\frac{\sqrt{x^2 - 2x + y^2 + 1}}{\sqrt{x^2 + 2x + y^2 + 1}}} \sin \left( \frac{1}{2} \tan^{-1} \left( -\frac{x^2 + y^2 - 1}{x^2 + 2x + y^2 + 1}, -\frac{2y}{x^2 + 2x + y^2 + 1} \right) \right) + \right. \right. \\ \left. \left. \left. \sqrt{x^2 - 2x + y^2 + 1} \sqrt{(x+1)^2 + y^2 + 1} \right) \right) \right)$$

$$\tan^{-1} \left( \frac{1}{x^2 + y^2} \left( x + (x^2 + x + y^2) \sqrt{\frac{\sqrt{x^2 - 2x + y^2 + 1}}{\sqrt{x^2 + 2x + y^2 + 1}}} \cos \left( \frac{1}{2} \tan^{-1} \left( -\frac{x^2 + y^2 - 1}{x^2 + 2x + y^2 + 1}, -\frac{2y}{x^2 + 2x + y^2 + 1} \right) \right) + \right. \right. \\ \left. \left. y \sqrt{\frac{\sqrt{x^2 - 2x + y^2 + 1}}{\sqrt{x^2 + 2x + y^2 + 1}}} \sin \left( \frac{1}{2} \tan^{-1} \left( -\frac{x^2 + y^2 - 1}{x^2 + 2x + y^2 + 1}, -\frac{2y}{x^2 + 2x + y^2 + 1} \right) \right) \right) \right) \\ - \frac{1}{x^2 + y^2} \left( \sqrt{\frac{\sqrt{x^2 - 2x + y^2 + 1}}{\sqrt{x^2 + 2x + y^2 + 1}}} \cos \left( \frac{1}{2} \tan^{-1} \left( -\frac{x^2 + y^2 - 1}{x^2 + 2x + y^2 + 1}, -\frac{2y}{x^2 + 2x + y^2 + 1} \right) \right) y + y - \right. \\ \left. (x^2 + x + y^2) \sqrt{\frac{\sqrt{x^2 - 2x + y^2 + 1}}{\sqrt{x^2 + 2x + y^2 + 1}}} \sin \left( \frac{1}{2} \tan^{-1} \left( -\frac{x^2 + y^2 - 1}{x^2 + 2x + y^2 + 1}, -\frac{2y}{x^2 + 2x + y^2 + 1} \right) \right) \right)$$

**Conjugate value**

01.30.19.0005.01

$$\begin{aligned} \overline{\operatorname{sech}^{-1}(x + i y)} = & \log \left( \left( \left( \frac{1}{x^2 + y^2} \left( 2(x + 1) \sqrt{\frac{\sqrt{x^2 - 2x + y^2 + 1}}{\sqrt{x^2 + 2x + y^2 + 1}}} \cos \left( \frac{1}{2} \tan^{-1} \left( -\frac{x^2 + y^2 - 1}{x^2 + 2x + y^2 + 1}, -\frac{2y}{x^2 + 2x + y^2 + 1} \right) \right) - \right. \right. \right. \\ & 2y \sqrt{\frac{\sqrt{x^2 - 2x + y^2 + 1}}{\sqrt{x^2 + 2x + y^2 + 1}}} \sin \left( \frac{1}{2} \tan^{-1} \left( -\frac{x^2 + y^2 - 1}{x^2 + 2x + y^2 + 1}, -\frac{2y}{x^2 + 2x + y^2 + 1} \right) \right) + \\ & \left. \left. \left. \sqrt{x^2 - 2x + y^2 + 1} \sqrt{(x + 1)^2 + y^2 + 1} \right) \right) \right) - \\ & i \tan^{-1} \left( \frac{1}{x^2 + y^2} \left( x + (x^2 + x + y^2) \sqrt{\frac{\sqrt{x^2 - 2x + y^2 + 1}}{\sqrt{x^2 + 2x + y^2 + 1}}} \cos \left( \frac{1}{2} \tan^{-1} \left( -\frac{x^2 + y^2 - 1}{x^2 + 2x + y^2 + 1}, -\frac{2y}{x^2 + 2x + y^2 + 1} \right) \right) + \right. \right. \\ & \left. \left. y \sqrt{\frac{\sqrt{x^2 - 2x + y^2 + 1}}{\sqrt{x^2 + 2x + y^2 + 1}}} \sin \left( \frac{1}{2} \tan^{-1} \left( -\frac{x^2 + y^2 - 1}{x^2 + 2x + y^2 + 1}, -\frac{2y}{x^2 + 2x + y^2 + 1} \right) \right) \right) \right) + \\ & -\frac{1}{x^2 + y^2} \left( \sqrt{\frac{\sqrt{x^2 - 2x + y^2 + 1}}{\sqrt{x^2 + 2x + y^2 + 1}}} \cos \left( \frac{1}{2} \tan^{-1} \left( -\frac{x^2 + y^2 - 1}{x^2 + 2x + y^2 + 1}, -\frac{2y}{x^2 + 2x + y^2 + 1} \right) \right) y + y - \right. \\ & \left. \left. (x^2 + x + y^2) \sqrt{\frac{\sqrt{x^2 - 2x + y^2 + 1}}{\sqrt{x^2 + 2x + y^2 + 1}}} \sin \left( \frac{1}{2} \tan^{-1} \left( -\frac{x^2 + y^2 - 1}{x^2 + 2x + y^2 + 1}, -\frac{2y}{x^2 + 2x + y^2 + 1} \right) \right) \right) \right) \end{aligned}$$

### Signum value

01.30.19.0006.01

$$\begin{aligned} \operatorname{sgn}(\operatorname{sech}^{-1}(x + i y)) = & \left( i \tan^{-1} \left( \frac{1}{x^2 + y^2} \left( x + (x^2 + x + y^2) \sqrt{\frac{\sqrt{x^2 - 2x + y^2 + 1}}{\sqrt{x^2 + 2x + y^2 + 1}}} \cos \left( \frac{1}{2} \tan^{-1} \left( -\frac{x^2 + y^2 - 1}{x^2 + 2x + y^2 + 1}, -\frac{2y}{x^2 + 2x + y^2 + 1} \right) \right) + \right. \right. \right. \\ & \left. \left. y \sqrt{\frac{\sqrt{x^2 - 2x + y^2 + 1}}{\sqrt{x^2 + 2x + y^2 + 1}}} \sin \left( \frac{1}{2} \tan^{-1} \left( -\frac{x^2 + y^2 - 1}{x^2 + 2x + y^2 + 1}, -\frac{2y}{x^2 + 2x + y^2 + 1} \right) \right) \right) \right) + \\ & -\frac{1}{x^2 + y^2} \left( \sqrt{\frac{\sqrt{x^2 - 2x + y^2 + 1}}{\sqrt{x^2 + 2x + y^2 + 1}}} \cos \left( \frac{1}{2} \tan^{-1} \left( -\frac{x^2 + y^2 - 1}{x^2 + 2x + y^2 + 1}, -\frac{2y}{x^2 + 2x + y^2 + 1} \right) \right) y + y - \right. \end{aligned}$$



## Differentiation

### Low-order differentiation

01.30.20.0001.01

$$\frac{\partial \operatorname{sech}^{-1}(z)}{\partial z} = -\frac{1}{\sqrt{1-z} z} \sqrt{\frac{1}{z+1}}$$

01.30.20.0002.01

$$\frac{\partial^2 \operatorname{sech}^{-1}(z)}{\partial z^2} = \frac{(1-2z^2)}{(1-z)^{3/2} z^2} \left(\frac{1}{z+1}\right)^{3/2}$$

### Symbolic differentiation

01.30.20.0005.01

$$\frac{\partial^n \operatorname{sech}^{-1}(z)}{\partial z^n} = \delta_n \operatorname{sech}^{-1}(z) - \frac{z^{-n}}{(1-z^2)^{n-1} \sqrt{1-z}} \sqrt{\frac{1}{z+1}}$$

$$\sum_{j=0}^{n-1} \sum_{k=0}^{-j+n-1} \frac{(-1)^k \binom{1}{2}_j (-j-k)_j (2(j+k)-n+2)_{2(-j-k+n-1)} 2^{2(j+k)-n+1} z^{2k} (1-2z^2)^{j-k} (1-z^2)^{-j+n-1}}{(j-k)! (-j-k+n-1)!} ; n \in \mathbb{N}$$

01.30.20.0003.02

$$\frac{\partial^n \operatorname{sech}^{-1}(z)}{\partial z^n} = \frac{(-1)^n n! z^{-n}}{\sqrt{1-z}} \sqrt{\frac{1}{z+1}} \sqrt{\frac{z^2-1}{z^2}} {}_3F_2\left(\frac{1}{2}, \frac{n}{2} + \frac{1}{2}, \frac{n}{2} + 1; 1, \frac{3}{2}; \frac{1}{z^2}\right) ; n \in \mathbb{N}$$

### Fractional integro-differentiation

01.30.20.0004.01

$$\frac{\partial^\alpha \operatorname{sech}^{-1}(z)}{\partial z^\alpha} = -2^{\alpha-3} \sqrt{\pi} z^{2-\alpha} {}_4\tilde{F}_3\left(1, 1, \frac{3}{2}, \frac{3}{2}; 2, \frac{3}{2} - \frac{\alpha}{2}, 2 - \frac{\alpha}{2}; z^2\right) + \frac{z^{-\alpha}}{2\Gamma(1-\alpha)} \left(\log\left(-\frac{4}{z^2}\right) + 2\psi(1-\alpha) + 2\gamma\right) - \frac{\pi z^{1-\alpha}}{2\Gamma(1-\alpha)} \sqrt{-\frac{1}{z^2}}$$

## Integration

### Indefinite integration

#### Involving only one direct function

01.30.21.0001.01

$$\int \operatorname{sech}^{-1}(b+az) dz = \frac{1}{a} \left( (b+az) \operatorname{sech}^{-1}(b+az) - \tan^{-1} \left( \frac{(b+az) \sqrt{\frac{b+az-1}{b+az+1}}}{b+az-1} \right) \right)$$

01.30.21.0002.01

$$\int \operatorname{sech}^{-1}(az) dz = z \operatorname{sech}^{-1}(az) + \frac{i}{a} \log \left( 2 \sqrt{\frac{1-az}{1+az}} (az+1) - 2iaz \right)$$

01.30.21.0003.01

$$\int \operatorname{sech}^{-1}(z) dz = z \operatorname{sech}^{-1}(z) - \tan^{-1} \left( \frac{z \sqrt{\frac{1-z}{z+1}}}{z-1} \right)$$

**Involving one direct function and elementary functions**

**Involving power function**

**Involving power**

**Linear argument**

01.30.21.0004.01

$$\int z^{\alpha-1} \operatorname{sech}^{-1}(az) dz = \frac{z^{\alpha}}{\alpha^2} \left( \alpha \operatorname{sech}^{-1}(az) + \frac{1}{\sqrt{1-az}} \sqrt{\frac{1-az}{1+az}} \sqrt{az+1} {}_2F_1 \left( \frac{\alpha}{2}, \frac{1}{2}; \frac{\alpha}{2} + 1; a^2 z^2 \right) \right)$$

01.30.21.0005.01

$$\int z^{\alpha-1} \operatorname{sech}^{-1}(z) dz = \frac{\operatorname{sech}^{-1}(z) z^{\alpha}}{\alpha} + \frac{z^{\alpha} \sqrt{z+1}}{\alpha^2} \sqrt{\frac{1}{z+1}} {}_2F_1 \left( \frac{\alpha}{2}, \frac{1}{2}; \frac{\alpha}{2} + 1; z^2 \right)$$

01.30.21.0006.01

$$\int \frac{\operatorname{sech}^{-1}(az)}{\sqrt{z}} dz = \frac{1}{a\sqrt{z}} \left( 2az \operatorname{sech}^{-1}(az) - 4 \sqrt{\frac{1}{az+1}} \sqrt{\frac{az}{az+1}} (az+1) F \left( \sin^{-1} \left( \sqrt{\frac{1-az}{az+1}} \right) \middle| -1 \right) \right)$$

01.30.21.0007.01

$$\int z \operatorname{sech}^{-1}(b+az) dz = \frac{1}{2} \left( z^2 \operatorname{sech}^{-1}(b+az) + \frac{b^2 \log(b+az)}{a^2} - \frac{b+az+1}{a^2} \sqrt{\frac{b+az-1}{b+az+1}} - \frac{2ib}{a^2} \log \left( 2 \sqrt{\frac{b+az-1}{b+az+1}} (b+az+1) - 2i(b+az) \right) - \frac{b^2}{a^2} \log \left( b \sqrt{\frac{b+az-1}{b+az+1}} + az \sqrt{\frac{b+az-1}{b+az+1}} + \sqrt{\frac{b+az-1}{b+az+1}} + 1 \right) \right)$$

01.30.21.0008.01

$$\int z \operatorname{sech}^{-1}(az) dz = \frac{1}{2a^2} \left( a^2 z^2 \operatorname{sech}^{-1}(az) - \sqrt{\frac{1-az}{az+1}} (az+1) \right)$$

01.30.21.0009.01

$$\int \frac{\operatorname{sech}^{-1}(az+b)}{z} dz = -4i \sin^{-1}\left(\frac{1}{\sqrt{2}} \sqrt{1-\frac{1}{b}}\right) \tanh^{-1}\left(\frac{b+1}{\sqrt{1-b^2}} \tanh\left(\frac{1}{2} \operatorname{sech}^{-1}(b+az)\right)\right) -$$

$$\operatorname{sech}^{-1}(b+az) \log\left(1 + e^{-2 \operatorname{sech}^{-1}(b+az)}\right) + \operatorname{sech}^{-1}(b+az) \log\left(\frac{\sqrt{1-b^2}-1}{b e^{\operatorname{sech}^{-1}(b+az)}} + 1\right) +$$

$$2i \sin^{-1}\left(\frac{1}{\sqrt{2}} \sqrt{1-\frac{1}{b}}\right) \log\left(\frac{\sqrt{1-b^2}-1}{b e^{\operatorname{sech}^{-1}(b+az)}} + 1\right) + \operatorname{sech}^{-1}(b+az) \log\left(1 - \frac{\sqrt{1-b^2}+1}{b e^{\operatorname{sech}^{-1}(b+az)}}\right) -$$

$$2i \sin^{-1}\left(\frac{1}{\sqrt{2}} \sqrt{1-\frac{1}{b}}\right) \log\left(1 - \frac{\sqrt{1-b^2}+1}{b e^{\operatorname{sech}^{-1}(b+az)}}\right) + \frac{1}{2} \operatorname{Li}_2\left(-e^{-2 \operatorname{sech}^{-1}(b+az)}\right) - \operatorname{Li}_2\left(\frac{\sqrt{1-b^2}+1}{b e^{\operatorname{sech}^{-1}(b+az)}}\right) - \operatorname{Li}_2\left(-\frac{\sqrt{1-b^2}-1}{b e^{\operatorname{sech}^{-1}(b+az)}}\right)$$

01.30.21.0010.01

$$\int \frac{\operatorname{sech}^{-1}(az)}{z} dz = \frac{1}{2} \left( \operatorname{Li}_2\left(-e^{-2 \operatorname{sech}^{-1}(az)}\right) - \operatorname{sech}^{-1}(az) \left( \operatorname{sech}^{-1}(az) + 2 \log\left(1 + e^{-2 \operatorname{sech}^{-1}(az)}\right) \right) \right)$$

01.30.21.0011.01

$$\int \frac{\operatorname{sech}^{-1}(az)}{z^2} dz = \left(a + \frac{1}{z}\right) \sqrt{\frac{1-az}{az+1}} - \frac{\operatorname{sech}^{-1}(az)}{z}$$

### Power arguments

01.30.21.0012.01

$$\int \operatorname{sech}^{-1}(az^r) dz = z \left( \operatorname{sech}^{-1}(az^r) + \frac{r}{\sqrt{1-az^r}} \sqrt{\frac{1-az^r}{az^r+1}} \sqrt{az^r+1} {}_2F_1\left(\frac{1}{2r}, \frac{1}{2}; 1 + \frac{1}{2r}; a^2 z^{2r}\right) \right)$$

01.30.21.0013.01

$$\int z^{\alpha-1} \operatorname{sech}^{-1}(az^r) dz = \frac{z^\alpha}{\alpha^2} \left( \alpha \operatorname{sech}^{-1}(az^r) + \frac{r}{\sqrt{1-az^r}} \sqrt{\frac{1-az^r}{az^r+1}} \sqrt{az^r+1} {}_2F_1\left(\frac{\alpha}{2r}, \frac{1}{2}; \frac{\alpha}{2r} + 1; a^2 z^{2r}\right) \right)$$

01.30.21.0014.01

$$\int \frac{\operatorname{sech}^{-1}(az^r)}{z} dz =$$

$$\frac{1}{8} \left( 8 \operatorname{sech}^{-1}(az^r) \log(z) - \frac{1}{r(az^r-1)} \left( \sqrt{\frac{1-az^r}{az^r+1}} \left( 4 \sqrt{a^2 z^{2r}-1} \tan^{-1}\left(\sqrt{a^2 z^{2r}-1}\right) (2r \log(z) - \log(a^2 z^{2r})) + \right. \right. \right.$$

$$\left. \left. \sqrt{1-a^2 z^{2r}} \left( \log^2(a^2 z^{2r}) - 4 \log\left(\frac{1}{2} \left(\sqrt{1-a^2 z^{2r}} + 1\right)\right) \log(a^2 z^{2r}) + 2 \log^2\left(\frac{1}{2} \left(\sqrt{1-a^2 z^{2r}} + 1\right)\right) \right) \right) - \right.$$

$$\left. \left. 4 \sqrt{1-a^2 z^{2r}} \operatorname{Li}_2\left(\frac{1}{2} - \frac{1}{2} \sqrt{1-a^2 z^{2r}}\right) \right) \right)$$

### Arguments involving polynomials

01.30.21.0015.01

$$\int \operatorname{sech}^{-1}(az^2 + bz + c) dz = z \operatorname{sech}^{-1}(c + z(b + az)) -$$

$$\left( \left( \sqrt{b^2 + 4a - 4ac} + \sqrt{b^2 - 4a(c+1)} \right) \sqrt{\left( \sqrt{b^2 - 4a(c+1)} \left( -b - 2az + \sqrt{b^2 + 4a - 4ac} \right) \right)} / \right.$$

$$\left. \left( \left( \sqrt{b^2 + 4a - 4ac} + \sqrt{b^2 - 4a(c+1)} \right) \left( -b - 2az + \sqrt{b^2 - 4a(c+1)} \right) \right) \right)$$

$$\sqrt{\left( -\left( \sqrt{b^2 - 4a(c+1)} \left( b + 2az + \sqrt{b^2 + 4a - 4ac} \right) \right) / \right.$$

$$\left. \left( \left( \sqrt{b^2 + 4a - 4ac} - \sqrt{b^2 - 4a(c+1)} \right) \left( b + 2az - \sqrt{b^2 - 4a(c+1)} \right) \right) \right)}$$

$$\left( b + 2az - \sqrt{b^2 - 4a(c+1)} \right)^2 \sqrt{\left( \left( \left( \sqrt{b^2 + 4a - 4ac} - \sqrt{b^2 - 4a(c+1)} \right) \left( b + 2az + \sqrt{b^2 - 4a(c+1)} \right) \right) / \right.$$

$$\left. \left( \left( \sqrt{b^2 + 4a - 4ac} + \sqrt{b^2 - 4a(c+1)} \right) \left( b + 2az - \sqrt{b^2 - 4a(c+1)} \right) \right) \right)}$$

$$\sqrt{-\frac{az^2 + bz + c - 1}{az^2 + bz + c + 1}} \sqrt{az^2 + bz + c + 1} \left( \sqrt{b^2 - 4ac} \left( b \left( b - \sqrt{b^2 - 4a(c+1)} \right) - 4a(c+1) \right) \right.$$

$$\left. F \left[ \sin^{-1} \left( \sqrt{\left( \left( \left( \sqrt{b^2 + 4a - 4ac} - \sqrt{b^2 - 4a(c+1)} \right) \left( b + 2az + \sqrt{b^2 - 4a(c+1)} \right) \right) / \right. \right. \right. \right.$$

$$\left. \left. \left. \left( \left( \sqrt{b^2 + 4a - 4ac} + \sqrt{b^2 - 4a(c+1)} \right) \left( b + 2az - \sqrt{b^2 - 4a(c+1)} \right) \right) \right) \right] \right) \right]$$

$$\left. \frac{\left( \sqrt{b^2 + 4a - 4ac} + \sqrt{b^2 - 4a(c+1)} \right)^2}{\left( \sqrt{b^2 + 4a - 4ac} - \sqrt{b^2 - 4a(c+1)} \right)^2} \right) + \sqrt{b^2 - 4a(c+1)} \left( b^2 + \sqrt{b^2 - 4ac} b - 4ac \right)$$

$$\Pi \left[ -\left( \left( \sqrt{b^2 - 4ac} + \sqrt{b^2 - 4a(c+1)} \right) \left( \sqrt{b^2 + 4a - 4ac} + \sqrt{b^2 - 4a(c+1)} \right) \right) / \right.$$

$$\left. \left( \left( \sqrt{b^2 - 4ac} - \sqrt{b^2 - 4a(c+1)} \right) \left( \sqrt{b^2 - 4a(c+1)} - \sqrt{b^2 + 4a - 4ac} \right) \right); \right.$$

$$\left. \sin^{-1} \left( \sqrt{\left( \left( \left( \sqrt{b^2 + 4a - 4ac} - \sqrt{b^2 - 4a(c+1)} \right) \left( b + 2az + \sqrt{b^2 - 4a(c+1)} \right) \right) / \right. \right. \right. \right.$$

$$\left( \left( \left( \sqrt{b^2 + 4a - 4ac} + \sqrt{b^2 - 4a(c+1)} \right) (b + 2az - \sqrt{b^2 - 4a(c+1)}) \right) \right) \Bigg|$$

$$\frac{\left( \sqrt{b^2 + 4a - 4ac} + \sqrt{b^2 - 4a(c+1)} \right)^2}{\left( \sqrt{b^2 + 4a - 4ac} - \sqrt{b^2 - 4a(c+1)} \right)^2} + \left( -b^2 + \sqrt{b^2 - 4ac} b + 4ac \right)$$

$$\Pi \left[ - \left( \left( \sqrt{b^2 - 4ac} - \sqrt{b^2 - 4a(c+1)} \right) \left( \sqrt{b^2 + 4a - 4ac} + \sqrt{b^2 - 4a(c+1)} \right) \right) / \right.$$

$$\left. \left( \left( \sqrt{b^2 - 4ac} + \sqrt{b^2 - 4a(c+1)} \right) \left( \sqrt{b^2 - 4a(c+1)} - \sqrt{b^2 + 4a - 4ac} \right) \right); \right.$$

$$\left. \sin^{-1} \left( \sqrt{\left( \left( \left( \sqrt{b^2 + 4a - 4ac} - \sqrt{b^2 - 4a(c+1)} \right) (b + 2az + \sqrt{b^2 - 4a(c+1)}) \right) \right) / \right. \right.$$

$$\left. \left( \left( \sqrt{b^2 + 4a - 4ac} + \sqrt{b^2 - 4a(c+1)} \right) (b + 2az - \sqrt{b^2 - 4a(c+1)}) \right) \right) \Bigg|$$

$$\frac{\left( \sqrt{b^2 + 4a - 4ac} + \sqrt{b^2 - 4a(c+1)} \right)^2}{\left( \sqrt{b^2 + 4a - 4ac} - \sqrt{b^2 - 4a(c+1)} \right)^2} \Bigg| /$$

$$\left( 2a^2 \sqrt{b^2 - 4ac} \sqrt{b^2 - 4a(c+1)} \left( \sqrt{b^2 - 4a(c+1)} - \sqrt{b^2 + 4a - 4ac} \right) \right.$$

$$\left. \sqrt{-az^2 - bz - c + 1} \right.$$

$$\left. \sqrt{-(az^2 + bz + c - 1)(az^2 + bz + c + 1)} \right)$$

### Arguments involving exponential functions

01.30.21.0016.01

$$\int \operatorname{sech}^{-1}(a^z) dz =$$

$$z \operatorname{sech}^{-1}(a^z) + \left( \sqrt{\frac{1 - a^z}{a^z + 1}} (a^z + 1) \left( \operatorname{sech}^{-1}(-a^z) \left( \operatorname{sech}^{-1}(-a^z) + 2 \left( z \log(a) + \log(1 + e^{-2 \operatorname{sech}^{-1}(-a^z)}) \right) \right) - \operatorname{Li}_2(-e^{-2 \operatorname{sech}^{-1}(-a^z)}) \right) \right) /$$

$$\left( 2(a^z - 1) \sqrt{\frac{a^z + 1}{1 - a^z}} \log(a) \right)$$

### Arguments involving trigonometric functions



### Involving sin

01.30.21.0017.01

$$\int \operatorname{sech}^{-1}(\sin(z)) dz =$$

$$\frac{1}{\cos\left(\frac{z}{2}\right) - \sin\left(\frac{z}{2}\right)} \left( i \operatorname{Li}_2(-e^{iz}) \sqrt{\frac{1 - \sin(z)}{\sin(z) + 1}} \left( \cos\left(\frac{z}{2}\right) + \sin\left(\frac{z}{2}\right) \right) - i \operatorname{Li}_2(e^{iz}) \sqrt{\frac{1 - \sin(z)}{\sin(z) + 1}} \left( \cos\left(\frac{z}{2}\right) + \sin\left(\frac{z}{2}\right) \right) + \right.$$

$$\left. z \left( \operatorname{sech}^{-1}(\sin(z)) \left( \cos\left(\frac{z}{2}\right) - \sin\left(\frac{z}{2}\right) \right) + (\log(1 - e^{iz}) - \log(1 + e^{iz})) \left( \cos\left(\frac{z}{2}\right) + \sin\left(\frac{z}{2}\right) \right) \sqrt{\frac{1 - \sin(z)}{\sin(z) + 1}} \right) \right)$$

### Involving cos

01.30.21.0018.01

$$\int \operatorname{sech}^{-1}(\cos(z)) dz = z \operatorname{sech}^{-1}(\cos(z)) - \cot\left(\frac{z}{2}\right) \left( z (\log(1 - i e^{iz}) - \log(1 + i e^{iz})) + i \operatorname{Li}_2(-i e^{iz}) - i \operatorname{Li}_2(i e^{iz}) \right) \sqrt{\tan^2\left(\frac{z}{2}\right)}$$

### Involving tan

01.30.21.0019.01

$$\int \operatorname{sech}^{-1}(\tan(z)) dz =$$

$$-\frac{1}{2} i \left( 4 \sin^{-1}\left(\sqrt{\frac{1-i}{2}}\right) \tan^{-1}\left(\frac{(1+i) \tanh\left(\frac{1}{2} \operatorname{sech}^{-1}(\tan(z))\right)}{\sqrt{2}}\right) + 4 i \sin^{-1}\left(\sqrt{\frac{1+i}{2}}\right) \tanh^{-1}\left(\frac{(1+i) \tanh\left(\frac{1}{2} \operatorname{sech}^{-1}(\tan(z))\right)}{\sqrt{2}}\right) \right) -$$

$$\operatorname{sech}^{-1}(\tan(z)) \log\left(1 + i(-1 + \sqrt{2}) e^{-\operatorname{sech}^{-1}(\tan(z))}\right) - 2 i \sin^{-1}\left(\sqrt{\frac{1-i}{2}}\right) \log\left(1 + i(-1 + \sqrt{2}) e^{-\operatorname{sech}^{-1}(\tan(z))}\right) +$$

$$\operatorname{sech}^{-1}(\tan(z)) \log\left(1 + i(1 + \sqrt{2}) e^{-\operatorname{sech}^{-1}(\tan(z))}\right) + 2 i \sin^{-1}\left(\sqrt{\frac{1+i}{2}}\right) \log\left(1 + i(1 + \sqrt{2}) e^{-\operatorname{sech}^{-1}(\tan(z))}\right) +$$

$$\operatorname{sech}^{-1}(\tan(z)) \log\left(1 - i(-1 + \sqrt{2}) e^{-\operatorname{sech}^{-1}(\tan(z))}\right) - 2 i \sin^{-1}\left(\sqrt{\frac{1+i}{2}}\right) \log\left(1 - i(-1 + \sqrt{2}) e^{-\operatorname{sech}^{-1}(\tan(z))}\right) -$$

$$\operatorname{sech}^{-1}(\tan(z)) \log\left(1 - i(1 + \sqrt{2}) e^{-\operatorname{sech}^{-1}(\tan(z))}\right) + 2 i \sin^{-1}\left(\sqrt{\frac{1-i}{2}}\right) \log\left(1 - i(1 + \sqrt{2}) e^{-\operatorname{sech}^{-1}(\tan(z))}\right) +$$

$$\operatorname{Li}_2\left(-i(-1 + \sqrt{2}) e^{-\operatorname{sech}^{-1}(\tan(z))}\right) - \operatorname{Li}_2\left(i(-1 + \sqrt{2}) e^{-\operatorname{sech}^{-1}(\tan(z))}\right) -$$

$$\operatorname{Li}_2\left(-i(1 + \sqrt{2}) e^{-\operatorname{sech}^{-1}(\tan(z))}\right) + \operatorname{Li}_2\left(i(1 + \sqrt{2}) e^{-\operatorname{sech}^{-1}(\tan(z))}\right) \Bigg)$$

### Involving cot

01.30.21.0020.01

$$\int \operatorname{sech}^{-1}(\cot(z)) dz =$$

$$\frac{1}{2} i \left( 4 \sin^{-1} \left( \sqrt{\frac{1-i}{2} - \frac{i}{2}} \right) \tan^{-1} \left( \frac{(1+i) \tanh\left(\frac{1}{2} \operatorname{sech}^{-1}(\cot(z))\right)}{\sqrt{2}} \right) + 4 i \sin^{-1} \left( \sqrt{\frac{1-i}{2} + \frac{i}{2}} \right) \tanh^{-1} \left( \frac{(1+i) \tanh\left(\frac{1}{2} \operatorname{sech}^{-1}(\cot(z))\right)}{\sqrt{2}} \right) \right) +$$

$$\operatorname{sech}^{-1}(\cot(z)) \log(1-i(-1+\sqrt{2})e^{-\operatorname{sech}^{-1}(\cot(z))}) - 2 i \sin^{-1} \left( \sqrt{\frac{1-i}{2} + \frac{i}{2}} \right) \log(1-i(-1+\sqrt{2})e^{-\operatorname{sech}^{-1}(\cot(z))}) -$$

$$\operatorname{sech}^{-1}(\cot(z)) \log(1+i(-1+\sqrt{2})e^{-\operatorname{sech}^{-1}(\cot(z))}) - 2 i \sin^{-1} \left( \sqrt{\frac{1-i}{2} - \frac{i}{2}} \right) \log(1+i(-1+\sqrt{2})e^{-\operatorname{sech}^{-1}(\cot(z))}) -$$

$$\operatorname{sech}^{-1}(\cot(z)) \log(1-i(1+\sqrt{2})e^{-\operatorname{sech}^{-1}(\cot(z))}) + 2 i \sin^{-1} \left( \sqrt{\frac{1-i}{2} - \frac{i}{2}} \right) \log(1-i(1+\sqrt{2})e^{-\operatorname{sech}^{-1}(\cot(z))}) +$$

$$\operatorname{sech}^{-1}(\cot(z)) \log(1+i(1+\sqrt{2})e^{-\operatorname{sech}^{-1}(\cot(z))}) + 2 i \sin^{-1} \left( \sqrt{\frac{1-i}{2} + \frac{i}{2}} \right) \log(1+i(1+\sqrt{2})e^{-\operatorname{sech}^{-1}(\cot(z))}) +$$

$$\operatorname{Li}_2(-i(-1+\sqrt{2})e^{-\operatorname{sech}^{-1}(\cot(z))}) - \operatorname{Li}_2(i(-1+\sqrt{2})e^{-\operatorname{sech}^{-1}(\cot(z))}) -$$

$$\operatorname{Li}_2(-i(1+\sqrt{2})e^{-\operatorname{sech}^{-1}(\cot(z))}) + \operatorname{Li}_2(i(1+\sqrt{2})e^{-\operatorname{sech}^{-1}(\cot(z))}) \Bigg)$$

### Involving csc

01.30.21.0021.01

$$\int \operatorname{sech}^{-1}(\csc(z)) dz = \left[ z \left( 2 \operatorname{sech}^{-1}(\csc(z)) \left( \cos\left(\frac{z}{2}\right) - \sin\left(\frac{z}{2}\right) \right) + z \left( \cos\left(\frac{z}{2}\right) + \sin\left(\frac{z}{2}\right) \right) \sqrt{\frac{\sin(z)-1}{\sin(z)+1}} \right) \right] / \left( 2 \left( \cos\left(\frac{z}{2}\right) - \sin\left(\frac{z}{2}\right) \right) \right)$$

### Involving sec

01.30.21.0022.01

$$\int \operatorname{sech}^{-1}(\sec(z)) dz = z \operatorname{sech}^{-1}(\sec(z)) - \frac{1}{2} z^2 \cot\left(\frac{z}{2}\right) \sqrt{-\tan^2\left(\frac{z}{2}\right)}$$

## Arguments involving hyperbolic functions

### Involving cosh

01.30.21.0023.01

$$\int \operatorname{sech}^{-1}(\cosh(z)) dz = z \operatorname{sech}^{-1}(\cosh(z)) + i \coth\left(\frac{z}{2}\right) \left( z (\log(1-i e^{-z}) - \log(1+i e^{-z})) + \operatorname{Li}_2(-i e^{-z}) - \operatorname{Li}_2(i e^{-z}) \right) \sqrt{-\tanh^2\left(\frac{z}{2}\right)}$$

### Involving tanh

01.30.21.0024.01

$$\int \operatorname{sech}^{-1}(\tanh(z)) dz = \cosh(z) \sinh(z) \left( 2 \operatorname{Li}_2(-e^{-\operatorname{sech}^{-1}(\tanh(z))}) (\tanh(z) - 1) \cosh^2\left(\frac{1}{2} \operatorname{sech}^{-1}(\tanh(z))\right) + \operatorname{sech}^{-1}(\tanh(z)) \right. \\ \left. \operatorname{sech}(z) \left( \left( \log(1 + e^{-2 \operatorname{sech}^{-1}(\tanh(z))}) - 2 \log(1 + e^{-\operatorname{sech}^{-1}(\tanh(z))}) \right) (\sinh(z) - \cosh(z)) \cosh^2\left(\frac{1}{2} \operatorname{sech}^{-1}(\tanh(z))\right) + \right. \right. \\ \left. \left. \left( \log(1 + e^{-2 \operatorname{sech}^{-1}(\tanh(z))}) - 2 \log(1 - e^{-\operatorname{sech}^{-1}(\tanh(z))}) \right) (\cosh(z) + \sinh(z)) \sinh^2\left(\frac{1}{2} \operatorname{sech}^{-1}(\tanh(z))\right) \right) \right) + \\ 2 \operatorname{Li}_2(e^{-\operatorname{sech}^{-1}(\tanh(z))}) \sinh^2\left(\frac{1}{2} \operatorname{sech}^{-1}(\tanh(z))\right) (\tanh(z) + 1) \Bigg)$$

### Involving coth

01.30.21.0025.01

$$\int \operatorname{sech}^{-1}(\coth(z)) dz = -\cosh(z) \sinh(z) \left( 2 (\coth(z) - 1) \operatorname{Li}_2(-e^{-\operatorname{sech}^{-1}(\coth(z))}) \cosh^2\left(\frac{1}{2} \operatorname{sech}^{-1}(\coth(z))\right) + \right. \\ \left. 2 (\coth(z) + 1) \operatorname{Li}_2(e^{-\operatorname{sech}^{-1}(\coth(z))}) \sinh^2\left(\frac{1}{2} \operatorname{sech}^{-1}(\coth(z))\right) + \operatorname{sech}^{-1}(\coth(z)) \operatorname{csch}(z) \right. \\ \left. \left( \left( \log(1 + e^{-2 \operatorname{sech}^{-1}(\coth(z))}) - 2 \log(1 + e^{-\operatorname{sech}^{-1}(\coth(z))}) \right) (\cosh(z) - \sinh(z)) \cosh^2\left(\frac{1}{2} \operatorname{sech}^{-1}(\coth(z))\right) + \right. \right. \\ \left. \left. \left( \log(1 + e^{-2 \operatorname{sech}^{-1}(\coth(z))}) - 2 \log(1 - e^{-\operatorname{sech}^{-1}(\coth(z))}) \right) (\cosh(z) + \sinh(z)) \sinh^2\left(\frac{1}{2} \operatorname{sech}^{-1}(\coth(z))\right) \right) \right) \Bigg)$$

### Involving sech

01.30.21.0026.01

$$\int \operatorname{sech}^{-1}(\operatorname{sech}(z)) dz = z \operatorname{sech}^{-1}(\operatorname{sech}(z)) - \frac{1}{2} z^2 \operatorname{coth}\left(\frac{z}{2}\right) \sqrt{\tanh^2\left(\frac{z}{2}\right)}$$

### Involving logarithm

#### Involving log

01.30.21.0027.01

$$\int \log(bz) \operatorname{sech}^{-1}(az) dz = \\ z \operatorname{sech}^{-1}(az) (\log(bz) - 1) + \frac{1}{2 a^{3/2} (az - 1)} \left( \sqrt{-a} \sqrt{\frac{1-az}{az+1}} \sqrt{1-a^2 z^2} \sin^{-1}(az)^2 + 2 \sqrt{a} \sqrt{\frac{1-az}{az+1}} \right. \\ \left. \sqrt{1-a^2 z^2} \log\left(2 \sqrt{a} z \left( z a^{3/2} + \sqrt{-a} \sqrt{1-a^2 z^2} \right)\right) \sin^{-1}(az) - 2 i \sqrt{a} (az - 1) (\log(z) - \log(bz) + 1) \right. \\ \left. \log\left(2 \sqrt{\frac{1-az}{az+1}} (az + 1) - 2 i az\right) + 2 \sqrt{-a} \sqrt{\frac{1-az}{az+1}} \sqrt{1-a^2 z^2} \log(z) \log\left(\sqrt{-a^2} z + \sqrt{1-a^2 z^2}\right) \right) + \\ \frac{\sqrt{-a}}{a^{3/2} (2az - 2)} \sqrt{\frac{1-az}{az+1}} \sqrt{1-a^2 z^2} \operatorname{Li}_2\left(-2 a^2 z^2 - 2 \sqrt{-a^2} \sqrt{1-a^2 z^2} z + 1\right)$$

#### Involving logarithm and a power function

**Involving log and power**

01.30.21.0028.01

$$\int z^{\alpha-1} \log(bz) \operatorname{sech}^{-1}(az) dz = \frac{z^\alpha}{\alpha^3} \left( \alpha \operatorname{sech}^{-1}(az) (\alpha \log(bz) - 1) - \left( -\frac{1}{2} \sqrt{az+1} \sqrt{1-a^2z^2} \alpha^2 \operatorname{B}_{a^2z^2} \left( \frac{\alpha}{2}, \frac{1}{2} \right) \log(z) (a^2z^2)^{-\frac{\alpha}{2}} + \frac{1}{2} (az+1) \sqrt{1-az} \alpha \operatorname{B}_{a^2z^2} \left( \frac{\alpha}{2}, \frac{1}{2} \right) (\alpha \log(z) - \alpha \log(bz) + 1) (a^2z^2)^{-\frac{\alpha}{2}} + \sqrt{az+1} \sqrt{1-a^2z^2} {}_3F_2 \left( \frac{1}{2}, \frac{\alpha}{2}, \frac{\alpha}{2}; \frac{\alpha}{2} + 1, \frac{\alpha}{2} + 1; a^2z^2 \right) \right) / \left( \sqrt{\frac{1-az}{az+1}} (az+1)^{3/2} \right)$$

**Involving functions of the direct function**

**Involving elementary functions of the direct function**

**Involving powers of the direct function**

01.30.21.0029.01

$$\int \operatorname{sech}^{-1}(az)^2 dz = \frac{1}{a} \left( \operatorname{sech}^{-1}(az) (az \operatorname{sech}^{-1}(az) + 2i (\log(1 - ie^{-\operatorname{sech}^{-1}(az)}) - \log(1 + ie^{-\operatorname{sech}^{-1}(az)}))) + 2i \operatorname{Li}_2(-ie^{-\operatorname{sech}^{-1}(az)}) - 2i \operatorname{Li}_2(ie^{-\operatorname{sech}^{-1}(az)}) \right)$$

01.30.21.0030.01

$$\int \operatorname{sech}^{-1}(az)^3 dz = z \operatorname{sech}^{-1}(az)^3 - \frac{1}{a} \left( 3i \left( -2 (\operatorname{Li}_2(-ie^{-\operatorname{sech}^{-1}(az)}) - \operatorname{Li}_2(ie^{-\operatorname{sech}^{-1}(az)})) \operatorname{sech}^{-1}(az) - \operatorname{sech}^{-1}(az)^2 (\log(1 - ie^{-\operatorname{sech}^{-1}(az)}) - \log(1 + ie^{-\operatorname{sech}^{-1}(az)})) - 2 \operatorname{Li}_3(-ie^{-\operatorname{sech}^{-1}(az)}) + 2 \operatorname{Li}_3(ie^{-\operatorname{sech}^{-1}(az)}) \right) \right)$$

01.30.21.0031.01

$$\int \operatorname{sech}^{-1}(az)^4 dz = \frac{1}{16a} \left( -16i \operatorname{sech}^{-1}(az)^4 + 16az \operatorname{sech}^{-1}(az)^4 - 64i \log(1 + ie^{-\operatorname{sech}^{-1}(az)}) \operatorname{sech}^{-1}(az)^3 + 64i \log(1 + ie^{\operatorname{sech}^{-1}(az)}) \operatorname{sech}^{-1}(az)^3 + 32\pi \operatorname{sech}^{-1}(az)^3 + 24i\pi^2 \operatorname{sech}^{-1}(az)^2 + 96\pi \log(1 + ie^{-\operatorname{sech}^{-1}(az)}) \operatorname{sech}^{-1}(az)^2 - 96\pi \log(1 - ie^{\operatorname{sech}^{-1}(az)}) \operatorname{sech}^{-1}(az)^2 + 192i \operatorname{Li}_2(-ie^{\operatorname{sech}^{-1}(az)}) \operatorname{sech}^{-1}(az)^2 - 8\pi^3 \operatorname{sech}^{-1}(az) + 48i\pi^2 \log(1 + ie^{-\operatorname{sech}^{-1}(az)}) \operatorname{sech}^{-1}(az) - 48i\pi^2 \log(1 - ie^{\operatorname{sech}^{-1}(az)}) \operatorname{sech}^{-1}(az) - 192\pi \operatorname{Li}_2(ie^{\operatorname{sech}^{-1}(az)}) \operatorname{sech}^{-1}(az) + 384i \operatorname{Li}_3(-ie^{-\operatorname{sech}^{-1}(az)}) \operatorname{sech}^{-1}(az) - 384i \operatorname{Li}_3(-ie^{\operatorname{sech}^{-1}(az)}) \operatorname{sech}^{-1}(az) + 7i\pi^4 - 8\pi^3 \log(1 + ie^{-\operatorname{sech}^{-1}(az)}) + 8\pi^3 \log(1 + ie^{\operatorname{sech}^{-1}(az)}) - 8\pi^3 \log\left(\cot\left(\frac{1}{4}(\pi - 2i \operatorname{sech}^{-1}(az))\right)\right) - 48i(\pi - 2i \operatorname{sech}^{-1}(az))^2 \operatorname{Li}_2(-ie^{-\operatorname{sech}^{-1}(az)}) - 48i\pi^2 \operatorname{Li}_2(ie^{\operatorname{sech}^{-1}(az)}) - 192\pi \operatorname{Li}_3(-ie^{-\operatorname{sech}^{-1}(az)}) + 192\pi \operatorname{Li}_3(ie^{\operatorname{sech}^{-1}(az)}) + 384i \operatorname{Li}_4(-ie^{-\operatorname{sech}^{-1}(az)}) + 384i \operatorname{Li}_4(-ie^{\operatorname{sech}^{-1}(az)}) \right)$$

**Involving functions of the direct function and elementary functions**

## Involving elementary functions of the direct function and elementary functions

### Involving powers of the direct function and a power function

01.30.21.0032.01

$$\int z^{\alpha-1} \operatorname{sech}^{-1}(az)^2 dz = \frac{z^\alpha}{2\alpha} \left( 2 \operatorname{sech}^{-1}(az)^2 - \frac{4}{a^2 z^2 (\alpha-2)(\alpha-1)} \right. \\ \left. \left( \sqrt{\frac{1-az}{1+az}} (az+1)(\alpha-2) \operatorname{sech}^{-1}(az) {}_2F_1\left(1, 1-\frac{\alpha}{2}; \frac{3-\alpha}{2}; \frac{1}{a^2 z^2}\right) + {}_3F_2\left(1, 1-\frac{\alpha}{2}, 1-\frac{\alpha}{2}; \frac{3-\alpha}{2}, 2-\frac{\alpha}{2}; \frac{1}{a^2 z^2}\right) \right) \right)$$

01.30.21.0033.01

$$\int z \operatorname{sech}^{-1}(az)^2 dz = \frac{1}{2} z^2 \operatorname{sech}^{-1}(az)^2 - \frac{(az+1) \operatorname{sech}^{-1}(az)}{a^2} \sqrt{\frac{1-az}{1+az}} - \frac{\log(z)}{a^2}$$

01.30.21.0034.01

$$\int z^2 \operatorname{sech}^{-1}(az)^2 dz = \frac{1}{3a^3} \left( a^3 \operatorname{sech}^{-1}(az)^2 z^3 - az - a \sqrt{\frac{1-az}{1+az}} (az+1) \operatorname{sech}^{-1}(az) z + \right. \\ \left. i \operatorname{sech}^{-1}(az) \left( \log(1 - i e^{-\operatorname{sech}^{-1}(az)}) - \log(1 + i e^{-\operatorname{sech}^{-1}(az)}) \right) + i \left( \operatorname{Li}_2(-i e^{-\operatorname{sech}^{-1}(az)}) - \operatorname{Li}_2(i e^{-\operatorname{sech}^{-1}(az)}) \right) \right)$$

01.30.21.0035.01

$$\int z \operatorname{sech}^{-1}(az)^3 dz = \frac{1}{2a^2} \left( \operatorname{sech}^{-1}(az) \left( a^2 z^2 \operatorname{sech}^{-1}(az)^2 - 3 \left( az \sqrt{\frac{1-az}{1+az}} + \sqrt{\frac{1-az}{1+az}} - 1 \right) \operatorname{sech}^{-1}(az) + 6 \log(1 + e^{-2 \operatorname{sech}^{-1}(az)}) \right) - \right. \\ \left. 3 \operatorname{Li}_2(-e^{-2 \operatorname{sech}^{-1}(az)}) \right)$$

01.30.21.0036.01

$$\int z^3 \operatorname{sech}^{-1}(az)^3 dz = \frac{1}{4} \left( \operatorname{sech}^{-1}(az)^3 z^4 + \frac{1}{a^4} \left( - \left( a^3 z^3 \sqrt{\frac{1-az}{1+az}} + a^2 z^2 \sqrt{\frac{1-az}{1+az}} + 2az \sqrt{\frac{1-az}{1+az}} + 2 \sqrt{\frac{1-az}{1+az}} - 2 \right) \operatorname{sech}^{-1}(az)^2 + \right. \right. \\ \left. \left. \left( 4 \log(1 + e^{-2 \operatorname{sech}^{-1}(az)}) - a^2 z^2 \right) \operatorname{sech}^{-1}(az) + \sqrt{\frac{1-az}{1+az}} (az+1) - 2 \operatorname{Li}_2(-e^{-2 \operatorname{sech}^{-1}(az)}) \right) \right)$$

## Definite integration

### For the direct function itself

01.30.21.0037.01

$$\int_0^1 t \operatorname{sech}^{-1}(t) dt = \frac{1}{2}$$

## Representations through more general functions

## Through hypergeometric functions

### Involving ${}_2F_1$

01.30.26.0001.01

$$\operatorname{sech}^{-1}(z) = \frac{\sqrt{\frac{1}{z} - 1}}{\sqrt{1 - \frac{1}{z}}} \left( \frac{\pi}{2} - \frac{1}{z} {}_2F_1\left(\frac{1}{2}, \frac{1}{2}; \frac{3}{2}; \frac{1}{z^2}\right) \right)$$

01.30.26.0002.01

$$\operatorname{sech}^{-1}(z) = -i \left( \frac{\pi}{2} - \frac{1}{z} {}_2F_1\left(\frac{1}{2}, \frac{1}{2}; \frac{3}{2}; \frac{1}{z^2}\right) \right) /; \operatorname{Im}(z) > 0 \vee 0 < z < 1$$

01.30.26.0003.01

$$\operatorname{sech}^{-1}(z) = i \left( \frac{\pi}{2} - \frac{1}{z} {}_2F_1\left(\frac{1}{2}, \frac{1}{2}; \frac{3}{2}; \frac{1}{z^2}\right) \right) /; \operatorname{Im}(z) < 0 \vee z < 0 \vee z > 1$$

01.30.26.0004.01

$$\operatorname{sech}^{-1}(z) = i \left( 2 \theta \left( \operatorname{Im}\left(\frac{1}{z}\right) \right) - 1 \right) \left( \frac{\pi}{2} - \frac{1}{z} {}_2F_1\left(\frac{1}{2}, \frac{1}{2}; \frac{3}{2}; \frac{1}{z^2}\right) \right) /; z \notin (0, 1)$$

### Involving ${}_pF_q$

01.30.26.0005.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{2} \log\left(-\frac{4}{z^2}\right) - \frac{\pi z}{2} \sqrt{-\frac{1}{z^2} - \frac{z^2}{4}} {}_3F_2\left(1, 1, \frac{3}{2}; 2, 2; z^2\right) /; z \notin (-\infty, -1)$$

## Through hypergeometric functions of two variables

01.30.26.0006.01

$$\operatorname{sech}^{-1}(z) = \sqrt{2} \sqrt{1-z} F_{0 \times 1 \times 1}^{1 \times 1 \times 1} \left( \begin{matrix} \frac{3}{2}, \frac{1}{2}, \frac{1}{2} \\ \frac{3}{2}, \frac{3}{2} \end{matrix}; -1, 1-z \right)$$

01.30.26.0007.01

$$\operatorname{sech}^{-1}(z) = -i \left( \pi - \sqrt{2} \sqrt{-z-1} F_{0 \times 1 \times 1}^{1 \times 1 \times 1} \left( \begin{matrix} \frac{3}{2}, \frac{1}{2}, \frac{1}{2} \\ \frac{3}{2}, \frac{3}{2} \end{matrix}; -1, 1+z \right) \right) /; \operatorname{Im}(z) > 0 \vee 0 < z < 1$$

01.30.26.0008.01

$$\operatorname{sech}^{-1}(z) = i \left( \pi - \sqrt{2} \sqrt{-z-1} F_{0 \times 1 \times 1}^{1 \times 1 \times 1} \left( \begin{matrix} \frac{3}{2}, \frac{1}{2}, \frac{1}{2} \\ \frac{3}{2}, \frac{3}{2} \end{matrix}; -1, 1+z \right) \right) /; \operatorname{Im}(z) < 0 \vee z < 0 \vee z > 1$$

01.30.26.0009.01

$$\operatorname{sech}^{-1}(z) = i \left( 2 \theta \left( \operatorname{Im}\left(\frac{1}{z}\right) \right) - 1 \right) \left( \pi - \sqrt{2} \sqrt{-z-1} F_{0 \times 1 \times 1}^{1 \times 1 \times 1} \left( \begin{matrix} \frac{3}{2}, \frac{1}{2}, \frac{1}{2} \\ \frac{3}{2}, \frac{3}{2} \end{matrix}; -1, 1+z \right) \right) /; z \notin (0, 1)$$

01.30.26.0010.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left( \pi - \sqrt{2} \sqrt{-z-1} F_{0 \times 1 \times 1}^{1 \times 1 \times 1} \left( \begin{matrix} \frac{3}{2}; \frac{1}{2}, \frac{1}{2} \\ \frac{3}{2}; \frac{3}{2} \end{matrix} \middle| -1, 1+z \right) \right)$$

### Through Meijer G

#### Classical cases for the direct function itself

01.30.26.0011.01

$$\operatorname{sech}^{-1}(z) = \frac{\sqrt{\frac{1}{z}-1}}{\sqrt{1-\frac{1}{z}}} \left( \frac{\pi}{2} - \frac{1}{2z\sqrt{\pi}} G_{2,2}^{1,2} \left( -\frac{1}{z^2} \middle| \begin{matrix} \frac{1}{2}, \frac{1}{2} \\ 0, -\frac{1}{2} \end{matrix} \right) \right)$$

01.30.26.0012.01

$$\operatorname{sech}^{-1}(z) = G_{2,2}^{1,2} \left( \sqrt{\frac{1}{z}-1} \sqrt{1+\frac{1}{z}+\frac{1}{z}-1} \middle| \begin{matrix} 1, 1 \\ 1, 0 \end{matrix} \right)$$

01.30.26.0027.01

$$\operatorname{sech}^{-1}(\sqrt{z}) + \frac{\sqrt{\frac{1}{z}-1}}{\sqrt{1-\frac{1}{z}}} \sum_{k=0}^n \frac{\left(\frac{1}{2}\right)_k z^{-k-\frac{1}{2}}}{(2k+1)k!} - \frac{\pi \sqrt{\frac{1}{z}-1}}{2\sqrt{1-\frac{1}{z}}} =$$

$$\frac{(-1)^{n-1}}{2\sqrt{\pi} \sqrt{\frac{1}{z}} \sqrt{1-\frac{1}{z}}} \sqrt{-\frac{1}{z}} \sqrt{\frac{1}{z}-1} G_{3,3}^{1,3} \left( -\frac{1}{z} \middle| \begin{matrix} 1, 1, n+\frac{3}{2} \\ n+\frac{3}{2}, 0, \frac{1}{2} \end{matrix} \right); n \in \mathbb{N} \wedge z \notin (-\infty, 0)$$

01.30.26.0028.01

$$\operatorname{sech}^{-1}(\sqrt{z}) + \frac{1}{2\sqrt{1-\frac{1}{z}} \sqrt{-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \sqrt{\frac{1}{z}} \log\left(-\frac{4}{z}\right) - \frac{1}{\sqrt{1-\frac{1}{z}} \left(2\sqrt{-\frac{1}{z}}\right)} \sqrt{\frac{1}{z}-1} \sqrt{\frac{1}{z}} \sum_{k=1}^n \frac{\left(\frac{1}{2}\right)_k z^k}{kk!} -$$

$$\frac{\pi}{2\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} = \frac{(-1)^{n-1}}{2\sqrt{\pi} \sqrt{-\frac{1}{z}} \sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}} \sqrt{\frac{1}{z}-1} G_{3,3}^{1,3} \left( -z \middle| \begin{matrix} \frac{1}{2}, 1, n+1 \\ n+1, 0, 0 \end{matrix} \right); n \in \mathbb{N} \wedge z \notin (-\infty, 0)$$

#### Classical cases involving algebraic functions

01.30.26.0013.01

$$\operatorname{sech}^{-1}(\sqrt{z+1} - \sqrt{z}) = \frac{1}{\sqrt{8\pi}} G_{3,3}^{2,2} \left( z \middle| \begin{matrix} 1, 1, \frac{1}{2} \\ \frac{1}{4}, \frac{3}{4}, 0 \end{matrix} \right); z \notin (-\infty, 0)$$

01.30.26.0014.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1+z}-1}{\sqrt{z}}\right) = \frac{1}{2\sqrt{2\pi}} G_{3,3}^{2,2}\left(z \left| \begin{matrix} \frac{1}{4}, \frac{3}{4}, 1 \\ 0, 0, \frac{1}{2} \end{matrix} \right. \right)$$

01.30.26.0015.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{1+\sqrt{1+z}}\right) = \frac{1}{2\sqrt{2\pi}} G_{3,3}^{2,2}\left(z \left| \begin{matrix} \frac{1}{4}, \frac{3}{4}, 1 \\ 0, 0, \frac{1}{2} \end{matrix} \right. \right)$$

01.30.26.0016.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}+\sqrt{1+z}}\right) = \frac{1}{\sqrt{8\pi}} G_{3,3}^{2,2}\left(z \left| \begin{matrix} 1, 1, \frac{1}{2} \\ \frac{1}{4}, \frac{3}{4}, 0 \end{matrix} \right. \right); z \notin (-\infty, 0)$$

### Classical cases for powers of $\operatorname{sech}^{-1}$

01.30.26.0029.01

$$\operatorname{sech}^{-1}(\sqrt{z})^2 = \frac{1}{2}\sqrt{\pi} G_{3,3}^{3,1}\left(-z \left| \begin{matrix} 0, 1, \frac{1}{2} \\ 0, 0, 0 \end{matrix} \right. \right) + \frac{1}{2}(i\sqrt{\pi}) G_{2,2}^{2,1}\left(-z \left| \begin{matrix} \frac{1}{2}, 1 \\ 0, 0 \end{matrix} \right. \right) - \frac{\pi^2}{4}; -\pi < \arg(z) \leq 0$$

### Generalized cases for the direct function itself

01.30.26.0030.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi\sqrt{\frac{1}{z}-1}}{2\sqrt{1-\frac{1}{z}}} - \frac{i\sqrt{\frac{1}{z}-1}}{2\sqrt{\pi}\sqrt{1-\frac{1}{z}}} G_{2,2}^{2,1}\left(iz, \frac{1}{2} \left| \begin{matrix} \frac{1}{2}, 1 \\ 0, 0 \end{matrix} \right. \right)$$

01.30.26.0031.01

$$\frac{1}{2}\pi\sqrt{-\frac{1}{z^2}}z + \operatorname{sech}^{-1}(z) - \frac{1}{2}\log\left(-\frac{4}{z^2}\right) + \frac{1}{2}\sum_{k=1}^n \frac{\left(\frac{1}{2}\right)_k z^{2k}}{k k!} = \frac{(-1)^n}{2\sqrt{\pi}} G_{3,3}^{1,3}\left(iz, \frac{1}{2} \left| \begin{matrix} \frac{1}{2}, 1, n+1 \\ n+1, 0, 0 \end{matrix} \right. \right); n \in \mathbb{N}$$

01.30.26.0032.01

$$\operatorname{sech}^{-1}(z) + \frac{\sqrt{\frac{1}{z}-1}}{\sqrt{1-\frac{1}{z}}} \sum_{k=0}^n \frac{\left(\frac{1}{2}\right)_k z^{-2k-1}}{(2k+1)k!} - \frac{\pi\sqrt{\frac{1}{z}-1}}{2\sqrt{1-\frac{1}{z}}} = \frac{(-1)^{n+\frac{1}{2}}\sqrt{\frac{1}{z}-1}}{2\sqrt{\pi}\sqrt{1-\frac{1}{z}}} G_{3,3}^{3,1}\left(iz, \frac{1}{2} \left| \begin{matrix} -n-\frac{1}{2}, 1, \frac{1}{2} \\ 0, 0, -n-\frac{1}{2} \end{matrix} \right. \right); n \in \mathbb{N}$$

### Generalized cases involving algebraic functions

01.30.26.0017.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2+1}-z\right) = \frac{1}{2\sqrt{2\pi}} G_{3,3}^{2,2}\left(z, \frac{1}{2} \left| \begin{matrix} 1, 1, \frac{1}{2} \\ \frac{1}{4}, \frac{3}{4}, 0 \end{matrix} \right. \right); z \notin (-1, 0)$$

01.30.26.0018.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}-1}{z}\right) = \frac{1}{2\sqrt{2\pi}} G_{3,3}^{2,2}\left(z, \frac{1}{2} \left| \begin{matrix} \frac{1}{4}, \frac{3}{4}, 1 \\ 0, 0, \frac{1}{2} \end{matrix} \right. \right); -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$



01.30.26.0019.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2+1}+1}\right) = \frac{1}{2\sqrt{2\pi}} G_{3,3}^{2,2}\left(z, \frac{1}{2} \left| \begin{matrix} \frac{1}{4}, \frac{3}{4}, 1 \\ 0, 0, \frac{1}{2} \end{matrix} \right. \right); \operatorname{Re}(z) > 0$$

01.30.26.0020.01

$$\operatorname{sech}^{-1}\left(\frac{1}{z+\sqrt{z^2+1}}\right) = \frac{1}{2\sqrt{2\pi}} G_{3,3}^{2,2}\left(z, \frac{1}{2} \left| \begin{matrix} 1, 1, \frac{1}{2} \\ \frac{1}{4}, \frac{3}{4}, 0 \end{matrix} \right. \right); z \notin (-1, 0)$$

### Generalized cases for powers of $\operatorname{sech}^{-1}$

01.30.26.0033.01

$$\operatorname{sech}^{-1}(z)^2 = \frac{1}{2}\sqrt{\pi} G_{3,3}^{3,1}\left(i z, \frac{1}{2} \left| \begin{matrix} 0, 1, \frac{1}{2} \\ 0, 0, 0 \end{matrix} \right. \right) + \frac{1}{2}(i\sqrt{\pi}) G_{2,2}^{2,1}\left(i z, \frac{1}{2} \left| \begin{matrix} \frac{1}{2}, 1 \\ 0, 0 \end{matrix} \right. \right) - \frac{\pi^2}{4}$$

## Through other functions

### Involving inverse Jacobi functions

01.30.26.0021.01

$$\operatorname{sech}^{-1}(z) = \operatorname{cn}^{-1}(z | 1)$$

01.30.26.0022.01

$$\operatorname{sech}^{-1}(z) = \frac{\sqrt{\frac{1}{z}-1}}{\sqrt{1-\frac{1}{z}}} \operatorname{dc}^{-1}(z | 0)$$

01.30.26.0023.01

$$\operatorname{sech}^{-1}(z) = \operatorname{dn}^{-1}(z | 1)$$

01.30.26.0024.01

$$\operatorname{sech}^{-1}(z) = \frac{\sqrt{\frac{1}{z}-1}}{\sqrt{1-\frac{1}{z}}} \operatorname{nc}^{-1}(z | 0)$$

01.30.26.0025.01

$$\operatorname{sech}^{-1}(z) = \operatorname{nc}^{-1}\left(\frac{1}{z} \left| 1 \right. \right)$$

01.30.26.0026.01

$$\operatorname{sech}^{-1}(z) = \operatorname{nd}^{-1}\left(\frac{1}{z} \left| 1 \right. \right)$$

## Representations through equivalent functions

### With inverse function

Involving  $\operatorname{sech}^{-1}(\operatorname{sech}(z))$

01.30.27.0001.02

$$\operatorname{sech}^{-1}(\operatorname{sech}(z)) = z /; (\operatorname{Re}(z) > 0 \wedge -\pi < \operatorname{Im}(z) \leq \pi) \vee (\operatorname{Re}(z) = 0 \wedge 0 \leq \operatorname{Im}(z) \leq \pi)$$

01.30.27.0050.01

$$\operatorname{sech}^{-1}(\operatorname{sech}(z)) = -z /; (\operatorname{Re}(z) < 0 \wedge -\pi \leq \operatorname{Im}(z) < \pi) \vee (\operatorname{Re}(z) = 0 \wedge -\pi \leq \operatorname{Im}(z) \leq 0)$$

01.30.27.0002.01

$$\operatorname{sech}^{-1}(\operatorname{sech}(z)) = \sqrt{z^2} /; -\pi < \operatorname{Im}(z) < \pi \vee (\operatorname{Im}(z) = -\pi \wedge \operatorname{Re}(z) \leq 0) \vee (\operatorname{Im}(z) = \pi \wedge \operatorname{Re}(z) \geq 0)$$

01.30.27.0003.01

$$\operatorname{sech}^{-1}(\operatorname{sech}(z)) = \sqrt{z^2} \left( 1 - \frac{2\pi i k}{z} \right) /;$$

$$((2k-1)\pi < \operatorname{Im}(z) < (2k+1)\pi \vee \operatorname{Im}(z) = (2k-1)\pi \wedge \operatorname{Re}(z) < 0 \vee \operatorname{Im}(z) = (2k+1)\pi \wedge \operatorname{Re}(z) > 0) \wedge k \in \mathbb{Z} \vee (z = (2k-1)\pi i \wedge -k \in \mathbb{N}) \vee (z = (2k+1)\pi i \wedge k \in \mathbb{N})$$

01.30.27.0004.01

$$\operatorname{sech}^{-1}(\operatorname{sech}(z)) = \left( \sqrt{z^2} - \frac{\pi i}{2} e^{i\pi \left[ \frac{1}{2} - \frac{\arg(z)}{\pi} \right]} \left( 2 \left\lfloor \frac{\operatorname{Im}(z)}{\pi} \right\rfloor - (-1)^{\left\lfloor \frac{\operatorname{Im}(z)}{\pi} \right\rfloor} + 1 \right) \right) (1 - \delta_{\operatorname{Re}(z)}) - \pi i \theta(\operatorname{Im}(z)) \left( 1 + (-1)^{\left\lfloor \frac{\operatorname{Im}(z)}{2\pi} + \frac{1}{2} \right\rfloor} + \left\lfloor -\frac{\operatorname{Im}(z)}{2\pi} - \frac{1}{2} \right\rfloor \right) \delta_{\operatorname{Re}(z)} + \left( (-1)^{\left\lfloor \frac{\operatorname{Im}(z)}{\pi} \right\rfloor} \left( z - \pi i \left\lfloor \frac{\operatorname{Im}(z)}{\pi} \right\rfloor - \frac{\pi i}{2} \right) + \frac{i\pi}{2} \right) \delta_{\operatorname{Re}(z)} + \frac{\pi i}{2} \left( e^{i\pi \left[ \frac{1}{2} - \frac{\arg(z)}{\pi} \right]} + 1 \right) \left( 1 + (-1)^{\left\lfloor \frac{\operatorname{Im}(z)}{2\pi} + \frac{1}{2} \right\rfloor} + \left\lfloor -\frac{\operatorname{Im}(z)}{2\pi} - \frac{1}{2} \right\rfloor \right) \theta(\operatorname{Re}(z))$$

01.30.27.2682.01

$$\operatorname{sech}^{-1}(\operatorname{sech}(z)) = \begin{cases} \frac{\pi i}{2} - (-1)^{\left\lfloor \frac{\pi - iz}{\pi} \right\rfloor} \left( z - \pi i \left\lfloor \frac{\pi - iz}{\pi} \right\rfloor + \frac{\pi i}{2} \right) & \operatorname{Re}(z) = 0 \\ \sqrt{z^2} \left( 1 - \frac{2\pi i}{z} \left\lfloor \frac{\operatorname{Im}(z) - \pi}{2\pi} \right\rfloor \right) & \frac{\operatorname{Im}(z) + \pi}{2\pi} \in \mathbb{Z} \wedge \operatorname{Re}(z) > 0 \\ \sqrt{z^2} \left( 1 - \frac{2\pi i}{z} \left\lfloor \frac{\operatorname{Im}(z) + \pi}{2\pi} \right\rfloor \right) & \text{True} \end{cases}$$

01.30.27.2683.01

$$\operatorname{sech}^{-1}(\operatorname{sech}(z)) = \cosh^{-1}(\cosh(z))$$

### Involving $\operatorname{sech}(\operatorname{sech}^{-1}(z))$

01.30.27.0005.01

$$\operatorname{sech}(\operatorname{sech}^{-1}(z)) = z$$

## With related functions

### Involving log

01.30.27.0006.01

$$\operatorname{sech}^{-1}(z) = \log \left( \sqrt{\frac{1}{z} - 1} \sqrt{1 + \frac{1}{z} + \frac{1}{z}} \right)$$

01.30.27.0007.01

$$\operatorname{sech}^{-1}(z) = \log \left( \frac{\sqrt{1 - z^2} + 1}{z} \right) /; z \notin (-\infty, -1)$$

### Involving $\sin^{-1}$

## Involving $\operatorname{sech}^{-1}(z)$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sin^{-1}\left(\frac{1}{z}\right)$

01.30.27.0051.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + i \sin^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0052.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - i \sin^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0053.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1 - \frac{1}{z}}} \sqrt{\frac{1}{z} - 1} \left( \frac{\pi}{2} - \sin^{-1}\left(\frac{1}{z}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sin^{-1}\left(\frac{z^2-2}{z^2}\right)$

01.30.27.0054.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{4} - \frac{1}{2} i \sin^{-1}\left(\frac{z^2-2}{z^2}\right); 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0055.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{4} + \frac{1}{2} i \sin^{-1}\left(\frac{z^2-2}{z^2}\right); -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0056.01

$$\operatorname{sech}^{-1}(z) = -\frac{3\pi i}{4} + \frac{1}{2} i \sin^{-1}\left(\frac{z^2-2}{z^2}\right); \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.0057.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{4} - \frac{1}{2} i \sin^{-1}\left(\frac{z^2-2}{z^2}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0058.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1 - \frac{1}{z}}} \sqrt{\frac{1}{z} - 1} \left( \frac{1}{2} \pi \left( 1 - \frac{1}{2} z \sqrt{\frac{1}{z^2}} \right) + \frac{1}{2} \left( z \sqrt{\frac{1}{z^2}} \right) \sin^{-1}\left(\frac{z^2-2}{z^2}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sin^{-1}\left(\frac{2-z^2}{z^2}\right)$

01.30.27.0059.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{4} + \frac{1}{2} i \sin^{-1}\left(\frac{2-z^2}{z^2}\right); 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0060.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{4} - \frac{1}{2} i \sin^{-1}\left(\frac{2-z^2}{z^2}\right); -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0061.01

$$\operatorname{sech}^{-1}(z) = -\frac{3\pi i}{4} - \frac{1}{2} i \sin^{-1}\left(\frac{2-z^2}{z^2}\right); \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.0062.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{4} + \frac{1}{2} i \sin^{-1}\left(\frac{2-z^2}{z^2}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0063.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left( \frac{1}{2} \pi \left( 1 - \frac{1}{2} z \sqrt{\frac{1}{z^2}} \right) - \frac{1}{2} \left( z \sqrt{\frac{1}{z^2}} \right) \sin^{-1}\left(\frac{2-z^2}{z^2}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sin^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{2z}}\right)$

01.30.27.0064.01

$$\operatorname{sech}^{-1}(z) = 2i \sin^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{2z}}\right) - \pi i; 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0065.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2i \sin^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{2z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0066.01

$$\operatorname{sech}^{-1}(z) = \pi i + 2i \sin^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{2z}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0067.01

$$\operatorname{sech}^{-1}(z) = \frac{2\sqrt{z-1}\sqrt{z}}{\sqrt{1-z}} \sqrt{\frac{1}{z}} \left( \frac{\sqrt{-z-1}\sqrt{z}}{\sqrt{-z}\sqrt{z+1}} \sin^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{2z}}\right) - \frac{\pi}{2} \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sin^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-2z}}\right)$

01.30.27.0068.01

$$\operatorname{sech}^{-1}(z) = 2i \sin^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-2z}}\right) - \pi i; 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0069.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2i \sin^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-2z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0070.01

$$\operatorname{sech}^{-1}(z) = \frac{2\sqrt{z-1}\sqrt{z}}{\sqrt{1-z}} \sqrt{\frac{1}{z}} \left( \sin^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-2z}}\right) - \frac{\pi}{2} \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sin^{-1}\left(\sqrt{\frac{z+1}{2z}}\right)$

01.30.27.0071.01

$$\operatorname{sech}^{-1}(z) = 2i \sin^{-1}\left(\sqrt{\frac{z+1}{2z}}\right) - \pi i ; 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0072.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2i \sin^{-1}\left(\sqrt{\frac{z+1}{2z}}\right) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0073.01

$$\operatorname{sech}^{-1}(z) = \frac{2\sqrt{z-1}\sqrt{z}}{\sqrt{1-z}} \sqrt{\frac{1}{z}} \left( \sin^{-1}\left(\sqrt{\frac{z+1}{2z}}\right) - \frac{\pi}{2} \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sin^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{2z}}\right)$

01.30.27.0074.01

$$\operatorname{sech}^{-1}(z) = -2i \sin^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{2z}}\right) ; 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0075.01

$$\operatorname{sech}^{-1}(z) = 2i \sin^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{2z}}\right) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0076.01

$$\operatorname{sech}^{-1}(z) = \frac{2\sqrt{1-z}\sqrt{z}}{\sqrt{-1+z}} \sqrt{\frac{1}{z}} \sin^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{2z}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sin^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-2z}}\right)$

01.30.27.0077.01

$$\operatorname{sech}^{-1}(z) = -2i \sin^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-2z}}\right) ; \operatorname{Im}(z) > 0$$

01.30.27.0078.01

$$\operatorname{sech}^{-1}(z) = 2i \sin^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-2z}}\right) ; \operatorname{Im}(z) \leq 0$$

01.30.27.0079.01

$$\operatorname{sech}^{-1}(z) = 2 \sqrt{\frac{1}{z}} \sqrt{-z} \sin^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-2z}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sin^{-1}\left(\sqrt{\frac{z-1}{2z}}\right)$

01.30.27.0080.01

$$\operatorname{sech}^{-1}(z) = -2i \sin^{-1}\left(\sqrt{\frac{z-1}{2z}}\right); 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0081.01

$$\operatorname{sech}^{-1}(z) = 2i \sin^{-1}\left(\sqrt{\frac{z-1}{2z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0082.01

$$\operatorname{sech}^{-1}(z) = \frac{2}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \sin^{-1}\left(\sqrt{\frac{z-1}{2z}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sin^{-1}\left(\frac{1}{\sqrt{z^2}}\right)$

01.30.27.0083.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + i \sin^{-1}\left(\frac{1}{\sqrt{z^2}}\right); 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0084.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - i \sin^{-1}\left(\frac{1}{\sqrt{z^2}}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0085.01

$$\operatorname{sech}^{-1}(z) = -i \sin^{-1}\left(\frac{1}{\sqrt{z^2}}\right) - \frac{\pi i}{2}; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.0086.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + i \sin^{-1}\left(\frac{1}{\sqrt{z^2}}\right); -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0087.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left( \frac{\pi}{2} - \frac{\sqrt{z^2}}{z} \sin^{-1}\left(\frac{1}{\sqrt{z^2}}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sin^{-1}\left(\sqrt{\frac{1}{z^2}}\right)$

01.30.27.0088.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + i \sin^{-1}\left(\sqrt{\frac{1}{z^2}}\right); 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0089.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - i \sin^{-1}\left(\sqrt{\frac{1}{z^2}}\right); -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0090.01

$$\operatorname{sech}^{-1}(z) = -i \sin^{-1}\left(\sqrt{\frac{1}{z^2}}\right) - \frac{\pi i}{2}; \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.0091.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + i \sin^{-1}\left(\sqrt{\frac{1}{z^2}}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0092.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1 - \frac{1}{z}}} \sqrt{\frac{1}{z} - 1} \left( \frac{\pi}{2} - z \sqrt{\frac{1}{z^2}} \sin^{-1}\left(\sqrt{\frac{1}{z^2}}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sin^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right)$

01.30.27.0093.01

$$\operatorname{sech}^{-1}(z) = -i \sin^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right); 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1) \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.30.27.0094.01

$$\operatorname{sech}^{-1}(z) = i \sin^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0095.01

$$\operatorname{sech}^{-1}(z) = -\pi i - i \sin^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right); \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.0096.01

$$\operatorname{sech}^{-1}(z) = \pi i + i \sin^{-1}\left(\frac{\sqrt{z^2 - 1}}{z}\right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0097.01

$$\operatorname{sech}^{-1}(z) = -\pi i + i \sin^{-1}\left(\frac{\sqrt{z^2 - 1}}{z}\right) /; (i z \in \mathbb{R} \wedge i z < 0)$$

01.30.27.0098.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1 - \frac{1}{z}}} \sqrt{\frac{1}{z} - 1} \left( \frac{\pi}{2} \left( 1 - z \sqrt{\frac{1}{z^2}} \right) + \sqrt{\frac{1}{z^2}} \sqrt{z^2} \sin^{-1}\left(\frac{\sqrt{z^2 - 1}}{z}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sin^{-1}\left(\frac{\sqrt{z^2 - 1}}{\sqrt{z^2}}\right)$

01.30.27.0099.01

$$\operatorname{sech}^{-1}(z) = -i \sin^{-1}\left(\frac{\sqrt{z^2 - 1}}{\sqrt{z^2}}\right) /; 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0100.01

$$\operatorname{sech}^{-1}(z) = i \sin^{-1}\left(\frac{\sqrt{z^2 - 1}}{\sqrt{z^2}}\right) /; -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0101.01

$$\operatorname{sech}^{-1}(z) = -\pi i + i \sin^{-1}\left(\frac{\sqrt{z^2 - 1}}{\sqrt{z^2}}\right) /; \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.0102.01

$$\operatorname{sech}^{-1}(z) = \pi i - i \sin^{-1}\left(\frac{\sqrt{z^2 - 1}}{\sqrt{z^2}}\right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0103.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1 - \frac{1}{z}}} \sqrt{\frac{1}{z} - 1} \left( \frac{\pi}{2} \left( 1 - z \sqrt{\frac{1}{z^2}} \right) + z \sqrt{\frac{1}{z^2}} \sin^{-1}\left(\frac{\sqrt{z^2 - 1}}{\sqrt{z^2}}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sin^{-1}\left(\frac{\sqrt{1 - z^2}}{\sqrt{-z^2}}\right)$



01.30.27.0104.01

$$\operatorname{sech}^{-1}(z) = -i \sin^{-1} \left( \frac{\sqrt{1-z^2}}{\sqrt{-z^2}} \right) /; 0 < \arg(z) < \frac{\pi}{2}$$

01.30.27.0105.01

$$\operatorname{sech}^{-1}(z) = i \sin^{-1} \left( \frac{\sqrt{1-z^2}}{\sqrt{-z^2}} \right) /; -\frac{\pi}{2} \leq \arg(z) \leq 0$$

01.30.27.0106.01

$$\operatorname{sech}^{-1}(z) = -\pi i + i \sin^{-1} \left( \frac{\sqrt{1-z^2}}{\sqrt{-z^2}} \right) /; \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.0107.01

$$\operatorname{sech}^{-1}(z) = \pi i - i \sin^{-1} \left( \frac{\sqrt{1-z^2}}{\sqrt{-z^2}} \right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0108.01

$$\operatorname{sech}^{-1}(z) = \pi i + i \sin^{-1} \left( \frac{\sqrt{1-z^2}}{\sqrt{-z^2}} \right) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0109.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left( \frac{\pi}{2} \left( 1 - z \sqrt{\frac{1}{z^2}} \right) + \frac{\sqrt{-z} z^{3/2} \sqrt{-1+z^2}}{\sqrt{z^2-z^4}} \sqrt{\frac{1}{z^2}} \sin^{-1} \left( \frac{\sqrt{1-z^2}}{\sqrt{-z^2}} \right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sin^{-1} \left( \sqrt{\frac{z^2-1}{z^2}} \right)$

01.30.27.0110.01

$$\operatorname{sech}^{-1}(z) = -i \sin^{-1} \left( \sqrt{\frac{z^2-1}{z^2}} \right) /; 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0111.01

$$\operatorname{sech}^{-1}(z) = i \sin^{-1} \left( \sqrt{\frac{z^2-1}{z^2}} \right) /; -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0112.01

$$\operatorname{sech}^{-1}(z) = -\pi i + i \sin^{-1} \left( \sqrt{\frac{z^2-1}{z^2}} \right) /; \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.0113.01

$$\operatorname{sech}^{-1}(z) = \pi i - i \sin^{-1}\left(\sqrt{\frac{z^2 - 1}{z^2}}\right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0114.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1 - \frac{1}{z}}} \sqrt{\frac{1}{z} - 1} \left( \frac{\pi}{2} \left( 1 - z \sqrt{\frac{1}{z^2}} \right) + z \sqrt{\frac{1}{z^2}} \sin^{-1}\left(\sqrt{\frac{z^2 - 1}{z^2}}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sin^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2}\right)$

01.30.27.0115.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + \frac{1}{2} i \sin^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2}\right) /; 0 < \arg(z) \leq \frac{\pi}{2} \wedge |z| \geq \sqrt{2}$$

01.30.27.0116.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - \frac{1}{2} i \sin^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2}\right) /; -\frac{\pi}{2} < \arg(z) \leq 0 \wedge |z| \geq \sqrt{2}$$

01.30.27.0117.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} - \frac{1}{2} i \sin^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2}\right) /; \frac{\pi}{2} < \arg(z) < \pi \wedge |z| \geq \sqrt{2}$$

01.30.27.0118.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + \frac{1}{2} i \sin^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2}\right) /; -\pi < \arg(z) \leq -\frac{\pi}{2} \wedge |z| \geq \sqrt{2} \vee (z \in \mathbb{R} \wedge z < -\sqrt{2})$$

01.30.27.0119.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi}{4 \sqrt{\frac{z-1}{z}}} \sqrt{\frac{1}{z} - 1} \left( -\sqrt{\frac{1}{z^2}} z - \frac{\sqrt{\frac{1}{z^4} - \frac{1}{z^2}} z}{\sqrt{\frac{1}{z^2} - 1}} + \sqrt{\frac{1}{z}} \sqrt{\frac{z + \sqrt{2}}{z}} \sqrt{\frac{z}{z + \sqrt{2}}} \sqrt{z} - \sqrt{1 - \frac{\sqrt{2}}{z}} \sqrt{-\frac{1}{z}} \sqrt{-z} \sqrt{\frac{z}{z - \sqrt{2}}} + 2 \right) - \frac{\sqrt{(\sqrt{2} - z)(z - 1)} \sqrt{z + \sqrt{2}}}{2 \sqrt{\frac{1}{z^4} - \frac{1}{z^2}} z^{3/2} \sqrt{z^2 - 2}} \sqrt{-\frac{z+1}{z}} \sin^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2}\right)$$

## Involving $\operatorname{sech}^{-1}(-z)$

Involving  $\operatorname{sech}^{-1}(-z)$  and  $\sin^{-1}\left(\frac{1}{z}\right)$

01.30.27.0120.01

$$\operatorname{sech}^{-1}(-z) = \frac{\pi i}{2} + i \sin^{-1}\left(\frac{1}{z}\right); 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0121.01

$$\operatorname{sech}^{-1}(-z) = -\frac{\pi i}{2} - i \sin^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0122.01

$$\operatorname{sech}^{-1}(-z) = \frac{1}{\sqrt{\frac{1}{z} + 1}} \sqrt{-\frac{1}{z} - 1} \left( \sin^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2} \right)$$

## Involving $\operatorname{sech}^{-1}(\sqrt{z})$

Involving  $\operatorname{sech}^{-1}(\sqrt{z})$  and  $\sin^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.0123.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = -\frac{\pi i}{2} + i \sin^{-1}\left(\frac{1}{\sqrt{z}}\right); 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0124.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = \frac{\pi i}{2} - i \sin^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0125.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = \frac{\sqrt{z-1}}{\sqrt{1-z}} \left( \sin^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi}{2} \right)$$

Involving  $\operatorname{sech}^{-1}(\sqrt{z})$  and  $\sin^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.0126.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = \frac{\pi i}{2} - i \sin^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0127.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = -\frac{\pi i}{2} + i \sin^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0128.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = -\frac{\pi i}{2} - i \sin^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0129.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = \frac{\sqrt{z-1}}{\sqrt{1-z}} \left( \sqrt{z} \sqrt{\frac{1}{z}} \sin^{-1}\left(\sqrt{\frac{1}{z}}\right) - \frac{\pi}{2} \right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$ and $\sin^{-1}(\sqrt{z})$

01.30.27.0130.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi i}{2} - i \sin^{-1}(\sqrt{z}); 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0131.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \sin^{-1}(\sqrt{z}) - \frac{\pi i}{2}; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0132.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\sqrt{z-1}}{\sqrt{1-z}} \left( \frac{\pi}{2} - \sin^{-1}(\sqrt{z}) \right)$$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$ and $\sin^{-1}\left(1/\sqrt{\frac{1}{z}}\right)$

01.30.27.0133.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi i}{2} - i \sin^{-1}\left(1/\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0134.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{\pi i}{2} + i \sin^{-1}\left(1/\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0135.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi i}{2} + i \sin^{-1}\left(1/\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0136.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\sqrt{z-1}}{\sqrt{1-z}} \left( \frac{\pi}{2} - \sqrt{z} \sqrt{\frac{1}{z}} \sin^{-1}\left(1/\sqrt{\frac{1}{z}}\right) \right)$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{z^2}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{z^2}\right)$  and  $\sin^{-1}\left(\frac{1}{z}\right)$

01.30.27.0137.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = -\frac{\pi i}{2} + i \sin^{-1}\left(\frac{1}{z}\right) /; 0 < \arg(z) \leq \frac{\pi}{2} \sqrt{z \in \mathbb{R} \wedge 0 < z < 1}$$

01.30.27.0138.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = \frac{\pi i}{2} - i \sin^{-1}\left(\frac{1}{z}\right) /; -\frac{\pi}{2} < \arg(z) < 0 \sqrt{z \in \mathbb{R} \wedge z > 1}$$

01.30.27.0139.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = \frac{\pi i}{2} + i \sin^{-1}\left(\frac{1}{z}\right) /; \frac{\pi}{2} < \arg(z) < \pi \sqrt{z \in \mathbb{R} \wedge z < -1}$$

01.30.27.0140.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = -\frac{\pi i}{2} - i \sin^{-1}\left(\frac{1}{z}\right) /; -\pi < \arg(z) \leq -\frac{\pi}{2} \sqrt{z \in \mathbb{R} \wedge -1 < z < 0}$$

01.30.27.0141.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = \frac{\pi i}{2} \left( -\frac{i \sqrt{-z} \sqrt{z^2}}{z^{3/2}} + \sqrt{\frac{z^2}{z^2-1}} \sqrt{\frac{z^2-1}{z^2}-1} \right) + \frac{z \sqrt{z^2-1}}{\sqrt{z^2-z^4}} \sin^{-1}\left(\frac{1}{z}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right)$  and  $\sin^{-1}(z)$

01.30.27.0142.01

$$\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right) = 2i \sin^{-1}(z) /; -\pi < \arg(z) \leq 0$$

01.30.27.0143.01

$$\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right) = -2i \sin^{-1}(z) /; 0 < \arg(z) \leq \pi$$

01.30.27.0144.01

$$\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right) = \frac{2\sqrt{-z^2}}{z} \sin^{-1}(z)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right)$  and  $\sin^{-1}(z)$

$$\text{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = \pi i - 2i \sin^{-1}(z) /; 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

$$\text{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = -\pi i + 2i \sin^{-1}(z) /; -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

$$\text{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = -\pi i - 2i \sin^{-1}(z) /; \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

$$\text{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = \pi i + 2i \sin^{-1}(z) /; -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

$$\text{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = \frac{\sqrt{z^2-1}}{\sqrt{1-z^2}} \left( \pi - \frac{2\sqrt{z^2}}{z} \sin^{-1}(z) \right)$$

### Involving $\text{sech}^{-1}\left(\frac{z^2}{z^2-2}\right)$

#### Involving $\text{sech}^{-1}\left(\frac{z^2}{z^2-2}\right)$ and $\sin^{-1}\left(\frac{1}{z}\right)$

$$\text{sech}^{-1}\left(\frac{z^2}{z^2-2}\right) = 2i \sin^{-1}\left(\frac{1}{z}\right) /; 0 \leq \arg(z) < \pi$$

$$\text{sech}^{-1}\left(\frac{z^2}{z^2-2}\right) = -2i \sin^{-1}\left(\frac{1}{z}\right) /; -\pi < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

$$\text{sech}^{-1}\left(\frac{z^2}{z^2-2}\right) = 2z \sqrt{-\frac{1}{z^2}} \sin^{-1}\left(\frac{1}{z}\right)$$

### Involving $\text{sech}^{-1}\left(\frac{z^2}{2-z^2}\right)$

#### Involving $\text{sech}^{-1}\left(\frac{z^2}{2-z^2}\right)$ and $\sin^{-1}\left(\frac{1}{z}\right)$

$$\text{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = -\pi i + 2i \sin^{-1}\left(\frac{1}{z}\right) /; 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0154.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = \pi i - 2i \sin^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} \leq \arg(z) < 0 \quad \vee \quad (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0155.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = \pi i + 2i \sin^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} \leq \arg(z) < \pi \quad \vee \quad (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0156.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = -\pi i - 2i \sin^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \quad \vee \quad (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0157.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = \frac{\sqrt{z^2-z^4}}{\sqrt{z^2-1}} \sqrt{\frac{1}{z^2}} \left( \pi - 2 \sqrt{\frac{1}{z^2}} z \sin^{-1}\left(\frac{1}{z}\right) \right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right)$ and $\sin^{-1}(\sqrt{z})$

01.30.27.0158.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = -i \sin^{-1}(\sqrt{z}); 0 < \arg(z) \leq \pi$$

01.30.27.0159.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = i \sin^{-1}(\sqrt{z}); -\pi < \arg(z) \leq 0$$

01.30.27.0008.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = \frac{\sqrt{-z^2}}{z} \sin^{-1}(\sqrt{z})$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right)$ and $\sin^{-1}(\sqrt{z})$

01.30.27.0160.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = -i \sin^{-1}(\sqrt{z}); 0 < \arg(z) \leq \pi$$

01.30.27.0161.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = i \sin^{-1}(\sqrt{z}) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0162.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = i \sin^{-1}(\sqrt{z}) - \pi i /; (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0163.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = \frac{\pi i}{2} \left( \sqrt{1-z} \sqrt{\frac{1}{1-z}} - 1 \right) + \frac{\sqrt{-z^2}}{z} \sin^{-1}(\sqrt{z})$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1+cz}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{z+1}}\right)$ and $\sin^{-1}(z)$

01.30.27.0164.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{z+1}}\right) = \frac{\pi i}{4} - \frac{1}{2} i \sin^{-1}(z) /; 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0165.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{z+1}}\right) = -\frac{\pi i}{4} + \frac{1}{2} i \sin^{-1}(z) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0166.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{z+1}}\right) = \frac{\sqrt{z-1}}{2\sqrt{1-z}} \left( \frac{\pi}{2} - \sin^{-1}(z) \right)$$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right)$ and $\sin^{-1}(z)$

01.30.27.0167.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right) = -\frac{\pi i}{4} - \frac{1}{2} i \sin^{-1}(z) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0168.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right) = \frac{\pi i}{4} + \frac{1}{2} i \sin^{-1}(z) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > -1)$$

01.30.27.0010.02

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right) = \frac{\sqrt{-1-z}}{2\sqrt{1+z}} \left( \sin^{-1}(z) + \frac{\pi}{2} \right)$$



Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1+cz}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{z+1}}\right)$  and  $\sin^{-1}(z)$

01.30.27.0169.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{z+1}}\right) = \frac{\pi i}{4} - \frac{1}{2} i \sin^{-1}(z) \ ; \ 0 < \arg(z) < \pi \ \vee \ (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.30.27.0170.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{z+1}}\right) = -\frac{\pi i}{4} + \frac{1}{2} i \sin^{-1}(z) \ ; \ \operatorname{Im}(z) < 0 \ \vee \ (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0171.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{z+1}}\right) = -\frac{3\pi i}{4} - \frac{1}{2} i \sin^{-1}(z) \ ; \ (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0172.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{z+1}}\right) = \frac{\pi i}{2} \left( \sqrt{z+1} \sqrt{\frac{1}{z+1}} - 1 \right) + \frac{\sqrt{z-1}}{2\sqrt{1-z}} \left( \frac{\pi}{2} - \sin^{-1}(z) \right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right)$  and  $\sin^{-1}(z)$

01.30.27.0173.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = -\frac{\pi i}{4} - \frac{1}{2} i \sin^{-1}(z) \ ; \ \operatorname{Im}(z) > 0 \ \vee \ (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0174.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = \frac{\pi i}{4} + \frac{1}{2} i \sin^{-1}(z) \ ; \ \operatorname{Im}(z) < 0 \ \vee \ (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.30.27.0175.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = -\frac{3\pi i}{4} + \frac{1}{2} i \sin^{-1}(z) \ ; \ (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0009.02

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = \frac{\pi i}{2} \left( \sqrt{1-z} \sqrt{\frac{1}{1-z}} - 1 \right) + \frac{\sqrt{-1-z}}{2\sqrt{1+z}} \left( \sin^{-1}(z) + \frac{\pi}{2} \right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right)$  and  $\sin^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.0176.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = i \sin^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) \geq 0$$

01.30.27.0177.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = -i \sin^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) < 0$$

01.30.27.0178.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = \sqrt{-\frac{1}{z}} \sqrt{z} \sin^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right)$  and  $\sin^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.0179.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = i \sin^{-1}\left(\sqrt{\frac{1}{z}}\right); 0 \leq \arg(z) < \pi$$

01.30.27.0180.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = -i \sin^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0181.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = z \sqrt{-\frac{1}{z^2}} \sin^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right)$  and  $\sin^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.0182.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = i \sin^{-1}\left(\frac{1}{\sqrt{z}}\right); 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0183.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = -i \sin^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) < 0$$

01.30.27.0184.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = i \sin^{-1}\left(\frac{1}{\sqrt{z}}\right) - \pi i /; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0185.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} \left( \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} - 1 \right) + \sqrt{-\frac{1}{z}} \sqrt{z} \sin^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right)$  and  $\sin^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.0186.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = i \sin^{-1}\left(\sqrt{\frac{1}{z}}\right) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0187.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = -i \sin^{-1}\left(\sqrt{\frac{1}{z}}\right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0188.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = i \sin^{-1}\left(\sqrt{\frac{1}{z}}\right) - \pi i /; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0189.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} \left( \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} - 1 \right) + z \sqrt{-\frac{1}{z^2}} \sin^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right)$  and  $\sin^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.0190.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = i \sin^{-1}\left(\frac{1}{\sqrt{z}}\right) /; 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0191.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = -i \sin^{-1}\left(\frac{1}{\sqrt{z}}\right) /; \operatorname{Im}(z) < 0$$

01.30.27.0192.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = i \sin^{-1}\left(\frac{1}{\sqrt{z}}\right) - \pi i /; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0193.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = \frac{\pi i}{2} \left( \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} - 1 \right) + \sqrt{-\frac{1}{z}} \sqrt{z} \sin^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right)$  and  $\sin^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.0194.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = i \sin^{-1}\left(\sqrt{\frac{1}{z}}\right) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0195.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = -i \sin^{-1}\left(\sqrt{\frac{1}{z}}\right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0196.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = i \sin^{-1}\left(\sqrt{\frac{1}{z}}\right) - \pi i /; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0197.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = \frac{\pi i}{2} \left( \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} - 1 \right) + z \sqrt{-\frac{1}{z^2}} \sin^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+a}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right)$  and  $\sin^{-1}\left(\frac{1}{z}\right)$

01.30.27.0198.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right) = \frac{i}{2} \sin^{-1}\left(\frac{1}{z}\right) - \frac{\pi i}{4} /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0199.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right) = -\frac{i}{2} \sin^{-1}\left(\frac{1}{z}\right) + \frac{\pi i}{4} /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0200.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right) = -\frac{i}{2} \sin^{-1}\left(\frac{1}{z}\right) - \frac{3\pi i}{4} /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0201.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right) = \frac{\pi}{4} \left( -z \sqrt{-\frac{1}{z^2}} - i \sqrt{1-z} \sqrt{\frac{1}{1-z}} - i + 2i \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} \right) + \frac{z \sqrt{1-z}}{2} \sqrt{\frac{1}{1-z}} \sqrt{-\frac{1}{z^2}} \sin^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right)$  and  $\sin^{-1}\left(\frac{1}{z}\right)$

01.30.27.0202.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right) = \frac{\pi i}{4} + \frac{1}{2} i \sin^{-1}\left(\frac{1}{z}\right); 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0203.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right) = -\frac{\pi i}{4} - \frac{1}{2} i \sin^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0204.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right) = -\frac{\sqrt{-z-1} \sqrt{-z}}{2\sqrt{z+1}} \sqrt{-\frac{1}{z}} \left(\sin^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{a-z}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right)$  and  $\sin^{-1}\left(\frac{1}{z}\right)$

01.30.27.0205.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right) = \frac{\pi i}{4} + \frac{1}{2} i \sin^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0206.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right) = -\frac{\pi i}{4} - \frac{1}{2} i \sin^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0207.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} \left( \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} + \frac{i \sqrt{-z-1} \sqrt{-z}}{2\sqrt{z+1}} \sqrt{-\frac{1}{z}} - 1 \right) - \frac{\sqrt{-z-1} \sqrt{-z}}{2\sqrt{z+1}} \sqrt{-\frac{1}{z}} \sin^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-z-1}}\right)$  and  $\sin^{-1}\left(\frac{1}{z}\right)$

01.30.27.0208.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-z-1}}\right) = -\frac{\pi i}{4} + \frac{i}{2} \sin^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0209.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-z-1}}\right) = \frac{\pi i}{4} - \frac{1}{2} i \sin^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0210.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-z-1}}\right) = \frac{z\sqrt{1-z}}{2} \sqrt{\frac{1}{1-z}} \sqrt{-\frac{1}{z^2}} \sin^{-1}\left(\frac{1}{z}\right) - \frac{\pi i}{4} \left(-i \sqrt{-\frac{1}{z^2}} z + \sqrt{\frac{1}{1-z}} \sqrt{1-z} - 1\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+a}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right)$  and  $\sin^{-1}\left(\frac{1}{z}\right)$

01.30.27.0211.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right) = \frac{\pi i}{4} + \frac{1}{2} i \sin^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0212.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right) = -\frac{\pi i}{4} - \frac{1}{2} i \sin^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0213.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right) = -\frac{3\pi i}{4} + \frac{1}{2} i \sin^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0214.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right) = \left(\sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - 1\right) \frac{\pi i}{2} - \frac{\sqrt{-1-z} \sqrt{-z}}{2\sqrt{1+z}} \sqrt{-\frac{1}{z}} \left(\frac{\pi}{2} + \sin^{-1}\left(\frac{1}{z}\right)\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right)$  and  $\sin^{-1}\left(\frac{1}{z}\right)$

01.30.27.0215.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right) = -\frac{\pi i}{4} + \frac{1}{2} i \sin^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0216.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right) = \frac{\pi i}{4} - \frac{1}{2} i \sin^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0217.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right) = -\frac{3\pi i}{4} - \frac{1}{2} i \sin^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0218.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right) = \left(\sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1\right) \frac{\pi i}{2} - \frac{\sqrt{-1+z} \sqrt{z}}{2\sqrt{1-z}} \sqrt{\frac{1}{z}} \left(\frac{\pi}{2} - \sin^{-1}\left(\frac{1}{z}\right)\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right)$  and  $\sin^{-1}(z)$

01.30.27.0219.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right) = -i \sin^{-1}(z) ; 0 < \arg(z) \leq \pi$$

01.30.27.0220.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right) = i \sin^{-1}(z) ; -\pi < \arg(z) \leq 0$$

01.30.27.0011.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right) = \frac{\sqrt{-z^2}}{z} \sin^{-1}(z)$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right)$  and  $\sin^{-1}(z)$

01.30.27.0221.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = -i \sin^{-1}(z) ; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0222.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = i \sin^{-1}(z) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0223.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = i \sin^{-1}(z) - \pi i ; (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0224.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = -i \sin^{-1}(z) - \pi i ; (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0225.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = \frac{\pi i}{2} \left( \sqrt{1-z^2} \sqrt{\frac{1}{1-z^2}} - 1 \right) + \frac{\sqrt{-z^2}}{z} \sin^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right)$  and  $\sin^{-1}\left(\frac{1}{z}\right)$

01.30.27.0226.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = i \sin^{-1}\left(\frac{1}{z}\right); 0 \leq \arg(z) \leq \frac{\pi}{2}$$

01.30.27.0227.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = -i \sin^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0$$

01.30.27.0228.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = \pi i + i \sin^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0229.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = -\pi i - i \sin^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0230.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = \pi i - i \sin^{-1}\left(\frac{1}{z}\right); (i z \in \mathbb{R} \wedge i z > 0)$$

01.30.27.0231.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) =$$

$$\frac{\pi i}{2} \left( 2 \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 2 - \frac{i \sqrt{-iz} \sqrt{z}}{\sqrt{-z}} \sqrt{\frac{i}{z}} - \frac{\sqrt{-z} \sqrt{iz}}{\sqrt{z}} \sqrt{\frac{i}{z}} \right) + z \sqrt{-\frac{1}{z^2}} \sqrt{\frac{1}{z+1}} \sqrt{z+1} \sin^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right)$



Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right)$  and  $\sin^{-1}\left(\frac{1}{z}\right)$

01.30.27.0232.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right) = i \sin^{-1}\left(\frac{1}{z}\right); 0 \leq \arg(z) < \pi$$

01.30.27.0233.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right) = -i \sin^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0234.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right) = z \sqrt{-\frac{1}{z^2}} \sin^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right)$  and  $\sin^{-1}\left(\frac{1}{z}\right)$

01.30.27.0235.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = i \sin^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0236.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = -i \sin^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0237.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = -\pi i - i \sin^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0238.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = -\pi i + i \sin^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0239.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = z \sqrt{-\frac{1}{z^2}} \sin^{-1}\left(\frac{1}{z}\right) - \frac{\pi i}{2} \left(1 - \sqrt{1 - \frac{1}{z^2}} \sqrt{\frac{z^2}{z^2-1}}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right)$ and $\sin^{-1}\left(\frac{1}{z}\right)$

01.30.27.0240.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = i \sin^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0241.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = -i \sin^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0242.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = i \sin^{-1}\left(\frac{1}{z}\right) - \pi i; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0243.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = -i \sin^{-1}\left(\frac{1}{z}\right) - \pi i; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0244.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = z \sqrt{-\frac{1}{z^2}} \sin^{-1}\left(\frac{1}{z}\right) - \frac{\pi i}{2} \left(1 - \sqrt{1 - \frac{1}{z^2}} \sqrt{\frac{z^2}{-1+z^2}}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right)$ and $\sin^{-1}(z)$

01.30.27.0245.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right) = \frac{\pi i}{2} - 2i \sin^{-1}(z); 0 < \arg(z) \leq \frac{3\pi}{4}$$

01.30.27.0246.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right) = -\frac{\pi i}{2} + 2i \sin^{-1}(z); \frac{3\pi}{4} \leq \arg(z) \leq 0$$

01.30.27.0247.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right) = \frac{\sqrt{2z\sqrt{1-z^2}-1}}{\sqrt{1-2z\sqrt{1-z^2}}}\left(\frac{\pi\sqrt{1-2z^2}\sqrt{z^4-z^2}}{2\sqrt{-z^2}\sqrt{z^2-1}\sqrt{2z^2-1}}\left(-\frac{\sqrt{z^2}}{z}+\sqrt{\frac{1}{z}}\sqrt{z}\sqrt{\frac{1}{\sqrt{2}z+1}}\sqrt{\sqrt{2}z+1}-\sqrt{\frac{1}{z}}\sqrt{-z}\sqrt{\frac{1}{1-\sqrt{2}z}}\sqrt{1-\sqrt{2}z}-\frac{\sqrt{z^4-z^2}}{z\sqrt{z^2-1}}\right)+\frac{2\sqrt{1-2z^2}\sqrt{z^4-z^2}}{\sqrt{-z^2}\sqrt{z^2-1}\sqrt{2z^2-1}}\sin^{-1}(z)+\frac{\pi}{2}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right)$  and  $\sin^{-1}\left(\frac{1}{z}\right)$

01.30.27.0248.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = -\frac{\pi i}{2} + 2i \sin^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) \leq \frac{\pi}{2} \quad (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0249.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = \frac{\pi i}{2} - 2i \sin^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \quad (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0250.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = \frac{\pi i}{2} + 2i \sin^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) < \pi \quad (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0251.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = -\frac{\pi i}{2} - 2i \sin^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) \leq -\frac{\pi}{2} \quad (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0252.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = \frac{\sqrt{\frac{2\sqrt{z^2-1}}{z^2}-1}}{\sqrt{1-\frac{2\sqrt{z^2-1}}{z^2}}}\left(\frac{\pi}{2} + \frac{z^3\sqrt{z^2-2}\sqrt{z^2-1}}{2\sqrt{1-z}(z+1)\sqrt{-z^4+3z^2-2}}\sqrt{\frac{1-z^2}{z^4}}\sqrt{\frac{1}{z}}\sqrt{\frac{z+1}{z}}\left(\pi\left(\frac{z^3}{1-z^2}\sqrt{\frac{1-z^2}{z^2}}\sqrt{\frac{1-z^2}{z^4}} + \sqrt{\frac{1}{z^2}}z - \sqrt{\frac{1}{z}}\sqrt{\frac{z}{z+\sqrt{2}}}\sqrt{\frac{z+\sqrt{2}}{z}}\sqrt{z} + \sqrt{1-\frac{\sqrt{2}}{z}}\sqrt{-\frac{1}{z}}\sqrt{-z}}\sqrt{\frac{z}{z-\sqrt{2}}}\right) - 4\sin^{-1}\left(\frac{1}{z}\right)\right)\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2}/\sqrt{1-\sqrt{1+cz^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2}/\sqrt{1-\sqrt{1+z^2}}\right)$  and  $\sin^{-1}(iz)$

01.30.27.0253.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{2} - \frac{1}{2}i\sin^{-1}(iz); 0 < \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.30.27.0254.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} - \frac{1}{2}i\sin^{-1}(iz); -\frac{\pi}{2} < \arg(z) \leq 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.30.27.0255.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} + \frac{1}{2}i\sin^{-1}(iz); \frac{\pi}{2} < \arg(z) \leq \pi \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.30.27.0256.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{2} + \frac{1}{2}i\sin^{-1}(iz); -\pi < \arg(z) < -\frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.30.27.0257.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = \frac{\pi}{2} \left( i + \frac{\sqrt{-z} \sqrt{z^2}}{z^{3/2}} - i \sqrt{\frac{z^2+1}{z^2}} \sqrt{\frac{z^2}{z^2+1}} \right) + \frac{i \sqrt{z} (z^2+1)}{2 \sqrt{-z} \sqrt{-(z^2+1)^2}} \sin^{-1}(iz)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2} / \sqrt{1-\sqrt{1-z^2}}\right)$  and  $\sin^{-1}(z)$

01.30.27.0258.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{2} - \frac{1}{2} i \sin^{-1}(z) /; 0 < \arg(z) \leq \frac{\pi}{2} \sqrt{(z \in \mathbb{R} \wedge 0 < z < 1)}$$

01.30.27.0259.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1-z^2}}}\right) = -\frac{\pi i}{2} + \frac{1}{2} i \sin^{-1}(z) /; -\frac{\pi}{2} < \arg(z) < 0 \sqrt{(z \in \mathbb{R} \wedge z > 1)}$$

01.30.27.0260.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1-z^2}}}\right) = -\frac{\pi i}{2} - \frac{1}{2} i \sin^{-1}(z) /; \frac{\pi}{2} < \arg(z) < \pi \sqrt{(z \in \mathbb{R} \wedge z < -1)}$$

01.30.27.0261.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{2} + \frac{1}{2} i \sin^{-1}(z) /; -\pi < \arg(z) \leq -\frac{\pi}{2} \sqrt{(z \in \mathbb{R} \wedge -1 < z < 0)}$$

01.30.27.0262.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1-z^2}}}\right) = \frac{\pi}{2} \left( i + \frac{\sqrt{iz} \sqrt{-z^2}}{(-iz)^{3/2}} - i \sqrt{\frac{z^2}{z^2-1}} \sqrt{\frac{z^2-1}{z^2}} \right) + \frac{i \sqrt{-iz} (1-z^2)}{2 \sqrt{iz} \sqrt{-(1-z^2)^2}} \sin^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2 / (1-\sqrt{1+cz^2})}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2/\left(1-\sqrt{1+z^2}\right)}\right)$  and  $\sin^{-1}(iz)$

01.30.27.0263.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{2} - \frac{1}{2}i \sin^{-1}(iz) ; 0 \leq \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.30.27.0264.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} - \frac{1}{2}i \sin^{-1}(iz) ; -\frac{\pi}{2} < \arg(z) < 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.30.27.0265.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} + \frac{1}{2}i \sin^{-1}(iz) ; \frac{\pi}{2} < \arg(z) < \pi \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.30.27.0266.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{2} + \frac{1}{2}i \sin^{-1}(iz) ; -\pi < \arg(z) < -\frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0267.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} \left(1 + i \sqrt{-\frac{1}{z^2}} \sqrt{z^2} - \frac{\sqrt{z^2} \sqrt{-1-z^2}}{\sqrt{-z^2(1+z^2)}}\right) + \frac{i \sqrt{z} (z^2+1)}{2 \sqrt{-z} \sqrt{-(z^2+1)^2}} \sin^{-1}(iz)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2/\left(1-\sqrt{1-z^2}\right)}\right)$  and  $\sin^{-1}(z)$

01.30.27.0268.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{2} - \frac{1}{2}i \sin^{-1}(z) ; 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0269.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = -\frac{\pi i}{2} + \frac{1}{2}i \sin^{-1}(z) ; -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0270.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = -\frac{\pi i}{2} - \frac{1}{2}i \sin^{-1}(z) ; \frac{\pi}{2} \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0271.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{2} + \frac{1}{2} i \sin^{-1}(z) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0272.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{2} \left(1 + i \sqrt{\frac{1}{z^2}} \sqrt{-z^2} - \frac{\sqrt{-z^2} \sqrt{z^2-1}}{\sqrt{z^2(1-z^2)}}\right) - \frac{i \sqrt{i z} (1-z^2)}{2 \sqrt{-i z} \sqrt{-(1-z^2)^2}} \sin^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2 z^2} / \left(z \sqrt{1-\sqrt{1-z^2}}\right)\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2 z^2} / \left(z \sqrt{1-\sqrt{1-z^2}}\right)\right)$  and  $\sin^{-1}(z)$

01.30.27.0273.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2 z^2}}{z \sqrt{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{2} - \frac{1}{2} i \sin^{-1}(z) /; 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0274.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2 z^2}}{z \sqrt{1-\sqrt{1-z^2}}}\right) = -\frac{\pi i}{2} + \frac{1}{2} i \sin^{-1}(z) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0275.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2 z^2}}{z \sqrt{1-\sqrt{1-z^2}}}\right) = -\frac{\sqrt{1-z}}{2 \sqrt{z-1}} (\pi - \sin^{-1}(z))$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{z} \sqrt{2 z^2} / \left(1-\sqrt{1-z^2}\right)\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{z} \sqrt{2 z^2} / \left(1-\sqrt{1-z^2}\right)\right)$  and  $\sin^{-1}(z)$

01.30.27.0276.01

$$\operatorname{sech}^{-1}\left(\frac{1}{z}\sqrt{\frac{2z^2}{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{2} - \frac{1}{2}i \sin^{-1}(z) ; 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0277.01

$$\operatorname{sech}^{-1}\left(\frac{1}{z}\sqrt{\frac{2z^2}{1-\sqrt{1-z^2}}}\right) = -\frac{\pi i}{2} + \frac{1}{2}i \sin^{-1}(z) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0278.01

$$\operatorname{sech}^{-1}\left(\frac{1}{z}\sqrt{\frac{2z^2}{1-\sqrt{1-z^2}}}\right) = -\frac{\sqrt{1-z}}{2\sqrt{z-1}}(\pi - \sin^{-1}(z))$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z}/\sqrt{z-\sqrt{z^2-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z}/\sqrt{z-\sqrt{z^2-1}}\right)$  and  $\sin^{-1}\left(\frac{1}{z}\right)$

01.30.27.0279.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2-1}}}\right) = \frac{i}{2}\left(-\pi + \sin^{-1}\left(\frac{1}{z}\right)\right) ; 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0280.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2-1}}}\right) = \frac{i}{2}\left(\pi - \sin^{-1}\left(\frac{1}{z}\right)\right) ; -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0281.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2-1}}}\right) = \frac{i}{2}\sin^{-1}\left(\frac{1}{z}\right) ; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.0282.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2-1}}}\right) = -\frac{i}{2}\sin^{-1}\left(\frac{1}{z}\right) ; -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$



$$\text{01.30.27.0283.01} \\ \operatorname{sech}^{-1} \left( \frac{\sqrt{2z}}{\sqrt{z - \sqrt{z^2 - 1}}} \right) = -\pi i - \frac{1}{2} i \sin^{-1} \left( \frac{1}{z} \right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

$$\text{01.30.27.0284.01} \\ \operatorname{sech}^{-1} \left( \frac{\sqrt{2z}}{\sqrt{z - \sqrt{z^2 - 1}}} \right) = \frac{\pi \sqrt{-z} (z + \sqrt{z^2})}{4 z^{3/2}} + \frac{\pi i}{2} \left( \sqrt{\frac{z^2}{z^2 - 1}} \sqrt{\frac{z^2 - 1}{z^2}} - 1 \right) - \frac{z}{2(z-1)} \sqrt{-\left(\frac{1-z}{z}\right)^2} \sin^{-1} \left( \frac{1}{z} \right)$$

**Involving  $\operatorname{sech}^{-1} \left( \sqrt{2z / (z - \sqrt{z^2 - 1})} \right)$**

**Involving  $\operatorname{sech}^{-1} \left( \sqrt{2z / (z - \sqrt{z^2 - 1})} \right)$  and  $\sin^{-1} \left( \frac{1}{z} \right)$**

$$\text{01.30.27.0285.01} \\ \operatorname{sech}^{-1} \left( \sqrt{\frac{2z}{z - \sqrt{z^2 - 1}}} \right) = \frac{i}{2} \left( -\pi + \sin^{-1} \left( \frac{1}{z} \right) \right); 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

$$\text{01.30.27.0286.01} \\ \operatorname{sech}^{-1} \left( \sqrt{\frac{2z}{z - \sqrt{z^2 - 1}}} \right) = \frac{i}{2} \left( \pi - \sin^{-1} \left( \frac{1}{z} \right) \right); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

$$\text{01.30.27.0287.01} \\ \operatorname{sech}^{-1} \left( \sqrt{\frac{2z}{z - \sqrt{z^2 - 1}}} \right) = \frac{1}{2} i \sin^{-1} \left( \frac{1}{z} \right); \frac{\pi}{2} < \arg(z) < \pi$$

$$\text{01.30.27.0288.01} \\ \operatorname{sech}^{-1} \left( \sqrt{\frac{2z}{z - \sqrt{z^2 - 1}}} \right) = -\frac{1}{2} i \sin^{-1} \left( \frac{1}{z} \right); -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

$$\text{01.30.27.0289.01} \\ \operatorname{sech}^{-1} \left( \sqrt{\frac{2z}{z - \sqrt{z^2 - 1}}} \right) = \frac{\pi \sqrt{-z} (z + \sqrt{z^2})}{4 z^{3/2}} + \frac{\pi i}{2} \left( \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - 1 \right) - \frac{z}{2(z-1)} \sqrt{-\left(\frac{1-z}{z}\right)^2} \sin^{-1} \left( \frac{1}{z} \right)$$

**Involving  $\cos^{-1}$**

**Involving  $\operatorname{sech}^{-1}(z)$**

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cos^{-1}\left(\frac{1}{z}\right)$

01.30.27.0290.01

$$\operatorname{sech}^{-1}(z) = -i \cos^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0291.01

$$\operatorname{sech}^{-1}(z) = i \cos^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0292.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1 - \frac{1}{z}}} \sqrt{\frac{1}{z} - 1} \cos^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cos^{-1}\left(\frac{z^2-2}{z^2}\right)$

01.30.27.0293.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + \frac{1}{2} i \cos^{-1}\left(\frac{z^2-2}{z^2}\right); 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0294.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - \frac{1}{2} i \cos^{-1}\left(\frac{z^2-2}{z^2}\right); -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0295.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} - \frac{1}{2} i \cos^{-1}\left(\frac{z^2-2}{z^2}\right); \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.0296.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + \frac{1}{2} i \cos^{-1}\left(\frac{z^2-2}{z^2}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0297.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1 - \frac{1}{z}}} \sqrt{\frac{1}{z} - 1} \left( \frac{\pi}{2} - \frac{z}{2} \sqrt{\frac{1}{z^2}} \cos^{-1}\left(\frac{z^2-2}{z^2}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cos^{-1}\left(\frac{2-z^2}{z^2}\right)$

01.30.27.0298.01

$$\operatorname{sech}^{-1}(z) = -\frac{1}{2} i \cos^{-1}\left(\frac{2-z^2}{z^2}\right); 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0299.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{2} i \cos^{-1}\left(\frac{2-z^2}{z^2}\right); -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0300.01

$$\operatorname{sech}^{-1}(z) = -\pi i + \frac{1}{2} i \cos^{-1}\left(\frac{2-z^2}{z^2}\right); \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.0301.01

$$\operatorname{sech}^{-1}(z) = \pi i - \frac{1}{2} i \cos^{-1}\left(\frac{2-z^2}{z^2}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0302.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left( \frac{\pi}{2} \left(1-z\sqrt{z^{-2}}\right) + \frac{z}{2} \sqrt{\frac{1}{z^2}} \cos^{-1}\left(\frac{2-z^2}{z^2}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cos^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{2z}}\right)$

01.30.27.0303.01

$$\operatorname{sech}^{-1}(z) = -2i \cos^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{2z}}\right); 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0304.01

$$\operatorname{sech}^{-1}(z) = 2i \cos^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{2z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0305.01

$$\operatorname{sech}^{-1}(z) = 2\pi i - 2i \cos^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{2z}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0306.01

$$\operatorname{sech}^{-1}(z) = \pi i \left(1 - \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}}\right) - 2\sqrt{z} \sqrt{-\frac{1}{z}} \sqrt{1-z^2} \sqrt{\frac{1}{1-z^2}} \cos^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{2z}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cos^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-2z}}\right)$

01.30.27.0307.01

$$\operatorname{sech}^{-1}(z) = -2i \cos^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-2z}}\right); 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0308.01

$$\operatorname{sech}^{-1}(z) = 2i \cos^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-2z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0309.01

$$\operatorname{sech}^{-1}(z) = -\frac{2\sqrt{z-1}\sqrt{z}}{\sqrt{1-z}} \sqrt{\frac{1}{z}} \cos^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-2z}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cos^{-1}\left(\sqrt{\frac{z+1}{2z}}\right)$

01.30.27.0310.01

$$\operatorname{sech}^{-1}(z) = -2i \cos^{-1}\left(\sqrt{\frac{z+1}{2z}}\right) /; 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0311.01

$$\operatorname{sech}^{-1}(z) = 2i \cos^{-1}\left(\sqrt{\frac{z+1}{2z}}\right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0312.01

$$\operatorname{sech}^{-1}(z) = -\frac{2\sqrt{z-1}\sqrt{z}}{\sqrt{1-z}} \sqrt{\frac{1}{z}} \cos^{-1}\left(\sqrt{\frac{z+1}{2z}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cos^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{2z}}\right)$

01.30.27.0313.01

$$\operatorname{sech}^{-1}(z) = 2i \cos^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{2z}}\right) - \pi i /; 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0314.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2i \cos^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{2z}}\right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0315.01

$$\operatorname{sech}^{-1}(z) = \frac{2\sqrt{1-z}\sqrt{z}}{\sqrt{-1+z}} \sqrt{\frac{1}{z}} \left(\frac{\pi}{2} - \cos^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{2z}}\right)\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cos^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-2z}}\right)$

01.30.27.0316.01

$$\operatorname{sech}^{-1}(z) = 2i \cos^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-2z}}\right) - \pi i /; \operatorname{Im}(z) > 0$$

01.30.27.0317.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2i \cos^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-2z}}\right) /; \operatorname{Im}(z) \leq 0$$

01.30.27.0318.01

$$\operatorname{sech}^{-1}(z) = 2\sqrt{\frac{1}{z}} \sqrt{-z} \left(\frac{\pi}{2} - \cos^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-2z}}\right)\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cos^{-1}\left(\sqrt{\frac{z-1}{2z}}\right)$

01.30.27.0319.01

$$\operatorname{sech}^{-1}(z) = 2i \cos^{-1}\left(\sqrt{\frac{z-1}{2z}}\right) - \pi i /; 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0320.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2i \cos^{-1}\left(\sqrt{\frac{z-1}{2z}}\right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0321.01

$$\operatorname{sech}^{-1}(z) = \frac{2}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left( \frac{\pi}{2} - \cos^{-1}\left(\sqrt{\frac{z-1}{2z}}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cos^{-1}\left(\frac{1}{\sqrt{z^2}}\right)$

01.30.27.0322.01

$$\operatorname{sech}^{-1}(z) = -i \cos^{-1}\left(\frac{1}{\sqrt{z^2}}\right) /; 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0323.01

$$\operatorname{sech}^{-1}(z) = i \cos^{-1}\left(\frac{1}{\sqrt{z^2}}\right) /; -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0324.01

$$\operatorname{sech}^{-1}(z) = i \cos^{-1}\left(\frac{1}{\sqrt{z^2}}\right) - \pi i /; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.0325.01

$$\operatorname{sech}^{-1}(z) = \pi i - i \cos^{-1}\left(\frac{1}{\sqrt{z^2}}\right) /; -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0326.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left( \frac{\pi}{2} - \frac{\sqrt{z^2}}{z} \left( \frac{\pi}{2} - \cos^{-1}\left(\frac{1}{\sqrt{z^2}}\right) \right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cos^{-1}\left(\sqrt{\frac{1}{z^2}}\right)$

01.30.27.0327.01

$$\operatorname{sech}^{-1}(z) = -i \cos^{-1} \left( \sqrt{\frac{1}{z^2}} \right) /; 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0328.01

$$\operatorname{sech}^{-1}(z) = i \cos^{-1} \left( \sqrt{\frac{1}{z^2}} \right) /; -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0329.01

$$\operatorname{sech}^{-1}(z) = i \cos^{-1} \left( \sqrt{\frac{1}{z^2}} \right) - \pi i /; \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.0330.01

$$\operatorname{sech}^{-1}(z) = \pi i - i \cos^{-1} \left( \sqrt{\frac{1}{z^2}} \right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0331.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1 - \frac{1}{z}}} \sqrt{\frac{1}{z} - 1} \left( \frac{\pi}{2} - z \sqrt{\frac{1}{z^2}} \left( \frac{\pi}{2} - \cos^{-1} \left( \sqrt{\frac{1}{z^2}} \right) \right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cos^{-1} \left( \frac{\sqrt{z^2 - 1}}{z} \right)$

01.30.27.0332.01

$$\operatorname{sech}^{-1}(z) = i \cos^{-1} \left( \frac{\sqrt{z^2 - 1}}{z} \right) - \frac{\pi i}{2} /; 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1) \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.30.27.0333.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - i \cos^{-1} \left( \frac{\sqrt{z^2 - 1}}{z} \right) /; -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0334.01

$$\operatorname{sech}^{-1}(z) = -\frac{3 \pi i}{2} + i \cos^{-1} \left( \frac{\sqrt{z^2 - 1}}{z} \right) /; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.0335.01

$$\operatorname{sech}^{-1}(z) = \frac{3 \pi i}{2} - i \cos^{-1} \left( \frac{\sqrt{z^2 - 1}}{z} \right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0336.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} - i \cos^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right) /; (i z \in \mathbb{R} \wedge i z < 0)$$

01.30.27.0337.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left( \frac{\pi}{2} \left( 1 + \sqrt{\frac{1}{z^2}} \sqrt{z^2} - z \sqrt{\frac{1}{z^2}} \right) - \sqrt{\frac{1}{z^2}} \sqrt{z^2} \cos^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cos^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right)$

01.30.27.0338.01

$$\operatorname{sech}^{-1}(z) = i \cos^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right) - \frac{\pi i}{2} /; 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0339.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - i \cos^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right) /; -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0340.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} - i \cos^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right) /; \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.0341.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + i \cos^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0342.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left( \frac{\pi}{2} - z \sqrt{\frac{1}{z^2}} \cos^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cos^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right)$

01.30.27.0343.01

$$\operatorname{sech}^{-1}(z) = i \cos^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right) - \frac{\pi i}{2} /; 0 < \arg(z) < \frac{\pi}{2}$$

01.30.27.0344.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - i \cos^{-1} \left( \frac{\sqrt{1-z^2}}{\sqrt{-z^2}} \right) /; -\frac{\pi}{2} \leq \arg(z) \leq 0$$

01.30.27.0345.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} - i \cos^{-1} \left( \frac{\sqrt{1-z^2}}{\sqrt{-z^2}} \right) /; \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.0346.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + i \cos^{-1} \left( \frac{\sqrt{1-z^2}}{\sqrt{-z^2}} \right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0347.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{2} - i \cos^{-1} \left( \frac{\sqrt{1-z^2}}{\sqrt{-z^2}} \right) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0348.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left( \frac{\pi}{2} \left( 1-z \sqrt{\frac{1}{z^2}} \right) + \frac{\sqrt{-z} z^{3/2} \sqrt{-1+z^2}}{\sqrt{z^2-z^4}} \sqrt{\frac{1}{z^2}} \left( \frac{\pi}{2} - \cos^{-1} \left( \frac{\sqrt{1-z^2}}{\sqrt{-z^2}} \right) \right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cos^{-1} \left( \sqrt{\frac{z^2-1}{z^2}} \right)$

01.30.27.0349.01

$$\operatorname{sech}^{-1}(z) = i \cos^{-1} \left( \sqrt{\frac{z^2-1}{z^2}} \right) - \frac{\pi i}{2} /; 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0350.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - i \cos^{-1} \left( \sqrt{\frac{z^2-1}{z^2}} \right) /; -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0351.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} - i \cos^{-1} \left( \sqrt{\frac{z^2-1}{z^2}} \right) /; \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.0352.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + i \cos^{-1} \left( \sqrt{\frac{z^2-1}{z^2}} \right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$



01.30.27.0353.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1 - \frac{1}{z}}} \sqrt{\frac{1}{z} - 1} \left( \frac{\pi}{2} - z \sqrt{\frac{1}{z^2}} \cos^{-1} \left( \sqrt{\frac{z^2 - 1}{z^2}} \right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cos^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2}\right)$

01.30.27.0354.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{4} - \frac{1}{2} i \cos^{-1} \left( \frac{2\sqrt{z^2-1}}{z^2} \right); 0 < \arg(z) \leq \frac{\pi}{2} \wedge |z| \geq \sqrt{2}$$

01.30.27.0355.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{4} + \frac{1}{2} i \cos^{-1} \left( \frac{2\sqrt{z^2-1}}{z^2} \right); -\frac{\pi}{2} < \arg(z) \leq 0 \wedge |z| \geq \sqrt{2}$$

01.30.27.0356.01

$$\operatorname{sech}^{-1}(z) = -\frac{3\pi i}{4} + \frac{1}{2} i \cos^{-1} \left( \frac{2\sqrt{z^2-1}}{z^2} \right); \frac{\pi}{2} < \arg(z) < \pi \wedge |z| \geq \sqrt{2}$$

01.30.27.0357.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{4} - \frac{1}{2} i \cos^{-1} \left( \frac{2\sqrt{z^2-1}}{z^2} \right); -\pi < \arg(z) \leq -\frac{\pi}{2} \wedge |z| \geq \sqrt{2} \vee (z \in \mathbb{R} \wedge z < -\sqrt{2})$$

01.30.27.0358.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi}{4\sqrt{\frac{z-1}{z}}} \sqrt{\frac{1}{z} - 1}$$

$$\left( -\sqrt{\frac{1}{z^2}} z - \frac{\sqrt{\frac{1}{z^4} - \frac{1}{z^2}} z}{\sqrt{\frac{1}{z^2} - 1}} + \sqrt{\frac{1}{z}} \sqrt{\frac{z+\sqrt{2}}{z}} \sqrt{\frac{z}{z+\sqrt{2}}} \sqrt{z} - \sqrt{1 - \frac{\sqrt{2}}{z}} \sqrt{-\frac{1}{z}} \sqrt{-z} \sqrt{\frac{z}{z-\sqrt{2}}} + 2 \right) -$$

$$\frac{\sqrt{(\sqrt{2}-z)(z-1)} \sqrt{z+\sqrt{2}}}{2\sqrt{\frac{1}{z^4} - \frac{1}{z^2}} z^{3/2} \sqrt{z^2-2}} \sqrt{-\frac{z+1}{z}} \left( \frac{\pi}{2} - \cos^{-1} \left( \frac{2\sqrt{z^2-1}}{z^2} \right) \right)$$

Involving  $\operatorname{sech}^{-1}(-z)$

Involving  $\operatorname{sech}^{-1}(-z)$  and  $\cos^{-1}\left(\frac{1}{z}\right)$

01.30.27.0359.01

$$\operatorname{sech}^{-1}(-z) = \pi i - i \cos^{-1}\left(\frac{1}{z}\right); 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0360.01

$$\operatorname{sech}^{-1}(-z) = -\pi i + i \cos^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0361.01

$$\operatorname{sech}^{-1}(-z) = \frac{1}{\sqrt{\frac{1}{z} + 1}} \sqrt{-\frac{1}{z} - 1} \left( \pi - \cos^{-1}\left(\frac{1}{z}\right) \right)$$

## Involving $\operatorname{sech}^{-1}(\sqrt{z})$

### Involving $\operatorname{sech}^{-1}(\sqrt{z})$ and $\cos^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.0362.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = -i \cos^{-1}\left(\frac{1}{\sqrt{z}}\right); 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0363.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = i \cos^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0364.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = -\frac{\sqrt{z-1}}{\sqrt{1-z}} \cos^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

### Involving $\operatorname{sech}^{-1}(\sqrt{z})$ and $\cos^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.0365.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = i \cos^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0366.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = -i \cos^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0367.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = -\pi i + i \cos^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0368.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = \frac{\sqrt{z-1}}{\sqrt{1-z}} \left( \left( \sqrt{z} \sqrt{\frac{1}{z}} - 1 \right) \frac{\pi}{2} - \sqrt{z} \sqrt{\frac{1}{z}} \cos^{-1} \left( \sqrt{\frac{1}{z}} \right) \right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$ and $\cos^{-1}(\sqrt{z})$

01.30.27.0369.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \cos^{-1}(\sqrt{z}) /; 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0370.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = -i \cos^{-1}(\sqrt{z}) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0012.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\sqrt{z-1}}{\sqrt{1-z}} \cos^{-1}(\sqrt{z})$$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$ and $\cos^{-1}\left(1/\sqrt{\frac{1}{z}}\right)$

01.30.27.0371.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \cos^{-1}\left(1/\sqrt{\frac{1}{z}}\right) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0372.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = -i \cos^{-1}\left(1/\sqrt{\frac{1}{z}}\right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0373.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi i - i \cos^{-1}\left(1/\sqrt{\frac{1}{z}}\right) /; (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0374.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\sqrt{z-1}}{\sqrt{1-z}} \left( \frac{\pi}{2} \left( 1 - \sqrt{z} \sqrt{\frac{1}{z}} \right) + \sqrt{z} \sqrt{\frac{1}{z}} \cos^{-1}\left(1/\sqrt{\frac{1}{z}}\right) \right)$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{z^2}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\sqrt{z^2}\right)$ and $\cos^{-1}\left(\frac{1}{z}\right)$

01.30.27.0375.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = -i \cos^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0376.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = i \cos^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0377.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = \pi i - i \cos^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0378.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = -\pi i + i \cos^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0379.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = \frac{\pi i}{2} \left( -\frac{i \sqrt{-z} \sqrt{z^2}}{z^{3/2}} - \frac{i z \sqrt{z^2 - 1}}{\sqrt{z^2 - z^4}} + \sqrt{\frac{z^2}{z^2 - 1}} \sqrt{\frac{z^2 - 1}{z^2}} - 1 \right) - \frac{z \sqrt{z^2 - 1}}{\sqrt{z^2 - z^4}} \cos^{-1}\left(\frac{1}{z}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right)$ and $\cos^{-1}(z)$

01.30.27.0380.01

$$\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right) = \pi i - 2i \cos^{-1}(z); -\pi < \arg(z) \leq 0$$

01.30.27.0381.01

$$\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right) = 2i \cos^{-1}(z) - \pi i; 0 < \arg(z) \leq \pi$$

01.30.27.0382.01

$$\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right) = \frac{2\sqrt{-z^2}}{z} \left( \frac{\pi}{2} - \cos^{-1}(z) \right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right)$ and $\cos^{-1}(z)$

01.30.27.0383.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = 2i \cos^{-1}(z); 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0384.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = -2i \cos^{-1}(z); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

$$\text{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = -2\pi i + 2i \cos^{-1}(z) /; \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

$$\text{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = 2\pi i - 2i \cos^{-1}(z) /; -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

$$\text{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = \frac{\sqrt{z^2-1}}{\sqrt{1-z^2}} \left( \pi \left( 1 - \frac{\sqrt{z^2}}{z} \right) + \frac{2\sqrt{z^2}}{z} \cos^{-1}(z) \right)$$

### Involving $\text{sech}^{-1}\left(\frac{z^2}{z^2-2}\right)$

#### Involving $\text{sech}^{-1}\left(\frac{z^2}{z^2-2}\right)$ and $\cos^{-1}\left(\frac{1}{z}\right)$

$$\text{sech}^{-1}\left(\frac{z^2}{z^2-2}\right) = \pi i - 2i \cos^{-1}\left(\frac{1}{z}\right) /; 0 \leq \arg(z) < \pi$$

$$\text{sech}^{-1}\left(\frac{z^2}{z^2-2}\right) = 2i \cos^{-1}\left(\frac{1}{z}\right) - \pi i /; -\pi < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

$$\text{sech}^{-1}\left(\frac{z^2}{z^2-2}\right) = 2z \sqrt{-\frac{1}{z^2}} \left( \frac{\pi}{2} - \cos^{-1}\left(\frac{1}{z}\right) \right)$$

### Involving $\text{sech}^{-1}\left(\frac{z^2}{2-z^2}\right)$

#### Involving $\text{sech}^{-1}\left(\frac{z^2}{2-z^2}\right)$ and $\cos^{-1}\left(\frac{1}{z}\right)$

$$\text{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = -2i \cos^{-1}\left(\frac{1}{z}\right) /; 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

$$\text{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = 2i \cos^{-1}\left(\frac{1}{z}\right) /; -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

$$\text{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = 2\pi i - 2i \cos^{-1}\left(\frac{1}{z}\right) /; \frac{\pi}{2} \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0394.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = -2\pi i + 2i \cos^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \quad (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0395.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = \frac{\sqrt{z^2 - z^4}}{\sqrt{z^2 - 1}} \sqrt{\frac{1}{z^2}} \left( \pi \left( 1 - \sqrt{\frac{1}{z^2}} z \right) + 2z \sqrt{\frac{1}{z^2}} \cos^{-1}\left(\frac{1}{z}\right) \right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right)$ and $\cos^{-1}(\sqrt{z})$

01.30.27.0396.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = i \cos^{-1}(\sqrt{z}) - \frac{\pi i}{2}; 0 < \arg(z) \leq \pi$$

01.30.27.0397.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = \frac{\pi i}{2} - i \cos^{-1}(\sqrt{z}); -\pi < \arg(z) \leq 0$$

01.30.27.0398.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = \frac{\sqrt{-z^2}}{z} \left( \frac{\pi}{2} - \cos^{-1}(\sqrt{z}) \right)$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right)$ and $\cos^{-1}(\sqrt{z})$

01.30.27.0399.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = i \cos^{-1}(\sqrt{z}) - \frac{\pi i}{2}; 0 < \arg(z) \leq \pi$$

01.30.27.0400.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = \frac{\pi i}{2} - i \cos^{-1}(\sqrt{z}); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0401.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = -i \cos^{-1}(\sqrt{z}) - \frac{\pi i}{2}; (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0402.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = \frac{\pi i}{2} \left( \sqrt{1-z} \sqrt{\frac{1}{1-z}} - i \frac{\sqrt{-z^2}}{z} - 1 \right) - \frac{\sqrt{-z^2}}{z} \cos^{-1}(\sqrt{z})$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1+cz}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{z+1}}\right)$  and  $\cos^{-1}(z)$

01.30.27.0403.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{z+1}}\right) = \frac{1}{2} i \cos^{-1}(z) /; 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0404.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{z+1}}\right) = -\frac{1}{2} i \cos^{-1}(z) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0405.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{z+1}}\right) = \frac{\sqrt{z-1}}{2\sqrt{1-z}} \cos^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right)$  and  $\cos^{-1}(z)$

01.30.27.0406.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right) = -\frac{\pi i}{2} + \frac{1}{2} i \cos^{-1}(z) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0407.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} - \frac{1}{2} i \cos^{-1}(z) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > -1)$$

01.30.27.0408.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right) = \frac{\sqrt{-1-z}}{2\sqrt{1+z}} (\pi - \cos^{-1}(z))$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1+cz}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{z+1}}\right)$  and  $\cos^{-1}(z)$

01.30.27.0409.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{z+1}}\right) = \frac{1}{2} i \cos^{-1}(z) ; 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.30.27.0410.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{z+1}}\right) = -\frac{1}{2} i \cos^{-1}(z) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0411.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{z+1}}\right) = -\pi i + \frac{1}{2} i \cos^{-1}(z) ; (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0412.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{z+1}}\right) = \frac{\pi i}{2} \left( \sqrt{z+1} \sqrt{\frac{1}{z+1} - 1} \right) + \frac{\sqrt{z-1}}{2\sqrt{1-z}} \cos^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right)$  and  $\cos^{-1}(z)$

01.30.27.0413.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = -\frac{\pi i}{2} + \frac{1}{2} i \cos^{-1}(z) ; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0414.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = \frac{\pi i}{2} - \frac{1}{2} i \cos^{-1}(z) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.30.27.0415.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = -\frac{\pi i}{2} - \frac{1}{2} i \cos^{-1}(z) ; (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0416.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = \frac{\pi i}{2} \left( \sqrt{1-z} \sqrt{\frac{1}{1-z} - 1} \right) + \frac{\sqrt{-1-z}}{2\sqrt{1+z}} (\pi - \cos^{-1}(z))$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right)$  and  $\cos^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.0417.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = \frac{\pi i}{2} - i \cos^{-1}\left(\frac{1}{\sqrt{z}}\right) ; \operatorname{Im}(z) \geq 0$$



01.30.27.0418.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = i \cos^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi i}{2} \quad ; \operatorname{Im}(z) < 0$$

01.30.27.0419.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = \sqrt{-\frac{1}{z}} \sqrt{z} \left(\frac{\pi}{2} - \cos^{-1}\left(\frac{1}{\sqrt{z}}\right)\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right)$  and  $\cos^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.0420.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = \frac{\pi i}{2} - i \cos^{-1}\left(\sqrt{\frac{1}{z}}\right) \quad ; 0 \leq \arg(z) < \pi$$

01.30.27.0421.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = i \cos^{-1}\left(\sqrt{\frac{1}{z}}\right) - \frac{\pi i}{2} \quad ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0422.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = z \sqrt{-\frac{1}{z^2}} \left(\frac{\pi}{2} - \cos^{-1}\left(\sqrt{\frac{1}{z}}\right)\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right)$  and  $\cos^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.0423.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} - i \cos^{-1}\left(\frac{1}{\sqrt{z}}\right) \quad ; 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0424.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = i \cos^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi i}{2} \quad ; \operatorname{Im}(z) < 0$$

01.30.27.0425.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = -i \cos^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi i}{2} \quad ; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0426.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} \left(\sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} - i \sqrt{-\frac{1}{z}} \sqrt{z} - 1\right) - \sqrt{-\frac{1}{z}} \sqrt{z} \cos^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right)$  and  $\cos^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.0427.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} - i \cos^{-1}\left(\sqrt{\frac{1}{z}}\right) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0428.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = i \cos^{-1}\left(\sqrt{\frac{1}{z}}\right) - \frac{\pi i}{2} /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0429.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = -i \cos^{-1}\left(\sqrt{\frac{1}{z}}\right) - \frac{\pi i}{2} /; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0430.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} \left( \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} - i z \sqrt{-\frac{1}{z^2} - 1} \right) - z \sqrt{-\frac{1}{z^2}} \cos^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right)$  and  $\cos^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.0431.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = \frac{\pi i}{2} - i \cos^{-1}\left(\frac{1}{\sqrt{z}}\right) /; 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0432.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = i \cos^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi i}{2} /; \operatorname{Im}(z) < 0$$

01.30.27.0433.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = -i \cos^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi i}{2} /; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0434.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = \frac{\pi i}{2} \left( \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} - i \sqrt{-\frac{1}{z}} \sqrt{z-1} \right) - \sqrt{-\frac{1}{z}} \sqrt{z} \cos^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right)$  and  $\cos^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.0435.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = \frac{\pi i}{2} - i \cos^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0436.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = i \cos^{-1}\left(\sqrt{\frac{1}{z}}\right) - \frac{\pi i}{2}; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0437.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = -i \cos^{-1}\left(\sqrt{\frac{1}{z}}\right) - \frac{\pi i}{2}; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0438.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = \frac{\pi i}{2} \left( \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} - i z \sqrt{-\frac{1}{z^2} - 1} \right) - z \sqrt{-\frac{1}{z^2}} \cos^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+a}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right)$ and $\cos^{-1}\left(\frac{1}{z}\right)$

01.30.27.0439.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right) = -\frac{i}{2} \cos^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0440.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right) = \frac{i}{2} \cos^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0441.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right) = \frac{i}{2} \cos^{-1}\left(\frac{1}{z}\right) - \pi i; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0442.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right) = \frac{\pi}{4} \left( -z \sqrt{-\frac{1}{z^2}} - i \sqrt{1-z} \sqrt{\frac{1}{1-z}} - i + 2i \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} + z \sqrt{1-z} \sqrt{\frac{1}{1-z}} \sqrt{-\frac{1}{z^2}} \right) - \frac{z \sqrt{1-z}}{2} \sqrt{\frac{1}{1-z}} \sqrt{-\frac{1}{z^2}} \cos^{-1}\left(\frac{1}{z}\right)$$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right)$ and $\cos^{-1}\left(\frac{1}{z}\right)$

01.30.27.0443.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right) = \frac{\pi i}{2} - \frac{1}{2} i \cos^{-1}\left(\frac{1}{z}\right); 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0444.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right) = -\frac{\pi i}{2} + \frac{1}{2} i \cos^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0445.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right) = -\frac{\sqrt{-z-1} \sqrt{-z}}{2\sqrt{z+1}} \sqrt{-\frac{1}{z}} \left(\pi - \cos^{-1}\left(\frac{1}{z}\right)\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{a-z}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right)$ and $\cos^{-1}\left(\frac{1}{z}\right)$

01.30.27.0446.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} - \frac{1}{2} i \cos^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0447.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right) = -\frac{\pi i}{2} + \frac{1}{2} i \cos^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0448.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} \left( \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} + \frac{i \sqrt{-z-1} \sqrt{-z}}{\sqrt{z+1}} \sqrt{-\frac{1}{z}} - 1 \right) + \frac{\sqrt{-z-1} \sqrt{-z}}{2\sqrt{z+1}} \sqrt{-\frac{1}{z}} \cos^{-1}\left(\frac{1}{z}\right)$$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-z-1}}\right)$ and $\cos^{-1}\left(\frac{1}{z}\right)$

01.30.27.0449.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-z-1}}\right) = -\frac{i}{2} \cos^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0450.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-z-1}}\right) = \frac{1}{2} i \cos^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0451.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-z-1}}\right) = -\frac{z \sqrt{1-z}}{2} \sqrt{\frac{1}{1-z}} \sqrt{-\frac{1}{z^2}} \cos^{-1}\left(\frac{1}{z}\right) - \frac{\pi i}{4} \left( -i \sqrt{-\frac{1}{z^2}} z + \sqrt{\frac{1}{1-z}} \sqrt{1-z} + i z \sqrt{1-z} \sqrt{\frac{1}{1-z}} \sqrt{-\frac{1}{z^2}} - 1 \right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+a}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right)$  and  $\cos^{-1}\left(\frac{1}{z}\right)$

01.30.27.0452.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right) = \frac{\pi i}{2} - \frac{1}{2} i \cos^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0453.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right) = -\frac{\pi i}{2} + \frac{1}{2} i \cos^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0454.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right) = -\frac{\pi i}{2} - \frac{1}{2} i \cos^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0455.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right) = \left(\sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - 1\right) \frac{\pi i}{2} - \frac{\sqrt{-1-z} \sqrt{-z}}{2\sqrt{1+z}} \sqrt{\frac{1}{z}} \left(\pi - \cos^{-1}\left(\frac{1}{z}\right)\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right)$  and  $\cos^{-1}\left(\frac{1}{z}\right)$

01.30.27.0456.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right) = -\frac{1}{2} i \cos^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0457.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right) = \frac{1}{2} i \cos^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0458.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right) = -\pi i + \frac{1}{2} i \cos^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0459.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right) = \left(\sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1\right) \frac{\pi i}{2} - \frac{\sqrt{-1+z} \sqrt{z}}{2\sqrt{1-z}} \sqrt{\frac{1}{z}} \cos^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right)$  and  $\cos^{-1}(z)$

01.30.27.0460.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right) = i \cos^{-1}(z) - \frac{\pi i}{2} ; 0 < \arg(z) \leq \pi$$

01.30.27.0461.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right) = \frac{\pi i}{2} - i \cos^{-1}(z) ; -\pi < \arg(z) \leq 0$$

01.30.27.0462.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right) = \frac{\sqrt{-z^2}}{z} \left(\frac{\pi}{2} - \cos^{-1}(z)\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right)$  and  $\cos^{-1}(z)$

01.30.27.0463.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = i \cos^{-1}(z) - \frac{\pi i}{2} ; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0464.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = \frac{\pi i}{2} - i \cos^{-1}(z) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0465.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = -i \cos^{-1}(z) - \frac{\pi i}{2} ; (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0466.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = i \cos^{-1}(z) - \frac{3\pi i}{2} ; (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0467.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = \frac{\pi i}{2} \left( \sqrt{1-z^2} \sqrt{\frac{1}{1-z^2}} - \frac{i \sqrt{-z^2}}{z} - 1 \right) - \frac{\sqrt{-z^2}}{z} \cos^{-1}(z)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right)$  and  $\cos^{-1}\left(\frac{1}{z}\right)$

01.30.27.0468.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = \frac{\pi i}{2} - i \cos^{-1}\left(\frac{1}{z}\right) /; 0 \leq \arg(z) \leq \frac{\pi}{2}$$

01.30.27.0469.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = i \cos^{-1}\left(\frac{1}{z}\right) - \frac{\pi i}{2} /; -\frac{\pi}{2} < \arg(z) < 0$$

01.30.27.0470.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = \frac{3\pi i}{2} - i \cos^{-1}\left(\frac{1}{z}\right) /; \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0471.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = -\frac{3\pi i}{2} + i \cos^{-1}\left(\frac{1}{z}\right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0472.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = \frac{\pi i}{2} + i \cos^{-1}\left(\frac{1}{z}\right) /; (i z \in \mathbb{R} \wedge i z > 0)$$

01.30.27.0473.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = \frac{\pi i}{2} \left( 2 \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 2 - \frac{i \sqrt{-i z} \sqrt{z}}{\sqrt{-z}} \sqrt{\frac{i}{z}} - \frac{\sqrt{-z} \sqrt{i z}}{\sqrt{z}} \sqrt{\frac{i}{z}} \right) + z \sqrt{-\frac{1}{z^2}} \sqrt{\frac{1}{z+1}} \sqrt{z+1} \left( \frac{\pi}{2} - \cos^{-1}\left(\frac{1}{z}\right) \right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right)$  and  $\cos^{-1}\left(\frac{1}{z}\right)$

01.30.27.0474.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right) = \frac{\pi i}{2} - i \cos^{-1}\left(\frac{1}{z}\right); 0 \leq \arg(z) < \pi$$

01.30.27.0475.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right) = i \cos^{-1}\left(\frac{1}{z}\right) - \frac{\pi i}{2}; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0476.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right) = z \sqrt{-\frac{1}{z^2}} \left(\frac{\pi}{2} - \cos^{-1}\left(\frac{1}{z}\right)\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right)$  and  $\cos^{-1}\left(\frac{1}{z}\right)$

01.30.27.0477.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = \frac{\pi i}{2} - i \cos^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0478.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = i \cos^{-1}\left(\frac{1}{z}\right) - \frac{\pi i}{2}; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0479.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = -\frac{3\pi i}{2} + i \cos^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0480.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = -\frac{\pi i}{2} - i \cos^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0481.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = -z \sqrt{-\frac{1}{z^2}} \cos^{-1}\left(\frac{1}{z}\right) - \frac{\pi i}{2} \left(1 + i z \sqrt{-\frac{1}{z^2}} - \sqrt{1 - \frac{1}{z^2}} \sqrt{\frac{z^2}{z^2-1}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right)$



Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right)$  and  $\cos^{-1}\left(\frac{1}{z}\right)$

01.30.27.0482.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = \frac{\pi i}{2} - i \cos^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0483.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = i \cos^{-1}\left(\frac{1}{z}\right) - \frac{\pi i}{2}; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0484.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = -i \cos^{-1}\left(\frac{1}{z}\right) - \frac{\pi i}{2}; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0485.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = i \cos^{-1}\left(\frac{1}{z}\right) - \frac{3\pi i}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0486.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = -z \sqrt{-\frac{1}{z^2}} \cos^{-1}\left(\frac{1}{z}\right) - \frac{\pi i}{2} \left(1 + i z \sqrt{-\frac{1}{z^2}} - \sqrt{1 - \frac{1}{z^2}} \sqrt{\frac{z^2}{-1+z^2}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right)$  and  $\cos^{-1}(z)$

01.30.27.0487.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right) = -\frac{\pi i}{2} + 2i \cos^{-1}(z); 0 < \arg(z) \leq \frac{3\pi}{4}$$

01.30.27.0488.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right) = \frac{\pi i}{2} - 2i \cos^{-1}(z); \frac{3\pi}{4} \leq \arg(z) \leq 0$$

01.30.27.0489.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right) = \frac{\sqrt{2z\sqrt{1-z^2}-1}}{\sqrt{1-2z\sqrt{1-z^2}}} \left( \frac{\pi\sqrt{1-2z^2}\sqrt{z^4-z^2}}{2\sqrt{-z^2}\sqrt{z^2-1}\sqrt{2z^2-1}} \left( -\frac{\sqrt{z^2}}{z} + \sqrt{\frac{1}{z}}\sqrt{z}\sqrt{\frac{1}{\sqrt{2}z+1}}\sqrt{\sqrt{2}z+1} - \sqrt{-\frac{1}{z}}\sqrt{-z}\sqrt{\frac{1}{1-\sqrt{2}z}}\sqrt{1-\sqrt{2}z} - \frac{\sqrt{z^4-z^2}}{z\sqrt{z^2-1}} \right) + \frac{2\sqrt{1-2z^2}\sqrt{z^4-z^2}}{\sqrt{-z^2}\sqrt{z^2-1}\sqrt{2z^2-1}} \left( \frac{\pi}{2} - \cos^{-1}(z) \right) + \frac{\pi}{2} \right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right)$  and  $\cos^{-1}\left(\frac{1}{z}\right)$

01.30.27.0490.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = \frac{\pi i}{2} - 2i \cos^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0491.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = -\frac{\pi i}{2} + 2i \cos^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0492.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = \frac{3\pi i}{2} - 2i \cos^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0493.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = -\frac{3\pi i}{2} + 2i \cos^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0494.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = \frac{\sqrt{\frac{2\sqrt{z^2-1}}{z^2}-1}}{\sqrt{1-\frac{2\sqrt{z^2-1}}{z^2}}}$$

$$\left(\frac{\pi}{2} + \frac{z^3\sqrt{z^2-2}\sqrt{z^2-1}}{2\sqrt{1-z}(z+1)\sqrt{-z^4+3z^2-2}}\sqrt{\frac{1-z^2}{z^4}}\sqrt{\frac{1}{z}}\sqrt{\frac{-z+1}{z}}\left(\pi\left(\frac{z^3}{1-z^2}\sqrt{\frac{1-z^2}{z^2}}\sqrt{\frac{1-z^2}{z^4}}+\sqrt{\frac{1}{z^2}}z-\sqrt{\frac{1}{z}}\sqrt{\frac{z}{z+\sqrt{2}}}\sqrt{\frac{z+\sqrt{2}}{z}}\sqrt{z}+\sqrt{1-\frac{\sqrt{2}}{z}}\sqrt{\frac{1}{z}}\sqrt{-z}}\sqrt{\frac{z}{z-\sqrt{2}}}-2\right)+4\cos^{-1}\left(\frac{1}{z}\right)\right)\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2}/\sqrt{1-\sqrt{1+cz^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2}/\sqrt{1-\sqrt{1+z^2}}\right)$  and  $\cos^{-1}(iz)$

01.30.27.0495.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = -\frac{3\pi i}{4} + \frac{1}{2}i\cos^{-1}(iz) ; 0 < \arg(z) < \frac{\pi}{2} \sqrt{(iz \in \mathbb{R} \wedge iz < -1)}$$

01.30.27.0496.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{4} + \frac{1}{2}i\cos^{-1}(iz) ; -\frac{\pi}{2} < \arg(z) \leq 0 \sqrt{(iz \in \mathbb{R} \wedge 0 < iz < 1)}$$

01.30.27.0497.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = \frac{3\pi i}{4} - \frac{1}{2}i\cos^{-1}(iz) ; \frac{\pi}{2} < \arg(z) \leq \pi \sqrt{(iz \in \mathbb{R} \wedge -1 < iz < 0)}$$

01.30.27.0498.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{4} - \frac{1}{2}i\cos^{-1}(iz) ; -\pi < \arg(z) < -\frac{\pi}{2} \sqrt{(iz \in \mathbb{R} \wedge iz > 1)}$$

01.30.27.0499.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2}}{\sqrt{1 - \sqrt{1 + z^2}}} \right) = \frac{\pi}{2} \left( i + \frac{\sqrt{-z} \sqrt{z^2}}{z^{3/2}} - i \sqrt{\frac{z^2 + 1}{z^2}} \sqrt{\frac{z^2}{z^2 + 1}} + \frac{i \sqrt{z} (z^2 + 1)}{2 \sqrt{-z} \sqrt{-(z^2 + 1)^2}} \right) - \frac{i \sqrt{z} (z^2 + 1)}{2 \sqrt{-z} \sqrt{-(z^2 + 1)^2}} \cos^{-1}(iz)$$

Involving  $\operatorname{sech}^{-1} \left( \frac{\sqrt{2}}{\sqrt{1 - \sqrt{1 - z^2}}} \right)$  and  $\cos^{-1}(z)$

01.30.27.0500.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2}}{\sqrt{1 - \sqrt{1 - z^2}}} \right) = \frac{\pi i}{4} + \frac{1}{2} i \cos^{-1}(z) ; 0 < \arg(z) \leq \frac{\pi}{2} \bigvee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0501.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2}}{\sqrt{1 - \sqrt{1 - z^2}}} \right) = -\frac{\pi i}{4} - \frac{1}{2} i \cos^{-1}(z) ; -\frac{\pi}{2} < \arg(z) < 0 \bigvee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0502.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2}}{\sqrt{1 - \sqrt{1 - z^2}}} \right) = -\frac{3\pi i}{4} + \frac{1}{2} i \cos^{-1}(z) ; \frac{\pi}{2} < \arg(z) < \pi \bigvee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0503.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2}}{\sqrt{1 - \sqrt{1 - z^2}}} \right) = \frac{3\pi i}{4} - \frac{1}{2} i \cos^{-1}(z) ; -\pi < \arg(z) \leq -\frac{\pi}{2} \bigvee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0504.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2}}{\sqrt{1 - \sqrt{1 - z^2}}} \right) = \frac{\pi}{2} \left( i + \frac{\sqrt{iz} \sqrt{-z^2}}{(-iz)^{3/2}} - i \sqrt{\frac{z^2}{z^2 - 1}} \sqrt{\frac{z^2 - 1}{z^2}} \right) + \frac{i \sqrt{-iz} (1 - z^2)}{2 \sqrt{iz} \sqrt{-(1 - z^2)^2}} \left( \frac{\pi}{2} - \cos^{-1}(z) \right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2/\left(1-\sqrt{1+cz^2}\right)}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2/\left(1-\sqrt{1+z^2}\right)}\right)$  and  $\cos^{-1}(iz)$

01.30.27.0505.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = -\frac{3\pi i}{4} + \frac{1}{2}i\cos^{-1}(iz) ; 0 \leq \arg(z) < \frac{\pi}{2} \bigvee (iz \in \mathbb{R} \wedge iz < -1)$$

01.30.27.0506.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{4} + \frac{1}{2}i\cos^{-1}(iz) ; -\frac{\pi}{2} < \arg(z) < 0 \bigvee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.30.27.0507.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = \frac{3\pi i}{4} - \frac{1}{2}i\cos^{-1}(iz) ; \frac{\pi}{2} < \arg(z) < \pi \bigvee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.30.27.0508.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{4} - \frac{1}{2}i\cos^{-1}(iz) ; -\pi < \arg(z) < -\frac{\pi}{2} \bigvee (iz \in \mathbb{R} \wedge iz > 1) \bigvee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0509.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} \left(1 + i\sqrt{-\frac{1}{z^2}}\sqrt{z^2} - \frac{\sqrt{z^2}\sqrt{-1-z^2}}{\sqrt{-z^2(1+z^2)}}\right) + \frac{i\sqrt{z}(z^2+1)}{2\sqrt{-z}\sqrt{-(z^2+1)^2}} \left(\frac{\pi}{2} - \cos^{-1}(iz)\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2/\left(1-\sqrt{1-z^2}\right)}\right)$  and  $\cos^{-1}(z)$

01.30.27.0510.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{4} + \frac{1}{2}i\cos^{-1}(z) ; 0 < \arg(z) < \frac{\pi}{2} \bigvee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0511.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = -\frac{\pi i}{4} - \frac{1}{2}i\cos^{-1}(z) ; -\frac{\pi}{2} \leq \arg(z) < 0 \bigvee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0512.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = -\frac{3\pi i}{4} + \frac{1}{2}i \cos^{-1}(z) ; \frac{\pi}{2} \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0513.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = \frac{3\pi i}{4} - \frac{1}{2}i \cos^{-1}(z) ; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0514.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{2} \left(1 + i \sqrt{\frac{1}{z^2} \sqrt{-z^2}} - \frac{\sqrt{-z^2} \sqrt{z^2-1}}{\sqrt{z^2(1-z^2)}}\right) - \frac{i \sqrt{i z} (1-z^2)}{2 \sqrt{-i z} \sqrt{-(1-z^2)^2}} \left(\frac{\pi}{2} - \cos^{-1}(z)\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z^2} / \left(z \sqrt{1-\sqrt{1-z^2}}\right)\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z^2} / \left(z \sqrt{1-\sqrt{1-z^2}}\right)\right)$  and  $\cos^{-1}(z)$

01.30.27.0515.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z^2}}{z \sqrt{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{4} + \frac{1}{2}i \cos^{-1}(z) ; 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0516.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z^2}}{z \sqrt{1-\sqrt{1-z^2}}}\right) = -\frac{\pi i}{4} - \frac{1}{2}i \cos^{-1}(z) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0517.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z^2}}{z \sqrt{1-\sqrt{1-z^2}}}\right) = -\frac{\sqrt{1-z}}{2\sqrt{z-1}} \left(\frac{\pi}{2} + \cos^{-1}(z)\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{z} \sqrt{2z^2} / \left(1-\sqrt{1-z^2}\right)\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{z}\sqrt{2z^2/(1-\sqrt{1-z^2})}\right)$  and  $\cos^{-1}(z)$

01.30.27.0518.01

$$\operatorname{sech}^{-1}\left(\frac{1}{z}\sqrt{\frac{2z^2}{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{4} + \frac{1}{2}i\cos^{-1}(z); 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0519.01

$$\operatorname{sech}^{-1}\left(\frac{1}{z}\sqrt{\frac{2z^2}{1-\sqrt{1-z^2}}}\right) = -\frac{\pi i}{4} - \frac{1}{2}i\cos^{-1}(z); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0520.01

$$\operatorname{sech}^{-1}\left(\frac{1}{z}\sqrt{\frac{2z^2}{1-\sqrt{1-z^2}}}\right) = -\frac{\sqrt{1-z}}{2\sqrt{z-1}}\left(\frac{\pi}{2} + \cos^{-1}(z)\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z}/\sqrt{z-\sqrt{z^2-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z}/\sqrt{z-\sqrt{z^2-1}}\right)$  and  $\cos^{-1}\left(\frac{1}{z}\right)$

01.30.27.0521.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2-1}}}\right) = -\frac{i}{2}\left(\frac{\pi}{2} + \cos^{-1}\left(\frac{1}{z}\right)\right); 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0522.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2-1}}}\right) = \frac{i}{2}\left(\frac{\pi}{2} + \cos^{-1}\left(\frac{1}{z}\right)\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0523.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2-1}}}\right) = \frac{i}{2}\left(\frac{\pi}{2} - \cos^{-1}\left(\frac{1}{z}\right)\right); \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.0524.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2-1}}}\right) = -\frac{i}{2}\left(\frac{\pi}{2} - \cos^{-1}\left(\frac{1}{z}\right)\right); -\pi < \arg(z) \leq -\frac{\pi}{2} \quad \vee \quad (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0525.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2-1}}}\right) = -\frac{5\pi i}{4} + \frac{1}{2}i \cos^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0526.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2-1}}}\right) = \frac{\pi\sqrt{-z}(z+\sqrt{z^2})}{4z^{3/2}} + \frac{\pi i}{2}\left(\sqrt{\frac{z^2}{z^2-1}}\sqrt{\frac{z^2-1}{z^2}} - 1\right) - \frac{z}{2(z-1)}\sqrt{-\left(\frac{1-z}{z}\right)^2}\left(\frac{\pi}{2} - \cos^{-1}\left(\frac{1}{z}\right)\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z/(z-\sqrt{z^2-1})}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z/(z-\sqrt{z^2-1})}\right)$  and  $\cos^{-1}\left(\frac{1}{z}\right)$

01.30.27.0527.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{z^2-1}}}\right) = -\frac{i}{2}\left(\frac{\pi}{2} + \cos^{-1}\left(\frac{1}{z}\right)\right); 0 < \arg(z) \leq \frac{\pi}{2} \quad \vee \quad (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0528.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{z^2-1}}}\right) = \frac{i}{2}\left(\frac{\pi}{2} + \cos^{-1}\left(\frac{1}{z}\right)\right); -\frac{\pi}{2} < \arg(z) < 0 \quad \vee \quad (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0529.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{z^2-1}}}\right) = \frac{1}{2}i\left(\frac{\pi}{2} - \cos^{-1}\left(\frac{1}{z}\right)\right); \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.0530.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{z^2-1}}}\right) = -\frac{1}{2}i\left(\frac{\pi}{2} - \cos^{-1}\left(\frac{1}{z}\right)\right); -\pi < \arg(z) \leq -\frac{\pi}{2} \quad \vee \quad (z \in \mathbb{R} \wedge z < 0)$$



01.30.27.0531.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{z^2-1}}}\right) = \frac{\pi\sqrt{-z}\left(z+\sqrt{z^2}\right)}{4z^{3/2}} + \frac{\pi i}{2}\left(\sqrt{\frac{z}{z-1}}\sqrt{\frac{z-1}{z}}-1\right) - \frac{z}{2(z-1)}\sqrt{-\left(\frac{1-z}{z}\right)^2}\left(\frac{\pi}{2}-\cos^{-1}\left(\frac{1}{z}\right)\right)$$

**Involving  $\tan^{-1}$**

**Involving  $\operatorname{sech}^{-1}(z)$**

**Involving  $\operatorname{sech}^{-1}(z)$  and  $\tan^{-1}\left(\sqrt{z^2-1}\right)$**

01.30.27.0532.01

$$\operatorname{sech}^{-1}(z) = -i \tan^{-1}\left(\sqrt{z^2-1}\right) /; 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0533.01

$$\operatorname{sech}^{-1}(z) = i \tan^{-1}\left(\sqrt{z^2-1}\right) /; -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0534.01

$$\operatorname{sech}^{-1}(z) = -\pi i + i \tan^{-1}\left(\sqrt{z^2-1}\right) /; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.0535.01

$$\operatorname{sech}^{-1}(z) = \pi i - i \tan^{-1}\left(\sqrt{z^2-1}\right) /; -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0536.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{2}\pi\sqrt{\frac{1}{z}}\sqrt{-z}\left(1-\frac{\sqrt{z^2}}{z}\right) + \frac{\sqrt{z^2}}{\sqrt{z-1}\sqrt{z}}\sqrt{\frac{1}{z}-1}\tan^{-1}\left(\sqrt{z^2-1}\right)$$

**Involving  $\operatorname{sech}^{-1}(z)$  and  $\tan^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right)$**

01.30.27.0537.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + i \tan^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right) /; 0 < \arg(z) \leq \frac{\pi}{2}$$

01.30.27.0538.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - i \tan^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right) /; -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0539.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} - i \tan^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right) /; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.0540.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + i \tan^{-1} \left( \frac{1}{\sqrt{z^2 - 1}} \right) /; -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0541.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{2} + i \tan^{-1} \left( \frac{1}{\sqrt{z^2 - 1}} \right) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0542.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{2} \pi \left( -\frac{\sqrt{z^2} \sqrt{-z}}{z} \sqrt{\frac{1}{z}} + \sqrt{\frac{1}{z}} \sqrt{-z} + \frac{\sqrt{z+1} \sqrt{-z^2}}{\sqrt{z^2}} \sqrt{\frac{1}{z+1}} \right) - \frac{\sqrt{z^2}}{\sqrt{z-1} \sqrt{z}} \sqrt{\frac{1-z}{z}} \tan^{-1} \left( \frac{1}{\sqrt{z^2 - 1}} \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\tan^{-1} \left( \sqrt{\frac{1}{z^2 - 1}} \right)$

01.30.27.0543.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + i \tan^{-1} \left( \sqrt{\frac{1}{z^2 - 1}} \right) /; 0 < \arg(z) < \frac{\pi}{2}$$

01.30.27.0544.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - i \tan^{-1} \left( \sqrt{\frac{1}{z^2 - 1}} \right) /; -\frac{\pi}{2} \leq \arg(z) \leq 0$$

01.30.27.0545.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} - i \tan^{-1} \left( \sqrt{\frac{1}{z^2 - 1}} \right) /; \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.0546.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + i \tan^{-1} \left( \sqrt{\frac{1}{z^2 - 1}} \right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0547.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{2} - i \tan^{-1} \left( \sqrt{\frac{1}{z^2 - 1}} \right) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0548.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{2} \pi \left( -\frac{\sqrt{z^2} \sqrt{-z}}{z} \sqrt{\frac{1}{z}} + \sqrt{\frac{1}{z}} \sqrt{-z} + \frac{\sqrt{z+1} \sqrt{-z^2}}{\sqrt{z^2}} \sqrt{\frac{1}{z+1}} \right) - \frac{\sqrt{z^2} \sqrt{-1+z^2}}{\sqrt{-1+z} \sqrt{z}} \sqrt{\frac{1-z}{z}} \sqrt{\frac{1}{-1+z^2}} \tan^{-1} \left( \sqrt{\frac{1}{z^2 - 1}} \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\tan^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2-2}\right)$

01.30.27.0549.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + \frac{1}{2} i \tan^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2-2}\right) /; 0 < \arg(z) \leq \frac{\pi}{2} \wedge |z| \geq \sqrt{2}$$

01.30.27.0550.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - \frac{1}{2} i \tan^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2-2}\right) /; -\frac{\pi}{2} < \arg(z) \leq 0 \wedge |z| \geq \sqrt{2}$$

01.30.27.0551.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} - \frac{1}{2} i \tan^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2-2}\right) /; \frac{\pi}{2} < \arg(z) < \pi \wedge |z| \geq \sqrt{2}$$

01.30.27.0552.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + \frac{1}{2} i \tan^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2-2}\right) /; \left(-\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z \leq -\sqrt{2})\right) \wedge |z| \geq \sqrt{2}$$

01.30.27.0553.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1}$$

$$\left( \frac{\pi}{4} \left( 2 - \frac{\sqrt{-1+\frac{1}{z^2}}}{\sqrt{\frac{1}{z^4}-\frac{1}{z^2}}} z - \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{\sqrt{2}-z}{z}} \sqrt{\frac{1}{z}} \sqrt{z} \sqrt{\frac{z}{\sqrt{2}-z}} + \sqrt{-\frac{1}{z}} \sqrt{-z} \sqrt{-\frac{z}{\sqrt{2}+z}} \sqrt{-\frac{\sqrt{2}+z}{z}} \right) - \frac{z}{2\sqrt{z^2}} \tan^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2-2}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\tan^{-1}\left(\frac{-2+z^2}{2\sqrt{z^2-1}}\right)$

01.30.27.0554.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{4} - \frac{1}{2} i \tan^{-1}\left(\frac{z^2-2}{2\sqrt{z^2-1}}\right) /; 0 < \arg(z) \leq \frac{\pi}{2}$$

01.30.27.0555.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{4} + \frac{1}{2} i \tan^{-1}\left(\frac{z^2 - 2}{2\sqrt{z^2 - 1}}\right) /; -\frac{\pi}{2} < \arg(z) < 0 \wedge (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0556.01

$$\operatorname{sech}^{-1}(z) = -\frac{3\pi i}{4} + \frac{1}{2} i \tan^{-1}\left(\frac{z^2 - 2}{2\sqrt{z^2 - 1}}\right) /; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.0557.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{4} - \frac{1}{2} i \tan^{-1}\left(\frac{z^2 - 2}{2\sqrt{z^2 - 1}}\right) /; -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0558.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{4} - \frac{1}{2} i \tan^{-1}\left(\frac{z^2 - 2}{2\sqrt{z^2 - 1}}\right) /; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0559.01

$$\operatorname{sech}^{-1}(z) = \frac{5\pi i}{4} - \frac{1}{2} i \tan^{-1}\left(\frac{z^2 - 2}{2\sqrt{z^2 - 1}}\right) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0560.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi}{4} \left( 2 \sqrt{\frac{1}{z}} \sqrt{-z} + \frac{\sqrt{z^2}}{\sqrt{-z}} \sqrt{\frac{1}{z}} - i \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} + i \right) + \frac{\sqrt{z^2}}{2\sqrt{z-1}\sqrt{z}} \sqrt{\frac{1-z}{z}} \tan^{-1}\left(\frac{z^2 - 2}{2\sqrt{z^2 - 1}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\tan^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z-1}}\right)$

01.30.27.0561.01

$$\operatorname{sech}^{-1}(z) = -\pi i + 2 i \tan^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z-1}}\right) /; \operatorname{Im}(z) > 0$$

01.30.27.0562.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2 i \tan^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z-1}}\right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0563.01

$$\operatorname{sech}^{-1}(z) = \pi i + 2 i \tan^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z-1}}\right) /; (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.30.27.0564.01

$$\operatorname{sech}^{-1}(z) = \pi \sqrt{-z} \sqrt{\frac{1}{z}} - \frac{2\sqrt{-z}\sqrt{z-1}}{\sqrt{z+1}} \sqrt{\frac{1}{z}} \sqrt{\frac{z+1}{z-1}} \tan^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z-1}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\tan^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{1-z}}\right)$

01.30.27.0565.01

$$\operatorname{sech}^{-1}(z) = -\pi i + 2i \tan^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{1-z}}\right); \operatorname{Im}(z) > 0$$

01.30.27.0566.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2i \tan^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{1-z}}\right); \operatorname{Im}(z) \leq 0$$

01.30.27.0567.01

$$\operatorname{sech}^{-1}(z) = \pi \sqrt{-z} \sqrt{\frac{1}{z}} - 2 \sqrt{\frac{1}{z}} \sqrt{-z} \tan^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{1-z}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\tan^{-1}\left(\sqrt{\frac{z+1}{z-1}}\right)$

01.30.27.0568.01

$$\operatorname{sech}^{-1}(z) = -\pi i + 2i \tan^{-1}\left(\sqrt{\frac{z+1}{z-1}}\right); \operatorname{Im}(z) > 0$$

01.30.27.0569.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2i \tan^{-1}\left(\sqrt{\frac{z+1}{z-1}}\right); \operatorname{Im}(z) \leq 0$$

01.30.27.0570.01

$$\operatorname{sech}^{-1}(z) = \pi \sqrt{-z} \sqrt{\frac{1}{z}} - 2 \sqrt{-z} \sqrt{\frac{1}{z}} \tan^{-1}\left(\sqrt{\frac{z+1}{z-1}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\tan^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z+1}}\right)$

01.30.27.0571.01

$$\operatorname{sech}^{-1}(z) = -2i \tan^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z+1}}\right); 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0572.01

$$\operatorname{sech}^{-1}(z) = 2i \tan^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z+1}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0573.01

$$\operatorname{sech}^{-1}(z) = 2\pi i - 2i \tan^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z+1}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0574.01

$$\operatorname{sech}^{-1}(z) = i\pi \left(1 - \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}}\right) + \frac{2\sqrt{-z-1} \sqrt{z-1} \sqrt{-z}}{\sqrt{1-z^2}} \sqrt{\frac{1}{z}} \tan^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z+1}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\tan^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-1-z}}\right)$

01.30.27.0575.01

$$\operatorname{sech}^{-1}(z) = -2i \tan^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-1-z}}\right); \operatorname{Im}(z) > 0$$

01.30.27.0576.01

$$\operatorname{sech}^{-1}(z) = 2i \tan^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z-1}}\right); -\pi < \arg(z) \leq 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0577.01

$$\operatorname{sech}^{-1}(z) = 2\pi i + 2i \tan^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-1-z}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0578.01

$$\operatorname{sech}^{-1}(z) = i\pi \left(1 - \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}}\right) + 2\sqrt{\frac{1}{z}} \sqrt{-z} \tan^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-1-z}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\tan^{-1}\left(\sqrt{\frac{z-1}{z+1}}\right)$

01.30.27.0579.01

$$\operatorname{sech}^{-1}(z) = -2i \tan^{-1}\left(\sqrt{\frac{z-1}{z+1}}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0580.01

$$\operatorname{sech}^{-1}(z) = 2i \tan^{-1}\left(\sqrt{\frac{z-1}{z+1}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0581.01

$$\operatorname{sech}^{-1}(z) = 2\pi i - 2i \tan^{-1}\left(\sqrt{\frac{z-1}{z+1}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0582.01

$$\operatorname{sech}^{-1}(z) = i\pi \left(1 - \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}}\right) + \frac{2\sqrt{-z-1} \sqrt{z-1} \sqrt{-z}}{\sqrt{1-z^2}} \sqrt{\frac{1}{z}} \tan^{-1}\left(\sqrt{\frac{z-1}{z+1}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\tan^{-1}\left(\sqrt{z^2-1} + z\right)$

01.30.27.0583.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + 2i \tan^{-1}\left(z + \sqrt{z^2-1}\right); \frac{\pi}{2} < \arg(z) < \pi \vee -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0584.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - 2i \tan^{-1}\left(z + \sqrt{z^2 - 1}\right); 0 < \arg(z) \leq \frac{\pi}{2} \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 1)$$

01.30.27.0585.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} \left( 1 + \frac{i \sqrt{z^2} \sqrt{-z}}{z} \sqrt{\frac{1}{z}} - \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} \right) + \frac{2 \sqrt{z^2}}{\sqrt{z-1} \sqrt{z}} \sqrt{\frac{1-z}{z}} \tan^{-1}\left(z + \sqrt{z^2 - 1}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\tan^{-1}\left(z - \sqrt{z^2 - 1}\right)$

01.30.27.0586.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + 2i \tan^{-1}\left(z - \sqrt{z^2 - 1}\right); 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0587.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - 2i \tan^{-1}\left(z - \sqrt{z^2 - 1}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0588.01

$$\operatorname{sech}^{-1}(z) = -\frac{3\pi i}{2} - 2i \tan^{-1}\left(z - \sqrt{z^2 - 1}\right); \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.0589.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{2} + 2i \tan^{-1}\left(z - \sqrt{z^2 - 1}\right); -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0590.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} \left( \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} + \frac{i(2z - \sqrt{z^2})}{\sqrt{-z}} \sqrt{\frac{1}{z}} - 1 \right) - \frac{2 \sqrt{z^2}}{\sqrt{z-1} \sqrt{z}} \sqrt{\frac{1-z}{z}} \tan^{-1}\left(z - \sqrt{z^2 - 1}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\tan^{-1}\left(\frac{1}{\sqrt{z^2 - 1} + z}\right)$

01.30.27.0591.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + 2i \tan^{-1}\left(\frac{1}{\sqrt{z^2 - 1} + z}\right); 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0592.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - 2i \tan^{-1}\left(\frac{1}{\sqrt{z^2 - 1} + z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0593.01

$$\operatorname{sech}^{-1}(z) = -\frac{3\pi i}{2} - 2i \tan^{-1}\left(\frac{1}{\sqrt{z^2 - 1} + z}\right); \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.0594.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{2} + 2i \tan^{-1}\left(\frac{1}{\sqrt{z^2-1}+z}\right); -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0595.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} \left( \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} + \frac{i(2z-\sqrt{z^2})}{\sqrt{-z}} \sqrt{\frac{1}{z}-1} \right) - \frac{2\sqrt{z^2}}{\sqrt{z-1}\sqrt{z}} \sqrt{\frac{1-z}{z}} \tan^{-1}\left(\frac{1}{\sqrt{z^2-1}+z}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\tan^{-1}\left(\frac{1}{z-\sqrt{z^2-1}}\right)$

01.30.27.0596.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + 2i \tan^{-1}\left(\frac{1}{z-\sqrt{z^2-1}}\right); \frac{\pi}{2} < \arg(z) < \pi \vee -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0597.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - 2i \tan^{-1}\left(\frac{1}{z-\sqrt{z^2-1}}\right); 0 < \arg(z) \leq \frac{\pi}{2} \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 1)$$

01.30.27.0598.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} \left( 1 + \frac{i\sqrt{z^2}\sqrt{-z}}{z} \sqrt{\frac{1}{z}-1} - \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} \right) + \frac{2\sqrt{z^2}}{\sqrt{z-1}\sqrt{z}} \sqrt{\frac{1-z}{z}} \tan^{-1}\left(\frac{1}{z-\sqrt{z^2-1}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right)$  and  $\tan^{-1}(z)$

01.30.27.0599.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = -2i \tan^{-1}(z) + \frac{\pi i}{2}; |z| < 1 \wedge \operatorname{Im}(z) \geq 0 \vee 0 < \arg(z) \leq \frac{\pi}{2}$$

01.30.27.0600.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = 2i \tan^{-1}(z) - \frac{\pi i}{2}; |z| < 1 \wedge \operatorname{Im}(z) < 0 \vee -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0601.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = 2i \tan^{-1}(z) + \frac{3\pi i}{2}; |z| > 1 \wedge -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0602.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = -2i \tan^{-1}(z) - \frac{3\pi i}{2}; |z| > 1 \wedge \frac{\pi}{2} < \arg(z) < \pi$$



01.30.27.0603.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = 2i \tan^{-1}(z) + \frac{3\pi i}{2} /; |z| > 1 \wedge -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0013.02

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2}}{z-1} \left(2 \tan^{-1}(z) - \frac{\pi}{2}\right) /; |z| < 1 \vee -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.30.27.0604.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2} \sqrt{z+1}}{z-1} \sqrt{\frac{1}{z+1}} \left(2 \tan^{-1}(z) + \frac{3\pi}{2}\right) /; |z| > 1 \wedge \left(\frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}\right)$$

01.30.27.0605.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2}}{1-z} \sqrt{z+1} \sqrt{\frac{1}{z+1}} \left(\pi \left(z \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} - \frac{1}{2}\right) - 2 \tan^{-1}(z)\right) /;$$

$$|z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2} \vee |z| > 1$$

01.30.27.0606.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2} \sqrt{z+1}}{1-z} \sqrt{\frac{1}{z+1}} \left(\pi \left(\sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} z + \frac{3}{2}\right) - 2 \tan^{-1}(z)\right) /;$$

$$|z| \leq 1 \wedge \left(\frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right)$  and  $\tan^{-1}\left(\frac{1}{z}\right)$

01.30.27.0607.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = -\frac{\pi i}{2} + 2i \tan^{-1}\left(\frac{1}{z}\right) /; |z| \leq 1 \wedge 0 \leq \arg(z) < \frac{\pi}{2} \vee |z| > 1 \wedge \operatorname{Im}(z) > 0$$

01.30.27.0608.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\pi i}{2} - 2i \tan^{-1}\left(\frac{1}{z}\right) /; |z| \leq 1 \wedge -\frac{\pi}{2} \leq \arg(z) < 0 \vee |z| > 1 \wedge -\pi < \arg(z) \leq 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0609.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{3\pi i}{2} + 2i \tan^{-1}\left(\frac{1}{z}\right) /; |z| \leq 1 \wedge \frac{\pi}{2} \leq \arg(z) \leq \pi$$

01.30.27.0610.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = -\frac{3\pi i}{2} - 2i \tan^{-1}\left(\frac{1}{z}\right) /; |z| \leq 1 \wedge -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.0611.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2}}{z-1} \left(\pi \left(z \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} - \frac{1}{2}\right) - 2 \tan^{-1}\left(\frac{1}{z}\right)\right) /; |z| < 1 \vee -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.30.27.0612.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2} \sqrt{z+1}}{z-1} \sqrt{\frac{1}{z+1}} \left( \pi \left( \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} z + \frac{3}{2} \right) - 2 \tan^{-1}\left(\frac{1}{z}\right) \right) /;$$

$$|z| > 1 \wedge \left( \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \right)$$

01.30.27.0613.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2}}{1-z} \sqrt{z+1} \sqrt{\frac{1}{z+1}} \left( 2 \tan^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2} \right) /; |z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2} \vee |z| > 1$$

01.30.27.0614.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2} \sqrt{z+1}}{1-z} \sqrt{\frac{1}{z+1}} \left( 2 \tan^{-1}\left(\frac{1}{z}\right) + \frac{3\pi}{2} \right) /; |z| \leq 1 \wedge \left( \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right)$  and  $\tan^{-1}(z)$

01.30.27.0615.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{\frac{-(z-1)^2}{z^2+1}}}{\sqrt{\frac{(z-1)^2}{z^2+1}}} \left( \frac{\pi}{2} - 2 \tan^{-1}\left( \frac{1-z}{z^{1+z}} \sqrt{\frac{(1+z)^2}{1-z}} \right) \right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right)$  and  $\tan^{-1}(\sqrt{-z})$

01.30.27.0616.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = 2i \tan^{-1}(\sqrt{-z}) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0617.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = -2i \tan^{-1}(\sqrt{-z}) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0618.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = 2\pi i - 2i \tan^{-1}(\sqrt{-z}) /; (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0619.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = \frac{2\sqrt{z}}{\sqrt{-z}} \tan^{-1}(\sqrt{-z}) + \left( 1 - \sqrt{1-z} \sqrt{\frac{1}{1-z}} \right) \pi i$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right)$  and  $\tan^{-1}\left(\frac{1}{\sqrt{-z}}\right)$

01.30.27.0620.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = \pi i - 2i \tan^{-1}\left(\frac{1}{\sqrt{-z}}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0621.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = -\pi i + 2i \tan^{-1}\left(\frac{1}{\sqrt{-z}}\right); \operatorname{Im}(z) < 0$$

01.30.27.0622.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = \pi i + 2i \tan^{-1}\left(\frac{1}{\sqrt{-z}}\right); (z \in \mathbb{R} \wedge z > 0)$$

01.30.27.0623.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = \pi \sqrt{z} \sqrt{-\frac{1}{z}} - \frac{2\sqrt{z}}{\sqrt{-z}} \tan^{-1}\left(\frac{1}{\sqrt{-z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right)$  and  $\tan^{-1}\left(\sqrt{-\frac{1}{z}}\right)$

01.30.27.0624.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = -\pi i + 2i \tan^{-1}\left(\sqrt{-\frac{1}{z}}\right); \operatorname{Im}(z) > 0$$

01.30.27.0625.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = \pi i - 2i \tan^{-1}\left(\sqrt{-\frac{1}{z}}\right); \operatorname{Im}(z) \leq 0$$

01.30.27.0626.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = \pi \sqrt{z} \sqrt{-\frac{1}{z}} - 2\sqrt{z} \sqrt{-\frac{1}{z}} \tan^{-1}\left(\sqrt{-\frac{1}{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right)$  and  $\tan^{-1}(\sqrt{-z})$

01.30.27.0627.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = 2i \tan^{-1}(\sqrt{-z}) - \pi i; \operatorname{Im}(z) > 0$$

01.30.27.0628.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = \pi i - 2i \tan^{-1}(\sqrt{-z}); \operatorname{Im}(z) \leq 0$$

01.30.27.0629.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = \sqrt{-z} \sqrt{\frac{1}{z}} \pi - 2\sqrt{-z} \sqrt{\frac{1}{z}} \tan^{-1}(\sqrt{-z})$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right)$  and  $\tan^{-1}\left(\frac{1}{\sqrt{-z}}\right)$

01.30.27.0630.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = -2i \tan^{-1}\left(\frac{1}{\sqrt{-z}}\right); \operatorname{Im}(z) > 0$$

01.30.27.0631.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = 2i \tan^{-1}\left(\frac{1}{\sqrt{-z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0632.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = 2\pi i + 2i \tan^{-1}\left(\frac{1}{\sqrt{-z}}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0633.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = 2\sqrt{-z} \sqrt{\frac{1}{z}} \tan^{-1}\left(\frac{1}{\sqrt{-z}}\right) + \pi i \left(1 - \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right)$  and  $\tan^{-1}\left(\sqrt{-\frac{1}{z}}\right)$

01.30.27.0634.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = -2i \tan^{-1}\left(\sqrt{-\frac{1}{z}}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0635.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = 2i \tan^{-1}\left(\sqrt{-\frac{1}{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0636.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = 2\pi i - 2i \tan^{-1}\left(\sqrt{-\frac{1}{z}}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0637.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = -2z \sqrt{-\frac{1}{z^2}} \tan^{-1}\left(\sqrt{-\frac{1}{z}}\right) + \pi i \left(1 - \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right)$  and  $\tan^{-1}(\sqrt{z})$

01.30.27.0638.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = 2i \tan^{-1}(\sqrt{z}); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 0)$$

01.30.27.0639.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = -2i \tan^{-1}(\sqrt{z}) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0640.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = 2\pi i - 2i \tan^{-1}(\sqrt{z}) /; (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0641.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = \frac{2\sqrt{-z}}{\sqrt{z}} \tan^{-1}(\sqrt{z}) + \left(1 - \sqrt{z+1} \sqrt{\frac{1}{z+1}}\right) \pi i$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right)$  and  $\tan^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.0642.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = -\pi i + 2i \tan^{-1}\left(\frac{1}{\sqrt{z}}\right) /; \operatorname{Im}(z) > 0$$

01.30.27.0643.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = \pi i - 2i \tan^{-1}\left(\frac{1}{\sqrt{z}}\right) /; -\pi < \arg(z) \leq 0$$

01.30.27.0644.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = \pi i + 2i \tan^{-1}\left(\frac{1}{\sqrt{z}}\right) /; (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0645.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = \pi \sqrt{-z} \sqrt{\frac{1}{z}} - \frac{2\sqrt{-z}}{\sqrt{z}} \tan^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right)$  and  $\tan^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.0646.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = -\pi i + 2i \tan^{-1}\left(\sqrt{\frac{1}{z}}\right) /; \operatorname{Im}(z) > 0$$

01.30.27.0647.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = \pi i - 2i \tan^{-1}\left(\sqrt{\frac{1}{z}}\right) /; \operatorname{Im}(z) \leq 0$$

01.30.27.0648.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = \pi \sqrt{-z} \sqrt{\frac{1}{z}} - 2\sqrt{-z} \sqrt{\frac{1}{z}} \tan^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right)$  and  $\tan^{-1}(\sqrt{z})$

01.30.27.0649.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = \pi i - 2 i \tan^{-1}(\sqrt{z}) /; \operatorname{Im}(z) \geq 0$$

01.30.27.0650.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = 2 i \tan^{-1}(\sqrt{z}) - \pi i /; \operatorname{Im}(z) < 0$$

01.30.27.0651.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = \sqrt{z} \sqrt{-\frac{1}{z}} \pi - 2 \sqrt{z} \sqrt{-\frac{1}{z}} \tan^{-1}(\sqrt{z})$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right)$  and  $\tan^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.0652.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = 2 i \tan^{-1}\left(\frac{1}{\sqrt{z}}\right) /; 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0653.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = -2 i \tan^{-1}\left(\frac{1}{\sqrt{z}}\right) /; \operatorname{Im}(z) < 0$$

01.30.27.0654.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = 2 \pi i + 2 i \tan^{-1}\left(\frac{1}{\sqrt{z}}\right) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0655.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = i \pi \left(1 - \frac{\sqrt{-z-1} \sqrt{z}}{\sqrt{-z(z+1)}}\right) + 2 \sqrt{-\frac{1}{z}} \sqrt{z} \tan^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right)$  and  $\tan^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.0656.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = 2 i \tan^{-1}\left(\sqrt{\frac{1}{z}}\right) /; 0 \leq \arg(z) < \pi$$

01.30.27.0657.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = -2 i \tan^{-1}\left(\sqrt{\frac{1}{z}}\right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0658.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = 2 \pi i - 2 i \tan^{-1}\left(\sqrt{\frac{1}{z}}\right) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0659.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = i\pi \left(1 - \frac{\sqrt{-z-1}\sqrt{z}}{\sqrt{-z(z+1)}}\right) + 2z \sqrt{-\frac{1}{z^2}} \tan^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right)$ and $\tan^{-1}(z)$

01.30.27.0660.01

$$\operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right) = -2i \tan^{-1}(z) ; 0 < \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) \leq \pi \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.30.27.0661.01

$$\operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right) = 2i \tan^{-1}(z) ; -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) \leq 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.30.27.0662.01

$$\operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right) = 2\pi i - 2i \tan^{-1}(z) ; (iz \in \mathbb{R} \wedge iz < -1)$$

01.30.27.0663.01

$$\operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right) = 2\pi i + 2i \tan^{-1}(z) ; (iz \in \mathbb{R} \wedge iz > 1)$$

01.30.27.0014.01

$$\operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right) = \frac{2\sqrt{-z^2}}{z} \tan^{-1}(z) ; iz \notin (-\infty, -1) \wedge iz \notin (1, \infty)$$

01.30.27.0664.01

$$\operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right) = i\pi \left(1 - \sqrt{z^2+1} \sqrt{\frac{1}{z^2+1}}\right) + \frac{2\sqrt{-z^2}}{z} \tan^{-1}(z)$$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right)$ and $\tan^{-1}\left(\frac{1}{z}\right)$

01.30.27.0665.01

$$\operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right) = -\pi i + 2i \tan^{-1}\left(\frac{1}{z}\right) ; 0 < \arg(z) < \frac{\pi}{2}$$

01.30.27.0666.01

$$\operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right) = \pi i - 2i \tan^{-1}\left(\frac{1}{z}\right) ; -\frac{\pi}{2} \leq \arg(z) \leq 0$$

01.30.27.0667.01

$$\operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right) = \pi i + 2i \tan^{-1}\left(\frac{1}{z}\right) ; \frac{\pi}{2} \leq \arg(z) \leq \pi$$

$$\text{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right) = -\pi i - 2i \tan^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2}$$

$$\text{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right) = \pi \sqrt{\frac{1}{z^2}} \sqrt{-z^2} - \frac{2\sqrt{-z^2}}{z} \tan^{-1}\left(\frac{1}{z}\right)$$

### Involving $\text{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right)$

#### Involving $\text{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right)$ and $\tan^{-1}(z)$

$$\text{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right) = \pi i - 2i \tan^{-1}(z); 0 \leq \arg(z) \leq \frac{\pi}{2}$$

$$\text{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right) = -\pi i + 2i \tan^{-1}(z); -\frac{\pi}{2} < \arg(z) < 0$$

$$\text{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right) = -\pi i - 2i \tan^{-1}(z); \frac{\pi}{2} < \arg(z) < \pi$$

$$\text{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right) = \pi i + 2i \tan^{-1}(z); -\pi < \arg(z) \leq -\frac{\pi}{2}$$

$$\text{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right) = \pi \sqrt{-\frac{1}{z^2}} \sqrt{z^2} - 2z \sqrt{-\frac{1}{z^2}} \tan^{-1}(z)$$

#### Involving $\text{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right)$ and $\tan^{-1}\left(\frac{1}{z}\right)$

$$\text{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right) = 2i \tan^{-1}\left(\frac{1}{z}\right); 0 \leq \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) < \pi \vee (iz \in \mathbb{R} \wedge iz < -1)$$

$$\text{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right) = -2i \tan^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1)$$

$$\text{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right) = 2\pi i + 2i \tan^{-1}\left(\frac{1}{z}\right); (iz \in \mathbb{R} \wedge -1 < iz < 0)$$



01.30.27.0678.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right) = 2\pi i - 2i \tan^{-1}\left(\frac{1}{z}\right); (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.0679.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right) = \pi i \left(1 - \sqrt{\frac{z^2}{1+z^2}} \sqrt{\frac{1+z^2}{z^2}}\right) + 2z \sqrt{-\frac{1}{z^2}} \tan^{-1}\left(\frac{1}{z}\right)$$

### Involving $\operatorname{sech}^{-1}(\sqrt{z+1})$

#### Involving $\operatorname{sech}^{-1}(\sqrt{z+1})$ and $\tan^{-1}(\sqrt{z})$

01.30.27.0680.01

$$\operatorname{sech}^{-1}(\sqrt{z+1}) = -i \tan^{-1}(\sqrt{z}); 0 < \arg(z) \leq \pi$$

01.30.27.0681.01

$$\operatorname{sech}^{-1}(\sqrt{z+1}) = i \tan^{-1}(\sqrt{z}); -\pi < \arg(z) \leq 0$$

01.30.27.0015.01

$$\operatorname{sech}^{-1}(\sqrt{z+1}) = \frac{\sqrt{-z^2}}{z} \tan^{-1}(\sqrt{z})$$

#### Involving $\operatorname{sech}^{-1}(\sqrt{z+1})$ and $\tan^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.0682.01

$$\operatorname{sech}^{-1}(\sqrt{z+1}) = -\frac{\pi i}{2} + i \tan^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0683.01

$$\operatorname{sech}^{-1}(\sqrt{z+1}) = \frac{\pi i}{2} - i \tan^{-1}\left(\frac{1}{\sqrt{z}}\right); -\pi < \arg(z) \leq 0$$

01.30.27.0684.01

$$\operatorname{sech}^{-1}(\sqrt{z+1}) = \frac{\pi i}{2} + i \tan^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0685.01

$$\operatorname{sech}^{-1}(\sqrt{z+1}) = \frac{\pi i}{2} \left( \sqrt{z+1} \sqrt{\frac{1}{z+1}} - i \sqrt{\frac{1}{z}} \sqrt{-z-1} \right) + \frac{\sqrt{z}}{\sqrt{-z}} \tan^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

#### Involving $\operatorname{sech}^{-1}(\sqrt{z+1})$ and $\tan^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.0686.01

$$\operatorname{sech}^{-1}(\sqrt{z+1}) = -\frac{\pi i}{2} + i \tan^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) > 0$$

01.30.27.0687.01

$$\operatorname{sech}^{-1}(\sqrt{z+1}) = \frac{\pi i}{2} - i \tan^{-1}\left(\sqrt{\frac{1}{z}}\right); -\pi < \arg(z) \leq 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0688.01

$$\operatorname{sech}^{-1}(\sqrt{z+1}) = -\frac{\pi i}{2} - i \tan^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0689.01

$$\operatorname{sech}^{-1}(\sqrt{z+1}) = \frac{\pi i}{2} \left( \sqrt{z+1} \sqrt{\frac{1}{z+1}} - i \sqrt{\frac{1}{z}} \sqrt{-z-1} \right) - \sqrt{-z} \sqrt{\frac{1}{z}} \tan^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right)$ and $\tan^{-1}(\sqrt{z})$

01.30.27.0690.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right) = \frac{\pi i}{2} - i \tan^{-1}(\sqrt{z}); \operatorname{Im}(z) \geq 0$$

01.30.27.0691.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right) = -\frac{\pi i}{2} + i \tan^{-1}(\sqrt{z}); \operatorname{Im}(z) < 0$$

01.30.27.0692.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right) = \frac{1}{2} \pi \sqrt{z} \sqrt{-\frac{1}{z}} - \sqrt{z} \sqrt{-\frac{1}{z}} \tan^{-1}(\sqrt{z})$$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right)$ and $\tan^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.0693.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right) = i \tan^{-1}\left(\frac{1}{\sqrt{z}}\right); 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0694.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right) = -i \tan^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) < 0$$

01.30.27.0695.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right) = \pi i + i \tan^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0696.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right) = \frac{\pi i}{2} \left(1 - \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}}\right) + \sqrt{-\frac{1}{z}} \sqrt{z} \tan^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right)$  and  $\tan^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.0697.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right) = i \tan^{-1}\left(\sqrt{\frac{1}{z}}\right); 0 \leq \arg(z) < \pi$$

01.30.27.0698.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right) = -i \tan^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0699.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right) = \pi i - i \tan^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0700.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right) = \frac{\pi i}{2} \left(1 - \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}}\right) + z \sqrt{-\frac{1}{z^2}} \tan^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right)$  and  $\tan^{-1}(\sqrt{z})$

01.30.27.0701.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) = \frac{\pi i}{2} - i \tan^{-1}(\sqrt{z}); 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0702.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) = -\frac{\pi i}{2} + i \tan^{-1}(\sqrt{z}); \operatorname{Im}(z) < 0$$

01.30.27.0703.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) = -\frac{\pi i}{2} - i \tan^{-1}(\sqrt{z}); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0704.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) = \frac{\pi i}{2} \left(-1 + \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - i \sqrt{z} \sqrt{-\frac{1}{z}}\right) - \sqrt{z} \sqrt{-\frac{1}{z}} \tan^{-1}(\sqrt{z})$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right)$  and  $\tan^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.0705.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) = i \tan^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) \geq 0$$

01.30.27.0706.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) = -i \tan^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) < 0$$

01.30.27.0707.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) = \sqrt{z} \sqrt{-\frac{1}{z}} \tan^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right)$  and  $\tan^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.0708.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) = i \tan^{-1}\left(\sqrt{\frac{1}{z}}\right); 0 \leq \arg(z) < \pi$$

01.30.27.0709.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) = -i \tan^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0710.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) = z \sqrt{-\frac{1}{z^2}} \tan^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right)$  and  $\tan^{-1}(\sqrt{z})$

01.30.27.0711.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right) = \frac{\pi i}{2} - i \tan^{-1}(\sqrt{z}); 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0712.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right) = -\frac{\pi i}{2} + i \tan^{-1}(\sqrt{z}); \operatorname{Im}(z) < 0$$

01.30.27.0713.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right) = -\frac{\pi i}{2} - i \tan^{-1}(\sqrt{z}) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0714.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right) = \frac{\pi \sqrt{-z-1}}{2 \sqrt{-z(z+1)}} \sqrt{-\frac{1}{z}} - \sqrt{z} \sqrt{-\frac{1}{z}} \tan^{-1}(\sqrt{z})$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right)$  and  $\tan^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.0715.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right) = i \tan^{-1}\left(\frac{1}{\sqrt{z}}\right) /; \operatorname{Im}(z) \geq 0$$

01.30.27.0716.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right) = -i \tan^{-1}\left(\frac{1}{\sqrt{z}}\right) /; \operatorname{Im}(z) < 0$$

01.30.27.0717.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right) = \sqrt{-\frac{1}{z}} \sqrt{z} \tan^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right)$  and  $\tan^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.0718.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right) = i \tan^{-1}\left(\sqrt{\frac{1}{z}}\right) /; 0 \leq \arg(z) < \pi$$

01.30.27.0719.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right) = -i \tan^{-1}\left(\sqrt{\frac{1}{z}}\right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0720.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right) = z \sqrt{-\frac{1}{z^2}} \tan^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{z^2+1}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{z^2+1}\right)$  and  $\tan^{-1}(z)$

01.30.27.0721.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2 + 1}\right) = -i \tan^{-1}(z) /; 0 < \arg(z) \leq \pi$$

01.30.27.0722.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2 + 1}\right) = i \tan^{-1}(z) /; -\pi < \arg(z) \leq 0$$

01.30.27.0016.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2 + 1}\right) = \frac{\sqrt{-z^2}}{z} \tan^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{z^2 + 1}\right)$  and  $\tan^{-1}\left(\frac{1}{z}\right)$

01.30.27.0723.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2 + 1}\right) = -\frac{\pi i}{2} + i \tan^{-1}\left(\frac{1}{z}\right) /; 0 < \arg(z) < -\frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.27.0724.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2 + 1}\right) = \frac{\pi i}{2} - i \tan^{-1}\left(\frac{1}{z}\right) /; -\frac{\pi}{2} < \arg(z) \leq 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.0725.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2 + 1}\right) = \frac{\pi i}{2} + i \tan^{-1}\left(\frac{1}{z}\right) /; \frac{\pi}{2} < \arg(z) \leq \pi \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.30.27.0726.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2 + 1}\right) = -\frac{\pi i}{2} - i \tan^{-1}\left(\frac{1}{z}\right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.30.27.0727.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2 + 1}\right) = \frac{\pi i}{2} \left( 1 - \sqrt{\frac{z^2 + 1}{z^2}} \sqrt{\frac{z^2}{z^2 + 1}} - \frac{i \sqrt{-z^2}}{\sqrt{z^2}} \right) - \frac{\sqrt{-z^2}}{z} \tan^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2 + 1}}{z}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2 + 1}}{z}\right)$  and  $\tan^{-1}(z)$

01.30.27.0728.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2 + 1}}{z}\right) = \frac{\pi i}{2} - i \tan^{-1}(z) /; \operatorname{Im}(z) \geq 0$$

01.30.27.0729.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2 + 1}}{z}\right) = -\frac{\pi i}{2} + i \tan^{-1}(z) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) < 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.0730.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{z}\right) = \frac{3\pi i}{2} + i \tan^{-1}(z) ; (i z \in \mathbb{R} \wedge i z > 1)$$

01.30.27.0731.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{z}\right) = \left(1 - \sqrt{1-iz} \sqrt{\frac{1}{1-iz}} - \frac{1}{2} i \sqrt{z} \sqrt{-\frac{1}{z}}\right) \pi i - \sqrt{-\frac{1}{z}} \sqrt{z} \tan^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{z}\right)$  and  $\tan^{-1}\left(\frac{1}{z}\right)$

01.30.27.0732.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{z}\right) = i \tan^{-1}\left(\frac{1}{z}\right) ; 0 \leq \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.27.0733.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{z}\right) = -i \tan^{-1}\left(\frac{1}{z}\right) ; -\frac{\pi}{2} < \arg(z) < 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.0734.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{z}\right) = i \tan^{-1}\left(\frac{1}{z}\right) + \pi i ; \frac{\pi}{2} < \arg(z) < \pi \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.30.27.0735.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{z}\right) = -i \tan^{-1}\left(\frac{1}{z}\right) - \pi i ; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.0736.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{z}\right) = i \pi \left( -\frac{1}{2} i \sqrt{-\frac{1}{z}} \sqrt{z} - \sqrt{1-iz} \sqrt{\frac{1}{1-iz}} + \frac{1}{2} z^{3/2} i \sqrt{-\frac{1}{z}} \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} + 1 \right) + \sqrt{-\frac{1}{z}} \sqrt{z} \tan^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right)$  and  $\tan^{-1}(z)$

01.30.27.0737.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right) = \frac{\pi i}{2} - i \tan^{-1}(z) /; 0 \leq \arg(z) \leq \frac{\pi}{2}$$

01.30.27.0738.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right) = -\frac{\pi i}{2} + i \tan^{-1}(z) /; -\frac{\pi}{2} < \arg(z) < 0$$

01.30.27.0739.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right) = -\frac{\pi i}{2} - i \tan^{-1}(z) /; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.0740.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right) = \frac{\pi i}{2} + i \tan^{-1}(z) /; -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0741.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right) = \frac{\pi}{2} \sqrt{-\frac{1}{z^2}} \sqrt{z^2} - z \sqrt{-\frac{1}{z^2}} \tan^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right)$  and  $\tan^{-1}\left(\frac{1}{z}\right)$

01.30.27.0742.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right) = i \tan^{-1}\left(\frac{1}{z}\right) /; 0 \leq \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) < \pi \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.27.0743.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right) = -i \tan^{-1}\left(\frac{1}{z}\right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) < 0 \vee (i z \in \mathbb{R} \wedge i z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0744.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right) = \pi i - i \tan^{-1}\left(\frac{1}{z}\right) /; (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.0745.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right) = \pi i + i \tan^{-1}\left(\frac{1}{z}\right) /; (i z \in \mathbb{R} \wedge -1 < i z < 0)$$



01.30.27.0746.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right) = \frac{\pi i}{2} \left(1 - \sqrt{\frac{z^2+1}{z^2}} \sqrt{\frac{z^2}{z^2+1}}\right) + z \sqrt{-\frac{1}{z^2}} \tan^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2-1}}{\sqrt{-z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2-1}}{\sqrt{-z^2}}\right)$  and  $\tan^{-1}(z)$

01.30.27.0747.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2-1}}{\sqrt{-z^2}}\right) = \frac{\pi i}{2} - i \tan^{-1}(z) /; 0 \leq \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.27.0748.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2-1}}{\sqrt{-z^2}}\right) = -\frac{\pi i}{2} + i \tan^{-1}(z) /; -\frac{\pi}{2} < \arg(z) < 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.0749.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2-1}}{\sqrt{-z^2}}\right) = -\frac{\pi i}{2} - i \tan^{-1}(z) /; \frac{\pi}{2} < \arg(z) < \pi \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.30.27.0750.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2-1}}{\sqrt{-z^2}}\right) = \frac{\pi i}{2} + i \tan^{-1}(z) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0) \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.30.27.0751.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2-1}}{\sqrt{-z^2}}\right) = \frac{\pi i}{2} \left(\sqrt{\frac{z^2+1}{z^2}} \sqrt{\frac{z^2}{z^2+1}} - i \sqrt{-\frac{1}{z^2}} \sqrt{z^2-1}\right) - z \sqrt{-\frac{1}{z^2}} \tan^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2-1}}{\sqrt{-z^2}}\right)$  and  $\tan^{-1}\left(\frac{1}{z}\right)$

01.30.27.0752.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2-1}}{\sqrt{-z^2}}\right) = i \tan^{-1}\left(\frac{1}{z}\right) /; 0 \leq \arg(z) < \pi$$

01.30.27.0753.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2-1}}{\sqrt{-z^2}}\right) = -i \tan^{-1}\left(\frac{1}{z}\right) /; -\pi < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0754.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2-1}}{\sqrt{-z^2}}\right) = z \sqrt{-\frac{1}{z^2}} \tan^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2+1}{z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2+1}{z^2}}\right)$  and  $\tan^{-1}(z)$

01.30.27.0755.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2+1}{z^2}}\right) = \frac{\pi i}{2} - i \tan^{-1}(z) ; 0 \leq \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.27.0756.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2+1}{z^2}}\right) = -\frac{\pi i}{2} + i \tan^{-1}(z) ; -\frac{\pi}{2} < \arg(z) < 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.0757.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2+1}{z^2}}\right) = -\frac{\pi i}{2} - i \tan^{-1}(z) ; \frac{\pi}{2} < \arg(z) < \pi \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.30.27.0758.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2+1}{z^2}}\right) = \frac{\pi i}{2} + i \tan^{-1}(z) ; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0) \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.30.27.0759.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2+1}{z^2}}\right) = -z \sqrt{-\frac{1}{z^2}} \tan^{-1}(z) - \frac{\pi \sqrt{-z^2} \sqrt{-z^2-1}}{2 \sqrt{z^2+1}} \sqrt{-\frac{1}{z^2}}$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2+1}{z^2}}\right)$  and  $\tan^{-1}\left(\frac{1}{z}\right)$

01.30.27.0760.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2+1}{z^2}}\right) = i \tan^{-1}\left(\frac{1}{z}\right) ; 0 \leq \arg(z) < \frac{\pi}{2}$$

01.30.27.0761.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2+1}{z^2}}\right) = -i \tan^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \quad (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0762.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2+1}{z^2}}\right) = z \sqrt{-\frac{1}{z^2}} \tan^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2} (1+z^2)^{1/4} / \sqrt{\sqrt{1+z^2}-1}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2} (1+z^2)^{1/4} / \sqrt{\sqrt{1+z^2}-1}\right)$  and  $\tan^{-1}(z)$

01.30.27.0763.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}}\right) = \frac{\pi i}{2} - \frac{1}{2} i \tan^{-1}(z); 0 \leq \arg(z) \leq \frac{\pi}{2}$$

01.30.27.0764.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}}\right) = -\frac{\pi i}{2} + \frac{1}{2} i \tan^{-1}(z); -\frac{\pi}{2} < \arg(z) < 0$$

01.30.27.0765.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}}\right) = \frac{\pi i}{2} + \frac{1}{2} i \tan^{-1}(z); -\pi < \arg(z) \leq -\frac{\pi}{2} \quad (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0766.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}}\right) = -\frac{\pi i}{2} - \frac{1}{2} i \tan^{-1}(z); \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.0767.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}} \right) = \frac{1}{2} \pi \sqrt{-\frac{1}{z^2}} \sqrt{z^2} - \frac{1}{2} z \sqrt{-\frac{1}{z^2}} \tan^{-1}(z)$$

Involving  $\operatorname{sech}^{-1} \left( \sqrt{2} (1+z^2)^{1/4} / \sqrt{\sqrt{1+z^2}-1} \right)$  and  $\tan^{-1}(\frac{1}{z})$

01.30.27.0768.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}} \right) = \frac{\pi i}{4} + \frac{1}{2} i \tan^{-1} \left( \frac{1}{z} \right) /; 0 \leq \arg(z) < \frac{\pi}{2} \bigvee (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.27.0769.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}} \right) = -\frac{\pi i}{4} - \frac{1}{2} i \tan^{-1} \left( \frac{1}{z} \right) /; -\frac{\pi}{2} < \arg(z) < 0$$

01.30.27.0770.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}} \right) = -\frac{\pi i}{4} + \frac{1}{2} i \tan^{-1} \left( \frac{1}{z} \right) /; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.0771.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}} \right) = \frac{\pi i}{4} - \frac{1}{2} i \tan^{-1} \left( \frac{1}{z} \right) /; -\pi < \arg(z) < -\frac{\pi}{2} \bigvee (i z \in \mathbb{R} \wedge i z > 1) \bigvee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0772.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}} \right) = \frac{3\pi i}{4} + \frac{1}{2} i \tan^{-1} \left( \frac{1}{z} \right) /; (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.30.27.0773.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}} \right) = \frac{3\pi i}{4} - \frac{1}{2} i \tan^{-1} \left( \frac{1}{z} \right) /; (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.0774.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}} \right) = \frac{\pi i}{4} \left( 1 - i \sqrt{-\frac{1}{z^2}} \sqrt{z^2} - \sqrt{\frac{z^2+1}{z^2}} \sqrt{\frac{z^2}{z^2+1}} \right) + \frac{1}{2} z \sqrt{-\frac{1}{z^2}} \tan^{-1} \left( \frac{1}{z} \right)$$

Involving  $\operatorname{sech}^{-1} \left( \sqrt{2} (1+z^2)^{1/4} / \sqrt{\sqrt{1+z^2}-z} \right)$

Involving  $\operatorname{sech}^{-1} \left( \sqrt{2} (1+z^2)^{1/4} / \sqrt{\sqrt{1+z^2}-z} \right)$  and  $\tan^{-1}(z)$

01.30.27.0775.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-z}} \right) = \frac{\pi i}{4} + \frac{1}{2} i \tan^{-1}(z) /; \operatorname{Im}(z) \leq 0$$

01.30.27.0776.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-z}} \right) = -\frac{\pi i}{4} - \frac{1}{2} i \tan^{-1}(z) /; \operatorname{Im}(z) > 0$$

01.30.27.0777.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-z}} \right) = \frac{1}{2} \sqrt{\frac{1}{z}} \sqrt{-z} \tan^{-1}(z) + \frac{1}{4} \pi \sqrt{\frac{1}{z}} \sqrt{-z}$$

Involving  $\operatorname{sech}^{-1} \left( \sqrt{2} (1+z^2)^{1/4} / \sqrt{\sqrt{1+z^2}-z} \right)$  and  $\tan^{-1}(\frac{1}{z})$

01.30.27.0778.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-z}} \right) = -\frac{\pi i}{2} + \frac{1}{2} i \tan^{-1} \left( \frac{1}{z} \right) /; 0 < \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.27.0779.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-z}} \right) = \frac{\pi i}{2} - \frac{1}{2} i \tan^{-1} \left( \frac{1}{z} \right); -\frac{\pi}{2} < \arg(z) \leq 0 \quad \vee \quad (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.0780.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-z}} \right) = \frac{1}{2} i \tan^{-1} \left( \frac{1}{z} \right); \frac{\pi}{2} < \arg(z) < \pi \quad \vee \quad (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.30.27.0781.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-z}} \right) = -\frac{i}{2} \tan^{-1} \left( \frac{1}{z} \right); -\pi < \arg(z) < -\frac{\pi}{2} \quad \vee \quad (z \in \mathbb{R} \wedge z < 0) \quad \vee \quad (i z \in \mathbb{R} \wedge i z > 1)$$

01.30.27.0782.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-z}} \right) = \frac{\pi}{4} \sqrt{\frac{1}{z}} \sqrt{-z} \left( \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} z+1 \right) - \frac{1}{2} \sqrt{\frac{1}{z}} \sqrt{-z} \tan^{-1} \left( \frac{1}{z} \right)$$

Involving  $\operatorname{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}} \right)$

Involving  $\operatorname{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}} \right)$  and  $\tan^{-1}(z)$

01.30.27.0783.01

$$\operatorname{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}} \right) = \frac{\pi i}{2} - \frac{1}{2} i \tan^{-1}(z); 0 \leq \arg(z) < \frac{\pi}{2} \quad \vee \quad (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.27.0784.01

$$\operatorname{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}} \right) = -\frac{\pi i}{2} + \frac{1}{2} i \tan^{-1}(z); -\frac{\pi}{2} < \arg(z) < 0 \quad \vee \quad (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.0785.01

$$\operatorname{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}} \right) = -\frac{\pi i}{2} - \frac{1}{2} i \tan^{-1}(z); \frac{\pi}{2} < \arg(z) < \pi \quad \vee \quad (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

$$\text{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}}\right) = \frac{\pi i}{2} + \frac{1}{2} i \tan^{-1}(z) /; -\pi < \arg(z) < -\frac{\pi}{2} \bigvee (z \in \mathbb{R} \wedge z < 0) \bigvee (i z \in \mathbb{R} \wedge i z > 1)$$

$$\text{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}}\right) = -\frac{\pi\sqrt{-z^2}\sqrt{-1-z^2}}{2\sqrt{1+z^2}} \sqrt{-\frac{1}{z^2}} - \frac{1}{2} z \sqrt{-\frac{1}{z^2}} \tan^{-1}(z)$$

Involving  $\text{sech}^{-1}\left(\sqrt{2\sqrt{1+z^2}/(\sqrt{1+z^2}-1)}\right)$  and  $\tan^{-1}\left(\frac{1}{z}\right)$

$$\text{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}}\right) = \frac{\pi i}{4} + \frac{1}{2} i \tan^{-1}\left(\frac{1}{z}\right) /; 0 \leq \arg(z) < \frac{\pi}{2} \bigvee (i z \in \mathbb{R} \wedge i z \leq -1)$$

$$\text{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}}\right) = -\frac{\pi i}{4} - \frac{1}{2} i \tan^{-1}\left(\frac{1}{z}\right) /; -\frac{\pi}{2} < \arg(z) < 0 \bigvee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

$$\text{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}}\right) = -\frac{\pi i}{4} + \frac{1}{2} i \tan^{-1}\left(\frac{1}{z}\right) /; \frac{\pi}{2} < \arg(z) < \pi \bigvee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

$$\text{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}}\right) = \frac{\pi i}{4} - \frac{1}{2} i \tan^{-1}\left(\frac{1}{z}\right) /; -\pi < \arg(z) < -\frac{\pi}{2} \bigvee (z \in \mathbb{R} \wedge z < 0) \bigvee (i z \in \mathbb{R} \wedge i z > 1)$$

$$\text{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}}\right) = \frac{\pi i}{4} \left(-i \sqrt{-\frac{1}{z^2}} \sqrt{z^2} + \sqrt{\frac{z^2+1}{z^2}} \sqrt{\frac{z^2}{z^2+1}-1}\right) + \frac{1}{2} z \sqrt{-\frac{1}{z^2}} \tan^{-1}\left(\frac{1}{z}\right)$$

Involving  $\text{sech}^{-1}\left(\sqrt{2\sqrt{1+z^2}/(\sqrt{1+z^2}-z)}\right)$

Involving  $\text{sech}^{-1}\left(\sqrt{2\sqrt{1+z^2}/(\sqrt{1+z^2}-z)}\right)$  and  $\tan^{-1}(z)$

$$\text{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}} \right) = \frac{\pi i}{4} + \frac{1}{2} i \tan^{-1}(z) ; \text{Im}(z) \leq 0$$

$$\text{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}} \right) = -\frac{\pi i}{4} - \frac{1}{2} i \tan^{-1}(z) ; \text{Im}(z) > 0$$

$$\text{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}} \right) = \frac{1}{2} \sqrt{\frac{1}{z}} \sqrt{-z} \tan^{-1}(z) + \frac{1}{4} \pi \sqrt{\frac{1}{z}} \sqrt{-z}$$

Involving  $\text{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}} \right)$  and  $\tan^{-1}\left(\frac{1}{z}\right)$

$$\text{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}} \right) = -\frac{\pi i}{2} + \frac{1}{2} i \tan^{-1}\left(\frac{1}{z}\right) ; 0 < \arg(z) < \frac{\pi}{2} \bigvee (i z \in \mathbb{R} \wedge i z < -1)$$

$$\text{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}} \right) = \frac{\pi i}{2} - \frac{1}{2} i \tan^{-1}\left(\frac{1}{z}\right) ; -\frac{\pi}{2} < \arg(z) \leq 0 \bigvee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

$$\text{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}} \right) = \frac{1}{2} i \tan^{-1}\left(\frac{1}{z}\right) ; \frac{\pi}{2} < \arg(z) < \pi \bigvee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

$$\text{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}} \right) = -\frac{i}{2} \tan^{-1}\left(\frac{1}{z}\right) ; -\pi < \arg(z) < -\frac{\pi}{2} \bigvee (z \in \mathbb{R} \wedge z < 0) \bigvee (i z \in \mathbb{R} \wedge i z > 1)$$

$$\text{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}} \right) = \frac{\pi}{4} \sqrt{\frac{1}{z}} \sqrt{-z} \left( \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} z+1 \right) - \frac{\sqrt{-z}}{2} \sqrt{\frac{1}{z}} \tan^{-1}\left(\frac{1}{z}\right)$$

**Involving  $\cot^{-1}$**

**Involving  $\text{sech}^{-1}(z)$**



Involving  $\operatorname{sech}^{-1}(z)$  and  $\cot^{-1}\left(\sqrt{z^2 - 1}\right)$

01.30.27.0801.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + i \cot^{-1}\left(\sqrt{z^2 - 1}\right); 0 < \arg(z) \leq \frac{\pi}{2}$$

01.30.27.0802.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - i \cot^{-1}\left(\sqrt{z^2 - 1}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0803.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} - i \cot^{-1}\left(\sqrt{z^2 - 1}\right); \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.0804.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + i \cot^{-1}\left(\sqrt{z^2 - 1}\right); -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0805.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{2} + i \cot^{-1}\left(\sqrt{z^2 - 1}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0806.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{2} \pi \left( -\frac{\sqrt{z^2} \sqrt{-z}}{z} \sqrt{\frac{1}{z}} + \sqrt{\frac{1}{z}} \sqrt{-z} + \frac{\sqrt{z+1} \sqrt{-z^2}}{\sqrt{z^2}} \sqrt{\frac{1}{z+1}} \right) - \frac{\sqrt{z^2}}{\sqrt{z-1} \sqrt{z}} \sqrt{\frac{1-z}{z}} \cot^{-1}\left(\sqrt{z^2 - 1}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cot^{-1}\left(\frac{1}{\sqrt{z^2 - 1}}\right)$

01.30.27.0807.01

$$\operatorname{sech}^{-1}(z) = -i \cot^{-1}\left(\frac{1}{\sqrt{z^2 - 1}}\right); 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0808.01

$$\operatorname{sech}^{-1}(z) = i \cot^{-1}\left(\frac{1}{\sqrt{z^2 - 1}}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0809.01

$$\operatorname{sech}^{-1}(z) = -\pi i + i \cot^{-1}\left(\frac{1}{\sqrt{z^2 - 1}}\right); \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.0810.01

$$\operatorname{sech}^{-1}(z) = \pi i - i \cot^{-1}\left(\frac{1}{\sqrt{z^2 - 1}}\right); -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0811.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{2} \pi \sqrt{\frac{1}{z}} \sqrt{-z} \left( 1 - \frac{\sqrt{z^2}}{z} \right) + \frac{\sqrt{z^2}}{\sqrt{z-1} \sqrt{z}} \sqrt{\frac{1}{z} - 1} \cot^{-1} \left( \frac{1}{\sqrt{z^2-1}} \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cot^{-1} \left( \sqrt{\frac{1}{z^2-1}} \right)$

01.30.27.0812.01

$$\operatorname{sech}^{-1}(z) = -i \cot^{-1} \left( \sqrt{\frac{1}{z^2-1}} \right) /; 0 < \arg(z) < \frac{\pi}{2}$$

01.30.27.0813.01

$$\operatorname{sech}^{-1}(z) = i \cot^{-1} \left( \sqrt{\frac{1}{z^2-1}} \right) /; -\frac{\pi}{2} < \arg(z) \leq 0$$

01.30.27.0814.01

$$\operatorname{sech}^{-1}(z) = -\pi i + i \cot^{-1} \left( \sqrt{\frac{1}{z^2-1}} \right) /; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.0815.01

$$\operatorname{sech}^{-1}(z) = \pi i - i \cot^{-1} \left( \sqrt{\frac{1}{z^2-1}} \right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0816.01

$$\operatorname{sech}^{-1}(z) = \pi i + i \cot^{-1} \left( \sqrt{\frac{1}{z^2-1}} \right) /; (i z \in \mathbb{R} \wedge i z > 0) \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0817.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi}{2} \sqrt{\frac{1}{z}} \sqrt{-z} \left( 1 - \frac{\sqrt{z^2}}{z} \right) + \frac{\sqrt{z^2} \sqrt{z^2-1}}{\sqrt{z-1} \sqrt{z}} \sqrt{\frac{1-z}{z}} \sqrt{\frac{1}{z^2-1}} \cot^{-1} \left( \sqrt{\frac{1}{z^2-1}} \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cot^{-1} \left( \frac{2\sqrt{z^2-1}}{-2+z^2} \right)$

01.30.27.0818.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{4} - \frac{1}{2} i \cot^{-1} \left( \frac{2\sqrt{z^2-1}}{-2+z^2} \right) /; 0 < \arg(z) \leq \frac{\pi}{2}$$

01.30.27.0819.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{4} + \frac{1}{2} i \cot^{-1} \left( \frac{2\sqrt{z^2-1}}{-2+z^2} \right) /; -\frac{\pi}{2} < \arg(z) < 0 \wedge (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0820.01

$$\operatorname{sech}^{-1}(z) = -\frac{3\pi i}{4} + \frac{1}{2}i \cot^{-1}\left(\frac{2\sqrt{z^2-1}}{-2+z^2}\right); \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.0821.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{4} - \frac{1}{2}i \cot^{-1}\left(\frac{2\sqrt{z^2-1}}{-2+z^2}\right); -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0822.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{4} - \frac{1}{2}i \cot^{-1}\left(\frac{2\sqrt{z^2-1}}{-2+z^2}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0823.01

$$\operatorname{sech}^{-1}(z) = \frac{5\pi i}{4} - \frac{1}{2}i \cot^{-1}\left(\frac{2\sqrt{z^2-1}}{-2+z^2}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0824.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi}{4} \left( 2\sqrt{\frac{1}{z}} \sqrt{-z} + \frac{\sqrt{z^2}}{\sqrt{-z}} \sqrt{\frac{1}{z}} - i\sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} + i \right) + \frac{\sqrt{z^2}}{2\sqrt{z-1}\sqrt{z}} \sqrt{\frac{1-z}{z}} \cot^{-1}\left(\frac{2\sqrt{z^2-1}}{-2+z^2}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cot^{-1}\left(\frac{z^2-2}{2\sqrt{z^2-1}}\right)$

01.30.27.0825.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + \frac{1}{2}i \cot^{-1}\left(\frac{z^2-2}{2\sqrt{z^2-1}}\right); 0 < \arg(z) \leq \frac{\pi}{2} \wedge |z| \geq \sqrt{2}$$

01.30.27.0826.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - \frac{1}{2}i \cot^{-1}\left(\frac{z^2-2}{2\sqrt{z^2-1}}\right); -\frac{\pi}{2} < \arg(z) \leq 0 \wedge |z| \geq \sqrt{2}$$

01.30.27.0827.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} - \frac{1}{2}i \cot^{-1}\left(\frac{z^2-2}{2\sqrt{z^2-1}}\right); \frac{\pi}{2} < \arg(z) < \pi \wedge |z| \geq \sqrt{2}$$

01.30.27.0828.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + \frac{1}{2}i \cot^{-1}\left(\frac{z^2-2}{2\sqrt{z^2-1}}\right); \left(-\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z \leq -\sqrt{2})\right) \wedge |z| \geq \sqrt{2}$$

01.30.27.0829.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1 - \frac{1}{z}}} \sqrt{\frac{1}{z} - 1}$$

$$\left( \frac{\pi}{4} \left( 2 - \frac{\sqrt{-1 + \frac{1}{z^2}}}{\sqrt{\frac{1}{z^4} - \frac{1}{z^2}}} - \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{\sqrt{2} - z}{z}} \sqrt{\frac{1}{z}} \sqrt{z} \sqrt{\frac{z}{\sqrt{2} - z}} + \sqrt{-\frac{1}{z}} \sqrt{-z} \sqrt{-\frac{z}{\sqrt{2} + z}} \sqrt{-\frac{\sqrt{2} + z}{z}} \right) - \frac{z}{2\sqrt{z^2}} \cot^{-1} \left( \frac{z^2 - 2}{2\sqrt{z^2 - 1}} \right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cot^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z-1}}\right)$

01.30.27.0830.01

$$\operatorname{sech}^{-1}(z) = -2i \cot^{-1} \left( \frac{\sqrt{z+1}}{\sqrt{z-1}} \right); 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0831.01

$$\operatorname{sech}^{-1}(z) = 2i \cot^{-1} \left( \frac{\sqrt{z+1}}{\sqrt{z-1}} \right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0832.01

$$\operatorname{sech}^{-1}(z) = 2\pi i - 2i \cot^{-1} \left( \frac{\sqrt{z+1}}{\sqrt{z-1}} \right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0833.01

$$\operatorname{sech}^{-1}(z) = i\pi \left( 1 - \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} \right) + \frac{2\sqrt{-z-1} \sqrt{z-1} \sqrt{-z}}{\sqrt{1-z^2}} \sqrt{\frac{1}{z}} \cot^{-1} \left( \frac{\sqrt{z+1}}{\sqrt{z-1}} \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cot^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{1-z}}\right)$

01.30.27.0834.01

$$\operatorname{sech}^{-1}(z) = -2i \cot^{-1} \left( \frac{\sqrt{-1-z}}{\sqrt{1-z}} \right); \operatorname{Im}(z) > 0$$

01.30.27.0835.01

$$\operatorname{sech}^{-1}(z) = 2i \cot^{-1} \left( \frac{\sqrt{-1-z}}{\sqrt{1-z}} \right); -\pi < \arg(z) \leq 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0836.01

$$\operatorname{sech}^{-1}(z) = 2\pi i + 2i \cot^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{1-z}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0837.01

$$\operatorname{sech}^{-1}(z) = i\pi \left(1 - \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}}\right) + 2\sqrt{\frac{1}{z}} \sqrt{-z} \cot^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{1-z}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cot^{-1}\left(\sqrt{\frac{z+1}{z-1}}\right)$

01.30.27.0838.01

$$\operatorname{sech}^{-1}(z) = -2i \cot^{-1}\left(\sqrt{\frac{z+1}{z-1}}\right); \operatorname{Im}(z) > 0$$

01.30.27.0839.01

$$\operatorname{sech}^{-1}(z) = 2i \cot^{-1}\left(\sqrt{\frac{z+1}{z-1}}\right); -\pi < \arg(z) \leq 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0840.01

$$\operatorname{sech}^{-1}(z) = 2\pi i + 2i \cot^{-1}\left(\sqrt{\frac{z+1}{z-1}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0841.01

$$\operatorname{sech}^{-1}(z) = i\pi \left(1 - \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}}\right) + 2\sqrt{-z} \sqrt{\frac{1}{z}} \cot^{-1}\left(\sqrt{\frac{z+1}{z-1}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z+1}}\right)$

01.30.27.0842.01

$$\operatorname{sech}^{-1}(z) = -\pi i + 2i \cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z+1}}\right); \operatorname{Im}(z) > 0$$

01.30.27.0843.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2i \cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z+1}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0844.01

$$\operatorname{sech}^{-1}(z) = \pi i + 2i \cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z+1}}\right); (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.30.27.0845.01

$$\operatorname{sech}^{-1}(z) = \pi \sqrt{-z} \sqrt{\frac{1}{z}} - \frac{2\sqrt{-z} \sqrt{z-1}}{\sqrt{z+1}} \sqrt{\frac{1}{z}} \sqrt{\frac{z+1}{z-1}} \cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z+1}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-1-z}}\right)$

01.30.27.0846.01

$$\operatorname{sech}^{-1}(z) = -\pi i + 2i \cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-1-z}}\right); \operatorname{Im}(z) > 0$$

01.30.27.0847.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2i \cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-1-z}}\right); \operatorname{Im}(z) \leq 0$$

01.30.27.0848.01

$$\operatorname{sech}^{-1}(z) = \pi \sqrt{-z} \sqrt{\frac{1}{z}} - 2 \sqrt{\frac{1}{z}} \sqrt{-z} \cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-1-z}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cot^{-1}\left(\sqrt{\frac{z-1}{z+1}}\right)$

01.30.27.0849.01

$$\operatorname{sech}^{-1}(z) = -\pi i + 2i \cot^{-1}\left(\sqrt{\frac{z-1}{z+1}}\right); \operatorname{Im}(z) > 0$$

01.30.27.0850.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2i \cot^{-1}\left(\sqrt{\frac{z-1}{z+1}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0851.01

$$\operatorname{sech}^{-1}(z) = \pi i + 2i \cot^{-1}\left(\sqrt{\frac{z-1}{z+1}}\right); (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.30.27.0852.01

$$\operatorname{sech}^{-1}(z) = \pi \sqrt{-z} \sqrt{\frac{1}{z}} - \frac{2 \sqrt{-z(1+z)}}{\sqrt{-1-z} \sqrt{-1+z}} \sqrt{\frac{1-z}{z}} \cot^{-1}\left(\sqrt{\frac{z-1}{z+1}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cot^{-1}\left(\sqrt{z^2-1+z}\right)$

01.30.27.0853.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + 2i \cot^{-1}\left(\sqrt{z^2-1+z}\right); 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0854.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - 2i \cot^{-1}\left(\sqrt{z^2-1+z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0855.01

$$\operatorname{sech}^{-1}(z) = -\frac{3\pi i}{2} - 2i \cot^{-1}\left(\sqrt{z^2-1+z}\right); \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.0856.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{2} + 2i \cot^{-1}\left(\sqrt{z^2-1} + z\right); -\pi < \arg(z) \leq -\frac{\pi}{2} \quad (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0857.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} \left( \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} + \frac{i(2z - \sqrt{z^2})}{\sqrt{-z}} \sqrt{\frac{1}{z}} - 1 \right) - \frac{2\sqrt{z^2}}{\sqrt{z-1}\sqrt{z}} \sqrt{\frac{1-z}{z}} \cot^{-1}\left(\sqrt{z^2-1} + z\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cot^{-1}\left(z - \sqrt{z^2-1}\right)$

01.30.27.0858.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + 2i \cot^{-1}\left(z - \sqrt{z^2-1}\right); \frac{\pi}{2} < \arg(z) < \pi \vee -\frac{\pi}{2} < \arg(z) < 0 \quad (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0859.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - 2i \cot^{-1}\left(z - \sqrt{z^2-1}\right); 0 < \arg(z) \leq \frac{\pi}{2} \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \quad (z \in \mathbb{R} \wedge z < 1)$$

01.30.27.0860.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} \left( 1 + \frac{i\sqrt{z^2}}{z} \sqrt{\frac{1}{z}} - \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} \right) + \frac{2\sqrt{z^2}}{\sqrt{z-1}\sqrt{z}} \sqrt{\frac{1-z}{z}} \cot^{-1}\left(z - \sqrt{z^2-1}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cot^{-1}\left(\frac{1}{\sqrt{z^2-1} + z}\right)$

01.30.27.0861.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + 2i \cot^{-1}\left(\frac{1}{\sqrt{z^2-1} + z}\right); \frac{\pi}{2} < \arg(z) < \pi \vee -\frac{\pi}{2} < \arg(z) < 0 \quad (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0862.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - 2i \cot^{-1}\left(\frac{1}{\sqrt{z^2-1} + z}\right); 0 < \arg(z) \leq \frac{\pi}{2} \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \quad (z \in \mathbb{R} \wedge z < 1)$$

01.30.27.0863.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} \left( 1 + \frac{i\sqrt{z^2}}{z} \sqrt{\frac{1}{z}} - \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} \right) + \frac{2\sqrt{z^2}}{\sqrt{z-1}\sqrt{z}} \sqrt{\frac{1-z}{z}} \cot^{-1}\left(\frac{1}{\sqrt{z^2-1} + z}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cot^{-1}\left(\frac{1}{z - \sqrt{z^2-1}}\right)$

01.30.27.0864.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + 2i \cot^{-1}\left(\frac{1}{z - \sqrt{z^2-1}}\right); 0 < \arg(z) \leq \frac{\pi}{2} \quad (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0865.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - 2i \cot^{-1}\left(\frac{1}{z - \sqrt{z^2 - 1}}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0866.01

$$\operatorname{sech}^{-1}(z) = -\frac{3\pi i}{2} - 2i \cot^{-1}\left(\frac{1}{z - \sqrt{z^2 - 1}}\right); \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.0867.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{2} + 2i \cot^{-1}\left(\frac{1}{z - \sqrt{z^2 - 1}}\right); -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0868.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} \left( \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} + \frac{i(2z - \sqrt{z^2})}{\sqrt{-z}} \sqrt{\frac{1}{z}} - 1 \right) - \frac{2\sqrt{z^2}}{\sqrt{z-1}\sqrt{z}} \sqrt{\frac{1-z}{z}} \cot^{-1}\left(\frac{1}{z - \sqrt{z^2 - 1}}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right)$ and $\cot^{-1}(z)$

01.30.27.0869.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = -\frac{\pi i}{2} + 2i \cot^{-1}(z); |z| \leq 1 \wedge 0 \leq \arg(z) < \frac{\pi}{2} \vee |z| > 1 \wedge \operatorname{Im}(z) > 0$$

01.30.27.0870.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\pi i}{2} - 2i \cot^{-1}(z); |z| \leq 1 \wedge -\frac{\pi}{2} \leq \arg(z) < 0 \vee |z| > 1 \wedge -\pi < \arg(z) \leq 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0871.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{3\pi i}{2} + 2i \cot^{-1}(z); |z| \leq 1 \wedge \frac{\pi}{2} \leq \arg(z) \leq \pi$$

01.30.27.0872.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = -\frac{3\pi i}{2} - 2i \cot^{-1}(z); |z| \leq 1 \wedge -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.0017.02

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2}}{1-z} \sqrt{z+1} \sqrt{\frac{1}{z+1}} \left(2 \cot^{-1}(z) - \frac{\pi}{2}\right); |z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2} \vee |z| > 1$$

01.30.27.0873.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2} \sqrt{z+1}}{1-z} \sqrt{\frac{1}{z+1}} \left(2 \cot^{-1}(z) + \frac{3\pi}{2}\right); |z| \leq 1 \wedge \left(\frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}\right)$$



01.30.27.0874.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2} \sqrt{z+1}}{z-1} \sqrt{\frac{1}{z+1}} \left( \pi \left( \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} z + \frac{3}{2} \right) - 2 \cot^{-1}(z) \right) /;$$

$$|z| > 1 \wedge \left( \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right)$  and  $\cot^{-1}\left(\frac{1}{z}\right)$

01.30.27.0875.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = -2i \cot^{-1}\left(\frac{1}{z}\right) + \frac{\pi i}{2} /; |z| < 1 \wedge \operatorname{Im}(z) \geq 0 \vee 0 < \arg(z) \leq \frac{\pi}{2}$$

01.30.27.0876.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = 2i \cot^{-1}\left(\frac{1}{z}\right) - \frac{\pi i}{2} /; |z| < 1 \wedge \operatorname{Im}(z) < 0 \vee -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0877.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = 2i \cot^{-1}\left(\frac{1}{z}\right) + \frac{3\pi i}{2} /; |z| > 1 \wedge -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0878.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = -2i \cot^{-1}\left(\frac{1}{z}\right) - \frac{3\pi i}{2} /; |z| > 1 \wedge \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.0879.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = 2i \cot^{-1}\left(\frac{1}{z}\right) + \frac{3\pi i}{2} /; |z| > 1 \wedge -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0880.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2}}{z-1} \left( 2 \cot^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2} \right) /; |z| < 1 \vee -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.30.27.0881.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2} \sqrt{z+1}}{z-1} \sqrt{\frac{1}{z+1}} \left( 2 \cot^{-1}\left(\frac{1}{z}\right) + \frac{3\pi}{2} \right) /; |z| > 1 \wedge \left( \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \right)$$

01.30.27.0882.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2}}{1-z} \sqrt{z+1} \sqrt{\frac{1}{z+1}} \left( \pi \left( z \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} - \frac{1}{2} \right) - 2 \cot^{-1}\left(\frac{1}{z}\right) \right) /;$$

$$|z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2} \vee |z| > 1$$

01.30.27.0883.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2} \sqrt{z+1}}{1-z} \sqrt{\frac{1}{z+1}} \left( \pi \left( \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} z + \frac{3}{2} \right) - 2 \cot^{-1}\left(\frac{1}{z}\right) \right) /;$$

$$|z| \leq 1 \wedge \left( \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right)$  and  $\cot^{-1}(z')$

01.30.27.0884.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{\frac{-(z-1)^2}{z^2+1}}}{\sqrt{\frac{(z-1)^2}{z^2+1}}} \left( \frac{\pi}{2} - 2 \cot^{-1}\left( z^{-\frac{1-z}{1+z}} \sqrt{\left(\frac{1+z}{1-z}\right)^2} \right) \right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right)$  and  $\cot^{-1}(\sqrt{-z})$

01.30.27.0885.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = \pi i - 2 i \cot^{-1}(\sqrt{-z}) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0886.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = -\pi i + 2 i \cot^{-1}(\sqrt{-z}) /; \operatorname{Im}(z) < 0$$

01.30.27.0887.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = \pi i + 2 i \cot^{-1}(\sqrt{-z}) /; (z \in \mathbb{R} \wedge z > 0)$$

01.30.27.0888.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = \pi \sqrt{z} \sqrt{-\frac{1}{z}} - \frac{2\sqrt{z}}{\sqrt{-z}} \cot^{-1}(\sqrt{-z})$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right)$  and  $\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right)$

01.30.27.0889.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = 2 i \cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0890.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = -2 i \cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0891.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = 2\pi i - 2i \cot^{-1}\left(\frac{1}{\sqrt{-z}}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0892.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = \frac{2\sqrt{z}}{\sqrt{-z}} \cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) + \left(1 - \sqrt{1-z} \sqrt{\frac{1}{1-z}}\right) \pi i$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right)$  and  $\cot^{-1}\left(\sqrt{-\frac{1}{z}}\right)$

01.30.27.0893.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = 2i \cot^{-1}\left(\sqrt{-\frac{1}{z}}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < 1)$$

01.30.27.0894.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = -2i \cot^{-1}\left(\sqrt{-\frac{1}{z}}\right); \operatorname{Im}(z) < 0$$

01.30.27.0895.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = 2\pi i + 2i \cot^{-1}\left(\sqrt{-\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0896.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = 2\sqrt{z} \sqrt{-\frac{1}{z}} \cot^{-1}\left(\sqrt{-\frac{1}{z}}\right) + \left(1 - \sqrt{1-z} \sqrt{\frac{1}{1-z}}\right) \pi i$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right)$  and  $\cot^{-1}(\sqrt{-z})$

01.30.27.0897.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = -2i \cot^{-1}(\sqrt{-z}); \operatorname{Im}(z) > 0$$

01.30.27.0898.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = 2i \cot^{-1}(\sqrt{-z}); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0899.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = 2\pi i + 2i \cot^{-1}(\sqrt{-z}); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0900.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = \pi \sqrt{z} \sqrt{-\frac{1}{z}} - \frac{2\sqrt{z}}{\sqrt{-z}} \cot^{-1}(\sqrt{-z})$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right)$  and  $\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right)$

01.30.27.0901.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = 2i \cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) - \pi i /; \operatorname{Im}(z) > 0$$

01.30.27.0902.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = \pi i - 2i \cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) /; \operatorname{Im}(z) \leq 0$$

01.30.27.0903.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = \sqrt{-z} \sqrt{\frac{1}{z}} \pi - 2 \sqrt{-z} \sqrt{\frac{1}{z}} \cot^{-1}\left(\frac{1}{\sqrt{-z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right)$  and  $\cot^{-1}\left(\sqrt{-\frac{1}{z}}\right)$

01.30.27.0904.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = 2i \cot^{-1}\left(\sqrt{-\frac{1}{z}}\right) - \pi i /; \operatorname{Im}(z) > 0$$

01.30.27.0905.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = \pi i - 2i \cot^{-1}\left(\sqrt{-\frac{1}{z}}\right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0906.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = 2i \cot^{-1}\left(\sqrt{-\frac{1}{z}}\right) + \pi i /; (z \in \mathbb{R} \wedge z > 0)$$

01.30.27.0907.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = \sqrt{-z} \sqrt{\frac{1}{z}} \pi + 2z \sqrt{-\frac{1}{z^2}} \cot^{-1}\left(\sqrt{-\frac{1}{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right)$  and  $\cot^{-1}(\sqrt{z})$

01.30.27.0908.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = -\pi i + 2i \cot^{-1}(\sqrt{z}) /; \operatorname{Im}(z) > 0$$

01.30.27.0909.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = \pi i - 2i \cot^{-1}(\sqrt{z}) /; -\pi < \arg(z) \leq 0$$

01.30.27.0910.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = \pi i + 2i \cot^{-1}(\sqrt{z}) /; (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0911.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = \pi \sqrt{-z} \sqrt{\frac{1}{z}} - \frac{2\sqrt{-z}}{\sqrt{z}} \cot^{-1}(\sqrt{z})$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right)$  and  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.0912.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = 2i \cot^{-1}\left(\frac{1}{\sqrt{z}}\right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 0)$$

01.30.27.0913.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = -2i \cot^{-1}\left(\frac{1}{\sqrt{z}}\right) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0914.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = 2\pi i - 2i \cot^{-1}\left(\frac{1}{\sqrt{z}}\right) /; (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0915.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = \frac{2\sqrt{-z}}{\sqrt{z}} \cot^{-1}\left(\frac{1}{\sqrt{z}}\right) + \left(1 - \sqrt{z+1} \sqrt{\frac{1}{z+1}}\right) \pi i$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right)$  and  $\cot^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.0916.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = 2i \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) /; -\pi < \arg(z) \leq 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0917.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = -2i \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) /; \operatorname{Im}(z) > 0$$

01.30.27.0918.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = 2\pi i + 2i \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) /; (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0919.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = 2\sqrt{-z} \sqrt{\frac{1}{z}} \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) + \left(1 - \sqrt{z+1} \sqrt{\frac{1}{z+1}}\right) \pi i$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right)$  and  $\cot^{-1}(\sqrt{z})$

01.30.27.0920.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = 2i \cot^{-1}(\sqrt{z}) /; 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0921.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = -2i \cot^{-1}(\sqrt{z}) /; \operatorname{Im}(z) < 0$$

01.30.27.0922.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = 2\pi i + 2i \cot^{-1}(\sqrt{z}) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0923.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = i\pi \left(1 - \frac{\sqrt{-z-1} \sqrt{z}}{\sqrt{-z(z+1)}}\right) + 2\sqrt{-\frac{1}{z}} \sqrt{z} \cot^{-1}(\sqrt{z})$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right)$  and  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.0924.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = \pi i - 2i \cot^{-1}\left(\frac{1}{\sqrt{z}}\right) /; \operatorname{Im}(z) \geq 0$$

01.30.27.0925.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = 2i \cot^{-1}\left(\frac{1}{\sqrt{z}}\right) - \pi i /; \operatorname{Im}(z) < 0$$

01.30.27.0926.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = \sqrt{z} \sqrt{-\frac{1}{z}} \pi - 2\sqrt{z} \sqrt{-\frac{1}{z}} \cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right)$  and  $\cot^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.0927.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = \pi i - 2i \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) /; 0 \leq \arg(z) < \pi$$

01.30.27.0928.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = 2i \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) - \pi i /; \operatorname{Im}(z) < 0$$

01.30.27.0929.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = 2i \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) + \pi i /; (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0930.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = \sqrt{z} \sqrt{-\frac{1}{z}} \pi - 2z \sqrt{-\frac{1}{z^2}} \cot^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right)$ and $\cot^{-1}(z)$

01.30.27.0931.01

$$\operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right) = -\pi i + 2i \cot^{-1}(z) ; 0 < \arg(z) < \frac{\pi}{2}$$

01.30.27.0932.01

$$\operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right) = \pi i - 2i \cot^{-1}(z) ; -\frac{\pi}{2} \leq \arg(z) \leq 0$$

01.30.27.0933.01

$$\operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right) = \pi i + 2i \cot^{-1}(z) ; \frac{\pi}{2} \leq \arg(z) \leq \pi$$

01.30.27.0934.01

$$\operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right) = -\pi i - 2i \cot^{-1}(z) ; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.0935.01

$$\operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right) = \pi \sqrt{\frac{1}{z^2}} \sqrt{-z^2} - \frac{2\sqrt{-z^2}}{z} \cot^{-1}(z)$$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right)$ and $\cot^{-1}\left(\frac{1}{z}\right)$

01.30.27.0936.01

$$\operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right) = -2i \cot^{-1}\left(\frac{1}{z}\right) ; 0 < \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) \leq \pi \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.30.27.0937.01

$$\operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right) = 2i \cot^{-1}\left(\frac{1}{z}\right) ; -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) \leq 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.0938.01

$$\operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right) = 2\pi i - 2i \cot^{-1}\left(\frac{1}{z}\right) ; (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.27.0939.01

$$\operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right) = 2\pi i + 2i \cot^{-1}\left(\frac{1}{z}\right) ; (i z \in \mathbb{R} \wedge i z > 1)$$

01.30.27.0940.01

$$\operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right) = \frac{2\sqrt{-z^2}}{z} \cot^{-1}\left(\frac{1}{z}\right); i z \notin (-\infty, -1) \wedge i z \notin (1, \infty)$$

01.30.27.0941.01

$$\operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right) = i\pi \left(1 - \sqrt{z^2+1} \sqrt{\frac{1}{z^2+1}}\right) + \frac{2\sqrt{-z^2}}{z} \cot^{-1}\left(\frac{1}{z}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right)$ and $\cot^{-1}(z)$

01.30.27.0942.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right) = 2i \cot^{-1}(z); 0 \leq \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) < \pi \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.27.0943.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right) = -2i \cot^{-1}(z); -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) < 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.30.27.0944.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right) = 2\pi i + 2i \cot^{-1}(z); (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.30.27.0945.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right) = 2\pi i - 2i \cot^{-1}(z); (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.0946.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right) = \pi i \left(1 - \sqrt{\frac{z^2}{1+z^2}} \sqrt{\frac{1+z^2}{z^2}}\right) + 2z \sqrt{-\frac{1}{z^2}} \cot^{-1}(z)$$

#### Involving $\operatorname{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right)$ and $\cot^{-1}\left(\frac{1}{z}\right)$

01.30.27.0947.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right) = \pi i - 2i \cot^{-1}\left(\frac{1}{z}\right); 0 \leq \arg(z) \leq \frac{\pi}{2}$$

01.30.27.0948.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right) = -\pi i + 2i \cot^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0$$

01.30.27.0949.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right) = -\pi i - 2i \cot^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) < \pi$$



01.30.27.0950.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right) = \pi i + 2i \cot^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.30.27.0951.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right) = \pi \sqrt{-\frac{1}{z^2}} \sqrt{z^2} - 2z \sqrt{-\frac{1}{z^2}} \cot^{-1}\left(\frac{1}{z}\right)$$

### Involving $\operatorname{sech}^{-1}(\sqrt{z+1})$

#### Involving $\operatorname{sech}^{-1}(\sqrt{z+1})$ and $\cot^{-1}(\sqrt{z})$

01.30.27.0952.01

$$\operatorname{sech}^{-1}(\sqrt{z+1}) = -\frac{\pi i}{2} + i \cot^{-1}(\sqrt{z}); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0953.01

$$\operatorname{sech}^{-1}(\sqrt{z+1}) = \frac{\pi i}{2} - i \cot^{-1}(\sqrt{z}); -\pi < \arg(z) \leq 0$$

01.30.27.0954.01

$$\operatorname{sech}^{-1}(\sqrt{z+1}) = \frac{\pi i}{2} + i \cot^{-1}(\sqrt{z}); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0955.01

$$\operatorname{sech}^{-1}(\sqrt{z+1}) = \frac{\pi i}{2} \left( \sqrt{z+1} \sqrt{\frac{1}{z+1}} - i \sqrt{\frac{1}{z}} \sqrt{-z-1} \right) + \frac{\sqrt{z}}{\sqrt{-z}} \cot^{-1}(\sqrt{z})$$

#### Involving $\operatorname{sech}^{-1}(\sqrt{z+1})$ and $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.0956.01

$$\operatorname{sech}^{-1}(\sqrt{z+1}) = -i \cot^{-1}\left(\frac{1}{\sqrt{z}}\right); 0 < \arg(z) \leq \pi$$

01.30.27.0957.01

$$\operatorname{sech}^{-1}(\sqrt{z+1}) = i \cot^{-1}\left(\frac{1}{\sqrt{z}}\right); -\pi < \arg(z) \leq 0$$

01.30.27.0958.01

$$\operatorname{sech}^{-1}(\sqrt{z+1}) = \frac{\sqrt{-z^2}}{z} \cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

#### Involving $\operatorname{sech}^{-1}(\sqrt{z+1})$ and $\cot^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.0959.01

$$\operatorname{sech}^{-1}(\sqrt{z+1}) = -i \cot^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) > 0$$

01.30.27.0960.01

$$\operatorname{sech}^{-1}(\sqrt{z+1}) = i \cot^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) \leq 0$$

01.30.27.0961.01

$$\operatorname{sech}^{-1}(\sqrt{z+1}) = \sqrt{-z} \sqrt{\frac{1}{z}} \cot^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right)$ and $\cot^{-1}(\sqrt{z})$

01.30.27.0962.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right) = i \cot^{-1}(\sqrt{z}); 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0963.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right) = -i \cot^{-1}(\sqrt{z}); \operatorname{Im}(z) < 0$$

01.30.27.0964.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right) = \pi i + i \cot^{-1}(\sqrt{z}); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0965.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right) = \frac{\pi i}{2} \left(1 - \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}}\right) + \sqrt{-\frac{1}{z}} \sqrt{z} \cot^{-1}(\sqrt{z})$$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right)$ and $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.0966.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right) = \frac{\pi i}{2} - i \cot^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) \geq 0$$

01.30.27.0967.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right) = -\frac{\pi i}{2} + i \cot^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) < 0$$

01.30.27.0968.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right) = \frac{1}{2} \pi \sqrt{z} \sqrt{-\frac{1}{z}} - \sqrt{z} \sqrt{-\frac{1}{z}} \cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right)$  and  $\cot^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.0969.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right) = \frac{\pi i}{2} - i \cot^{-1}\left(\sqrt{\frac{1}{z}}\right); 0 \leq \arg(z) < \pi$$

01.30.27.0970.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right) = -\frac{\pi i}{2} + i \cot^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) < 0$$

01.30.27.0971.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right) = \frac{\pi i}{2} + i \cot^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0972.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right) = \frac{1}{2} \pi \sqrt{z} \sqrt{-\frac{1}{z}} - z \sqrt{-\frac{1}{z^2}} \cot^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right)$  and  $\cot^{-1}(\sqrt{z})$

01.30.27.0973.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) = i \cot^{-1}(\sqrt{z}); \operatorname{Im}(z) \geq 0$$

01.30.27.0974.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) = -i \cot^{-1}(\sqrt{z}); \operatorname{Im}(z) < 0$$

01.30.27.0975.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) = \sqrt{z} \sqrt{-\frac{1}{z}} \cot^{-1}(\sqrt{z})$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right)$  and  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.0976.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) = \frac{\pi i}{2} - i \cot^{-1}\left(\frac{1}{\sqrt{z}}\right); 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0977.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) = -\frac{\pi i}{2} + i \cot^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) < 0$$

01.30.27.0978.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) = -\frac{\pi i}{2} - i \cot^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0979.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) = \frac{\pi i}{2} \left(-1 + \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - i \sqrt{z} \sqrt{-\frac{1}{z}}\right) - \sqrt{z} \sqrt{-\frac{1}{z}} \cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right)$  and  $\cot^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.0980.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) = \frac{\pi i}{2} - i \cot^{-1}\left(\sqrt{\frac{1}{z}}\right); 0 \leq \arg(z) < \pi$$

01.30.27.0981.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) = -\frac{\pi i}{2} + i \cot^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0982.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) = \frac{\pi i}{2} + i \cot^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0983.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) = \frac{\pi i}{2} \left(-1 + \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - i \sqrt{z} \sqrt{-\frac{1}{z}}\right) - z \sqrt{-\frac{1}{z^2}} \cot^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right)$  and  $\cot^{-1}(\sqrt{z})$

01.30.27.0984.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right) = i \cot^{-1}(\sqrt{z}); \operatorname{Im}(z) \geq 0$$

01.30.27.0985.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right) = -i \cot^{-1}(\sqrt{z}); \operatorname{Im}(z) < 0$$

01.30.27.0986.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right) = \sqrt{-\frac{1}{z}} \sqrt{z} \cot^{-1}(\sqrt{z})$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right)$  and  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.0987.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right) = \frac{\pi i}{2} - i \cot^{-1}\left(\frac{1}{\sqrt{z}}\right); 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0988.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right) = -\frac{\pi i}{2} + i \cot^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) < 0$$

01.30.27.0989.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right) = -\frac{\pi i}{2} - i \cot^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0990.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right) = \frac{\pi \sqrt{-z-1}}{2 \sqrt{-z(z+1)}} \sqrt{-\frac{1}{z}} - \sqrt{z} \sqrt{-\frac{1}{z}} \cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right)$  and  $\cot^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.0991.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right) = \frac{\pi i}{2} - i \cot^{-1}\left(\sqrt{\frac{1}{z}}\right); 0 \leq \arg(z) < \pi$$

01.30.27.0992.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right) = -\frac{\pi i}{2} + i \cot^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0993.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right) = \frac{\pi i}{2} + i \cot^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0994.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right) = \frac{\pi \sqrt{-z-1}}{2 \sqrt{-z(z+1)}} \sqrt{-\frac{1}{z}} - z \sqrt{-\frac{1}{z^2}} \cot^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{z^2+1}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{z^2 + 1}\right)$  and  $\cot^{-1}(z)$

01.30.27.0995.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2 + 1}\right) = -\frac{\pi i}{2} + i \cot^{-1}(z) ; 0 < \arg(z) < -\frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.27.0996.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2 + 1}\right) = \frac{\pi i}{2} - i \cot^{-1}(z) ; -\frac{\pi}{2} < \arg(z) \leq 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.0997.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2 + 1}\right) = \frac{\pi i}{2} + i \cot^{-1}(z) ; \frac{\pi}{2} < \arg(z) \leq \pi \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.30.27.0998.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2 + 1}\right) = -\frac{\pi i}{2} - i \cot^{-1}(z) ; -\pi < \arg(z) < -\frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.30.27.0999.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2 + 1}\right) = \frac{\pi i}{2} \left( 1 - \sqrt{\frac{z^2 + 1}{z^2}} \sqrt{\frac{z^2}{z^2 + 1}} - \frac{i \sqrt{-z^2}}{\sqrt{z^2}} \right) - \frac{\sqrt{-z^2}}{z} \cot^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{z^2 + 1}\right)$  and  $\cot^{-1}\left(\frac{1}{z}\right)$

01.30.27.1000.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2 + 1}\right) = -i \cot^{-1}\left(\frac{1}{z}\right) ; 0 < \arg(z) \leq \pi$$

01.30.27.1001.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2 + 1}\right) = i \cot^{-1}\left(\frac{1}{z}\right) ; -\pi < \arg(z) \leq 0$$

01.30.27.1002.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2 + 1}\right) = \frac{\sqrt{-z^2}}{z} \cot^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2 + 1}}{z}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2 + 1}}{z}\right)$  and  $\cot^{-1}(z)$

01.30.27.1003.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2 + 1}}{z}\right) = i \cot^{-1}(z) ; 0 \leq \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.27.1004.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{z}\right) = -i \cot^{-1}(z) /; -\frac{\pi}{2} < \arg(z) < 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.30.27.1005.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{z}\right) = i \cot^{-1}(z) + \pi i /; \frac{\pi}{2} < \arg(z) < \pi \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.30.27.1006.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{z}\right) = -i \cot^{-1}(z) - \pi i /; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.0018.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{z}\right) = \frac{\pi \sqrt{-z^2}}{2z} \left( \sqrt{\frac{1}{z^2}} z - 1 \right) + \frac{\sqrt{z-1}}{\sqrt{1-z}} \cot^{-1}(z) /; iz \notin (-\infty, -1) \wedge iz \notin (1, \infty) \wedge z \notin (1, \infty)$$

01.30.27.1007.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{z}\right) = i\pi \left( -\frac{1}{2} i \sqrt{-\frac{1}{z}} \sqrt{z} - \sqrt{1-iz} \sqrt{\frac{1}{1-iz}} + \frac{1}{2} z^{3/2} i \sqrt{-\frac{1}{z}} \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} + 1 \right) + \sqrt{-\frac{1}{z}} \sqrt{z} \cot^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{z}\right)$  and  $\cot^{-1}\left(\frac{1}{z}\right)$

01.30.27.1008.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{z}\right) = \frac{\pi i}{2} - i \cot^{-1}\left(\frac{1}{z}\right) /; \operatorname{Im}(z) \geq 0$$

01.30.27.1009.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{z}\right) = -\frac{\pi i}{2} + i \cot^{-1}\left(\frac{1}{z}\right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) < 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.30.27.1010.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{z}\right) = \frac{3\pi i}{2} + i \cot^{-1}\left(\frac{1}{z}\right) /; (iz \in \mathbb{R} \wedge iz > 1)$$

01.30.27.1011.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{z}\right) = \left( 1 - \sqrt{1-iz} \sqrt{\frac{1}{1-iz}} - \frac{1}{2} i \sqrt{z} \sqrt{-\frac{1}{z}} \right) \pi i - \sqrt{-\frac{1}{z}} \sqrt{z} \cot^{-1}\left(\frac{1}{z}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right)$ and $\cot^{-1}(z)$

01.30.27.1012.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right) = i \cot^{-1}(z) ; 0 \leq \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) < \pi \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.27.1013.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right) = -i \cot^{-1}(z) ; -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) < 0 \vee (i z \in \mathbb{R} \wedge i z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1014.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right) = \pi i - i \cot^{-1}(z) ; (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.1015.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right) = \pi i + i \cot^{-1}(z) ; (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.30.27.1016.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right) = \frac{\pi i}{2} \left(1 - \sqrt{\frac{z^2+1}{z^2}} \sqrt{\frac{z^2}{z^2+1}}\right) + z \sqrt{-\frac{1}{z^2}} \cot^{-1}(z)$$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right)$ and $\cot^{-1}\left(\frac{1}{z}\right)$

01.30.27.1017.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right) = \frac{\pi i}{2} - i \cot^{-1}\left(\frac{1}{z}\right) ; 0 \leq \arg(z) \leq \frac{\pi}{2}$$

01.30.27.1018.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right) = -\frac{\pi i}{2} + i \cot^{-1}\left(\frac{1}{z}\right) ; -\frac{\pi}{2} < \arg(z) < 0$$

01.30.27.1019.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right) = -\frac{\pi i}{2} - i \cot^{-1}\left(\frac{1}{z}\right) ; \frac{\pi}{2} < \arg(z) < \pi$$



01.30.27.1020.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right) = \frac{\pi i}{2} + i \cot^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1021.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right) = \frac{\pi}{2} \sqrt{-\frac{1}{z^2}} \sqrt{z^2} - z \sqrt{-\frac{1}{z^2}} \cot^{-1}\left(\frac{1}{z}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2-1}}{\sqrt{-z^2}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2-1}}{\sqrt{-z^2}}\right)$ and $\cot^{-1}(z)$

01.30.27.1022.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2-1}}{\sqrt{-z^2}}\right) = i \cot^{-1}(z); 0 \leq \arg(z) < \pi$$

01.30.27.1023.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2-1}}{\sqrt{-z^2}}\right) = -i \cot^{-1}(z); -\pi < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1024.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2-1}}{\sqrt{-z^2}}\right) = z \sqrt{-\frac{1}{z^2}} \cot^{-1}(z)$$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2-1}}{\sqrt{-z^2}}\right)$ and $\cot^{-1}\left(\frac{1}{z}\right)$

01.30.27.1025.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2-1}}{\sqrt{-z^2}}\right) = \frac{\pi i}{2} - i \cot^{-1}\left(\frac{1}{z}\right); 0 \leq \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.27.1026.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2-1}}{\sqrt{-z^2}}\right) = -\frac{\pi i}{2} + i \cot^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.1027.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2-1}}{\sqrt{-z^2}}\right) = -\frac{\pi i}{2} - i \cot^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) < \pi \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.30.27.1028.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2-1}}{\sqrt{-z^2}}\right) = \frac{\pi i}{2} + i \cot^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0) \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.30.27.1029.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2-1}}{\sqrt{-z^2}}\right) = \frac{\pi i}{2} \left( \sqrt{\frac{z^2+1}{z^2}} \sqrt{\frac{z^2}{z^2+1}} - i \sqrt{-\frac{1}{z^2}} \sqrt{z^2-1} \right) - z \sqrt{-\frac{1}{z^2}} \cot^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2+1}{z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2+1}{z^2}}\right)$  and  $\cot^{-1}(z)$

01.30.27.1030.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2+1}{z^2}}\right) = i \cot^{-1}(z); 0 \leq \arg(z) < \frac{\pi}{2}$$

01.30.27.1031.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2+1}{z^2}}\right) = -i \cot^{-1}(z); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1032.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2+1}{z^2}}\right) = z \sqrt{-\frac{1}{z^2}} \cot^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2+1}{z^2}}\right)$  and  $\cot^{-1}\left(\frac{1}{z}\right)$

01.30.27.1033.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2+1}{z^2}}\right) = \frac{\pi i}{2} - i \cot^{-1}\left(\frac{1}{z}\right); 0 \leq \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.27.1034.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2+1}{z^2}}\right) = -\frac{\pi i}{2} + i \cot^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.1035.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2+1}{z^2}}\right) = -\frac{\pi i}{2} - i \cot^{-1}\left(\frac{1}{z}\right) /; \frac{\pi}{2} < \arg(z) < \pi \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.30.27.1036.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2+1}{z^2}}\right) = \frac{\pi i}{2} + i \cot^{-1}\left(\frac{1}{z}\right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0) \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.30.27.1037.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2+1}{z^2}}\right) = -z \sqrt{-\frac{1}{z^2}} \cot^{-1}\left(\frac{1}{z}\right) - \frac{\pi \sqrt{-z^2} \sqrt{-z^2-1}}{2 \sqrt{z^2+1}} \sqrt{-\frac{1}{z^2}}$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2} (1+z^2)^{1/4} / \sqrt{\sqrt{1+z^2}-1}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2} (1+z^2)^{1/4} / \sqrt{\sqrt{1+z^2}-1}\right)$  and  $\cot^{-1}(z)$

01.30.27.1038.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}}\right) = \frac{\pi i}{4} + \frac{1}{2} i \cot^{-1}(z) /; 0 \leq \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.27.1039.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}}\right) = -\frac{\pi i}{4} - \frac{1}{2} i \cot^{-1}(z) /; -\frac{\pi}{2} < \arg(z) < 0$$

01.30.27.1040.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}}\right) = -\frac{\pi i}{4} + \frac{1}{2} i \cot^{-1}(z) /; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.1041.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}}\right) = \frac{\pi i}{4} - \frac{1}{2} i \cot^{-1}(z) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1042.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}} \right) = \frac{3\pi i}{4} + \frac{1}{2} i \cot^{-1}(z) ; (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.30.27.1043.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}} \right) = \frac{3\pi i}{4} - \frac{1}{2} i \cot^{-1}(z) ; (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.1044.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}} \right) = \frac{\pi i}{4} \left( 1 - i \sqrt{-\frac{1}{z^2}} \sqrt{z^2} - \sqrt{\frac{z^2+1}{z^2}} \sqrt{\frac{z^2}{z^2+1}} \right) + \frac{1}{2} z \sqrt{-\frac{1}{z^2}} \cot^{-1}(z)$$

Involving  $\operatorname{sech}^{-1} \left( \sqrt{2} (1+z^2)^{1/4} / \sqrt{\sqrt{1+z^2}-1} \right)$  and  $\cot^{-1}(\frac{1}{z})$

01.30.27.1045.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}} \right) = \frac{\pi i}{2} - \frac{1}{2} i \cot^{-1} \left( \frac{1}{z} \right) ; 0 \leq \arg(z) \leq \frac{\pi}{2}$$

01.30.27.1046.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}} \right) = -\frac{\pi i}{2} + \frac{1}{2} i \cot^{-1} \left( \frac{1}{z} \right) ; -\frac{\pi}{2} < \arg(z) < 0$$

01.30.27.1047.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}} \right) = \frac{\pi i}{2} + \frac{1}{2} i \cot^{-1} \left( \frac{1}{z} \right) ; -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1048.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}} \right) = -\frac{\pi i}{2} - \frac{1}{2} i \cot^{-1} \left( \frac{1}{z} \right) ; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.1049.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}} \right) = \frac{1}{2} \pi \sqrt{-\frac{1}{z^2}} \sqrt{z^2} - \frac{1}{2} z \sqrt{-\frac{1}{z^2}} \cot^{-1} \left( \frac{1}{z} \right)$$

Involving  $\operatorname{sech}^{-1} \left( \sqrt{2} (1+z^2)^{1/4} / \sqrt{\sqrt{1+z^2}-z} \right)$

Involving  $\operatorname{sech}^{-1} \left( \sqrt{2} (1+z^2)^{1/4} / \sqrt{\sqrt{1+z^2}-z} \right)$  and  $\cot^{-1}(z)$

01.30.27.1050.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-z}} \right) = -\frac{\pi i}{2} + \frac{1}{2} i \cot^{-1}(z) /; 0 < \arg(z) < \frac{\pi}{2} \bigvee (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.27.1051.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-z}} \right) = \frac{\pi i}{2} - \frac{1}{2} i \cot^{-1}(z) /; -\frac{\pi}{2} < \arg(z) \leq 0 \bigvee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.1052.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-z}} \right) = \frac{1}{2} i \cot^{-1}(z) /; \frac{\pi}{2} < \arg(z) < \pi \bigvee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.30.27.1053.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-z}} \right) = -\frac{i}{2} \cot^{-1}(z) /; -\pi < \arg(z) < -\frac{\pi}{2} \bigvee (z \in \mathbb{R} \wedge z < 0) \bigvee (i z \in \mathbb{R} \wedge i z > 1)$$

01.30.27.1054.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-z}} \right) = \frac{\pi}{4} \sqrt{\frac{1}{z}} \sqrt{-z} \left( \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} z+1 \right) - \frac{1}{2} \sqrt{\frac{1}{z}} \sqrt{-z} \cot^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-z}}\right)$  and  $\cot^{-1}\left(\frac{1}{z}\right)$

01.30.27.1055.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-z}}\right) = \frac{\pi i}{4} + \frac{1}{2} i \cot^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) \leq 0$$

01.30.27.1056.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-z}}\right) = -\frac{\pi i}{4} - \frac{1}{2} i \cot^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0$$

01.30.27.1057.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-z}}\right) = \frac{1}{2} \sqrt{\frac{1}{z}} \sqrt{-z} \cot^{-1}\left(\frac{1}{z}\right) + \frac{1}{4} \pi \sqrt{\frac{1}{z}} \sqrt{-z}$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}}\right)$  and  $\cot^{-1}(z)$

01.30.27.1058.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}}\right) = \frac{\pi i}{4} + \frac{1}{2} i \cot^{-1}(z); 0 \leq \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z \leq -1)$$

01.30.27.1059.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}}\right) = -\frac{\pi i}{4} - \frac{1}{2} i \cot^{-1}(z); -\frac{\pi}{2} < \arg(z) < 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.1060.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}}\right) = -\frac{\pi i}{4} + \frac{1}{2} i \cot^{-1}(z); \frac{\pi}{2} < \arg(z) < \pi \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.30.27.1061.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}}\right) = \frac{\pi i}{4} - \frac{1}{2}i \cot^{-1}(z); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0) \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.30.27.1062.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}}\right) = \frac{\pi i}{4} \left(-i \sqrt{-\frac{1}{z^2}} \sqrt{z^2} + \sqrt{\frac{z^2+1}{z^2}} \sqrt{\frac{z^2}{z^2+1}-1}\right) + \frac{1}{2}z \sqrt{-\frac{1}{z^2}} \cot^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}}\right)$  and  $\cot^{-1}\left(\frac{1}{z}\right)$

01.30.27.1063.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}}\right) = \frac{\pi i}{2} - \frac{1}{2}i \cot^{-1}\left(\frac{1}{z}\right); 0 \leq \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.30.27.1064.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}}\right) = -\frac{\pi i}{2} + \frac{1}{2}i \cot^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.30.27.1065.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}}\right) = -\frac{\pi i}{2} - \frac{1}{2}i \cot^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) < \pi \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.30.27.1066.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}}\right) = \frac{\pi i}{2} + \frac{1}{2}i \cot^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0) \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.30.27.1067.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}}\right) = -\frac{\pi \sqrt{-z^2} \sqrt{-1-z^2}}{2\sqrt{1+z^2}} \sqrt{-\frac{1}{z^2}} - \frac{1}{2}z \sqrt{-\frac{1}{z^2}} \cot^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}}\right)$  and  $\cot^{-1}(z)$

01.30.27.1068.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}}\right) = -\frac{\pi i}{2} + \frac{1}{2}i \cot^{-1}(z); 0 < \arg(z) < \frac{\pi}{2} \bigvee (iz \in \mathbb{R} \wedge iz < -1)$$

01.30.27.1069.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}}\right) = \frac{\pi i}{2} - \frac{1}{2}i \cot^{-1}(z); -\frac{\pi}{2} < \arg(z) \leq 0 \bigvee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.30.27.1070.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}}\right) = \frac{1}{2}i \cot^{-1}(z); \frac{\pi}{2} < \arg(z) < \pi \bigvee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.30.27.1071.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}}\right) = -\frac{i}{2} \cot^{-1}(z); -\pi < \arg(z) < -\frac{\pi}{2} \bigvee (z \in \mathbb{R} \wedge z < 0) \bigvee (iz \in \mathbb{R} \wedge iz > 1)$$

01.30.27.1072.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}}\right) = \frac{\pi}{4} \sqrt{\frac{1}{z}} \sqrt{-z} \left( \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} z + 1 \right) - \frac{\sqrt{-z}}{2} \sqrt{\frac{1}{z}} \cot^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}}\right)$  and  $\cot^{-1}\left(\frac{1}{z}\right)$

01.30.27.1073.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}}\right) = \frac{\pi i}{4} + \frac{1}{2}i \cot^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) \leq 0$$

01.30.27.1074.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}}\right) = -\frac{\pi i}{4} - \frac{1}{2}i \cot^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0$$

01.30.27.1075.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}}\right) = \frac{1}{2} \sqrt{\frac{1}{z}} \sqrt{-z} \cot^{-1}\left(\frac{1}{z}\right) + \frac{1}{4} \pi \sqrt{\frac{1}{z}} \sqrt{-z}$$

**Involving  $\operatorname{csc}^{-1}$**

**Involving  $\operatorname{sech}^{-1}(z)$**



Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csc}^{-1}(z)$

01.30.27.1076.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + i \operatorname{csc}^{-1}(z) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1077.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - i \operatorname{csc}^{-1}(z) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0019.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1 - \frac{1}{z}}} \sqrt{\frac{1}{z} - 1} \left( \frac{\pi}{2} - \operatorname{csc}^{-1}(z) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csc}^{-1}\left(\frac{z^2}{z^2-2}\right)$

01.30.27.1078.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{4} - \frac{1}{2} i \operatorname{csc}^{-1}\left(\frac{z^2}{z^2-2}\right) /; 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1079.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{4} + \frac{1}{2} i \operatorname{csc}^{-1}\left(\frac{z^2}{z^2-2}\right) /; -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1080.01

$$\operatorname{sech}^{-1}(z) = -\frac{3\pi i}{4} + \frac{1}{2} i \operatorname{csc}^{-1}\left(\frac{z^2}{z^2-2}\right) /; \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.1081.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{4} - \frac{1}{2} i \operatorname{csc}^{-1}\left(\frac{z^2}{z^2-2}\right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1082.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1 - \frac{1}{z}}} \sqrt{\frac{1}{z} - 1} \left( \frac{1}{2} \pi \left( 1 - \frac{1}{2} z \sqrt{\frac{1}{z^2}} \right) + \frac{1}{2} \left( z \sqrt{\frac{1}{z^2}} \right) \operatorname{csc}^{-1}\left(\frac{z^2}{z^2-2}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csc}^{-1}\left(\frac{z^2}{2-z^2}\right)$

01.30.27.1083.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{4} + \frac{1}{2} i \operatorname{csc}^{-1}\left(\frac{z^2}{2-z^2}\right) /; 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1084.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{4} - \frac{1}{2} i \operatorname{csc}^{-1}\left(\frac{z^2}{2-z^2}\right) /; -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1085.01

$$\operatorname{sech}^{-1}(z) = -\frac{3\pi i}{4} - \frac{1}{2}i \operatorname{csc}^{-1}\left(\frac{z^2}{2-z^2}\right); \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.1086.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{4} + \frac{1}{2}i \operatorname{csc}^{-1}\left(\frac{z^2}{2-z^2}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1087.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left( \frac{1}{2}\pi \left( 1 - \frac{1}{2}z \sqrt{\frac{1}{z^2}} \right) - \frac{1}{2} \left( z \sqrt{\frac{1}{z^2}} \right) \operatorname{csc}^{-1}\left(\frac{z^2}{2-z^2}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csc}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right)$

01.30.27.1088.01

$$\operatorname{sech}^{-1}(z) = 2i \operatorname{csc}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right) - \pi i; 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1089.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2i \operatorname{csc}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1090.01

$$\operatorname{sech}^{-1}(z) = \pi i + 2i \operatorname{csc}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1091.01

$$\operatorname{sech}^{-1}(z) = \frac{2\sqrt{z-1}\sqrt{z}}{\sqrt{1-z}} \sqrt{\frac{1}{z}} \left( \frac{\sqrt{-z-1}\sqrt{z}}{\sqrt{-z}\sqrt{z+1}} \operatorname{csc}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right) - \frac{\pi}{2} \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csc}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-1-z}}\right)$

01.30.27.1092.01

$$\operatorname{sech}^{-1}(z) = 2i \operatorname{csc}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-1-z}}\right) - \pi i; 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1093.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2i \operatorname{csc}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-1-z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1094.01

$$\operatorname{sech}^{-1}(z) = \frac{2\sqrt{z-1}\sqrt{z}}{\sqrt{1-z}} \sqrt{\frac{1}{z}} \left( \operatorname{csc}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-1-z}}\right) - \frac{\pi}{2} \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csc}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right)$

01.30.27.1095.01

$$\operatorname{sech}^{-1}(z) = 2i \operatorname{csc}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right) - \pi i /; 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1096.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2i \operatorname{csc}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1097.01

$$\operatorname{sech}^{-1}(z) = \pi i + 2i \operatorname{csc}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1098.01

$$\operatorname{sech}^{-1}(z) = \frac{2\sqrt{-z}\sqrt{-z-1}}{\sqrt{z-1}\sqrt{z+1}} \sqrt{\frac{1-z}{z}} \operatorname{csc}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right) - \frac{\pi\sqrt{z-1}\sqrt{z}}{\sqrt{1-z}} \sqrt{\frac{1}{z}}$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csc}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right)$

01.30.27.1099.01

$$\operatorname{sech}^{-1}(z) = -2i \operatorname{csc}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right) /; 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1100.01

$$\operatorname{sech}^{-1}(z) = 2i \operatorname{csc}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1101.01

$$\operatorname{sech}^{-1}(z) = \frac{2\sqrt{1-z}\sqrt{z}}{\sqrt{-1+z}} \sqrt{\frac{1}{z}} \operatorname{csc}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csc}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right)$

01.30.27.1102.01

$$\operatorname{sech}^{-1}(z) = -2i \operatorname{csc}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right) /; \operatorname{Im}(z) > 0$$

01.30.27.1103.01

$$\operatorname{sech}^{-1}(z) = 2i \operatorname{csc}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right) /; \operatorname{Im}(z) \leq 0$$

01.30.27.1104.01

$$\operatorname{sech}^{-1}(z) = 2 \sqrt{\frac{1}{z}} \sqrt{-z} \operatorname{csc}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csc}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right)$

01.30.27.1105.01

$$\operatorname{sech}^{-1}(z) = -2i \operatorname{csc}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right); 0 < \arg(z) < \pi$$

01.30.27.1106.01

$$\operatorname{sech}^{-1}(z) = 2i \operatorname{csc}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right); \operatorname{Im}(z) \leq 0$$

01.30.27.1107.01

$$\operatorname{sech}^{-1}(z) = 2 \sqrt{-z} \sqrt{\frac{1}{z}} \operatorname{csc}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csc}^{-1}\left(\sqrt{z^2}\right)$

01.30.27.1108.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + i \operatorname{csc}^{-1}\left(\sqrt{z^2}\right); 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1109.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - i \operatorname{csc}^{-1}\left(\sqrt{z^2}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1110.01

$$\operatorname{sech}^{-1}(z) = -i \operatorname{csc}^{-1}\left(\sqrt{z^2}\right) - \frac{\pi i}{2}; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.1111.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + i \operatorname{csc}^{-1}\left(\sqrt{z^2}\right); -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1112.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left( \frac{\pi}{2} - \frac{\sqrt{z^2}}{z} \operatorname{csc}^{-1}\left(\sqrt{z^2}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csc}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right)$

01.30.27.1113.01

$$\operatorname{sech}^{-1}(z) = -i \operatorname{csc}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right); 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1) \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.30.27.1114.01

$$\operatorname{sech}^{-1}(z) = i \operatorname{csc}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1115.01

$$\operatorname{sech}^{-1}(z) = -\pi i - i \operatorname{csc}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right); \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.1116.01

$$\operatorname{sech}^{-1}(z) = \pi i + i \operatorname{csc}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1117.01

$$\operatorname{sech}^{-1}(z) = -\pi i + i \operatorname{csc}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right); (i z \in \mathbb{R} \wedge i z < 0)$$

01.30.27.1118.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left( \frac{\pi}{2} \left( 1 - z \sqrt{\frac{1}{z^2}} \right) + \sqrt{\frac{1}{z^2}} \sqrt{z^2} \operatorname{csc}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csc}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right)$

01.30.27.1119.01

$$\operatorname{sech}^{-1}(z) = -i \operatorname{csc}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right); 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1120.01

$$\operatorname{sech}^{-1}(z) = i \operatorname{csc}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right); -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1121.01

$$\operatorname{sech}^{-1}(z) = -\pi i + i \operatorname{csc}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right); \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.1122.01

$$\operatorname{sech}^{-1}(z) = \pi i - i \operatorname{csc}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2 - 1}}\right); -\pi < \arg(z) < -\frac{\pi}{2} \quad (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1123.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1 - \frac{1}{z}}} \sqrt{\frac{1}{z} - 1} \left( \frac{\pi}{2} \left( 1 - z \sqrt{\frac{1}{z^2}} \right) + z \sqrt{\frac{1}{z^2}} \operatorname{csc}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2 - 1}}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csc}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right)$

01.30.27.1124.01

$$\operatorname{sech}^{-1}(z) = -i \operatorname{csc}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right); 0 < \arg(z) < \frac{\pi}{2}$$

01.30.27.1125.01

$$\operatorname{sech}^{-1}(z) = i \operatorname{csc}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right); -\frac{\pi}{2} \leq \arg(z) \leq 0$$

01.30.27.1126.01

$$\operatorname{sech}^{-1}(z) = -\pi i + i \operatorname{csc}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right); \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.1127.01

$$\operatorname{sech}^{-1}(z) = \pi i - i \operatorname{csc}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right); -\pi < \arg(z) < -\frac{\pi}{2} \quad (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1128.01

$$\operatorname{sech}^{-1}(z) = \pi i + i \operatorname{csc}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1129.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1 - \frac{1}{z}}} \sqrt{\frac{1}{z} - 1} \left( \frac{\pi}{2} \left( 1 - z \sqrt{\frac{1}{z^2}} \right) + \frac{\sqrt{-z} z^{3/2} \sqrt{-1+z^2}}{\sqrt{z^2 - z^4}} \sqrt{\frac{1}{z^2}} \operatorname{csc}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csc}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right)$

01.30.27.1130.01

$$\operatorname{sech}^{-1}(z) = -i \operatorname{csc}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right); 0 < \arg(z) < \frac{\pi}{2}$$

01.30.27.1131.01

$$\operatorname{sech}^{-1}(z) = i \operatorname{csc}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right); -\frac{\pi}{2} \leq \arg(z) \leq 0$$

01.30.27.1132.01

$$\operatorname{sech}^{-1}(z) = -\pi i + i \operatorname{csc}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right); \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.1133.01

$$\operatorname{sech}^{-1}(z) = \pi i - i \operatorname{csc}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right); -\pi < \arg(z) < -\frac{\pi}{2} \quad (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1134.01

$$\operatorname{sech}^{-1}(z) = \pi i + i \operatorname{csc}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1135.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left( \frac{\pi}{2} \left( 1-z \sqrt{\frac{1}{z^2}} \right) + \frac{z \sqrt{-z^2} \sqrt{z^2-1}}{\sqrt{z^2-z^4}} \sqrt{\frac{1}{z^2}} \operatorname{csc}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csc}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right)$

01.30.27.1136.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + \frac{1}{2} i \operatorname{csc}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right); 0 < \arg(z) \leq \frac{\pi}{2} \wedge |z| \geq \sqrt{2}$$

01.30.27.1137.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - \frac{1}{2} i \operatorname{csc}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right); -\frac{\pi}{2} < \arg(z) \leq 0 \wedge |z| \geq \sqrt{2}$$

01.30.27.1138.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} - \frac{1}{2} i \operatorname{csc}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right); \frac{\pi}{2} < \arg(z) < \pi \wedge |z| \geq \sqrt{2}$$

01.30.27.1139.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + \frac{1}{2} i \operatorname{csc}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right); -\pi < \arg(z) \leq -\frac{\pi}{2} \wedge |z| \geq \sqrt{2} \vee (z \in \mathbb{R} \wedge z < -\sqrt{2})$$

01.30.27.1140.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi}{4\sqrt{\frac{z-1}{z}}} \sqrt{\frac{1}{z} - 1}$$

$$\left( -\sqrt{\frac{1}{z^2}} z - \frac{\sqrt{\frac{1}{z^4} - \frac{1}{z^2}} z}{\sqrt{\frac{1}{z^2} - 1}} + \sqrt{\frac{1}{z}} \sqrt{\frac{z+\sqrt{2}}{z}} \sqrt{\frac{z}{z+\sqrt{2}}} \sqrt{z} - \sqrt{1 - \frac{\sqrt{2}}{z}} \sqrt{-\frac{1}{z}} \sqrt{-z} \sqrt{\frac{z}{z-\sqrt{2}}} + 2 \right) -$$

$$\frac{\sqrt{(\sqrt{2}-z)(z-1)} \sqrt{z+\sqrt{2}}}{2\sqrt{\frac{1}{z^4} - \frac{1}{z^2}} z^{3/2} \sqrt{z^2-2}} \sqrt{-\frac{z+1}{z}} \operatorname{csc}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right)$$

### Involving $\operatorname{sech}^{-1}(-z)$

#### Involving $\operatorname{sech}^{-1}(-z)$ and $\operatorname{csc}^{-1}(z)$

01.30.27.1141.01

$$\operatorname{sech}^{-1}(-z) = \frac{\pi i}{2} + i \operatorname{csc}^{-1}(z); 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1142.01

$$\operatorname{sech}^{-1}(-z) = -\frac{\pi i}{2} - i \operatorname{csc}^{-1}(z); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1143.01

$$\operatorname{sech}^{-1}(-z) = \frac{1}{\sqrt{\frac{1}{z} + 1}} \sqrt{-\frac{1}{z} - 1} \left( \operatorname{csc}^{-1}(z) + \frac{\pi}{2} \right)$$

### Involving $\operatorname{sech}^{-1}(\sqrt{z})$

#### Involving $\operatorname{sech}^{-1}(\sqrt{z})$ and $\operatorname{csc}^{-1}(\sqrt{z})$

01.30.27.1144.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = -\frac{\pi i}{2} + i \operatorname{csc}^{-1}(\sqrt{z}); 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$



01.30.27.1145.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = \frac{\pi i}{2} - i \operatorname{csc}^{-1}(\sqrt{z}) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1146.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = \frac{\sqrt{z-1}}{\sqrt{1-z}} \left( \operatorname{csc}^{-1}(\sqrt{z}) - \frac{\pi}{2} \right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$ and $\operatorname{csc}^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.1147.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi i}{2} - i \operatorname{csc}^{-1}\left(\frac{1}{\sqrt{z}}\right) /; 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1148.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \operatorname{csc}^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi i}{2} /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1149.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\sqrt{z-1}}{\sqrt{1-z}} \left( \frac{\pi}{2} - \operatorname{csc}^{-1}\left(\frac{1}{\sqrt{z}}\right) \right)$$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$ and $\operatorname{csc}^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.1150.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi i}{2} - i \operatorname{csc}^{-1}\left(\sqrt{\frac{1}{z}}\right) /; 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1151.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \operatorname{csc}^{-1}\left(\sqrt{\frac{1}{z}}\right) - \frac{\pi i}{2} /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1152.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \operatorname{csc}^{-1}\left(\sqrt{\frac{1}{z}}\right) + \frac{\pi i}{2} /; (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1153.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\sqrt{z-1}}{\sqrt{1-z}} \left( \frac{\pi}{2} - \sqrt{z} \sqrt{\frac{1}{z}} \operatorname{csc}^{-1}\left(\sqrt{\frac{1}{z}}\right) \right)$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{z^2}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{z^2}\right)$  and  $\operatorname{csc}^{-1}(z)$

01.30.27.1154.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = -\frac{\pi i}{2} + i \operatorname{csc}^{-1}(z) /; 0 < \arg(z) \leq \frac{\pi}{2} \sqrt{z \in \mathbb{R} \wedge 0 < z < 1}$$

01.30.27.1155.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = \frac{\pi i}{2} - i \operatorname{csc}^{-1}(z) /; -\frac{\pi}{2} < \arg(z) < 0 \sqrt{z \in \mathbb{R} \wedge z > 1}$$

01.30.27.1156.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = \frac{\pi i}{2} + i \operatorname{csc}^{-1}(z) /; \frac{\pi}{2} < \arg(z) < \pi \sqrt{z \in \mathbb{R} \wedge z < -1}$$

01.30.27.1157.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = -\frac{\pi i}{2} - i \operatorname{csc}^{-1}(z) /; -\pi < \arg(z) \leq -\frac{\pi}{2} \sqrt{z \in \mathbb{R} \wedge -1 < z < 0}$$

01.30.27.1158.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = \frac{\pi i}{2} \left( -\frac{i \sqrt{-z} \sqrt{z^2}}{z^{3/2}} + \sqrt{\frac{z^2}{z^2-1}} \sqrt{\frac{z^2-1}{z^2}} - 1 \right) + \frac{z \sqrt{z^2-1}}{\sqrt{z^2-z^4}} \operatorname{csc}^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right)$  and  $\operatorname{csc}^{-1}\left(\frac{1}{z}\right)$

01.30.27.1159.01

$$\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right) = 2i \operatorname{csc}^{-1}\left(\frac{1}{z}\right) /; -\pi < \arg(z) \leq 0$$

01.30.27.1160.01

$$\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right) = -2i \operatorname{csc}^{-1}\left(\frac{1}{z}\right) /; 0 < \arg(z) \leq \pi$$

01.30.27.1161.01

$$\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right) = \frac{2\sqrt{-z^2}}{z} \operatorname{csc}^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right)$  and  $\operatorname{csc}^{-1}\left(\frac{1}{z}\right)$

01.30.27.1162.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = \pi i - 2i \operatorname{csc}^{-1}\left(\frac{1}{z}\right) /; 0 < \arg(z) \leq \frac{\pi}{2} \sqrt{z \in \mathbb{R} \wedge 0 < z < 1}$$

01.30.27.1163.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = -\pi i + 2i \operatorname{csc}^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1164.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = -\pi i - 2i \operatorname{csc}^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1165.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = \pi i + 2i \operatorname{csc}^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1166.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = \frac{\sqrt{z^2-1}}{\sqrt{1-z^2}} \left( \pi - \frac{2\sqrt{z^2}}{z} \operatorname{csc}^{-1}\left(\frac{1}{z}\right) \right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{z^2}{z^2-2}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{z^2}{z^2-2}\right)$ and $\operatorname{csc}^{-1}(z)$

01.30.27.1167.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{z^2-2}\right) = 2i \operatorname{csc}^{-1}(z); 0 \leq \arg(z) < \pi$$

01.30.27.1168.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{z^2-2}\right) = -2i \operatorname{csc}^{-1}(z); -\pi < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.0020.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{z^2-2}\right) = 2z \sqrt{-\frac{1}{z^2}} \operatorname{csc}^{-1}(z)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right)$ and $\operatorname{csc}^{-1}(z)$

01.30.27.1169.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = -\pi i + 2i \operatorname{csc}^{-1}(z); 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1170.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = \pi i - 2i \operatorname{csc}^{-1}(z); -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1171.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = \pi i + 2i \operatorname{csc}^{-1}(z) /; \frac{\pi}{2} \leq \arg(z) < \pi \bigvee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1172.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = -\pi i - 2i \operatorname{csc}^{-1}(z) /; -\pi < \arg(z) < -\frac{\pi}{2} \bigvee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1173.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = \frac{\sqrt{z^2-z^4}}{\sqrt{z^2-1}} \sqrt{\frac{1}{z^2}} \left( \pi - 2 \sqrt{\frac{1}{z^2}} z \operatorname{csc}^{-1}(z) \right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right)$ and $\operatorname{csc}^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.1174.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = -i \operatorname{csc}^{-1}\left(\frac{1}{\sqrt{z}}\right) /; 0 < \arg(z) \leq \pi$$

01.30.27.1175.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = i \operatorname{csc}^{-1}\left(\frac{1}{\sqrt{z}}\right) /; -\pi < \arg(z) \leq 0$$

01.30.27.1176.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = \frac{\sqrt{-z^2}}{z} \operatorname{csc}^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right)$ and $\operatorname{csc}^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.1177.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = -i \operatorname{csc}^{-1}\left(\sqrt{\frac{1}{z}}\right) /; 0 < \arg(z) < \pi$$

01.30.27.1178.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = i \operatorname{csc}^{-1}\left(\sqrt{\frac{1}{z}}\right) /; \operatorname{Im}(z) \leq 0$$

01.30.27.1179.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = \sqrt{-z} \sqrt{\frac{1}{z}} \operatorname{csc}^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right)$ and $\operatorname{csc}^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.1180.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = -i \operatorname{csc}^{-1}\left(\frac{1}{\sqrt{z}}\right); 0 < \arg(z) \leq \pi$$

01.30.27.1181.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = i \operatorname{csc}^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1182.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = i \operatorname{csc}^{-1}\left(\frac{1}{\sqrt{z}}\right) - \pi i; (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1183.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = \frac{\pi i}{2} \left( \sqrt{1-z} \sqrt{\frac{1}{1-z}} - 1 \right) + \frac{\sqrt{-z^2}}{z} \operatorname{csc}^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

#### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right)$ and $\operatorname{csc}^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.1184.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = -i \operatorname{csc}^{-1}\left(\sqrt{\frac{1}{z}}\right); 0 < \arg(z) < \pi$$

01.30.27.1185.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = i \operatorname{csc}^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 1)$$

01.30.27.1186.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = i \operatorname{csc}^{-1}\left(\sqrt{\frac{1}{z}}\right) - \pi i; (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1187.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = \frac{\pi i}{2} \left( \sqrt{1-z} \sqrt{\frac{1}{1-z}} - 1 \right) + \sqrt{-z} \sqrt{\frac{1}{z}} \operatorname{csc}^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1+cz}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{z+1}}\right)$  and  $\operatorname{csc}^{-1}\left(\frac{1}{z}\right)$

01.30.27.1188.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{z+1}}\right) = \frac{\pi i}{4} - \frac{1}{2} i \operatorname{csc}^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1189.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{z+1}}\right) = -\frac{\pi i}{4} + \frac{1}{2} i \operatorname{csc}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1190.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{z+1}}\right) = \frac{\sqrt{z-1}}{2\sqrt{1-z}} \left(\frac{\pi}{2} - \operatorname{csc}^{-1}\left(\frac{1}{z}\right)\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right)$  and  $\operatorname{csc}^{-1}\left(\frac{1}{z}\right)$

01.30.27.1191.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right) = -\frac{\pi i}{4} - \frac{1}{2} i \operatorname{csc}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1192.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right) = \frac{\pi i}{4} + \frac{1}{2} i \operatorname{csc}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > -1)$$

01.30.27.1193.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right) = \frac{\sqrt{-1-z}}{2\sqrt{1+z}} \left(\operatorname{csc}^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1+cz}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{z+1}}\right)$  and  $\operatorname{csc}^{-1}\left(\frac{1}{z}\right)$

01.30.27.1194.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{z+1}}\right) = \frac{\pi i}{4} - \frac{1}{2} i \operatorname{csc}^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.30.27.1195.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{z+1}}\right) = -\frac{\pi i}{4} + \frac{1}{2} i \operatorname{csc}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1196.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{z+1}}\right) = -\frac{3\pi i}{4} - \frac{1}{2}i \operatorname{csc}^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1197.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{z+1}}\right) = \frac{\pi i}{2} \left( \sqrt{z+1} \sqrt{\frac{1}{z+1}} - 1 \right) + \frac{\sqrt{z-1}}{2\sqrt{1-z}} \left( \frac{\pi}{2} - \operatorname{csc}^{-1}\left(\frac{1}{z}\right) \right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right)$  and  $\operatorname{csc}^{-1}\left(\frac{1}{z}\right)$

01.30.27.1198.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = -\frac{\pi i}{4} - \frac{1}{2}i \operatorname{csc}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1199.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = \frac{\pi i}{4} + \frac{1}{2}i \operatorname{csc}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.30.27.1200.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = -\frac{3\pi i}{4} + \frac{1}{2}i \operatorname{csc}^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1201.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = \frac{\pi i}{2} \left( \sqrt{1-z} \sqrt{\frac{1}{1-z}} - 1 \right) + \frac{\sqrt{-1-z}}{2\sqrt{1+z}} \left( \operatorname{csc}^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2} \right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right)$  and  $\operatorname{csc}^{-1}(\sqrt{z})$

01.30.27.1202.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = i \operatorname{csc}^{-1}(\sqrt{z}); \operatorname{Im}(z) \geq 0$$

01.30.27.1203.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = -i \operatorname{csc}^{-1}(\sqrt{z}); \operatorname{Im}(z) < 0$$

01.30.27.0022.02

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = \sqrt{-\frac{1}{z}} \sqrt{z} \operatorname{csc}^{-1}(\sqrt{z})$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right)$  and  $\operatorname{csc}^{-1}(\sqrt{z})$

01.30.27.1204.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = i \operatorname{csc}^{-1}(\sqrt{z}) ; 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1205.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = -i \operatorname{csc}^{-1}(\sqrt{z}) ; \operatorname{Im}(z) < 0$$

01.30.27.1206.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = i \operatorname{csc}^{-1}(\sqrt{z}) - \pi i ; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1207.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} \left( \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} - 1 \right) + \sqrt{-\frac{1}{z}} \sqrt{z} \operatorname{csc}^{-1}(\sqrt{z})$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right)$  and  $\operatorname{csc}^{-1}(\sqrt{z})$

01.30.27.1208.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = i \operatorname{csc}^{-1}(\sqrt{z}) ; 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1209.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = -i \operatorname{csc}^{-1}(\sqrt{z}) ; \operatorname{Im}(z) < 0$$

01.30.27.1210.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = i \operatorname{csc}^{-1}(\sqrt{z}) - \pi i ; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0021.02

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = \frac{\pi i}{2} \left( \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} - 1 \right) + \sqrt{-\frac{1}{z}} \sqrt{z} \operatorname{csc}^{-1}(\sqrt{z})$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+a}}\right)$



Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right)$  and  $\operatorname{csc}^{-1}(z)$

01.30.27.1211.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right) = \frac{i}{2} \operatorname{csc}^{-1}(z) - \frac{\pi i}{4} \quad ; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1212.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right) = -\frac{i}{2} \operatorname{csc}^{-1}(z) + \frac{\pi i}{4} \quad ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1213.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right) = -\frac{i}{2} \operatorname{csc}^{-1}(z) - \frac{3\pi i}{4} \quad ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1214.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right) = \frac{\pi}{4} \left( -z \sqrt{-\frac{1}{z^2}} - i \sqrt{1-z} \sqrt{\frac{1}{1-z}} - i + 2i \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} \right) + \frac{z \sqrt{1-z}}{2} \sqrt{\frac{1}{1-z}} \sqrt{-\frac{1}{z^2}} \operatorname{csc}^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right)$  and  $\operatorname{csc}^{-1}(z)$

01.30.27.1215.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right) = \frac{\pi i}{4} + \frac{1}{2} i \operatorname{csc}^{-1}(z) \quad ; 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1216.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right) = -\frac{\pi i}{4} - \frac{1}{2} i \operatorname{csc}^{-1}(z) \quad ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0024.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right) = \frac{\sqrt{z-1}}{2\sqrt{1-z}} \left( \operatorname{csc}^{-1}(z) + \frac{\pi}{2} \right) \quad ; z \notin (-1, 0) \wedge z \notin (1, \infty)$$

01.30.27.1217.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right) = -\frac{\sqrt{-z-1} \sqrt{-z}}{2\sqrt{z+1}} \sqrt{-\frac{1}{z}} \left( \operatorname{csc}^{-1}(z) + \frac{\pi}{2} \right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{a-z}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right)$  and  $\operatorname{csc}^{-1}(z)$

01.30.27.1218.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right) = \frac{\pi i}{4} + \frac{1}{2} i \operatorname{csc}^{-1}(z) ; 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1219.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right) = -\frac{\pi i}{4} - \frac{1}{2} i \operatorname{csc}^{-1}(z) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1220.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} \left( \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} + \frac{i \sqrt{-z-1} \sqrt{-z}}{2 \sqrt{z+1}} \sqrt{-\frac{1}{z} - 1} \right) - \frac{\sqrt{-z-1} \sqrt{-z}}{2 \sqrt{z+1}} \sqrt{-\frac{1}{z}} \operatorname{csc}^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-z-1}}\right)$  and  $\operatorname{csc}^{-1}(z)$

01.30.27.1221.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-z-1}}\right) = -\frac{\pi i}{4} + \frac{i}{2} \operatorname{csc}^{-1}(z) ; 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1222.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-z-1}}\right) = \frac{\pi i}{4} - \frac{1}{2} i \operatorname{csc}^{-1}(z) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1223.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-z-1}}\right) = \frac{z \sqrt{1-z}}{2} \sqrt{\frac{1}{1-z}} \sqrt{-\frac{1}{z^2}} \operatorname{csc}^{-1}(z) - \frac{\pi i}{4} \left( -i \sqrt{-\frac{1}{z^2}} z + \sqrt{\frac{1}{1-z}} \sqrt{1-z} - 1 \right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+a}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right)$  and  $\operatorname{csc}^{-1}(z)$

01.30.27.1224.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right) = \frac{\pi i}{4} + \frac{1}{2} i \operatorname{csc}^{-1}(z) ; 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1225.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right) = -\frac{\pi i}{4} - \frac{1}{2} i \operatorname{csc}^{-1}(z) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1226.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right) = -\frac{3\pi i}{4} + \frac{1}{2} i \operatorname{csc}^{-1}(z) ; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.0023.02

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right) = \left(\sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - 1\right) \frac{\pi i}{2} - \frac{\sqrt{-1-z} \sqrt{-z}}{2\sqrt{1+z}} \sqrt{\frac{1}{z}} \left(\frac{\pi}{2} + \operatorname{csc}^{-1}(z)\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right)$  and  $\operatorname{csc}^{-1}(z)$

01.30.27.1227.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right) = -\frac{\pi i}{4} + \frac{1}{2} i \operatorname{csc}^{-1}(z) ; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1228.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right) = \frac{\pi i}{4} - \frac{1}{2} i \operatorname{csc}^{-1}(z) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1229.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right) = -\frac{3\pi i}{4} - \frac{1}{2} i \operatorname{csc}^{-1}(z) ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1230.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right) = \left(\sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1\right) \frac{\pi i}{2} - \frac{\sqrt{-1+z} \sqrt{z}}{2\sqrt{1-z}} \sqrt{\frac{1}{z}} \left(\frac{\pi}{2} - \operatorname{csc}^{-1}(z)\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right)$  and  $\operatorname{csc}^{-1}\left(\frac{1}{z}\right)$

01.30.27.1231.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right) = -i \operatorname{csc}^{-1}\left(\frac{1}{z}\right) ; 0 < \arg(z) \leq \pi$$

01.30.27.1232.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right) = i \operatorname{csc}^{-1}\left(\frac{1}{z}\right) ; -\pi < \arg(z) \leq 0$$

01.30.27.1233.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right) = \frac{\sqrt{-z^2}}{z} \operatorname{csc}^{-1}\left(\frac{1}{z}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right)$ and $\operatorname{csc}^{-1}\left(\frac{1}{z}\right)$

01.30.27.1234.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = -i \operatorname{csc}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1235.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = i \operatorname{csc}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1236.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = i \operatorname{csc}^{-1}\left(\frac{1}{z}\right) - \pi i; (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1237.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = -i \operatorname{csc}^{-1}\left(\frac{1}{z}\right) - \pi i; (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1238.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = \frac{\pi i}{2} \left( \sqrt{1-z^2} \sqrt{\frac{1}{1-z^2}} - 1 \right) + \frac{\sqrt{-z^2}}{z} \operatorname{csc}^{-1}\left(\frac{1}{z}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right)$ and $\operatorname{csc}^{-1}(z)$

01.30.27.1239.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = i \operatorname{csc}^{-1}(z); 0 \leq \arg(z) \leq \frac{\pi}{2}$$

01.30.27.1240.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = -i \operatorname{csc}^{-1}(z); -\frac{\pi}{2} < \arg(z) < 0$$

01.30.27.1241.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = \pi i + i \operatorname{csc}^{-1}(z) /; \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1242.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = -\pi i - i \operatorname{csc}^{-1}(z) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1243.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = \pi i - i \operatorname{csc}^{-1}(z) /; (i z \in \mathbb{R} \wedge i z > 0)$$

01.30.27.0025.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = \frac{\pi}{2} \left(1 - \frac{\sqrt{z^2}}{z}\right) \sqrt{-\frac{1}{z^2}} z + \frac{\sqrt{z-1} \operatorname{csc}^{-1}(z)}{\sqrt{1-z}} /; i z \notin (0, \infty) \wedge z \notin (-\infty, 0) \wedge z \notin (1, \infty)$$

01.30.27.1244.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = \frac{\pi i}{2} \left(2 \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 2 - \frac{i \sqrt{-i z} \sqrt{z}}{\sqrt{-z}} \sqrt{\frac{i}{z}} - \frac{\sqrt{-z} \sqrt{i z}}{\sqrt{z}} \sqrt{\frac{i}{z}}\right) + z \sqrt{-\frac{1}{z^2}} \sqrt{\frac{1}{z+1}} \sqrt{z+1} \operatorname{csc}^{-1}(z)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right)$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right)$ and $\operatorname{csc}^{-1}(z)$

01.30.27.1245.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right) = i \operatorname{csc}^{-1}(z) /; 0 \leq \arg(z) < \pi$$

01.30.27.1246.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right) = -i \operatorname{csc}^{-1}(z) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1247.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right) = z \sqrt{-\frac{1}{z^2}} \operatorname{csc}^{-1}(z)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right)$ and $\operatorname{csc}^{-1}(z)$

01.30.27.1248.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = i \operatorname{csc}^{-1}(z) ; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1249.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = -i \operatorname{csc}^{-1}(z) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1250.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = -\pi i - i \operatorname{csc}^{-1}(z) ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1251.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = -\pi i + i \operatorname{csc}^{-1}(z) ; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1252.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = z \sqrt{-\frac{1}{z^2}} \operatorname{csc}^{-1}(z) - \frac{\pi i}{2} \left(1 - \sqrt{1 - \frac{1}{z^2}} \sqrt{\frac{z^2}{z^2 - 1}}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right)$ and $\operatorname{csc}^{-1}(z)$

01.30.27.1253.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = i \operatorname{csc}^{-1}(z) ; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1254.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = -i \operatorname{csc}^{-1}(z) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1255.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = i \operatorname{csc}^{-1}(z) - \pi i /; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1256.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = -i \operatorname{csc}^{-1}(z) - \pi i /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1257.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = z \sqrt{-\frac{1}{z^2}} \operatorname{csc}^{-1}(z) - \frac{\pi i}{2} \left(1 - \sqrt{1 - \frac{1}{z^2}} \sqrt{\frac{z^2}{-1+z^2}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right)$  and  $\operatorname{csc}^{-1}\left(\frac{1}{z}\right)$

01.30.27.1258.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right) = \frac{\pi i}{2} - 2i \operatorname{csc}^{-1}\left(\frac{1}{z}\right) /; 0 < \arg(z) \leq \frac{3\pi}{4}$$

01.30.27.1259.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right) = -\frac{\pi i}{2} + 2i \operatorname{csc}^{-1}\left(\frac{1}{z}\right) /; \frac{3\pi}{4} \leq \arg(z) \leq 0$$

01.30.27.1260.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right) = \frac{\sqrt{2z\sqrt{1-z^2}-1}}{\sqrt{1-2z\sqrt{1-z^2}}} \left( \frac{\pi\sqrt{1-2z^2}\sqrt{z^4-z^2}}{2\sqrt{-z^2}\sqrt{z^2-1}\sqrt{2z^2-1}} \left( -\frac{\sqrt{z^2}}{z} + \sqrt{\frac{1}{z}} \sqrt{z} \sqrt{\frac{1}{\sqrt{2}z+1}} \sqrt{\sqrt{2}z+1} - \sqrt{\frac{1}{z}} \sqrt{-z} \sqrt{\frac{1}{1-\sqrt{2}z}} \sqrt{1-\sqrt{2}z} - \frac{\sqrt{z^4-z^2}}{z\sqrt{z^2-1}} \right) + \frac{2\sqrt{1-2z^2}\sqrt{z^4-z^2}}{\sqrt{-z^2}\sqrt{z^2-1}\sqrt{2z^2-1}} \operatorname{csc}^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2} \right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right)$  and  $\operatorname{csc}^{-1}(z)$

01.30.27.1261.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = -\frac{\pi i}{2} + 2i \operatorname{csc}^{-1}(z) ; 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1262.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = \frac{\pi i}{2} - 2i \operatorname{csc}^{-1}(z) ; -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1263.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = \frac{\pi i}{2} + 2i \operatorname{csc}^{-1}(z) ; \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1264.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = -\frac{\pi i}{2} - 2i \operatorname{csc}^{-1}(z) ; -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1265.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = \frac{\sqrt{\frac{2\sqrt{z^2-1}}{z^2} - 1}}{\sqrt{1 - \frac{2\sqrt{z^2-1}}{z^2}}} \left( \frac{\pi}{2} + \frac{z^3 \sqrt{z^2-2} \sqrt{z^2-1}}{2\sqrt{1-z} (z+1) \sqrt{-z^4+3z^2-2}} \sqrt{\frac{1-z^2}{z^4}} \sqrt{\frac{1}{z}} \sqrt{\frac{-z+1}{z}} \left( \pi \left( \frac{z^3}{1-z^2} \sqrt{\frac{1-z^2}{z^2}} \sqrt{\frac{1-z^2}{z^4}} + \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{z}} \sqrt{\frac{z}{z+\sqrt{2}}} \sqrt{\frac{z+\sqrt{2}}{z}} \sqrt{z} + \sqrt{1-\frac{\sqrt{2}}{z}} \sqrt{-\frac{1}{z}} \sqrt{-z} \sqrt{\frac{z}{z-\sqrt{2}}}} - 4 \operatorname{csc}^{-1}(z) \right) \right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2} / \sqrt{1 - \sqrt{1 + cz^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2} / \sqrt{1 - \sqrt{1 + z^2}}\right)$  and  $\operatorname{csc}^{-1}\left(\frac{1}{z}\right)$



01.30.27.1266.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{2} + \frac{1}{2} i \operatorname{csc}^{-1}\left(\frac{i}{z}\right); 0 < \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.27.1267.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} + \frac{1}{2} i \operatorname{csc}^{-1}\left(\frac{i}{z}\right); -\frac{\pi}{2} < \arg(z) \leq 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.1268.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} - \frac{1}{2} i \operatorname{csc}^{-1}\left(\frac{i}{z}\right); \frac{\pi}{2} < \arg(z) \leq \pi \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.30.27.1269.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{2} - \frac{1}{2} i \operatorname{csc}^{-1}\left(\frac{i}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.30.27.1270.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = \frac{\pi}{2} \left( i + \frac{\sqrt{-z} \sqrt{z^2}}{z^{3/2}} - i \sqrt{\frac{z^2+1}{z^2}} \sqrt{\frac{z^2}{z^2+1}} \right) - \frac{i \sqrt{z} (z^2+1)}{2 \sqrt{-z} \sqrt{-(z^2+1)^2}} \operatorname{csc}^{-1}\left(\frac{i}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1-z^2}}}\right)$  and  $\operatorname{csc}^{-1}\left(\frac{1}{z}\right)$

01.30.27.1271.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{2} - \frac{1}{2} i \operatorname{csc}^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1272.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1-z^2}}}\right) = -\frac{\pi i}{2} + \frac{1}{2} i \operatorname{csc}^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

$$\text{01.30.27.1273.01} \quad \text{sech}^{-1} \left( \frac{\sqrt{2}}{\sqrt{1 - \sqrt{1 - z^2}}} \right) = -\frac{\pi i}{2} - \frac{1}{2} i \csc^{-1} \left( \frac{1}{z} \right) /; \frac{\pi}{2} < \arg(z) < \pi \quad \bigvee (z \in \mathbb{R} \wedge z < -1)$$

$$\text{01.30.27.1274.01} \quad \text{sech}^{-1} \left( \frac{\sqrt{2}}{\sqrt{1 - \sqrt{1 - z^2}}} \right) = \frac{\pi i}{2} + \frac{1}{2} i \csc^{-1} \left( \frac{1}{z} \right) /; -\pi < \arg(z) \leq -\frac{\pi}{2} \quad \bigvee (z \in \mathbb{R} \wedge -1 < z < 0)$$

$$\text{01.30.27.1275.01} \quad \text{sech}^{-1} \left( \frac{\sqrt{2}}{\sqrt{1 - \sqrt{1 - z^2}}} \right) = \frac{\pi}{2} \left( i + \frac{\sqrt{i z} \sqrt{-z^2}}{(-i z)^{3/2}} - i \sqrt{\frac{z^2}{z^2 - 1}} \sqrt{\frac{z^2 - 1}{z^2}} \right) + \frac{i \sqrt{-i z} (1 - z^2)}{2 \sqrt{i z} \sqrt{-(1 - z^2)^2}} \csc^{-1} \left( \frac{1}{z} \right)$$

Involving  $\text{sech}^{-1} \left( \sqrt{2 / (1 - \sqrt{1 + c z^2})} \right)$

Involving  $\text{sech}^{-1} \left( \sqrt{2 / (1 - \sqrt{1 + z^2})} \right)$  and  $\csc^{-1} \left( \frac{i}{z} \right)$

$$\text{01.30.27.1276.01} \quad \text{sech}^{-1} \left( \sqrt{\frac{2}{1 - \sqrt{1 + z^2}}} \right) = -\frac{\pi i}{2} + \frac{1}{2} i \csc^{-1} \left( \frac{i}{z} \right) /; 0 \leq \arg(z) < \frac{\pi}{2} \quad \bigvee (i z \in \mathbb{R} \wedge i z < -1)$$

$$\text{01.30.27.1277.01} \quad \text{sech}^{-1} \left( \sqrt{\frac{2}{1 - \sqrt{1 + z^2}}} \right) = \frac{\pi i}{2} + \frac{1}{2} i \csc^{-1} \left( \frac{i}{z} \right) /; -\frac{\pi}{2} < \arg(z) < 0 \quad \bigvee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

$$\text{01.30.27.1278.01} \quad \text{sech}^{-1} \left( \sqrt{\frac{2}{1 - \sqrt{1 + z^2}}} \right) = \frac{\pi i}{2} - \frac{1}{2} i \csc^{-1} \left( \frac{i}{z} \right) /; \frac{\pi}{2} < \arg(z) < \pi \quad \bigvee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

$$\text{01.30.27.1279.01} \quad \text{sech}^{-1} \left( \sqrt{\frac{2}{1 - \sqrt{1 + z^2}}} \right) = -\frac{\pi i}{2} - \frac{1}{2} i \csc^{-1} \left( \frac{i}{z} \right) /; -\pi < \arg(z) < -\frac{\pi}{2} \quad \bigvee (i z \in \mathbb{R} \wedge i z > 1) \quad \bigvee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1280.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} \left(1 + i \sqrt{-\frac{1}{z^2}} \sqrt{z^2} - \frac{\sqrt{z^2} \sqrt{-1-z^2}}{\sqrt{-z^2(1+z^2)}}\right) - \frac{i \sqrt{z} (z^2+1)}{2 \sqrt{-z} \sqrt{-(z^2+1)^2}} \operatorname{csc}^{-1}\left(\frac{i}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2/(1-\sqrt{1-z^2})}\right)$  and  $\operatorname{csc}^{-1}\left(\frac{1}{z}\right)$

01.30.27.1281.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{2} - \frac{1}{2} i \operatorname{csc}^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1282.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = -\frac{\pi i}{2} + \frac{1}{2} i \operatorname{csc}^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1283.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = -\frac{\pi i}{2} - \frac{1}{2} i \operatorname{csc}^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1284.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{2} + \frac{1}{2} i \operatorname{csc}^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1285.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{2} \left(1 + i \sqrt{\frac{1}{z^2}} \sqrt{-z^2} - \frac{\sqrt{-z^2} \sqrt{z^2-1}}{\sqrt{z^2(1-z^2)}}\right) - \frac{i \sqrt{i z} (1-z^2)}{2 \sqrt{-i z} \sqrt{-(1-z^2)^2}} \operatorname{csc}^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z^2}/\left(z\sqrt{1-\sqrt{1-z^2}}\right)\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z^2}/\left(z\sqrt{1-\sqrt{1-z^2}}\right)\right)$  and  $\operatorname{csc}^{-1}\left(\frac{1}{z}\right)$

01.30.27.1286.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z^2}}{z\sqrt{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{2} - \frac{1}{2}i \operatorname{csc}^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1287.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z^2}}{z\sqrt{1-\sqrt{1-z^2}}}\right) = -\frac{\pi i}{2} + \frac{1}{2}i \operatorname{csc}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1288.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z^2}}{z\sqrt{1-\sqrt{1-z^2}}}\right) = -\frac{\sqrt{1-z}}{2\sqrt{z-1}} \left(\pi - \operatorname{csc}^{-1}\left(\frac{1}{z}\right)\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{z}\sqrt{2z^2/(1-\sqrt{1-z^2})}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{z}\sqrt{2z^2/(1-\sqrt{1-z^2})}\right)$  and  $\operatorname{csc}^{-1}\left(\frac{1}{z}\right)$

01.30.27.1289.01

$$\operatorname{sech}^{-1}\left(\frac{1}{z}\sqrt{\frac{2z^2}{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{2} - \frac{1}{2}i \operatorname{csc}^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1290.01

$$\operatorname{sech}^{-1}\left(\frac{1}{z}\sqrt{\frac{2z^2}{1-\sqrt{1-z^2}}}\right) = -\frac{\pi i}{2} + \frac{1}{2}i \operatorname{csc}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1291.01

$$\operatorname{sech}^{-1}\left(\frac{1}{z}\sqrt{\frac{2z^2}{1-\sqrt{1-z^2}}}\right) = -\frac{\sqrt{1-z}}{2\sqrt{z-1}} \left(\pi - \operatorname{csc}^{-1}\left(\frac{1}{z}\right)\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z}/\sqrt{z-\sqrt{z^2-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2-1}}}\right)$  and  $\operatorname{csc}^{-1}(z)$

01.30.27.1292.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2-1}}}\right) = \frac{i}{2}(-\pi + \operatorname{csc}^{-1}(z)); 0 < \arg(z) \leq \frac{\pi}{2} \quad (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1293.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2-1}}}\right) = \frac{i}{2}(\pi - \operatorname{csc}^{-1}(z)); -\frac{\pi}{2} < \arg(z) < 0 \quad (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1294.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2-1}}}\right) = \frac{i}{2}\operatorname{csc}^{-1}(z); \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.1295.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2-1}}}\right) = -\frac{i}{2}\operatorname{csc}^{-1}(z); -\pi < \arg(z) \leq -\frac{\pi}{2} \quad (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1296.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2-1}}}\right) = -\pi i - \frac{1}{2}i\operatorname{csc}^{-1}(z); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1297.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2-1}}}\right) = \frac{\pi\sqrt{-z}(z+\sqrt{z^2})}{4z^{3/2}} + \frac{\pi i}{2}\left(\sqrt{\frac{z^2}{z^2-1}}\sqrt{\frac{z^2-1}{z^2}}-1\right) - \frac{z}{2(z-1)}\sqrt{-\left(\frac{1-z}{z}\right)^2}\operatorname{csc}^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{z^2-1}}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{z^2-1}}}\right)$  and  $\operatorname{csc}^{-1}(z)$

01.30.27.1298.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{z^2-1}}}\right) = \frac{i}{2}(-\pi + \operatorname{csc}^{-1}(z)) /; 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1299.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{z^2-1}}}\right) = \frac{i}{2}(\pi - \operatorname{csc}^{-1}(z)) /; -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1300.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{z^2-1}}}\right) = \frac{1}{2}i \operatorname{csc}^{-1}(z) /; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.1301.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{z^2-1}}}\right) = -\frac{1}{2}i \operatorname{csc}^{-1}(z) /; -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1302.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{z^2-1}}}\right) = \frac{\pi\sqrt{-z}(z+\sqrt{z^2})}{4z^{3/2}} + \frac{\pi i}{2}\left(\sqrt{\frac{z}{z-1}}\sqrt{\frac{z-1}{z}}-1\right) - \frac{z}{2(z-1)}\sqrt{-\left(\frac{1-z}{z}\right)^2} \operatorname{csc}^{-1}(z)$$

**Involving  $\operatorname{sec}^{-1}$**

**Involving  $\operatorname{sech}^{-1}(z)$**

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{sec}^{-1}(z)$

01.30.27.0026.02

$$\operatorname{sech}^{-1}(z) = -i \operatorname{sec}^{-1}(z) /; \operatorname{Im}(z) > 0 \vee 0 < z < 1$$

01.30.27.0027.02

$$\operatorname{sech}^{-1}(z) = i \operatorname{sec}^{-1}(z) /; \operatorname{Im}(z) < 0 \vee z > 1 \vee z < 0$$

01.30.27.0029.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1-\frac{1}{z}}}\sqrt{\frac{1}{z}-1} \operatorname{sec}^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{sec}^{-1}\left(\frac{z^2}{z^2-2}\right)$

01.30.27.1303.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + \frac{1}{2} i \sec^{-1}\left(\frac{z^2}{z^2-2}\right); 0 < \arg(z) < \frac{\pi}{2} \bigvee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1304.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - \frac{1}{2} i \sec^{-1}\left(\frac{z^2}{z^2-2}\right); -\frac{\pi}{2} \leq \arg(z) < 0 \bigvee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1305.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} - \frac{1}{2} i \sec^{-1}\left(\frac{z^2}{z^2-2}\right); \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.1306.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + \frac{1}{2} i \sec^{-1}\left(\frac{z^2}{z^2-2}\right); -\pi < \arg(z) < -\frac{\pi}{2} \bigvee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1307.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left( \frac{\pi}{2} - \frac{z}{2} \sqrt{\frac{1}{z^2}} \sec^{-1}\left(\frac{z^2}{z^2-2}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sec^{-1}\left(\frac{z^2}{2-z^2}\right)$

01.30.27.1308.01

$$\operatorname{sech}^{-1}(z) = -\frac{1}{2} i \sec^{-1}\left(\frac{z^2}{2-z^2}\right); 0 < \arg(z) < \frac{\pi}{2} \bigvee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1309.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{2} i \sec^{-1}\left(\frac{z^2}{2-z^2}\right); -\frac{\pi}{2} \leq \arg(z) < 0 \bigvee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1310.01

$$\operatorname{sech}^{-1}(z) = -\pi i + \frac{1}{2} i \sec^{-1}\left(\frac{z^2}{2-z^2}\right); \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.1311.01

$$\operatorname{sech}^{-1}(z) = \pi i - \frac{1}{2} i \sec^{-1}\left(\frac{z^2}{2-z^2}\right); -\pi < \arg(z) < -\frac{\pi}{2} \bigvee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1312.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left( \frac{\pi}{2} \left(1 - z \sqrt{z^{-2}}\right) + \frac{z}{2} \sqrt{\frac{1}{z^2}} \sec^{-1}\left(\frac{z^2}{2-z^2}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sec^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right)$

01.30.27.1313.01

$$\operatorname{sech}^{-1}(z) = -2i \operatorname{sec}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right); 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1314.01

$$\operatorname{sech}^{-1}(z) = 2i \operatorname{sec}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1315.01

$$\operatorname{sech}^{-1}(z) = 2\pi i - 2i \operatorname{sec}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1316.01

$$\operatorname{sech}^{-1}(z) = \pi i \left(1 - \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}}\right) - 2\sqrt{z} \sqrt{-\frac{1}{z}} \sqrt{1-z^2} \sqrt{\frac{1}{1-z^2}} \operatorname{sec}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{sec}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-1-z}}\right)$

01.30.27.1317.01

$$\operatorname{sech}^{-1}(z) = -2i \operatorname{sec}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-1-z}}\right); 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1318.01

$$\operatorname{sech}^{-1}(z) = 2i \operatorname{sec}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-1-z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1319.01

$$\operatorname{sech}^{-1}(z) = -\frac{2\sqrt{z-1}\sqrt{z}}{\sqrt{1-z}} \sqrt{\frac{1}{z}} \operatorname{sec}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-1-z}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{sec}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right)$

01.30.27.1320.01

$$\operatorname{sech}^{-1}(z) = -2i \operatorname{sec}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right); 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1321.01

$$\operatorname{sech}^{-1}(z) = 2i \operatorname{sec}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1322.01

$$\operatorname{sech}^{-1}(z) = 2\pi i - 2i \operatorname{sec}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$



01.30.27.1323.01

$$\operatorname{sech}^{-1}(z) = \pi i \left( 1 - \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} \right) - \frac{2\sqrt{-z}\sqrt{-z-1}}{\sqrt{z-1}\sqrt{z+1}} \sqrt{\frac{1-z}{z}} \operatorname{sec}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{sec}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right)$

01.30.27.1324.01

$$\operatorname{sech}^{-1}(z) = 2i \operatorname{sec}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right) - \pi i /; 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1325.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2i \operatorname{sec}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1326.01

$$\operatorname{sech}^{-1}(z) = \frac{2\sqrt{1-z}\sqrt{z}}{\sqrt{-1+z}} \sqrt{\frac{1}{z}} \left( \frac{\pi}{2} - \operatorname{sec}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{sec}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right)$

01.30.27.1327.01

$$\operatorname{sech}^{-1}(z) = 2i \operatorname{sec}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right) - \pi i /; \operatorname{Im}(z) > 0$$

01.30.27.1328.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2i \operatorname{sec}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right) /; \operatorname{Im}(z) \leq 0$$

01.30.27.1329.01

$$\operatorname{sech}^{-1}(z) = 2\sqrt{\frac{1}{z}} \sqrt{-z} \left( \frac{\pi}{2} - \operatorname{sec}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{sec}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right)$

01.30.27.1330.01

$$\operatorname{sech}^{-1}(z) = 2i \operatorname{sec}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right) - \pi i /; 0 < \arg(z) < \pi$$

01.30.27.1331.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2i \operatorname{sec}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right) /; \operatorname{Im}(z) \leq 0$$

01.30.27.1332.01

$$\operatorname{sech}^{-1}(z) = \sqrt{-z} \sqrt{\frac{1}{z}} \left( \pi - 2 \operatorname{sec}^{-1} \left( \sqrt{\frac{2z}{z-1}} \right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{sec}^{-1}(\sqrt{z^2})$

01.30.27.1333.01

$$\operatorname{sech}^{-1}(z) = -i \operatorname{sec}^{-1}(\sqrt{z^2}) /; 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1334.01

$$\operatorname{sech}^{-1}(z) = i \operatorname{sec}^{-1}(\sqrt{z^2}) /; -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1335.01

$$\operatorname{sech}^{-1}(z) = i \operatorname{sec}^{-1}(\sqrt{z^2}) - \pi i /; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.1336.01

$$\operatorname{sech}^{-1}(z) = \pi i - i \operatorname{sec}^{-1}(\sqrt{z^2}) /; -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1337.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1 - \frac{1}{z}}} \sqrt{\frac{1}{z} - 1} \left( \frac{\pi}{2} - \frac{\sqrt{z^2}}{z} \left( \frac{\pi}{2} - \operatorname{sec}^{-1}(\sqrt{z^2}) \right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{sec}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right)$

01.30.27.1338.01

$$\operatorname{sech}^{-1}(z) = i \operatorname{sec}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) - \frac{\pi i}{2} /; 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1) \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.30.27.1339.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - i \operatorname{sec}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) /; -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1340.01

$$\operatorname{sech}^{-1}(z) = -\frac{3\pi i}{2} + i \operatorname{sec}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) /; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.1341.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{2} - i \operatorname{sec}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1342.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} - i \operatorname{sec}^{-1}\left(\frac{z}{\sqrt{z^2 - 1}}\right) /; (i z \in \mathbb{R} \wedge i z < 0)$$

01.30.27.1343.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1 - \frac{1}{z}}} \sqrt{\frac{1}{z} - 1} \left( \frac{\pi}{2} \left( 1 + \sqrt{\frac{1}{z^2}} \sqrt{z^2} - z \sqrt{\frac{1}{z^2}} \right) - \sqrt{\frac{1}{z^2}} \sqrt{z^2} \operatorname{sec}^{-1}\left(\frac{z}{\sqrt{z^2 - 1}}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{sec}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2 - 1}}\right)$

01.30.27.1344.01

$$\operatorname{sech}^{-1}(z) = i \operatorname{sec}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2 - 1}}\right) - \frac{\pi i}{2} /; 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1345.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - i \operatorname{sec}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2 - 1}}\right) /; -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1346.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} - i \operatorname{sec}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2 - 1}}\right) /; \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.1347.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + i \operatorname{sec}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2 - 1}}\right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1348.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1 - \frac{1}{z}}} \sqrt{\frac{1}{z} - 1} \left( \frac{\pi}{2} - z \sqrt{\frac{1}{z^2}} \operatorname{sec}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2 - 1}}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{sec}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1 - z^2}}\right)$

01.30.27.1349.01

$$\operatorname{sech}^{-1}(z) = i \operatorname{sec}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1 - z^2}}\right) - \frac{\pi i}{2} /; 0 < \arg(z) < \frac{\pi}{2}$$

01.30.27.1350.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - i \operatorname{sec}^{-1} \left( \frac{\sqrt{-z^2}}{\sqrt{1-z^2}} \right) /; -\frac{\pi}{2} \leq \arg(z) \leq 0$$

01.30.27.1351.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} - i \operatorname{sec}^{-1} \left( \frac{\sqrt{-z^2}}{\sqrt{1-z^2}} \right) /; \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.1352.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + i \operatorname{sec}^{-1} \left( \frac{\sqrt{-z^2}}{\sqrt{1-z^2}} \right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1353.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{2} - i \operatorname{sec}^{-1} \left( \frac{\sqrt{-z^2}}{\sqrt{1-z^2}} \right) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1354.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left( \frac{\pi}{2} \left( 1 - z \sqrt{\frac{1}{z^2}} \right) + \frac{\sqrt{-z} z^{3/2} \sqrt{-1+z^2}}{\sqrt{z^2-z^4}} \sqrt{\frac{1}{z^2}} \left( \frac{\pi}{2} - \operatorname{sec}^{-1} \left( \frac{\sqrt{-z^2}}{\sqrt{1-z^2}} \right) \right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{sec}^{-1} \left( \sqrt{\frac{z^2}{z^2-1}} \right)$

01.30.27.1355.01

$$\operatorname{sech}^{-1}(z) = i \operatorname{sec}^{-1} \left( \sqrt{\frac{z^2}{z^2-1}} \right) - \frac{\pi i}{2} /; 0 < \arg(z) < \frac{\pi}{2}$$

01.30.27.1356.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - i \operatorname{sec}^{-1} \left( \sqrt{\frac{z^2}{z^2-1}} \right) /; -\frac{\pi}{2} \leq \arg(z) \leq 0$$

01.30.27.1357.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} - i \operatorname{sec}^{-1} \left( \sqrt{\frac{z^2}{z^2-1}} \right) /; \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.1358.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + i \operatorname{sec}^{-1} \left( \sqrt{\frac{z^2}{z^2-1}} \right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1359.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{2} - i \operatorname{sec}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1360.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left( \frac{\pi}{2} \left( 1 - z \sqrt{\frac{1}{z^2}} \right) + \frac{z \sqrt{-z^2} \sqrt{z^2-1}}{\sqrt{z^2-z^4}} \sqrt{\frac{1}{z^2}} \left( \frac{\pi}{2} - \operatorname{sec}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) \right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{sec}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right)$

01.30.27.1361.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{4} - \frac{1}{2} i \operatorname{sec}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right); 0 < \arg(z) \leq \frac{\pi}{2} \wedge |z| \geq \sqrt{2}$$

01.30.27.1362.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{4} + \frac{1}{2} i \operatorname{sec}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right); -\frac{\pi}{2} < \arg(z) \leq 0 \wedge |z| \geq \sqrt{2}$$

01.30.27.1363.01

$$\operatorname{sech}^{-1}(z) = -\frac{3\pi i}{4} + \frac{1}{2} i \operatorname{sec}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right); \frac{\pi}{2} < \arg(z) < \pi \wedge |z| \geq \sqrt{2}$$

01.30.27.1364.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{4} - \frac{1}{2} i \operatorname{sec}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right); -\pi < \arg(z) \leq -\frac{\pi}{2} \wedge |z| \geq \sqrt{2} \vee (z \in \mathbb{R} \wedge z < -\sqrt{2})$$

01.30.27.1365.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi}{4 \sqrt{\frac{z-1}{z}}} \sqrt{\frac{1}{z}-1} \left( -\sqrt{\frac{1}{z^2}} z - \frac{\sqrt{\frac{1}{z^4}-\frac{1}{z^2}} z}{\sqrt{\frac{1}{z^2}-1}} + \sqrt{\frac{1}{z}} \sqrt{\frac{z+\sqrt{2}}{z}} \sqrt{\frac{z}{z+\sqrt{2}}} \sqrt{z} - \sqrt{1-\frac{\sqrt{2}}{z}} \sqrt{-\frac{1}{z}} \sqrt{-z} \sqrt{\frac{z}{z-\sqrt{2}}} + 2 \right) - \frac{\sqrt{(\sqrt{2}-z)(z-1)} \sqrt{z+\sqrt{2}}}{2 \sqrt{\frac{1}{z^4}-\frac{1}{z^2}} z^{3/2} \sqrt{z^2-2}} \sqrt{-\frac{z+1}{z}} \left( \frac{\pi}{2} - \operatorname{sec}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) \right)$$

### Involving $\operatorname{sech}^{-1}(-z)$

#### Involving $\operatorname{sech}^{-1}(-z)$ and $\operatorname{sec}^{-1}(z)$

01.30.27.1366.01

$$\operatorname{sech}^{-1}(-z) = \pi i - i \operatorname{sec}^{-1}(z) /; 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1367.01

$$\operatorname{sech}^{-1}(-z) = -\pi i + i \operatorname{sec}^{-1}(z) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1368.01

$$\operatorname{sech}^{-1}(-z) = \frac{1}{\sqrt{\frac{1}{z} + 1}} \sqrt{-\frac{1}{z} - 1} (\pi - \operatorname{sec}^{-1}(z))$$

### Involving $\operatorname{sech}^{-1}(\sqrt{z})$

#### Involving $\operatorname{sech}^{-1}(\sqrt{z})$ and $\operatorname{sec}^{-1}(\sqrt{z})$

01.30.27.1369.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = -i \operatorname{sec}^{-1}(\sqrt{z}) /; 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1370.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = i \operatorname{sec}^{-1}(\sqrt{z}) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0028.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = \frac{\sqrt{1-z}}{\sqrt{z-1}} \operatorname{sec}^{-1}(\sqrt{z})$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$ and $\operatorname{sec}^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.1371.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \operatorname{sec}^{-1}\left(\frac{1}{\sqrt{z}}\right) /; 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1372.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = -i \operatorname{sec}^{-1}\left(\frac{1}{\sqrt{z}}\right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1373.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\sqrt{z-1}}{\sqrt{1-z}} \operatorname{sec}^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sec^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.1374.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \sec^{-1}\left(\sqrt{\frac{1}{z}}\right); 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1375.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = -i \sec^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1376.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi i - i \sec^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1377.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\sqrt{z-1} \sqrt{z}}{\sqrt{1-z}} \sqrt{\frac{1}{z}} \sec^{-1}\left(\sqrt{\frac{1}{z}}\right) + \frac{\pi i}{2} \left(1 - \sqrt{z} \sqrt{\frac{1}{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{z^2}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{z^2}\right)$  and  $\sec^{-1}(z)$

01.30.27.1378.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = -i \sec^{-1}(z); 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1379.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = i \sec^{-1}(z); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1380.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = \pi i - i \sec^{-1}(z); \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1381.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = -\pi i + i \sec^{-1}(z); -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1382.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = \frac{\pi i}{2} \left( -\frac{i \sqrt{-z} \sqrt{z^2}}{z^{3/2}} - \frac{i z \sqrt{z^2-1}}{\sqrt{z^2-z^4}} + \sqrt{\frac{z^2}{z^2-1}} \sqrt{\frac{z^2-1}{z^2}} - 1 \right) - \frac{z \sqrt{z^2-1}}{\sqrt{z^2-z^4}} \sec^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right)$  and  $\sec^{-1}\left(\frac{1}{z}\right)$

$$\text{01.30.27.1383.01} \\ \operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right) = \pi i - 2i \sec^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) \leq 0$$

$$\text{01.30.27.1384.01} \\ \operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right) = 2i \sec^{-1}\left(\frac{1}{z}\right) - \pi i; 0 < \arg(z) \leq \pi$$

$$\text{01.30.27.1385.01} \\ \operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right) = \frac{2\sqrt{-z^2}}{z} \left(\frac{\pi}{2} - \sec^{-1}\left(\frac{1}{z}\right)\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right)$  and  $\sec^{-1}\left(\frac{1}{z}\right)$

$$\text{01.30.27.1386.01} \\ \operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = 2i \sec^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

$$\text{01.30.27.1387.01} \\ \operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = -2i \sec^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

$$\text{01.30.27.1388.01} \\ \operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = -2\pi i + 2i \sec^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

$$\text{01.30.27.1389.01} \\ \operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = 2\pi i - 2i \sec^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

$$\text{01.30.27.1390.01} \\ \operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = \frac{\sqrt{z^2-1}}{\sqrt{1-z^2}} \left( \pi \left( 1 - \frac{\sqrt{z^2}}{z} \right) + \frac{2\sqrt{z^2}}{z} \sec^{-1}\left(\frac{1}{z}\right) \right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2}{z^2-2}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2}{z^2-2}\right)$  and  $\sec^{-1}(z)$

$$\text{01.30.27.1391.01} \\ \operatorname{sech}^{-1}\left(\frac{z^2}{z^2-2}\right) = \pi i - 2i \sec^{-1}(z); 0 \leq \arg(z) < \pi$$



01.30.27.1392.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{z^2-2}\right) = 2i \sec^{-1}(z) - \pi i /; -\pi < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1393.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{z^2-2}\right) = 2z \sqrt{-\frac{1}{z^2}} \left(\frac{\pi}{2} - \sec^{-1}(z)\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right)$ and $\sec^{-1}(z)$

01.30.27.1394.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = -2i \sec^{-1}(z) /; 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1395.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = 2i \sec^{-1}(z) /; -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1396.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = 2\pi i - 2i \sec^{-1}(z) /; \frac{\pi}{2} \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1397.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = -2\pi i + 2i \sec^{-1}(z) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1398.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = \frac{\sqrt{z^2-z^4}}{\sqrt{z^2-1}} \sqrt{\frac{1}{z^2}} \left( \pi \left( 1 - \sqrt{\frac{1}{z^2}} z \right) + 2z \sqrt{\frac{1}{z^2}} \sec^{-1}(z) \right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right)$ and $\sec^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.1399.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = i \sec^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi i}{2} /; 0 < \arg(z) \leq \pi$$

01.30.27.1400.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = \frac{\pi i}{2} - i \sec^{-1}\left(\frac{1}{\sqrt{z}}\right) /; -\pi < \arg(z) \leq 0$$

01.30.27.1401.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = \frac{\sqrt{-z^2}}{z} \left( \frac{\pi}{2} - \sec^{-1}\left(\frac{1}{\sqrt{z}}\right) \right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right)$  and  $\sec^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.1402.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = i \sec^{-1}\left(\sqrt{\frac{1}{z}}\right) - \frac{\pi i}{2} \quad ; \operatorname{Im}(z) > 0$$

01.30.27.1403.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = \frac{\pi i}{2} - i \sec^{-1}\left(\sqrt{\frac{1}{z}}\right) \quad ; \operatorname{Im}(z) \leq 0$$

01.30.27.1404.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = \sqrt{-z} \sqrt{\frac{1}{z}} \left( \frac{\pi}{2} - \sec^{-1}\left(\sqrt{\frac{1}{z}}\right) \right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right)$  and  $\sec^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.1405.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = i \sec^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi i}{2} \quad ; 0 < \arg(z) \leq \pi$$

01.30.27.1406.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = \frac{\pi i}{2} - i \sec^{-1}\left(\frac{1}{\sqrt{z}}\right) \quad ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1407.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = -i \sec^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi i}{2} \quad ; (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1408.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = \frac{\pi i}{2} \left( \sqrt{1-z} \sqrt{\frac{1}{1-z}} - i \frac{\sqrt{-z^2}}{z} - 1 \right) - \frac{\sqrt{-z^2}}{z} \sec^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right)$  and  $\operatorname{sec}^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.1409.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = i \operatorname{sec}^{-1}\left(\sqrt{\frac{1}{z}}\right) - \frac{\pi i}{2}; \operatorname{Im}(z) > 0$$

01.30.27.1410.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = \frac{\pi i}{2} - i \operatorname{sec}^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 1)$$

01.30.27.1411.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = -i \operatorname{sec}^{-1}\left(\sqrt{\frac{1}{z}}\right) - \frac{\pi i}{2}; (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1412.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = \frac{\pi i}{2} \left( \sqrt{1-z} \sqrt{\frac{1}{1-z}} - i \sqrt{\frac{1}{z}} \sqrt{-z} - 1 \right) - \sqrt{-z} \sqrt{\frac{1}{z}} \operatorname{sec}^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1+cz}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{z+1}}\right)$  and  $\operatorname{sec}^{-1}\left(\frac{1}{z}\right)$

01.30.27.1413.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{z+1}}\right) = \frac{1}{2} i \operatorname{sec}^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1414.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{z+1}}\right) = -\frac{1}{2} i \operatorname{sec}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1415.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{z+1}}\right) = \frac{\sqrt{z-1}}{2\sqrt{1-z}} \operatorname{sec}^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right)$  and  $\operatorname{sec}^{-1}\left(\frac{1}{z}\right)$

01.30.27.1416.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right) = -\frac{\pi i}{2} + \frac{1}{2} i \operatorname{sec}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1417.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} - \frac{1}{2} i \operatorname{sec}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > -1)$$

01.30.27.1418.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right) = \frac{\sqrt{-1-z}}{2\sqrt{1+z}} \left( \pi - \operatorname{sec}^{-1}\left(\frac{1}{z}\right) \right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1+cz}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{z+1}}\right)$  and  $\operatorname{sec}^{-1}\left(\frac{1}{z}\right)$

01.30.27.1419.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{z+1}}\right) = \frac{1}{2} i \operatorname{sec}^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.30.27.1420.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{z+1}}\right) = -\frac{1}{2} i \operatorname{sec}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1421.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{z+1}}\right) = -\pi i + \frac{1}{2} i \operatorname{sec}^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1422.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{z+1}}\right) = \frac{\pi i}{2} \left( \sqrt{z+1} \sqrt{\frac{1}{z+1} - 1} \right) + \frac{\sqrt{z-1}}{2\sqrt{1-z}} \operatorname{sec}^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right)$  and  $\operatorname{sec}^{-1}\left(\frac{1}{z}\right)$

01.30.27.1423.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = -\frac{\pi i}{2} + \frac{1}{2} i \operatorname{sec}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1424.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = \frac{\pi i}{2} - \frac{1}{2} i \operatorname{sec}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.30.27.1425.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = -\frac{\pi i}{2} - \frac{1}{2} i \operatorname{sec}^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1426.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = \frac{\pi i}{2} \left( \sqrt{1-z} \sqrt{\frac{1}{1-z}} - 1 \right) + \frac{\sqrt{-1-z}}{2\sqrt{1+z}} \left( \pi - \sec^{-1}\left(\frac{1}{z}\right) \right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right)$  and  $\sec^{-1}(\sqrt{z})$

01.30.27.1427.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = \frac{\pi i}{2} - i \sec^{-1}(\sqrt{z}) \quad ; \operatorname{Im}(z) \geq 0$$

01.30.27.1428.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = i \sec^{-1}(\sqrt{z}) - \frac{\pi i}{2} \quad ; \operatorname{Im}(z) < 0$$

01.30.27.1429.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = \sqrt{-\frac{1}{z}} \sqrt{z} \left( \frac{\pi}{2} - \sec^{-1}(\sqrt{z}) \right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right)$  and  $\sec^{-1}(\sqrt{z})$

01.30.27.1430.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} - i \sec^{-1}(\sqrt{z}) \quad ; 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1431.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = i \sec^{-1}(\sqrt{z}) - \frac{\pi i}{2} \quad ; \operatorname{Im}(z) < 0$$

01.30.27.1432.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = -i \sec^{-1}(\sqrt{z}) - \frac{\pi i}{2} \quad ; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1433.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} \left( \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} - i \sqrt{-\frac{1}{z}} \sqrt{z} - 1 \right) - \sqrt{-\frac{1}{z}} \sqrt{z} \sec^{-1}(\sqrt{z})$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right)$  and  $\sec^{-1}(\sqrt{z})$

01.30.27.1434.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = \frac{\pi i}{2} - i \sec^{-1}(\sqrt{z}) ; 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1435.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = i \sec^{-1}(\sqrt{z}) - \frac{\pi i}{2} ; \operatorname{Im}(z) < 0$$

01.30.27.1436.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = -i \sec^{-1}(\sqrt{z}) - \frac{\pi i}{2} ; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1437.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = \frac{\pi i}{2} \left( \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} - i \sqrt{-\frac{1}{z}} \sqrt{z-1} \right) - \sqrt{-\frac{1}{z}} \sqrt{z} \sec^{-1}(\sqrt{z})$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+a}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right)$  and  $\sec^{-1}(z)$

01.30.27.1438.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right) = -\frac{i}{2} \sec^{-1}(z) ; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1439.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right) = \frac{i}{2} \sec^{-1}(z) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1440.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right) = \frac{i}{2} \sec^{-1}(z) - \pi i ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1441.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right) = \frac{\pi}{4} \left( -z \sqrt{-\frac{1}{z^2}} - i \sqrt{1-z} \sqrt{\frac{1}{1-z}} - i + 2i \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} + z \sqrt{1-z} \sqrt{\frac{1}{1-z}} \sqrt{-\frac{1}{z^2}} \right) - \frac{z \sqrt{1-z}}{2} \sqrt{\frac{1}{1-z}} \sqrt{-\frac{1}{z^2}} \sec^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right)$  and  $\sec^{-1}(z)$

01.30.27.1442.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right) = \frac{\pi i}{2} - \frac{1}{2} i \sec^{-1}(z) ; 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1443.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right) = -\frac{\pi i}{2} + \frac{1}{2} i \sec^{-1}(z) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1444.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right) = -\frac{\sqrt{-z-1} \sqrt{-z}}{2\sqrt{z+1}} \sqrt{-\frac{1}{z}} (\pi - \sec^{-1}(z))$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{a-z}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right)$ and $\sec^{-1}(z)$

01.30.27.1445.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} - \frac{1}{2} i \sec^{-1}(z) ; 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1446.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right) = -\frac{\pi i}{2} + \frac{1}{2} i \sec^{-1}(z) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1447.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} \left( \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} + \frac{i \sqrt{-z-1} \sqrt{-z}}{\sqrt{z+1}} \sqrt{-\frac{1}{z}} - 1 \right) + \frac{\sqrt{-z-1} \sqrt{-z}}{2\sqrt{z+1}} \sqrt{-\frac{1}{z}} \sec^{-1}(z)$$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-z-1}}\right)$ and $\sec^{-1}(z)$

01.30.27.1448.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-z-1}}\right) = -\frac{i}{2} \sec^{-1}(z) ; 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1449.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-z-1}}\right) = \frac{1}{2} i \sec^{-1}(z) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1450.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-z-1}}\right) = -\frac{z \sqrt{1-z}}{2} \sqrt{\frac{1}{1-z}} \sqrt{-\frac{1}{z^2}} \sec^{-1}(z) - \frac{\pi i}{4} \left( -i \sqrt{-\frac{1}{z^2}} z + \sqrt{\frac{1}{1-z}} \sqrt{1-z} + i z \sqrt{1-z} \sqrt{\frac{1}{1-z}} \sqrt{-\frac{1}{z^2}} - 1 \right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+a}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right)$  and  $\sec^{-1}(z)$

01.30.27.1451.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right) = \frac{\pi i}{2} - \frac{1}{2} i \sec^{-1}(z) ; 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1452.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right) = -\frac{\pi i}{2} + \frac{1}{2} i \sec^{-1}(z) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1453.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right) = -\frac{\pi i}{2} - \frac{1}{2} i \sec^{-1}(z) ; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1454.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right) = \left(\sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - 1\right) \frac{\pi i}{2} - \frac{\sqrt{-1-z} \sqrt{-z}}{2\sqrt{1+z}} \sqrt{\frac{1}{z}} (\pi - \sec^{-1}(z))$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right)$  and  $\sec^{-1}(z)$

01.30.27.1455.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right) = -\frac{1}{2} i \sec^{-1}(z) ; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1456.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right) = \frac{1}{2} i \sec^{-1}(z) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1457.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right) = -\pi i + \frac{1}{2} i \sec^{-1}(z) ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1458.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right) = \left(\sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1\right) \frac{\pi i}{2} - \frac{\sqrt{-1+z} \sqrt{z}}{2\sqrt{1-z}} \sqrt{\frac{1}{z}} \sec^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right)$



Involving  $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right)$  and  $\sec^{-1}\left(\frac{1}{z}\right)$

01.30.27.1459.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right) = i \sec^{-1}\left(\frac{1}{z}\right) - \frac{\pi i}{2} ; 0 < \arg(z) \leq \pi$$

01.30.27.1460.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right) = \frac{\pi i}{2} - i \sec^{-1}\left(\frac{1}{z}\right) ; -\pi < \arg(z) \leq 0$$

01.30.27.1461.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right) = \frac{\sqrt{-z^2}}{z} \left( \frac{\pi}{2} - \sec^{-1}\left(\frac{1}{z}\right) \right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right)$  and  $\sec^{-1}\left(\frac{1}{z}\right)$

01.30.27.1462.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = i \sec^{-1}\left(\frac{1}{z}\right) - \frac{\pi i}{2} ; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1463.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = \frac{\pi i}{2} - i \sec^{-1}\left(\frac{1}{z}\right) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1464.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = -i \sec^{-1}\left(\frac{1}{z}\right) - \frac{\pi i}{2} ; (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1465.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = i \sec^{-1}\left(\frac{1}{z}\right) - \frac{3\pi i}{2} ; (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1466.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = \frac{\pi i}{2} \left( \sqrt{1-z^2} \sqrt{\frac{1}{1-z^2}} - \frac{i \sqrt{-z^2}}{z} - 1 \right) - \frac{\sqrt{-z^2}}{z} \sec^{-1}\left(\frac{1}{z}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right)$  and  $\sec^{-1}(z)$

01.30.27.1467.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = \frac{\pi i}{2} - i \sec^{-1}(z) \ ; \ 0 \leq \arg(z) \leq \frac{\pi}{2}$$

01.30.27.1468.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = i \sec^{-1}(z) - \frac{\pi i}{2} \ ; \ -\frac{\pi}{2} < \arg(z) < 0$$

01.30.27.1469.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = \frac{3\pi i}{2} - i \sec^{-1}(z) \ ; \ \frac{\pi}{2} < \arg(z) < \pi \ \vee \ (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1470.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = -\frac{3\pi i}{2} + i \sec^{-1}(z) \ ; \ -\pi < \arg(z) < -\frac{\pi}{2} \ \vee \ (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1471.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = \frac{\pi i}{2} + i \sec^{-1}(z) \ ; \ (i z \in \mathbb{R} \wedge i z > 0)$$

01.30.27.1472.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = \frac{\pi i}{2} \left( 2 \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 2 - \frac{i \sqrt{-iz} \sqrt{z}}{\sqrt{-z}} \sqrt{\frac{i}{z}} - \frac{\sqrt{-z} \sqrt{iz}}{\sqrt{z}} \sqrt{\frac{i}{z}} \right) + z \sqrt{-\frac{1}{z^2}} \sqrt{\frac{1}{z+1}} \sqrt{z+1} \left( \frac{\pi}{2} - \sec^{-1}(z) \right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right)$  and  $\sec^{-1}(z)$

01.30.27.1473.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right) = \frac{\pi i}{2} - i \sec^{-1}(z) \ ; \ 0 \leq \arg(z) < \pi$$

01.30.27.1474.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right) = i \sec^{-1}(z) - \frac{\pi i}{2} \ ; \ \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1475.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right) = z \sqrt{-\frac{1}{z^2}} \left(\frac{\pi}{2} - \sec^{-1}(z)\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right)$ and $\sec^{-1}(z)$

01.30.27.1476.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = \frac{\pi i}{2} - i \sec^{-1}(z) \ ; \ \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1477.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = i \sec^{-1}(z) - \frac{\pi i}{2} \ ; \ \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1478.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = -\frac{3\pi i}{2} + i \sec^{-1}(z) \ ; \ (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1479.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = -\frac{\pi i}{2} - i \sec^{-1}(z) \ ; \ (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1480.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = -z \sqrt{-\frac{1}{z^2}} \sec^{-1}(z) - \frac{\pi i}{2} \left(1 + i z \sqrt{-\frac{1}{z^2}} - \sqrt{1 - \frac{1}{z^2}} \sqrt{\frac{z^2}{z^2-1}}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right)$  and  $\sec^{-1}(z)$

01.30.27.1481.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = \frac{\pi i}{2} - i \sec^{-1}(z) \text{ ; } \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1482.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = i \sec^{-1}(z) - \frac{\pi i}{2} \text{ ; } \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1483.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = -i \sec^{-1}(z) - \frac{\pi i}{2} \text{ ; } (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1484.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = i \sec^{-1}(z) - \frac{3\pi i}{2} \text{ ; } (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1485.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = -z \sqrt{-\frac{1}{z^2}} \sec^{-1}(z) - \frac{\pi i}{2} \left(1 + i z \sqrt{-\frac{1}{z^2}} - \sqrt{1 - \frac{1}{z^2}} \sqrt{\frac{z^2}{-1+z^2}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right)$  and  $\sec^{-1}\left(\frac{1}{z}\right)$

01.30.27.1486.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right) = -\frac{\pi i}{2} + 2i \sec^{-1}\left(\frac{1}{z}\right) \text{ ; } 0 < \arg(z) \leq \frac{3\pi}{4}$$

01.30.27.1487.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right) = \frac{\pi i}{2} - 2i \sec^{-1}\left(\frac{1}{z}\right) \text{ ; } \frac{3\pi}{4} \leq \arg(z) \leq 0$$

01.30.27.1488.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right) = \frac{\sqrt{2z\sqrt{1-z^2}-1}}{\sqrt{1-2z\sqrt{1-z^2}}}\left(\frac{\pi\sqrt{1-2z^2}\sqrt{z^4-z^2}}{2\sqrt{-z^2}\sqrt{z^2-1}\sqrt{2z^2-1}}\left(-\frac{\sqrt{z^2}}{z}+\sqrt{\frac{1}{z}}\sqrt{z}\sqrt{\frac{1}{\sqrt{2}z+1}}\sqrt{\sqrt{2}z+1}-\sqrt{\frac{1}{z}}\sqrt{-z}\sqrt{\frac{1}{1-\sqrt{2}z}}\sqrt{1-\sqrt{2}z}-\frac{\sqrt{z^4-z^2}}{z\sqrt{z^2-1}}\right)+\frac{2\sqrt{1-2z^2}\sqrt{z^4-z^2}}{\sqrt{-z^2}\sqrt{z^2-1}\sqrt{2z^2-1}}\left(\frac{\pi}{2}-\operatorname{sec}^{-1}\left(\frac{1}{z}\right)\right)+\frac{\pi}{2}\right)$$

**Involving  $\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right)$**

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right)$  and  $\operatorname{sec}^{-1}(z)$

01.30.27.1489.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = \frac{\pi i}{2} - 2i \operatorname{sec}^{-1}(z) ; 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1490.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = -\frac{\pi i}{2} + 2i \operatorname{sec}^{-1}(z) ; -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1491.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = \frac{3\pi i}{2} - 2i \operatorname{sec}^{-1}(z) ; \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1492.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = -\frac{3\pi i}{2} + 2i \operatorname{sec}^{-1}(z) ; -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1493.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = \frac{\sqrt{\frac{2\sqrt{z^2-1}}{z^2}-1}}{\sqrt{1-\frac{2\sqrt{z^2-1}}{z^2}}}\left(\frac{\pi}{2} + \frac{z^3\sqrt{z^2-2}\sqrt{z^2-1}}{2\sqrt{1-z}(z+1)\sqrt{-z^4+3z^2-2}}\sqrt{\frac{1-z^2}{z^4}}\sqrt{\frac{1}{z}}\sqrt{\frac{z+1}{z}}\left(\pi\left(\frac{z^3}{1-z^2}\sqrt{\frac{1-z^2}{z^2}}\sqrt{\frac{1-z^2}{z^4}} + \sqrt{\frac{1}{z^2}}z - \sqrt{\frac{1}{z}}\sqrt{\frac{z}{z+\sqrt{2}}}\sqrt{\frac{z+\sqrt{2}}{z}}\sqrt{z} + \sqrt{1-\frac{\sqrt{2}}{z}}\sqrt{\frac{1}{z}}\sqrt{-z}\sqrt{\frac{z}{z-\sqrt{2}}}-2}\right) + 4\sec^{-1}(z)\right)\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2}/\sqrt{1-\sqrt{1+cz^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2}/\sqrt{1-\sqrt{1+z^2}}\right)$  and  $\sec^{-1}\left(\frac{i}{z}\right)$

01.30.27.1494.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{4} - \frac{i}{2}\sec^{-1}\left(\frac{i}{z}\right); 0 < \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.30.27.1495.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = \frac{3\pi i}{4} - \frac{1}{2}i\sec^{-1}\left(\frac{i}{z}\right); -\frac{\pi}{2} < \arg(z) \leq 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.30.27.1496.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{4} + \frac{1}{2}i\sec^{-1}\left(\frac{i}{z}\right); \frac{\pi}{2} < \arg(z) \leq \pi \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.30.27.1497.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = -\frac{3\pi i}{4} + \frac{1}{2}i\sec^{-1}\left(\frac{i}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.30.27.1498.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2}}{\sqrt{1 - \sqrt{1 + z^2}}} \right) =$$

$$\frac{\pi}{2} \left( i + \frac{\sqrt{-z} \sqrt{z^2}}{z^{3/2}} - i \sqrt{\frac{z^2 + 1}{z^2}} \sqrt{\frac{z^2}{z^2 + 1}} - \frac{i \sqrt{z} (z^2 + 1)}{2 \sqrt{-z} \sqrt{-(z^2 + 1)^2}} \right) + \frac{i \sqrt{z} (z^2 + 1)}{2 \sqrt{-z} \sqrt{-(z^2 + 1)^2}} \operatorname{sec}^{-1} \left( \frac{i}{z} \right)$$

Involving  $\operatorname{sech}^{-1} \left( \frac{\sqrt{2}}{\sqrt{1 - \sqrt{1 - z^2}}} \right)$  and  $\operatorname{sec}^{-1} \left( \frac{1}{z} \right)$

01.30.27.1499.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2}}{\sqrt{1 - \sqrt{1 - z^2}}} \right) = \frac{\pi i}{4} + \frac{1}{2} i \operatorname{sec}^{-1} \left( \frac{1}{z} \right) /; 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1500.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2}}{\sqrt{1 - \sqrt{1 - z^2}}} \right) = -\frac{\pi i}{4} - \frac{1}{2} i \operatorname{sec}^{-1} \left( \frac{1}{z} \right) /; -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1501.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2}}{\sqrt{1 - \sqrt{1 - z^2}}} \right) = -\frac{3\pi i}{4} + \frac{1}{2} i \operatorname{sec}^{-1} \left( \frac{1}{z} \right) /; \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1502.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2}}{\sqrt{1 - \sqrt{1 - z^2}}} \right) = \frac{3\pi i}{4} - \frac{1}{2} i \operatorname{sec}^{-1} \left( \frac{1}{z} \right) /; -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1503.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2}}{\sqrt{1 - \sqrt{1 - z^2}}} \right) = \frac{\pi}{2} \left( i + \frac{\sqrt{i z} \sqrt{-z^2}}{(-i z)^{3/2}} - i \sqrt{\frac{z^2}{z^2 - 1}} \sqrt{\frac{z^2 - 1}{z^2}} \right) + \frac{i \sqrt{-i z} (1 - z^2)}{2 \sqrt{i z} \sqrt{-(1 - z^2)^2}} \left( \frac{\pi}{2} - \operatorname{sec}^{-1} \left( \frac{1}{z} \right) \right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2/\left(1-\sqrt{1+cz^2}\right)}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2/\left(1-\sqrt{1+z^2}\right)}\right)$  and  $\sec^{-1}\left(\frac{i}{z}\right)$

01.30.27.1504.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{4} - \frac{1}{2} i \sec^{-1}\left(\frac{i}{z}\right); 0 \leq \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.27.1505.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = \frac{3\pi i}{4} - \frac{i}{2} \sec^{-1}\left(\frac{i}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.1506.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{4} + \frac{1}{2} i \sec^{-1}\left(\frac{i}{z}\right); \frac{\pi}{2} < \arg(z) < \pi \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.30.27.1507.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = -\frac{3\pi i}{4} + \frac{1}{2} i \sec^{-1}\left(\frac{i}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1508.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} \left(1 + i \sqrt{-\frac{1}{z^2}} \sqrt{z^2} - \frac{\sqrt{z^2} \sqrt{-1-z^2}}{\sqrt{-z^2(1+z^2)}}\right) + \frac{i \sqrt{z} (z^2+1)}{2 \sqrt{-z} \sqrt{-(z^2+1)^2}} \left(\sec^{-1}\left(\frac{i}{z}\right) - \frac{\pi}{2}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2/\left(1-\sqrt{1-z^2}\right)}\right)$  and  $\sec^{-1}\left(\frac{1}{z}\right)$

01.30.27.1509.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{4} + \frac{1}{2} i \sec^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1510.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = -\frac{\pi i}{4} - \frac{1}{2} i \sec^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$



01.30.27.1511.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = -\frac{3\pi i}{4} + \frac{1}{2}i \operatorname{sec}^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1512.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = \frac{3\pi i}{4} - \frac{1}{2}i \operatorname{sec}^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1513.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{2} \left(1 + i \sqrt{\frac{1}{z^2} \sqrt{-z^2}} - \frac{\sqrt{-z^2} \sqrt{z^2-1}}{\sqrt{z^2(1-z^2)}}\right) - \frac{i \sqrt{i z} (1-z^2)}{2 \sqrt{-i z} \sqrt{-(1-z^2)^2}} \left(\frac{\pi}{2} - \operatorname{sec}^{-1}\left(\frac{1}{z}\right)\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z^2} / \left(z \sqrt{1-\sqrt{1-z^2}}\right)\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z^2} / \left(z \sqrt{1-\sqrt{1-z^2}}\right)\right)$  and  $\operatorname{sec}^{-1}\left(\frac{1}{z}\right)$

01.30.27.1514.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z^2}}{z \sqrt{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{4} + \frac{1}{2}i \operatorname{sec}^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1515.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z^2}}{z \sqrt{1-\sqrt{1-z^2}}}\right) = -\frac{\pi i}{4} - \frac{1}{2}i \operatorname{sec}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1516.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z^2}}{z \sqrt{1-\sqrt{1-z^2}}}\right) = -\frac{\sqrt{1-z}}{2\sqrt{z-1}} \left(\frac{\pi}{2} + \operatorname{sec}^{-1}\left(\frac{1}{z}\right)\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{z} \sqrt{2z^2} / \left(1-\sqrt{1-z^2}\right)\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{z}\sqrt{2z^2/(1-\sqrt{1-z^2})}\right)$  and  $\sec^{-1}\left(\frac{1}{z}\right)$

01.30.27.1517.01

$$\operatorname{sech}^{-1}\left(\frac{1}{z}\sqrt{\frac{2z^2}{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{4} + \frac{1}{2}i \sec^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1518.01

$$\operatorname{sech}^{-1}\left(\frac{1}{z}\sqrt{\frac{2z^2}{1-\sqrt{1-z^2}}}\right) = -\frac{\pi i}{4} - \frac{1}{2}i \sec^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1519.01

$$\operatorname{sech}^{-1}\left(\frac{1}{z}\sqrt{\frac{2z^2}{1-\sqrt{1-z^2}}}\right) = -\frac{\sqrt{1-z}}{2\sqrt{z-1}}\left(\frac{\pi}{2} + \sec^{-1}\left(\frac{1}{z}\right)\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z}/\sqrt{z-\sqrt{z^2-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z}/\sqrt{z-\sqrt{z^2-1}}\right)$  and  $\sec^{-1}(z)$

01.30.27.1520.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2-1}}}\right) = -\frac{i}{2}\left(\frac{\pi}{2} + \sec^{-1}(z)\right); 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1521.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2-1}}}\right) = \frac{i}{2}\left(\frac{\pi}{2} + \sec^{-1}(z)\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1522.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2-1}}}\right) = \frac{i}{2}\left(\frac{\pi}{2} - \sec^{-1}(z)\right); \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.1523.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2z}}{\sqrt{z - \sqrt{z^2 - 1}}} \right) = -\frac{i}{2} \left( \frac{\pi}{2} - \sec^{-1}(z) \right); -\pi < \arg(z) \leq -\frac{\pi}{2} \quad (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1524.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2z}}{\sqrt{z - \sqrt{z^2 - 1}}} \right) = -\frac{5\pi i}{4} + \frac{1}{2} i \sec^{-1}(z); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1525.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2z}}{\sqrt{z - \sqrt{z^2 - 1}}} \right) = \frac{\pi \sqrt{-z} (z + \sqrt{z^2})}{4z^{3/2}} + \frac{\pi i}{2} \left( \sqrt{\frac{z^2}{z^2 - 1}} \sqrt{\frac{z^2 - 1}{z^2}} - 1 \right) - \frac{z}{2(z-1)} \sqrt{-\left(\frac{1-z}{z}\right)^2} \left( \frac{\pi}{2} - \sec^{-1}(z) \right)$$

Involving  $\operatorname{sech}^{-1} \left( \sqrt{2z / (z - \sqrt{z^2 - 1})} \right)$

Involving  $\operatorname{sech}^{-1} \left( \sqrt{2z / (z - \sqrt{z^2 - 1})} \right)$  and  $\sec^{-1}(z)$

01.30.27.1526.01

$$\operatorname{sech}^{-1} \left( \sqrt{\frac{2z}{z - \sqrt{z^2 - 1}}} \right) = -\frac{i}{2} \left( \frac{\pi}{2} + \sec^{-1}(z) \right); 0 < \arg(z) \leq \frac{\pi}{2} \quad (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1527.01

$$\operatorname{sech}^{-1} \left( \sqrt{\frac{2z}{z - \sqrt{z^2 - 1}}} \right) = \frac{i}{2} \left( \frac{\pi}{2} + \sec^{-1}(z) \right); -\frac{\pi}{2} < \arg(z) < 0 \quad (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1528.01

$$\operatorname{sech}^{-1} \left( \sqrt{\frac{2z}{z - \sqrt{z^2 - 1}}} \right) = \frac{1}{2} i \left( \frac{\pi}{2} - \sec^{-1}(z) \right); \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.1529.01

$$\operatorname{sech}^{-1} \left( \sqrt{\frac{2z}{z - \sqrt{z^2 - 1}}} \right) = -\frac{1}{2} i \left( \frac{\pi}{2} - \sec^{-1}(z) \right); -\pi < \arg(z) \leq -\frac{\pi}{2} \quad (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1530.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{z^2-1}}}\right) = \frac{\pi\sqrt{-z}\left(z+\sqrt{z^2}\right)}{4z^{3/2}} + \frac{\pi i}{2}\left(\sqrt{\frac{z}{z-1}}\sqrt{\frac{z-1}{z}}-1\right) - \frac{z}{2(z-1)}\sqrt{-\left(\frac{1-z}{z}\right)^2}\left(\frac{\pi}{2}-\operatorname{sec}^{-1}(z)\right)$$

**Involving  $\sinh^{-1}$**

**Involving  $\operatorname{sech}^{-1}(z)$**

**Involving  $\operatorname{sech}^{-1}(z)$  and  $\sinh^{-1}\left(\frac{i}{z}\right)$**

01.30.27.1531.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + \sinh^{-1}\left(\frac{i}{z}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1532.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - \sinh^{-1}\left(\frac{i}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1533.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1-\frac{1}{z}}}\sqrt{\frac{1}{z}-1}\left(i\sinh^{-1}\left(\frac{i}{z}\right)+\frac{\pi}{2}\right)$$

**Involving  $\operatorname{sech}^{-1}(z)$  and  $\sinh^{-1}\left(i\left(\frac{2-z^2}{z^2}\right)\right)$**

01.30.27.1534.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{4} + \frac{1}{2}\sinh^{-1}\left(\frac{i(2-z^2)}{z^2}\right); 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1535.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{4} - \frac{1}{2}\sinh^{-1}\left(\frac{i(2-z^2)}{z^2}\right); -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1536.01

$$\operatorname{sech}^{-1}(z) = -\frac{3\pi i}{4} - \frac{1}{2}\sinh^{-1}\left(\frac{i(2-z^2)}{z^2}\right); \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.1537.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{4} + \frac{1}{2}\sinh^{-1}\left(\frac{i(2-z^2)}{z^2}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1538.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1-\frac{1}{z}}}\sqrt{\frac{1}{z}-1}\left(\frac{1}{2}\pi\left(1-\frac{1}{2}z\sqrt{\frac{1}{z^2}}\right)+\frac{1}{2}\left(z\sqrt{\frac{1}{z^2}}\right)i\sinh^{-1}\left(\frac{i(2-z^2)}{z^2}\right)\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sinh^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{2z}}\right)$

01.30.27.1539.01

$$\operatorname{sech}^{-1}(z) = -\pi i - 2 \sinh^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{2z}}\right); \operatorname{Im}(z) > 0$$

01.30.27.1540.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2 \sinh^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{2z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1541.01

$$\operatorname{sech}^{-1}(z) = \pi i + 2 \sinh^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{2z}}\right); (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1542.01

$$\operatorname{sech}^{-1}(z) = -\pi i + 2 \sinh^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{2z}}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1543.01

$$\operatorname{sech}^{-1}(z) = -2 \sqrt{-z-1} \sqrt{-\frac{1}{z}} \sqrt{-(z-1)z} \sqrt{\frac{1}{1-z^2}} \sinh^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{2z}}\right) - \frac{\pi \sqrt{z-1} \sqrt{z}}{\sqrt{1-z}} \sqrt{\frac{1}{z}}$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sinh^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{-2z}}\right)$

01.30.27.1544.01

$$\operatorname{sech}^{-1}(z) = -\pi i + 2 \sinh^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{-2z}}\right); \operatorname{Im}(z) > 0$$

01.30.27.1545.01

$$\operatorname{sech}^{-1}(z) = \pi i + 2 \sinh^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{-2z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1546.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2 \sinh^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{-2z}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1547.01

$$\operatorname{sech}^{-1}(z) = -\pi i - 2 \sinh^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{-2z}}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1548.01

$$\operatorname{sech}^{-1}(z) = 2 \sqrt{1-z} \sqrt{-\frac{1}{z}} \sqrt{-z(z+1)} \sqrt{\frac{1}{1-z^2}} \sinh^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{-2z}}\right) - \frac{\pi \sqrt{z-1} \sqrt{z}}{\sqrt{1-z}} \sqrt{\frac{1}{z}}$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sinh^{-1}\left(\sqrt{-\frac{1+z}{2z}}\right)$

01.30.27.1549.01

$$\operatorname{sech}^{-1}(z) = -\pi i + 2 \sinh^{-1}\left(\sqrt{-\frac{1+z}{2z}}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1550.01

$$\operatorname{sech}^{-1}(z) = \pi i + 2 \sinh^{-1}\left(\sqrt{-\frac{1+z}{2z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1551.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2 \sinh^{-1}\left(\sqrt{-\frac{1+z}{2z}}\right); (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1552.01

$$\operatorname{sech}^{-1}(z) = 2\sqrt{1-z^2} \sqrt{\frac{1}{1-z^2}} \sinh^{-1}\left(\sqrt{-\frac{z+1}{2z}}\right) - \frac{\pi\sqrt{z-1}\sqrt{z}}{\sqrt{1-z}} \sqrt{\frac{1}{z}}$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sinh^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{2z}}\right)$

01.30.27.1553.01

$$\operatorname{sech}^{-1}(z) = 2 \sinh^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{2z}}\right); |\arg(z)| < \pi$$

01.30.27.1554.01

$$\operatorname{sech}^{-1}(z) = -2 \sinh^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{2z}}\right); (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1555.01

$$\operatorname{sech}^{-1}(z) = 2\sqrt{z} \sqrt{\frac{1}{z}} \sinh^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{2z}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sinh^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-2z}}\right)$

01.30.27.1556.01

$$\operatorname{sech}^{-1}(z) = -2 \sinh^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-2z}}\right); z \notin (-\infty, 1)$$

01.30.27.1557.01

$$\operatorname{sech}^{-1}(z) = 2 \sinh^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-2z}}\right); (z \in \mathbb{R} \wedge z < 1)$$

01.30.27.1558.01

$$\operatorname{sech}^{-1}(z) = -2\sqrt{z-1} \sqrt{\frac{1}{z-1}} \sinh^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-2z}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sinh^{-1}\left(\sqrt{\frac{1-z}{2z}}\right)$

01.30.27.1559.01

$$\operatorname{sech}^{-1}(z) = 2 \sinh^{-1}\left(\sqrt{\frac{1-z}{2z}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sinh^{-1}\left(\frac{1}{\sqrt{-z^2}}\right)$

01.30.27.1560.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + \sinh^{-1}\left(\frac{1}{\sqrt{-z^2}}\right); 0 < \arg(z) < \pi$$

01.30.27.1561.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + \sinh^{-1}\left(\frac{1}{\sqrt{-z^2}}\right); -\pi < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1562.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - \sinh^{-1}\left(\frac{1}{\sqrt{-z^2}}\right); (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1563.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} - \sinh^{-1}\left(\frac{1}{\sqrt{-z^2}}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1564.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left( \frac{z}{\sqrt{-z^2}} \sinh^{-1}\left(\frac{1}{\sqrt{-z^2}}\right) + \frac{\pi}{2} \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sinh^{-1}\left(\sqrt{-\frac{1}{z^2}}\right)$

01.30.27.1565.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + \sinh^{-1}\left(\sqrt{-\frac{1}{z^2}}\right); 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1566.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + \sinh^{-1}\left(\sqrt{-\frac{1}{z^2}}\right); -\pi < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1567.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - \sinh^{-1}\left(\sqrt{-\frac{1}{z^2}}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1568.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left( z \sqrt{-\frac{1}{z^2}} \sinh^{-1}\left(\sqrt{-\frac{1}{z^2}}\right) + \frac{\pi}{2} \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sinh^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right)$

01.30.27.1569.01

$$\operatorname{sech}^{-1}(z) = \sinh^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right); -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.30.27.1570.01

$$\operatorname{sech}^{-1}(z) = -\pi i - \sinh^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right); \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.1571.01

$$\operatorname{sech}^{-1}(z) = \pi i - \sinh^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1572.01

$$\operatorname{sech}^{-1}(z) = \pi i + \sinh^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1573.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi}{2\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left( 1-z \sqrt{\frac{1}{z^2}} \right) + z \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z+1}} \sqrt{z+1} \sinh^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sinh^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right)$



01.30.27.1574.01

$$\operatorname{sech}^{-1}(z) = \sinh^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right); \operatorname{Re}(z) > 0$$

01.30.27.1575.01

$$\operatorname{sech}^{-1}(z) = -\pi i + \sinh^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right); \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.1576.01

$$\operatorname{sech}^{-1}(z) = \pi i + \sinh^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1577.01

$$\operatorname{sech}^{-1}(z) = -\sinh^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right); (i z \in \mathbb{R} \wedge i z > 0)$$

01.30.27.1578.01

$$\operatorname{sech}^{-1}(z) = -\pi i - \sinh^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right); (i z \in \mathbb{R} \wedge i z < 0)$$

01.30.27.1579.01

$$\operatorname{sech}^{-1}(z) = \pi i - \sinh^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1580.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi}{2\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left(1-z\sqrt{\frac{1}{z^2}}\right) + \sqrt{\frac{1}{z^2}} \sqrt{z^2} \sqrt{\frac{1}{1+z}} \sqrt{1+z} \sinh^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sinh^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right)$

01.30.27.1581.01

$$\operatorname{sech}^{-1}(z) = -\sinh^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1582.01

$$\operatorname{sech}^{-1}(z) = -\sinh^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) - \pi i; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.1583.01

$$\operatorname{sech}^{-1}(z) = -\sinh^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) + \pi i ; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.1584.01

$$\operatorname{sech}^{-1}(z) = \sinh^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) ; (z \in \mathbb{R} \wedge 0 < z < 1) \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.30.27.1585.01

$$\operatorname{sech}^{-1}(z) = -\pi i + \sinh^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) ; (i z \in \mathbb{R} \wedge i z < 0)$$

01.30.27.1586.01

$$\operatorname{sech}^{-1}(z) = \sinh^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) + \pi i ; (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1587.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi}{2\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left(1-z\sqrt{\frac{1}{z^2}}\right) - \frac{\sqrt{-z^2}\sqrt{-1+z^2}}{\sqrt{1-z}} \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{1+z}} \sinh^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sinh^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right)$

01.30.27.1588.01

$$\operatorname{sech}^{-1}(z) = \sinh^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) ; -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.30.27.1589.01

$$\operatorname{sech}^{-1}(z) = -\pi i + \sinh^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) ; \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.1590.01

$$\operatorname{sech}^{-1}(z) = \pi i + \sinh^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) ; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1591.01

$$\operatorname{sech}^{-1}(z) = \pi i - \sinh^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) ; (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1592.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi}{2\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left(1-z\sqrt{\frac{1}{z^2}}\right) + \sqrt{\frac{1}{z+1}} \sqrt{z+1} \sinh^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\sinh^{-1}\left(\frac{2\sqrt{1-z^2}}{z^2}\right)$

01.30.27.1593.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} - \frac{1}{2} \sinh^{-1}\left(\frac{2\sqrt{1-z^2}}{z^2}\right); \operatorname{Im}(z) > 0 \wedge |z| \geq \sqrt{2}$$

01.30.27.1594.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - \frac{1}{2} \sinh^{-1}\left(\frac{2\sqrt{1-z^2}}{z^2}\right); -\pi < \arg(z) \leq 0 \wedge |z| \geq \sqrt{2}$$

01.30.27.1595.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi}{4\sqrt{\frac{z-1}{z}}} \sqrt{\frac{1}{z}-1} \left(2 - \frac{\sqrt{\frac{1}{z^4}-\frac{1}{z^2}}z}{\sqrt{-1+\frac{1}{z^2}}} - \sqrt{\frac{1}{z^2}}z + \frac{\sqrt{-\frac{1}{z}}\sqrt{z}\sqrt{-\sqrt{2}+z}}{\sqrt{\sqrt{2}-z}} + \frac{\sqrt{\frac{\sqrt{2}+z}{z}}}{\sqrt{\frac{1}{z}\sqrt{\sqrt{2}+z}}}\right) - \frac{z^{3/2}\sqrt{(1-z)(z+\sqrt{2})}}{2\sqrt{z-1}\sqrt{z^2-2}} \sqrt{\frac{z^2}{1-z^2}} \sqrt{\frac{\sqrt{2}-z}{z}} \sqrt{\frac{1-z^2}{z^4}} \sinh^{-1}\left(\frac{2\sqrt{1-z^2}}{z^2}\right)$$

Involving  $\operatorname{sech}^{-1}(cz)$

Involving  $\operatorname{sech}^{-1}(iz)$  and  $\sinh^{-1}\left(\frac{1}{z}\right)$

01.30.27.1596.01

$$\operatorname{sech}^{-1}(iz) = -\frac{\pi i}{2} + \sinh^{-1}\left(\frac{1}{z}\right); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.30.27.1597.01

$$\operatorname{sech}^{-1}(iz) = \frac{\pi i}{2} - \sinh^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.30.27.1598.01

$$\operatorname{sech}^{-1}(iz) = \frac{1}{\sqrt{1+\frac{i}{z}}} \sqrt{-1-\frac{i}{z}} \left(i \sinh^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2}\right)$$

Involving  $\operatorname{sech}^{-1}(iz)$  and  $\operatorname{sinh}^{-1}\left(\frac{1}{z}\right)$

01.30.27.1599.01

$$\operatorname{sech}^{-1}(-iz) = \frac{\pi i}{2} + \operatorname{sinh}^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.30.27.1600.01

$$\operatorname{sech}^{-1}(-iz) = -\frac{\pi i}{2} - \operatorname{sinh}^{-1}\left(\frac{1}{z}\right); \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.30.27.1601.01

$$\operatorname{sech}^{-1}(-iz) = \frac{1}{\sqrt{1 - \frac{i}{z}}} \sqrt{-1 + \frac{i}{z} \left(\frac{\pi}{2} - i \operatorname{sinh}^{-1}\left(\frac{1}{z}\right)\right)}$$

Involving  $\operatorname{sech}^{-1}(\sqrt{cz})$

Involving  $\operatorname{sech}^{-1}(\sqrt{z})$  and  $\operatorname{sinh}^{-1}\left(\frac{1}{\sqrt{-z}}\right)$

01.30.27.1602.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = \frac{\pi i}{2} + \operatorname{sinh}^{-1}\left(\frac{1}{\sqrt{-z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1603.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = -\frac{\pi i}{2} + \operatorname{sinh}^{-1}\left(\frac{1}{\sqrt{-z}}\right); 0 < \arg(z) \leq \pi$$

01.30.27.1604.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = -\frac{\pi i}{2} - \operatorname{sinh}^{-1}\left(\frac{1}{\sqrt{-z}}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1605.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = \sqrt{-\frac{1}{z}} \sqrt{-z} \sqrt{\frac{1}{1-z}} \sqrt{1-z} \operatorname{sinh}^{-1}\left(\frac{1}{\sqrt{-z}}\right) - \frac{1}{2} \pi \sqrt{-\frac{1}{z}} \sqrt{\frac{z}{1-z}} \sqrt{1-z}$$

Involving  $\operatorname{sech}^{-1}(\sqrt{z})$  and  $\operatorname{sinh}^{-1}\left(\sqrt{-\frac{1}{z}}\right)$

01.30.27.1606.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = \frac{\pi i}{2} + \operatorname{sinh}^{-1}\left(\sqrt{-\frac{1}{z}}\right); \operatorname{Im}(z) < 0$$

01.30.27.1607.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = -\frac{\pi i}{2} + \operatorname{sinh}^{-1}\left(\sqrt{-\frac{1}{z}}\right); 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1608.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = \frac{\pi i}{2} - \sinh^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1609.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = \sqrt{\frac{1}{1-z}} \sqrt{1-z} \sinh^{-1}\left(\sqrt{\frac{1}{z}}\right) - \frac{1}{2} \pi \sqrt{\frac{1}{z}} \sqrt{\frac{z}{1-z}} \sqrt{1-z}$$

Involving  $\operatorname{sech}^{-1}(\sqrt{-z})$  and  $\sinh^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.1610.01

$$\operatorname{sech}^{-1}(\sqrt{-z}) = \frac{\pi i}{2} + \sinh^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1611.01

$$\operatorname{sech}^{-1}(\sqrt{-z}) = -\frac{\pi i}{2} + \sinh^{-1}\left(\frac{1}{\sqrt{z}}\right); -\pi < \arg(z) \leq 0$$

01.30.27.1612.01

$$\operatorname{sech}^{-1}(\sqrt{-z}) = -\frac{\pi i}{2} - \sinh^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1613.01

$$\operatorname{sech}^{-1}(\sqrt{-z}) = \sqrt{\frac{1}{z}} \sqrt{z} \sqrt{\frac{1}{z+1}} \sqrt{z+1} \sinh^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{1}{2} \pi \sqrt{\frac{1}{z}} \sqrt{-\frac{z}{z+1}} \sqrt{z+1}$$

Involving  $\operatorname{sech}^{-1}(\sqrt{-z})$  and  $\sinh^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.1614.01

$$\operatorname{sech}^{-1}(\sqrt{-z}) = \frac{\pi i}{2} + \sinh^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) > 0$$

01.30.27.1615.01

$$\operatorname{sech}^{-1}(\sqrt{-z}) = -\frac{\pi i}{2} + \sinh^{-1}\left(\sqrt{\frac{1}{z}}\right); -\pi < \arg(z) \leq 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1616.01

$$\operatorname{sech}^{-1}(\sqrt{-z}) = \frac{\pi i}{2} - \sinh^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1617.01

$$\operatorname{sech}^{-1}(\sqrt{-z}) = \sqrt{\frac{1}{z+1}} \sqrt{z+1} \sinh^{-1}\left(\sqrt{\frac{1}{z}}\right) - \frac{1}{2} \pi \sqrt{\frac{1}{z}} \sqrt{-\frac{z}{z+1}} \sqrt{z+1}$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{cz}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sinh^{-1}(\sqrt{-z})$

$$\text{01.30.27.1618.01} \\ \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = \sinh^{-1}(\sqrt{-z}) + \frac{\pi i}{2}; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

$$\text{01.30.27.1619.01} \\ \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = \sinh^{-1}(\sqrt{-z}) - \frac{\pi i}{2}; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

$$\text{01.30.27.1620.01} \\ \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\sinh^{-1}(\sqrt{-z}) + \frac{\pi i}{2}; (z \in \mathbb{R} \wedge 0 < z < 1)$$

$$\text{01.30.27.1621.01} \\ \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = \sqrt{\frac{1}{1-z}} \sqrt{1-z} \sqrt{-\frac{1}{z}} \sqrt{-z} \sinh^{-1}(\sqrt{-z}) + \frac{1}{2} \pi \sqrt{\frac{z}{1-z}} \sqrt{1-z} \sqrt{-\frac{1}{z}}$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{-z}}\right)$  and  $\sinh^{-1}(\sqrt{z})$

$$\text{01.30.27.1622.01} \\ \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{-z}}\right) = \sinh^{-1}(\sqrt{z}) - \frac{\pi i}{2}; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

$$\text{01.30.27.1623.01} \\ \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{-z}}\right) = \sinh^{-1}(\sqrt{z}) + \frac{\pi i}{2}; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 0)$$

$$\text{01.30.27.1624.01} \\ \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{-z}}\right) = -\sinh^{-1}(\sqrt{z}) + \frac{\pi i}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

$$\text{01.30.27.1625.01} \\ \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{-z}}\right) = \sqrt{\frac{1}{z}} \sqrt{z} \sqrt{\frac{1}{z+1}} \sqrt{z+1} \sinh^{-1}(\sqrt{z}) + \frac{1}{2} \pi \sqrt{\frac{1}{z}} \sqrt{-\frac{z}{1+z}} \sqrt{1+z}$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{cz^2}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{z^2}\right)$  and  $\sinh^{-1}\left(\frac{i}{z}\right)$

01.30.27.1626.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = -\frac{\pi i}{2} + \sinh^{-1}\left(\frac{i}{z}\right); 0 < \arg(z) \leq \frac{\pi}{2} \quad (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1627.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = \frac{\pi i}{2} - \sinh^{-1}\left(\frac{i}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \quad (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1628.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = \frac{\pi i}{2} + \sinh^{-1}\left(\frac{i}{z}\right); \frac{\pi}{2} < \arg(z) < \pi \quad (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1629.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = -\frac{\pi i}{2} - \sinh^{-1}\left(\frac{i}{z}\right); -\pi < \arg(z) \leq -\frac{\pi}{2} \quad (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1630.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = \frac{i\sqrt{-z-1}\sqrt{-z}}{\sqrt{(1-z)z}} \sqrt{\frac{z-1}{z+1}} \sinh^{-1}\left(\frac{i}{z}\right) + \frac{1}{2}\pi\sqrt{-z^2} \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2-1}} \sqrt{z^2-1}$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{-z^2}\right)$  and  $\sinh^{-1}\left(\frac{1}{z}\right)$

01.30.27.1631.01

$$\operatorname{sech}^{-1}\left(\sqrt{-z^2}\right) = \frac{\pi i}{2} + \sinh^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \frac{\pi}{2} \quad (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.27.1632.01

$$\operatorname{sech}^{-1}\left(\sqrt{-z^2}\right) = -\frac{\pi i}{2} + \sinh^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) \leq 0 \quad (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.1633.01

$$\operatorname{sech}^{-1}\left(\sqrt{-z^2}\right) = -\frac{\pi i}{2} - \sinh^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) \leq \pi \quad (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.30.27.1634.01

$$\operatorname{sech}^{-1}\left(\sqrt{-z^2}\right) = \frac{\pi i}{2} - \sinh^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \quad (i z \in \mathbb{R} \wedge i z > 1)$$

01.30.27.1635.01

$$\operatorname{sech}^{-1}\left(\sqrt{-z^2}\right) = \frac{\sqrt{-i z-1}\sqrt{i z-1}}{z} \sqrt{\frac{z^2}{z^2+1}} \sinh^{-1}\left(\frac{1}{z}\right) + \frac{1}{2}\pi\sqrt{z^2} \sqrt{-\frac{1}{z^2}} \sqrt{-z^2-1} \sqrt{-\frac{1}{z^2+1}}$$

Involving  $\operatorname{sech}^{-1}\left(a(b z^c)^m\right)$

Involving  $\operatorname{sech}^{-1}\left(a(b z^c)^m\right)$  and  $\sinh^{-1}\left(\frac{i}{a} b^{-m} z^{-m c}\right)$

01.30.27.1636.01

$$\operatorname{sech}^{-1}(a(bz^c)^m) = \frac{1}{\sqrt{1 - \frac{(bz^c)^m}{a}}} \sqrt{\frac{(bz^c)^{-m}}{a} - 1} \left( \frac{\pi}{2} + \frac{i b^m z^{mc}}{(bz^c)^m} \sinh^{-1}\left(\frac{i}{a} b^{-m} z^{-mc}\right) \right); 2m \in \mathbb{Z}$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{1+2z^2}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1}{1+2z^2}\right)$ and $\sinh^{-1}(z)$

01.30.27.1637.01

$$\operatorname{sech}^{-1}\left(\frac{1}{1+2z^2}\right) = 2 \sinh^{-1}(z); -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.30.27.1638.01

$$\operatorname{sech}^{-1}\left(\frac{1}{1+2z^2}\right) = -2 \sinh^{-1}(z); \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.30.27.1639.01

$$\operatorname{sech}^{-1}\left(\frac{1}{1+2z^2}\right) = \frac{2\sqrt{z^2}}{z} \sinh^{-1}(z)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{z^2}{z^2+2}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{z^2}{z^2+2}\right)$ and $\sinh^{-1}\left(\frac{1}{z}\right)$

01.30.27.1640.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{z^2+2}\right) = 2 \sinh^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.30.27.1641.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{z^2+2}\right) = -2 \sinh^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.1642.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{z^2+2}\right) = 2z \sqrt{\frac{1}{z^2}} \sinh^{-1}\left(\frac{1}{z}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z+1}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z+1}}\right)$ and $\sinh^{-1}(\sqrt{z})$



$$\text{sech}^{-1}\left(\frac{1}{\sqrt{z+1}}\right) = \sinh^{-1}(\sqrt{z})$$

Involving  $\text{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1+cz}}\right)$

Involving  $\text{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right)$  and  $\sinh^{-1}(iz)$

$$\text{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right) = -\frac{\pi i}{4} - \frac{1}{2} \sinh^{-1}(iz) ; \text{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

$$\text{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right) = \frac{\pi i}{4} + \frac{1}{2} \sinh^{-1}(iz) ; \text{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > -1)$$

$$\text{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right) = \frac{\sqrt{z+1}}{\sqrt{-z-1}} \left( \frac{1}{2} i \sinh^{-1}(iz) - \frac{\pi}{4} \right)$$

Involving  $\text{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1+z}}\right)$  and  $\sinh^{-1}(iz)$

$$\text{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1+z}}\right) = \frac{\pi i}{4} - \frac{1}{2} \sinh^{-1}(iz) ; \text{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < 1)$$

$$\text{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1+z}}\right) = -\frac{\pi i}{4} + \frac{1}{2} \sinh^{-1}(iz) ; \text{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

$$\text{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1+z}}\right) = -\frac{\sqrt{1-z}}{\sqrt{z-1}} \left( \frac{\pi}{4} + \frac{i}{2} \sinh^{-1}(iz) \right)$$

Involving  $\text{sech}^{-1}\left(\sqrt{\frac{2}{1+cz}}\right)$

Involving  $\text{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right)$  and  $\sinh^{-1}(iz)$

01.30.27.1649.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = -\frac{\pi i}{4} - \frac{1}{2} \sinh^{-1}(i z) ; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1650.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = \frac{\pi i}{4} + \frac{1}{2} \sinh^{-1}(i z) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.30.27.1651.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = -\frac{3\pi i}{4} + \frac{1}{2} \sinh^{-1}(i z) ; (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1652.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = \frac{\pi i}{2} \left( \sqrt{1-z} \sqrt{\frac{1}{1-z}} + \frac{i\sqrt{z+1}}{2\sqrt{-z-1}} - 1 \right) + \frac{i\sqrt{z+1}}{2\sqrt{-z-1}} \sinh^{-1}(i z)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1+z}}\right)$  and  $\sinh^{-1}(i z)$

01.30.27.1653.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1+z}}\right) = \frac{\pi i}{4} - \frac{1}{2} \sinh^{-1}(i z) ; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.30.27.1654.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1+z}}\right) = -\frac{\pi i}{4} + \frac{1}{2} \sinh^{-1}(i z) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1655.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1+z}}\right) = -\frac{3\pi i}{4} - \frac{1}{2} \sinh^{-1}(i z) ; (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1656.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1+z}}\right) = \frac{\pi i}{2} \left( \sqrt{z+1} \sqrt{\frac{1}{z+1}} + \frac{i\sqrt{1-z}}{2\sqrt{z-1}} - 1 \right) - \frac{i\sqrt{1-z}}{2\sqrt{z-1}} \sinh^{-1}(i z)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right)$  and  $\sinh^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.1657.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right) = \sinh^{-1}\left(\frac{1}{\sqrt{z}}\right) ; |\arg(z)| < \pi$$

01.30.27.1658.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right) = -\sinh^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1659.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right) = -\pi i - \sinh^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1660.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right) = \frac{\pi i}{2} \left( \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 1 \right) + \sqrt{z} \sqrt{\frac{1}{z}} \sinh^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right)$  and  $\sinh^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.1661.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right) = \sinh^{-1}\left(\sqrt{\frac{1}{z}}\right); z \notin (-1, 0)$$

01.30.27.1662.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right) = -\pi i + \sinh^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1663.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right) = \frac{\pi i}{2} \left( \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 1 \right) + \sinh^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-1-z}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-1-z}}\right)$  and  $\sinh^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.1664.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-1-z}}\right) = \sinh^{-1}\left(\frac{1}{\sqrt{z}}\right); |\arg(z)| < \pi$$

01.30.27.1665.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-1-z}}\right) = -\sinh^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1666.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-1-z}}\right) = \sqrt{\frac{1}{z}} \sqrt{z} \sinh^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-1-z}}\right)$  and  $\sinh^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.1667.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-1-z}}\right) = \sinh^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z+1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z+1}}\right)$  and  $\sinh^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.1668.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z+1}}\right) = \sinh^{-1}\left(\frac{1}{\sqrt{z}}\right); |\arg(z)| < \pi$$

01.30.27.1669.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z+1}}\right) = -\pi i - \sinh^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1670.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z+1}}\right) = -\sinh^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1671.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z+1}}\right) = \left(\sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1\right) \frac{\pi i}{2} + \sqrt{\frac{1}{z}} \sqrt{z} \sinh^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z+1}}\right)$  and  $\sinh^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.1672.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z+1}}\right) = \sinh^{-1}\left(\sqrt{\frac{1}{z}}\right); z \notin (-1, 0)$$

01.30.27.1673.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z+1}}\right) = \sinh^{-1}\left(\sqrt{\frac{1}{z}}\right) - \pi i; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1674.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z+1}}\right) = \frac{\pi i}{2} \left(\sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1\right) + \sinh^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right)$ and $\sinh^{-1}(z)$

01.30.27.1675.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right) = \sinh^{-1}(z) ; -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.30.27.1676.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right) = -\sinh^{-1}(z) ; \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.30.27.0031.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right) = \frac{\sqrt{z^2}}{z} \sinh^{-1}(z)$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{z^2+1}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{z^2+1}}\right)$ and $\sinh^{-1}(z)$

01.30.27.1677.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{z^2+1}}\right) = \sinh^{-1}(z) ; \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.30.27.1678.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{z^2+1}}\right) = -\sinh^{-1}(z) ; \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.1679.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{z^2+1}}\right) = \left(\sqrt{z^2+1} \sqrt{\frac{1}{z^2+1}} - 1\right) \frac{\pi i}{2} + \frac{\sqrt{z^2}}{z} \sinh^{-1}(z)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right)$  and  $\sinh^{-1}\left(\frac{1}{z}\right)$

01.30.27.1680.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right) = \sinh^{-1}\left(\frac{1}{z}\right); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.30.27.1681.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right) = -\pi i - \sinh^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) < \pi \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.30.27.1682.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right) = \pi i - \sinh^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0) \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.30.27.1683.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right) = -\sinh^{-1}\left(\frac{1}{z}\right); (iz \in \mathbb{R} \wedge iz < -1)$$

01.30.27.1684.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right) = \frac{\pi}{2} \left( \sqrt{-\frac{1}{z^2}} z \left( \sqrt{\frac{1}{z^2}} z - 1 \right) + i - i \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} \right) + \frac{\sqrt{iz+1} \sqrt{z} \sqrt{-z^2-1}}{\sqrt{-z} \sqrt{z^2+1}} \sqrt{\frac{1}{iz+1}} \sinh^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1+z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1+z^2}}\right)$  and  $\sinh^{-1}\left(\frac{1}{z}\right)$

01.30.27.1685.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1+z^2}}\right) = \sinh^{-1}\left(\frac{1}{z}\right); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.30.27.1686.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1+z^2}}\right) = -\sinh^{-1}\left(\frac{1}{z}\right); \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.30.27.1687.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1+z^2}}\right) = -\pi i - \sinh^{-1}\left(\frac{1}{z}\right); (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.30.27.1688.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1+z^2}}\right) = -\pi i + \sinh^{-1}\left(\frac{1}{z}\right); (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.1689.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1+z^2}}\right) = z \sqrt{\frac{1}{z^2}} \sinh^{-1}\left(\frac{1}{z}\right) + \frac{\pi i}{2} \left( \sqrt{\frac{z^2}{z^2+1}} \sqrt{\frac{z^2+1}{z^2}} - 1 \right)$$

**Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{-1-z^2}}\right)$**

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{-1-z^2}}\right)$  and  $\sinh^{-1}\left(\frac{1}{z}\right)$

01.30.27.1690.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{-1-z^2}}\right) = \sinh^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.30.27.1691.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{-1-z^2}}\right) = -\sinh^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.1692.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{-1-z^2}}\right) = \sqrt{\frac{1}{z^2}} z \sinh^{-1}\left(\frac{1}{z}\right)$$

**Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2+1}}\right)$**

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2+1}}\right)$  and  $\sinh^{-1}\left(\frac{1}{z}\right)$

01.30.27.1693.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2+1}}\right) = \sinh^{-1}\left(\frac{1}{z}\right); \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.30.27.1694.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2+1}}\right) = -\sinh^{-1}\left(\frac{1}{z}\right); \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.27.1695.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2+1}}\right) = \left(\sqrt{\frac{z^2+1}{z^2}} \sqrt{\frac{z^2}{z^2+1}} - 1\right) \frac{\pi i}{2} + \sqrt{\frac{1}{z^2}} z \sinh^{-1}\left(\frac{1}{z}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{-1-z^2}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{-1-z^2}}\right)$ and $\sinh^{-1}(z)$

01.30.27.1696.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{-1-z^2}}\right) = -\frac{\pi i}{2} + 2 \sinh^{-1}(z); 0 < \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.27.1697.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{-1-z^2}}\right) = \frac{\pi i}{2} + 2 \sinh^{-1}(z); -\frac{\pi}{2} < \arg(z) \leq 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.1698.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{-1-z^2}}\right) = -\frac{\pi i}{2} - 2 \sinh^{-1}(z); \frac{3\pi}{4} \leq \arg(z) \leq \pi$$

01.30.27.1699.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{-1-z^2}}\right) = \frac{\pi i}{2} - 2 \sinh^{-1}(z); -\pi < \arg(z) \leq -\frac{3\pi}{4}$$

01.30.27.1700.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{-1-z^2}}\right) =$$

$$\frac{\sqrt{2z\sqrt{-1-z^2}-1}}{\sqrt{1-2z\sqrt{-1-z^2}}} \left( \frac{\pi}{2} - \frac{\pi\sqrt{2z^2+1}\sqrt{z^4+z^2}}{2\sqrt{z^2}\sqrt{-2z^2-1}\sqrt{z^2+1}} \left( -\frac{\sqrt{-z^2}}{z} - i\sqrt{\frac{i}{z}}\sqrt{-iz}\sqrt{\frac{1}{1-i\sqrt{2}z}}\sqrt{1-i\sqrt{2}z} + i\sqrt{-\frac{i}{z}}\sqrt{iz}\sqrt{\frac{1}{\sqrt{2}iz+1}}\sqrt{\sqrt{2}iz+1} - \frac{\sqrt{z^4+z^2}}{z\sqrt{-z^2-1}} \right) + \frac{2\sqrt{2z^2+1}\sqrt{z^4+z^2}}{\sqrt{z^2}\sqrt{-2z^2-1}\sqrt{z^2+1}} \sinh^{-1}(z) \right)$$



### Involving $\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{-1-z^2}}\right)$

### Involving $\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{-1-z^2}}\right)$ and $\sinh^{-1}\left(\frac{1}{z}\right)$

01.30.27.1701.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{-1-z^2}}\right) = -\frac{\pi i}{2} + 2 \sinh^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \frac{\pi}{2} \wedge |z| \geq \sqrt{2}$$

01.30.27.1702.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{-1-z^2}}\right) = \frac{\pi i}{2} + 2 \sinh^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) \leq 0 \wedge |z| \geq \sqrt{2}$$

01.30.27.1703.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{-1-z^2}}\right) = \frac{\pi i}{2} - 2 \sinh^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) \leq \pi \wedge |z| \geq \sqrt{2}$$

01.30.27.1704.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{-1-z^2}}\right) = -\frac{\pi i}{2} - 2 \sinh^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \wedge |z| \geq \sqrt{2}$$

01.30.27.1705.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{-1-z^2}}\right) = \frac{\sqrt{\frac{2\sqrt{-1-z^2}}{z^2} - 1}}{\sqrt{1 - \frac{2\sqrt{-1-z^2}}{z^2}}}$$

$$\left( \frac{\pi}{2} - \frac{z^3 \sqrt{-z^2-2} \sqrt{-z^2-1}}{2\sqrt{1-iz} (iz+1) \sqrt{-z^4-3z^2-2}} \sqrt{\frac{z^2+1}{z^4}} \sqrt{\frac{i-z}{z}} \sqrt{\frac{i}{z}} \left( \pi \left( -\frac{z^3}{z^2+1} \sqrt{\frac{-z^2+1}{z^2}} \sqrt{\frac{z^2+1}{z^4}} + \sqrt{\frac{1}{z^2}} z + \right. \right. \right. \\ \left. \left. \left. i \sqrt{\frac{z-i\sqrt{2}}{z}} \sqrt{\frac{i}{z}} \sqrt{iz} \sqrt{\frac{z}{-i\sqrt{2}+z}} - i \sqrt{\frac{z+i\sqrt{2}}{z}} \sqrt{\frac{i}{z}} \sqrt{-iz} \sqrt{\frac{z}{i\sqrt{2}+z}} \right) + 4 \sinh^{-1}\left(\frac{1}{z}\right) \right)$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{2} / \sqrt{1 - \sqrt{1+z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right)$  and  $\sinh^{-1}(z)$

01.30.27.1706.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{2} + \frac{1}{2} \sinh^{-1}(z) ; 0 < \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.30.27.1707.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} + \frac{1}{2} \sinh^{-1}(z) ; -\frac{\pi}{2} < \arg(z) \leq 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.30.27.1708.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} - \frac{1}{2} \sinh^{-1}(z) ; \frac{\pi}{2} < \arg(z) \leq 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.30.27.1709.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{2} - \frac{1}{2} \sinh^{-1}(z) ; -\pi < \arg(z) < -\frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.30.27.1710.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} \left( 1 - \frac{i\sqrt{-z^2}}{\sqrt{z^2}} - \sqrt{\frac{z^2+1}{z^2}} \sqrt{\frac{z^2}{z^2+1}} \right) + \frac{\sqrt{z}\sqrt{-z^2-1}}{2\sqrt{-z}\sqrt{z^2+1}} \sinh^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right)$  and  $\sinh^{-1}(z)$

01.30.27.1711.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{2} + \frac{1}{2} \sinh^{-1}(z) /; 0 \leq \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.27.1712.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} + \frac{1}{2} \sinh^{-1}(z) /; -\frac{\pi}{2} < \arg(z) < 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.1713.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} - \frac{1}{2} \sinh^{-1}(z) /; \frac{\pi}{2} < \arg(z) < \pi \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.30.27.1714.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{2} - \frac{1}{2} \sinh^{-1}(z) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1715.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} \left(1 + i \sqrt{-\frac{1}{z^2}} \sqrt{z^2} - \sqrt{\frac{z^2+1}{z^2}} \sqrt{\frac{z^2}{z^2+1}}\right) + \frac{\sqrt{z} \sqrt{-z^2-1}}{2 \sqrt{-z} \sqrt{z^2+1}} \sinh^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z^2} / \left(z \sqrt{1-\sqrt{1+z^2}}\right)\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z^2} / \left(z \sqrt{1-\sqrt{1+z^2}}\right)\right)$  and  $\sinh^{-1}(z)$

01.30.27.1716.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z^2}}{z \sqrt{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{2} + \frac{1}{2} \sinh^{-1}(z) /; 0 < \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.27.1717.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z^2}}{z \sqrt{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} + \frac{1}{2} \sinh^{-1}(z) /; -\frac{\pi}{2} < \arg(z) \leq 0$$

$$\text{sech}^{-1}\left(\frac{\sqrt{2z^2}}{z\sqrt{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{2} - \frac{1}{2}\sinh^{-1}(z) ; \frac{\pi}{2} < \arg(z) \leq \pi$$

$$\text{sech}^{-1}\left(\frac{\sqrt{2z^2}}{z\sqrt{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} - \frac{1}{2}\sinh^{-1}(z) ; -\pi < \arg(z) \leq -\frac{\pi}{2}$$

$$\text{sech}^{-1}\left(\frac{\sqrt{2z^2}}{z\sqrt{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} \left(1 - \frac{i\sqrt{-z}}{\sqrt{z}} - \sqrt{\frac{z-i}{z}} \sqrt{\frac{z}{z-i}}\right) + \frac{\sqrt{iz-1}\sqrt{-iz}\sqrt{z}\sqrt{-z^2-1}}{2\sqrt{-z}\sqrt{z(i+z)}\sqrt{z^2+1}} \sinh^{-1}(z)$$

Involving  $\text{sech}^{-1}\left(\frac{1}{z}\sqrt{2z^2/(1-\sqrt{1+z^2})}\right)$

Involving  $\text{sech}^{-1}\left(\frac{1}{z}\sqrt{2z^2/(1-\sqrt{1+z^2})}\right)$  and  $\sinh^{-1}(z)$

$$\text{sech}^{-1}\left(\frac{1}{z}\sqrt{\frac{2z^2}{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} + \frac{1}{2}\sinh^{-1}(z) ; 0 < \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

$$\text{sech}^{-1}\left(\frac{1}{z}\sqrt{\frac{2z^2}{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{2} + \frac{1}{2}\sinh^{-1}(z) ; -\frac{\pi}{2} < \arg(z) \leq 0$$

$$\text{sech}^{-1}\left(\frac{1}{z}\sqrt{\frac{2z^2}{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} - \frac{1}{2}\sinh^{-1}(z) ; \frac{\pi}{2} < \arg(z) \leq \pi \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

$$\text{sech}^{-1}\left(\frac{1}{z}\sqrt{\frac{2z^2}{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{2} - \frac{1}{2}\sinh^{-1}(z) ; -\pi < \arg(z) < -\frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.30.27.1725.01

$$\operatorname{sech}^{-1}\left(\frac{1}{z}\sqrt{\frac{2z^2}{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2}\left(\frac{i\sqrt{-z}}{\sqrt{z}} - \sqrt{\frac{z+i}{z}}\sqrt{\frac{z}{z+i}} + 1\right) + \frac{i\sqrt{-iz-1}}{2\sqrt{iz+1}}\sinh^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z}/\sqrt{z-\sqrt{z^2+1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z}/\sqrt{z-\sqrt{z^2+1}}\right)$  and  $\sinh^{-1}\left(\frac{1}{z}\right)$

01.30.27.1726.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2+1}}}\right) = \frac{\pi i}{2} + \frac{1}{2}\sinh^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.30.27.1727.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2+1}}}\right) = -\frac{\pi i}{2} + \frac{1}{2}\sinh^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.30.27.1728.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2+1}}}\right) = -\frac{1}{2}\sinh^{-1}\left(\frac{1}{z}\right); \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.30.27.1729.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2+1}}}\right) = \frac{1}{2}\sinh^{-1}\left(\frac{1}{z}\right); (iz \in \mathbb{R} \wedge iz > 1)$$

01.30.27.1730.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2+1}}}\right) =$$

$$\frac{\pi i}{4}\left(-i\sqrt{\frac{1}{z^2}}\sqrt{-\frac{1}{z}}z^{3/2} - i\sqrt{-\frac{1}{z}}\sqrt{z-\sqrt{z^2+1}}\sqrt{\frac{1}{z^2+1}} + 1\right) + \frac{1}{2}\sqrt{\frac{1}{z^2}}z\sqrt{\frac{1}{iz+1}}\sqrt{iz+1}\sinh^{-1}\left(\frac{1}{z}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{1+z^2}}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{1+z^2}}}\right)$  and  $\sinh^{-1}\left(\frac{1}{z}\right)$

01.30.27.1731.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} + \frac{1}{2} \sinh^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.30.27.1732.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{2} + \frac{1}{2} \sinh^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) \leq 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.30.27.1733.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{1+z^2}}}\right) = -\frac{1}{2} \sinh^{-1}\left(\frac{1}{z}\right); \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.30.27.1734.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{1+z^2}}}\right) = \frac{1}{2} \sinh^{-1}\left(\frac{1}{z}\right); (iz \in \mathbb{R} \wedge iz > 1)$$

01.30.27.1735.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{1+z^2}}}\right) = \frac{\pi i}{4} \left( \frac{i\sqrt{-z}}{\sqrt{z}} \left( \sqrt{\frac{1}{z^2}} z + 1 \right) - \sqrt{z^2+1} \sqrt{\frac{1}{z^2+1}} + 1 \right) + \frac{1}{2} \sqrt{\frac{1}{z^2}} z \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} \sinh^{-1}\left(\frac{1}{z}\right)$$

### Involving $\operatorname{cosh}^{-1}$

#### Involving $\operatorname{sech}^{-1}(-z)$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{cosh}^{-1}\left(\frac{1}{z}\right)$

01.30.27.0033.01

$$\operatorname{sech}^{-1}(z) = \operatorname{cosh}^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{cosh}^{-1}\left(-\frac{1}{z}\right)$

01.30.27.1736.01

$$\operatorname{sech}^{-1}(z) = \operatorname{cosh}^{-1}\left(-\frac{1}{z}\right) - i\pi; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1737.01

$$\operatorname{sech}^{-1}(z) = \cosh^{-1}\left(-\frac{1}{z}\right) + i\pi /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1738.01

$$\operatorname{sech}^{-1}(z) = -\cosh^{-1}\left(-\frac{1}{z}\right) + i\pi /; (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1739.01

$$\operatorname{sech}^{-1}(z) = \left( \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - i \sqrt{\frac{1}{z}} \sqrt{-z-1} \right) \pi i + \frac{\sqrt{z^2 - z^4}}{\sqrt{z^2 - 1}} \sqrt{-\frac{1}{z^2}} \cosh^{-1}\left(-\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cosh^{-1}\left(\frac{z^2-2}{z^2}\right)$

01.30.27.1740.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + \frac{1}{2} \cosh^{-1}\left(\frac{z^2-2}{z^2}\right) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1741.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + \frac{1}{2} \cosh^{-1}\left(\frac{z^2-2}{z^2}\right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1742.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - \frac{1}{2} \cosh^{-1}\left(\frac{z^2-2}{z^2}\right) /; (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1743.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} \left( \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - i \sqrt{\frac{1}{z}} \sqrt{-z-1} \right) + \frac{1}{2} \sqrt{\frac{1}{1-z}} \sqrt{1-z} \cosh^{-1}\left(\frac{z^2-2}{z^2}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cosh^{-1}\left(\frac{2-z^2}{z^2}\right)$

01.30.27.1744.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{2} \cosh^{-1}\left(\frac{2-z^2}{z^2}\right) /; -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.30.27.1745.01

$$\operatorname{sech}^{-1}(z) = -\pi i + \frac{1}{2} \cosh^{-1}\left(\frac{2-z^2}{z^2}\right) /; \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.1746.01

$$\operatorname{sech}^{-1}(z) = \pi i + \frac{1}{2} \cosh^{-1}\left(\frac{2-z^2}{z^2}\right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1747.01

$$\operatorname{sech}^{-1}(z) = \pi i - \frac{1}{2} \cosh^{-1}\left(\frac{2-z^2}{z^2}\right) /; (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1748.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi}{2} \left( z^2 \sqrt{-\frac{1}{z^4}} - z \sqrt{-\frac{1}{z^2}} \right) + \frac{1}{2} \sqrt{\frac{1}{z+1}} \sqrt{z+1} \cosh^{-1} \left( \frac{2-z^2}{z^2} \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cosh^{-1} \left( \frac{\sqrt{z-1}}{\sqrt{2z}} \right)$

01.30.27.1749.01

$$\operatorname{sech}^{-1}(z) = -\pi i + 2 \cosh^{-1} \left( \frac{\sqrt{z-1}}{\sqrt{2z}} \right) ; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1750.01

$$\operatorname{sech}^{-1}(z) = \pi i + 2 \cosh^{-1} \left( \frac{\sqrt{z-1}}{\sqrt{2z}} \right) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1751.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2 \cosh^{-1} \left( \frac{\sqrt{z-1}}{\sqrt{2z}} \right) ; (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1752.01

$$\operatorname{sech}^{-1}(z) = \pi i \left( \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - i \sqrt{-z} \sqrt{\frac{1}{z}} - 1 \right) + 2 \sqrt{1-z^2} \sqrt{\frac{1}{1-z^2}} \cosh^{-1} \left( \frac{\sqrt{z-1}}{\sqrt{2z}} \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cosh^{-1} \left( \frac{\sqrt{1+z}}{\sqrt{2z}} \right)$

01.30.27.1753.01

$$\operatorname{sech}^{-1}(z) = 2 \cosh^{-1} \left( \frac{\sqrt{1+z}}{\sqrt{2z}} \right) ; z \notin (-1, 0)$$

01.30.27.1754.01

$$\operatorname{sech}^{-1}(z) = 2\pi i + 2 \cosh^{-1} \left( \frac{\sqrt{1+z}}{\sqrt{2z}} \right) ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1755.01

$$\operatorname{sech}^{-1}(z) = \pi i \left( 1 - \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} \right) + 2 \cosh^{-1} \left( \frac{\sqrt{1+z}}{\sqrt{2z}} \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cosh^{-1} \left( \sqrt{\frac{z+1}{2z}} \right)$

01.30.27.1756.01

$$\operatorname{sech}^{-1}(z) = 2 \cosh^{-1} \left( \sqrt{\frac{z+1}{2z}} \right)$$



Involving  $\operatorname{sech}^{-1}(z)$  and  $\cosh^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{2z}}\right)$

01.30.27.1757.01

$$\operatorname{sech}^{-1}(z) = -\pi i + 2 \cosh^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{2z}}\right) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1758.01

$$\operatorname{sech}^{-1}(z) = \pi i + 2 \cosh^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{2z}}\right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1759.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2 \cosh^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{2z}}\right) /; (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1760.01

$$\operatorname{sech}^{-1}(z) = \pi i \left( \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - i \sqrt{-z} \sqrt{\frac{1}{z} - 1} \right) + 2 \sqrt{1-z^2} \sqrt{\frac{1}{1-z^2}} \cosh^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{2z}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cosh^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-2z}}\right)$

01.30.27.1761.01

$$\operatorname{sech}^{-1}(z) = -\pi i + 2 \cosh^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-2z}}\right) /; \operatorname{Im}(z) > 0$$

01.30.27.1762.01

$$\operatorname{sech}^{-1}(z) = \pi i + 2 \cosh^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-2z}}\right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.30.27.1763.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2 \cosh^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-2z}}\right) /; (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1764.01

$$\operatorname{sech}^{-1}(z) = \pi \sqrt{-z} \sqrt{\frac{1}{z}} + 2 \sqrt{1-z^2} \sqrt{\frac{1}{1-z^2}} \cosh^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-2z}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cosh^{-1}\left(\sqrt{\frac{z-1}{2z}}\right)$

01.30.27.1765.01

$$\operatorname{sech}^{-1}(z) = -\pi i + 2 \cosh^{-1}\left(\sqrt{\frac{z-1}{2z}}\right) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1766.01

$$\operatorname{sech}^{-1}(z) = \pi i + 2 \cosh^{-1}\left(\sqrt{\frac{z-1}{2z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1767.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2 \cosh^{-1}\left(\sqrt{\frac{z-1}{2z}}\right); (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1768.01

$$\operatorname{sech}^{-1}(z) = \pi i \left( \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - i \sqrt{-z} \sqrt{\frac{1}{z} - 1} \right) + 2 \sqrt{1-z^2} \sqrt{\frac{1}{1-z^2}} \cosh^{-1}\left(\sqrt{\frac{z-1}{2z}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cosh^{-1}\left(\frac{1}{\sqrt{z^2}}\right)$

01.30.27.1769.01

$$\operatorname{sech}^{-1}(z) = \cosh^{-1}\left(\frac{1}{\sqrt{z^2}}\right); -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.30.27.1770.01

$$\operatorname{sech}^{-1}(z) = -\pi i + \cosh^{-1}\left(\frac{1}{\sqrt{z^2}}\right); \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.1771.01

$$\operatorname{sech}^{-1}(z) = \pi i + \cosh^{-1}\left(\frac{1}{\sqrt{z^2}}\right); -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1772.01

$$\operatorname{sech}^{-1}(z) = \pi i - \cosh^{-1}\left(\frac{1}{\sqrt{z^2}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1773.01

$$\operatorname{sech}^{-1}(z) = \sqrt{\frac{1}{z+1}} \sqrt{z+1} \cosh^{-1}\left(\frac{1}{\sqrt{z^2}}\right) + \frac{\pi(\sqrt{z^2} - z)}{2} \sqrt{-\frac{1}{z^2}}$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cosh^{-1}\left(\sqrt{\frac{1}{z^2}}\right)$

01.30.27.1774.01

$$\operatorname{sech}^{-1}(z) = \cosh^{-1}\left(\sqrt{\frac{1}{z^2}}\right); -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.30.27.1775.01

$$\operatorname{sech}^{-1}(z) = -\pi i + \cosh^{-1}\left(\sqrt{\frac{1}{z^2}}\right); \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.1776.01

$$\operatorname{sech}^{-1}(z) = \pi i + \cosh^{-1}\left(\sqrt{\frac{1}{z^2}}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1777.01

$$\operatorname{sech}^{-1}(z) = \pi i - \cosh^{-1}\left(\sqrt{\frac{1}{z^2}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1778.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} \left( -i \sqrt{-\frac{1}{z^2}} (\sqrt{z^2} - z) + \sqrt{z^2} \sqrt{\frac{1}{z^2} - 1} \right) + \sqrt{\frac{1}{z+1}} \sqrt{z+1} \cosh^{-1}\left(\sqrt{\frac{1}{z^2}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cosh^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right)$

01.30.27.1779.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + \cosh^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right); 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1) \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.30.27.1780.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + \cosh^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right); -\frac{\pi}{2} < \arg(z) < 0$$

01.30.27.1781.01

$$\operatorname{sech}^{-1}(z) = -\frac{3\pi i}{2} + \cosh^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right); \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.1782.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{2} + \cosh^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1783.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - \cosh^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1784.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{2} - \cosh^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1785.01

$$\operatorname{sech}^{-1}(z) = \left( -\frac{i(\sqrt{z^2-2z})}{2\sqrt{-z}} \sqrt{\frac{1}{z}} + \sqrt{-iz} \sqrt{\frac{i}{z}} + \frac{1}{2} \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - \frac{3}{2} \right) \pi i + \sqrt{1-z^2} \sqrt{\frac{1}{1-z^2}} \cosh^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cosh^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right)$

01.30.27.1786.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + \cosh^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right) ; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1787.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + \cosh^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1788.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - \cosh^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right) ; (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1789.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} \left( \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - i \sqrt{-z} \sqrt{\frac{1}{z}} - 1 \right) + \sqrt{\frac{1}{1-z}} \sqrt{1-z} \cosh^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cosh^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right)$

01.30.27.1790.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + \cosh^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right) ; \operatorname{Im}(z) > 0$$

01.30.27.1791.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + \cosh^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1792.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - \cosh^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right) ; (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1793.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{2} + \cosh^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1794.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} \left(1 - i\sqrt{-z} \sqrt{\frac{1}{z}} - \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}}\right) + \sqrt{1-z} \sqrt{\frac{1}{1-z}} \cosh^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cosh^{-1}\left(\sqrt{\frac{z^2-1}{z^2}}\right)$

01.30.27.1795.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + \cosh^{-1}\left(\sqrt{\frac{z^2-1}{z^2}}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1796.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + \cosh^{-1}\left(\sqrt{\frac{z^2-1}{z^2}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1797.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - \cosh^{-1}\left(\sqrt{\frac{z^2-1}{z^2}}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1798.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} \left(-1 - i\sqrt{-z} \sqrt{\frac{1}{z}} + \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}}\right) + \sqrt{1-z} \sqrt{\frac{1}{1-z}} \cosh^{-1}\left(\sqrt{\frac{z^2-1}{z^2}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\cosh^{-1}\left(\frac{2\sqrt{-1+z^2}}{z^2}\right)$

01.30.27.1799.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{4} + \frac{1}{2} \cosh^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2}\right); 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1800.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{4} + \frac{1}{2} \cosh^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1801.01

$$\operatorname{sech}^{-1}(z) = -\frac{3\pi i}{4} + \frac{1}{2} \cosh^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2}\right); \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.1802.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{4} - \frac{1}{2} \cosh^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1803.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{4} + \frac{1}{2} \cosh^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2}\right); -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1804.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{4} \left( -\frac{i\sqrt{-z}(2\sqrt{z^2-z})}{\sqrt{z^2}} \sqrt{\frac{1}{z}} + \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - 1 \right) + \frac{1}{2} \sqrt{\frac{1}{z+1}} \sqrt{z+1} \cosh^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2}\right)$$

### Involving $\operatorname{sech}^{-1}(-z)$

#### Involving $\operatorname{sech}^{-1}(-z)$ and $\cosh^{-1}\left(\frac{1}{z}\right)$

01.30.27.1805.01

$$\operatorname{sech}^{-1}(-z) = \cosh^{-1}\left(\frac{1}{z}\right) + i\pi; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1806.01

$$\operatorname{sech}^{-1}(-z) = \cosh^{-1}\left(\frac{1}{z}\right) - i\pi; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1807.01

$$\operatorname{sech}^{-1}(-z) = -\cosh^{-1}\left(\frac{1}{z}\right) + i\pi; (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1808.01

$$\operatorname{sech}^{-1}(-z) = \left( \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - i \sqrt{-\frac{1}{z}} \sqrt{z} - 1 \right) \pi i + \frac{\sqrt{z^2-z^4}}{\sqrt{z^2-1}} \sqrt{-\frac{1}{z^2}} \cosh^{-1}\left(\frac{1}{z}\right)$$

### Involving $\operatorname{sech}^{-1}(cz)$

#### Involving $\operatorname{sech}^{-1}(iz)$ and $\cosh^{-1}\left(\frac{z^2+2}{z^2}\right)$

01.30.27.1809.01

$$\operatorname{sech}^{-1}(iz) = -\frac{\pi i}{2} + \frac{1}{2} \cosh^{-1}\left(\frac{z^2+2}{z^2}\right); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.30.27.1810.01

$$\operatorname{sech}^{-1}(iz) = \frac{\pi i}{2} + \frac{1}{2} \cosh^{-1}\left(\frac{z^2+2}{z^2}\right); \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.1811.01

$$\operatorname{sech}^{-1}(iz) = \frac{\pi i}{2} - \frac{1}{2} \cosh^{-1}\left(\frac{z^2+2}{z^2}\right); (iz \in \mathbb{R} \wedge iz > 1)$$

01.30.27.1812.01

$$\operatorname{sech}^{-1}(iz) = \frac{\pi i}{2} \left( \sqrt{\frac{z}{z+i}} \sqrt{\frac{z+i}{z}} - i \sqrt{\frac{i}{z}} \sqrt{-iz-1} \right) + \frac{1}{2} \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} \cosh^{-1}\left(\frac{z^2+2}{z^2}\right)$$

Involving  $\operatorname{sech}^{-1}(-iz)$  and  $\cosh^{-1}\left(\frac{z^2+2}{z^2}\right)$

01.30.27.1813.01

$$\operatorname{sech}^{-1}(-iz) = \frac{\pi i}{2} + \frac{1}{2} \cosh^{-1}\left(\frac{z^2+2}{z^2}\right); -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.30.27.1814.01

$$\operatorname{sech}^{-1}(-iz) = -\frac{\pi i}{2} + \frac{1}{2} \cosh^{-1}\left(\frac{z^2+2}{z^2}\right); \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.30.27.1815.01

$$\operatorname{sech}^{-1}(-iz) = \frac{\pi i}{2} - \frac{1}{2} \cosh^{-1}\left(\frac{z^2+2}{z^2}\right); (iz \in \mathbb{R} \wedge iz < -1)$$

01.30.27.1816.01

$$\operatorname{sech}^{-1}(-iz) = \frac{1}{2} i \pi \left( -1 - i \sqrt{\frac{i}{z}} \sqrt{iz} + \sqrt{\frac{z-i}{z}} \sqrt{\frac{z}{z-i}} \right) + \frac{1}{2} \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} \cosh^{-1}\left(\frac{z^2+2}{z^2}\right)$$

Involving  $\operatorname{sech}^{-1}(\sqrt{z})$

Involving  $\operatorname{sech}^{-1}(\sqrt{z})$  and  $\cosh^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.1817.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = \cosh^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}(\sqrt{z})$  and  $\cosh^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.1818.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = \cosh^{-1}\left(\sqrt{\frac{1}{z}}\right); |\arg(z)| < \pi$$

01.30.27.1819.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = \cosh^{-1}\left(\sqrt{\frac{1}{z}}\right) - \pi i /; (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1820.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = \cosh^{-1}\left(\sqrt{\frac{1}{z}}\right) + \left(\sqrt{z} \sqrt{\frac{1}{z}} - 1\right) \frac{\pi i}{2}$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cosh^{-1}(\sqrt{z})$

01.30.27.1821.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = \cosh^{-1}(\sqrt{z})$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{z^2}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{z^2}\right)$  and  $\cosh^{-1}\left(\frac{1}{z}\right)$

01.30.27.1822.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = \cosh^{-1}\left(\frac{1}{z}\right) /; -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.30.27.1823.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = \pi i + \cosh^{-1}\left(\frac{1}{z}\right) /; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.1824.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = -\pi i + \cosh^{-1}\left(\frac{1}{z}\right) /; -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1825.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = \pi i - \cosh^{-1}\left(\frac{1}{z}\right) /; (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1826.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = \left( -\frac{i \sqrt{-z} \left(\sqrt{z^2} - z\right)}{2 z^{3/2}} + \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1 \right) \pi i + \sqrt{z+1} \sqrt{\frac{1}{z+1}} \cosh^{-1}\left(\frac{1}{z}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right)$



Involving  $\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right)$  and  $\cosh^{-1}(z)$

01.30.27.1827.01

$$\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right) = 2 \cosh^{-1}(z) - \pi i ; 0 < \arg(z) \leq \pi$$

01.30.27.1828.01

$$\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right) = 2 \cosh^{-1}(z) + \pi i ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1829.01

$$\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right) = -2 \cosh^{-1}(z) + \pi i ; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1830.01

$$\operatorname{sech}^{-1}\left(\frac{1}{1-2z^2}\right) = 2 \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} \cosh^{-1}(z) + \pi i \left( \frac{i \sqrt{z^2-1} \sqrt{-z} \sqrt{z^2}}{\sqrt{1-z^2} \sqrt{z}} \sqrt{-\frac{1}{z^2}} + \sqrt{z+1} \sqrt{\frac{1}{z+1}} - \sqrt{1-z} \sqrt{\frac{1}{1-z}} \right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right)$  and  $\cosh^{-1}(z)$

01.30.27.1831.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = 2 \cosh^{-1}(z) ; -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.30.27.1832.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = 2 \cosh^{-1}(z) + 2 \pi i ; -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.30.27.1833.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = -2 \cosh^{-1}(z) + 2 \pi i ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1834.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = 2 \cosh^{-1}(z) - 2 \pi i ; \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1835.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z^2-1}\right) = \frac{\pi \sqrt{z^2-1}}{\sqrt{1-z^2}} \left( 1 - \frac{\sqrt{z^2}}{z} \right) + 2 \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} \cosh^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2}{z^2-2}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2}{z^2-2}\right)$  and  $\operatorname{cosh}^{-1}\left(\frac{1}{z}\right)$

01.30.27.1836.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{z^2-2}\right) = 2 \operatorname{cosh}^{-1}\left(\frac{1}{z}\right) + \pi i ; \operatorname{Im}[z] > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1837.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{z^2-2}\right) = 2 \operatorname{cosh}^{-1}\left(\frac{1}{z}\right) - \pi i ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1838.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{z^2-2}\right) = -2 \operatorname{cosh}^{-1}\left(\frac{1}{z}\right) + \pi i ; (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1839.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{z^2-2}\right) = i\pi \left( -\sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} + \sqrt{1+\frac{1}{z}} \sqrt{\frac{z}{z+1}} - \frac{i\sqrt{-z}\sqrt{z^2}\sqrt{z^2-1}}{\sqrt{(1-z)z}\sqrt{z+1}} \sqrt{-\frac{1}{z^2}} \right) + 2\sqrt{\frac{1}{1-z}} \sqrt{1-z} \operatorname{cosh}^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right)$  and  $\operatorname{cosh}^{-1}\left(\frac{1}{z}\right)$

01.30.27.1840.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = 2 \operatorname{cosh}^{-1}\left(\frac{1}{z}\right) ; -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.30.27.1841.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = 2 \operatorname{cosh}^{-1}\left(\frac{1}{z}\right) + 2\pi i ; \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.1842.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = 2 \operatorname{cosh}^{-1}\left(\frac{1}{z}\right) - 2\pi i ; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1843.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = -2 \operatorname{cosh}^{-1}\left(\frac{1}{z}\right) + 2\pi i ; (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1844.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2-z^2}\right) = \frac{\pi\sqrt{z^2-z^4}}{z\sqrt{z^2-1}} \left( z\sqrt{\frac{1}{z^2}} - 1 \right) + \frac{2\sqrt{z+1} \operatorname{cosh}^{-1}\left(\frac{1}{z}\right)}{\sqrt{\frac{z^2-1}{z^2}}} \sqrt{\frac{z-1}{z^2}}$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right)$  and  $\operatorname{cosh}^{-1}(\sqrt{z})$

$$\text{01.30.27.1845.01} \\ \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = -\frac{\pi i}{2} + \operatorname{cosh}^{-1}(\sqrt{z}) ; 0 < \arg(z) \leq \pi$$

$$\text{01.30.27.1846.01} \\ \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = \frac{\pi i}{2} + \operatorname{cosh}^{-1}(\sqrt{z}) ; -\pi < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

$$\text{01.30.27.1847.01} \\ \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = \frac{\pi i}{2} - \operatorname{cosh}^{-1}(\sqrt{z}) ; (z \in \mathbb{R} \wedge 0 < z < 1)$$

$$\text{01.30.27.1848.01} \\ \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z}}\right) = \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} \operatorname{cosh}^{-1}(\sqrt{z}) + \frac{\pi \sqrt{-z^2}}{2z}$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right)$  and  $\operatorname{cosh}^{-1}(\sqrt{z})$

$$\text{01.30.27.1849.01} \\ \operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = -\frac{\pi i}{2} + \operatorname{cosh}^{-1}(\sqrt{z}) ; 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge z > 1)$$

$$\text{01.30.27.1850.01} \\ \operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = \frac{\pi i}{2} + \operatorname{cosh}^{-1}(\sqrt{z}) ; -\pi < \arg(z) < 0$$

$$\text{01.30.27.1851.01} \\ \operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = \frac{\pi i}{2} - \operatorname{cosh}^{-1}(\sqrt{z}) ; (z \in \mathbb{R} \wedge 0 < z < 1)$$

$$\text{01.30.27.1852.01} \\ \operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z}}\right) = \frac{\pi i}{2} \left( \sqrt{1-z} \sqrt{\frac{1}{1-z}} - \frac{i \sqrt{-z^2}}{z} - 1 \right) + \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} \operatorname{cosh}^{-1}(\sqrt{z})$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1+cz}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1+z}}\right)$  and  $\cosh^{-1}(z)$

01.30.27.0035.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{z+1}}\right) = \frac{1}{2} \cosh^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right)$  and  $\cosh^{-1}(z)$

01.30.27.1853.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} + \frac{1}{2} \cosh^{-1}(z) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1854.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right) = -\frac{\pi i}{2} + \frac{1}{2} \cosh^{-1}(z) ; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1855.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} - \frac{1}{2} \cosh^{-1}(z) ; (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.30.27.1856.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} \left( 1 - \frac{i\sqrt{-z^2}}{z} - \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} \right) + \frac{1}{2} \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} \cosh^{-1}(z)$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1+cz}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1+z}}\right)$  and  $\cosh^{-1}(z)$

01.30.27.1857.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1+z}}\right) = \frac{1}{2} \cosh^{-1}(z) ; z \notin (-\infty, -1)$$

01.30.27.1858.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1+z}}\right) = \frac{1}{2} \cosh^{-1}(z) - \pi i ; (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0034.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{z+1}}\right) = \frac{1}{2} \cosh^{-1}(z) + \frac{\pi i}{2} \left( \sqrt{z+1} \sqrt{\frac{1}{z+1}} - 1 \right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right)$  and  $\cosh^{-1}(z)$

01.30.27.1859.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = -\frac{\pi i}{2} + \frac{1}{2} \cosh^{-1}(z) \text{ ; } \operatorname{Im}(z) < 0$$

01.30.27.1860.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = -\frac{\pi i}{2} + \frac{1}{2} \cosh^{-1}(z) \text{ ; } \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1861.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = \frac{\pi i}{2} - \frac{1}{2} \cosh^{-1}(z) \text{ ; } (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.30.27.1862.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = \frac{\pi i}{2} \left( \sqrt{1-z^2} \sqrt{\frac{1}{1-z^2}} - i \sqrt{\frac{1}{z}} \sqrt{-z} - 1 \right) + \frac{\sqrt{-z-1} \sqrt{z-1}}{2\sqrt{1-z^2}} \cosh^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right)$  and  $\cosh^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.1863.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = \frac{\pi i}{2} + \cosh^{-1}\left(\frac{1}{\sqrt{z}}\right) \text{ ; } 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1864.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = -\frac{\pi i}{2} + \cosh^{-1}\left(\frac{1}{\sqrt{z}}\right) \text{ ; } \operatorname{Im}(z) < 0$$

01.30.27.1865.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = \frac{\pi i}{2} - \cosh^{-1}\left(\frac{1}{\sqrt{z}}\right) \text{ ; } (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1866.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = \sqrt{\frac{1}{1-z}} \sqrt{1-z} \cosh^{-1}\left(\frac{1}{\sqrt{z}}\right) + \frac{1}{2} \pi \sqrt{-\frac{1}{z}} \sqrt{z}$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right)$  and  $\operatorname{cosh}^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.1867.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = \frac{\pi i}{2} + \operatorname{cosh}^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1868.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = -\frac{\pi i}{2} + \operatorname{cosh}^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1869.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = \frac{\pi i}{2} - \operatorname{cosh}^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1870.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z-1}}\right) = \sqrt{\frac{1}{1-z}} \sqrt{1-z} \operatorname{cosh}^{-1}\left(\sqrt{\frac{1}{z}}\right) + \frac{1}{2} \pi z \sqrt{-\frac{1}{z^2}}$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right)$  and  $\operatorname{cosh}^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.1871.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} + \operatorname{cosh}^{-1}\left(\frac{1}{\sqrt{z}}\right); 0 < \arg(z) \leq \pi$$

01.30.27.1872.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = -\frac{\pi i}{2} + \operatorname{cosh}^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1873.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} - \operatorname{cosh}^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1874.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} \left( \frac{i \sqrt{-z^2}}{z} - \sqrt{1-z} \sqrt{\frac{1}{1-z}} + 1 \right) + \sqrt{\frac{1}{1-z}} \sqrt{1-z} \operatorname{cosh}^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right)$  and  $\operatorname{cosh}^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.1875.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} + \cosh^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) > 0$$

01.30.27.1876.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = -\frac{\pi i}{2} + \cosh^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 1)$$

01.30.27.1877.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} - \cosh^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1878.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} \left( i \sqrt{\frac{1}{z}} \sqrt{-z} - \sqrt{1-z} \sqrt{\frac{1}{1-z}} + 1 \right) + \sqrt{\frac{1}{1-z}} \sqrt{1-z} \cosh^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right)$ and $\cosh^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.1879.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = \frac{\pi i}{2} + \cosh^{-1}\left(\frac{1}{\sqrt{z}}\right); 0 < \arg(z) \leq \pi$$

01.30.27.1880.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = -\frac{\pi i}{2} + \cosh^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1881.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = \frac{\pi i}{2} - \cosh^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1882.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = \frac{\pi i}{2} \left( \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - i \sqrt{-\frac{1}{z}} \sqrt{z-1} \right) + \sqrt{\frac{1}{1-z}} \sqrt{1-z} \cosh^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

#### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right)$ and $\cosh^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.1883.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = \frac{\pi i}{2} + \cosh^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) > 0$$

01.30.27.1884.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = -\frac{\pi i}{2} + \cosh^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 1)$$

01.30.27.1885.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = \frac{\pi i}{2} - \cosh^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1886.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z-1}}\right) = \frac{\pi i}{2} \left( -i \sqrt{-\frac{1}{z^2}} z + \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - 1 \right) + \sqrt{\frac{1}{1-z}} \sqrt{1-z} \cosh^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+a}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right)$ and $\cosh^{-1}\left(\frac{1}{z}\right)$

01.30.27.1887.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right) = \frac{\pi i}{2} + \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1888.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right) = -\frac{\pi i}{2} + \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1889.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right) = \frac{\pi i}{2} - \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1890.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-1}}\right) = \frac{\pi i}{2} \left( \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - i \sqrt{-\frac{1}{z}} \sqrt{z} - 1 \right) + \frac{1}{2} \sqrt{\frac{1+z}{1-z}} \sqrt{\frac{1-z}{1+z}} \cosh^{-1}\left(\frac{1}{z}\right)$$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right)$ and $\cosh^{-1}\left(\frac{1}{z}\right)$

01.30.27.1891.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right) = \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right); z \notin (-1, 0)$$

01.30.27.1892.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right) = \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right) - \pi i; (z \in \mathbb{R} \wedge -1 < z < 0)$$



01.30.27.1893.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z+1}}\right) = \frac{\pi i}{2} \left( \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1 \right) + \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right)$$

**Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{a-z}}\right)$**

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-z-1}}\right)$  and  $\cosh^{-1}\left(\frac{1}{z}\right)$

01.30.27.1894.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{-z-1}}\right) = \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right)$  and  $\cosh^{-1}\left(\frac{1}{z}\right)$

01.30.27.1895.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} + \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0$$

01.30.27.1896.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right) = -\frac{\pi i}{2} + \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.30.27.1897.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} - \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1898.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{1-z}}\right) = \frac{\pi i}{2} \left( \frac{i\sqrt{-z^2}}{z} + \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - \sqrt{1-z} \sqrt{\frac{1}{1-z}} \right) + \frac{1}{2} \sqrt{\frac{1+z}{1-z}} \sqrt{\frac{1-z}{1+z}} \cosh^{-1}\left(\frac{1}{z}\right)$$

**Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+a}}\right)$**

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right)$  and  $\cosh^{-1}\left(\frac{1}{z}\right)$

01.30.27.1899.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right) = \frac{\pi i}{2} + \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0$$

01.30.27.1900.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right) = -\frac{\pi i}{2} + \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.30.27.1901.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right) = \frac{\pi i}{2} - \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1902.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-1}}\right) = \frac{\pi i}{2} \left( \sqrt{\frac{z^2}{z^2-1}} \sqrt{\frac{z^2-1}{z^2}} - i \sqrt{-\frac{1}{z}} \sqrt{z-1} \right) + \frac{1}{2} \sqrt{\frac{z+1}{1-z}} \sqrt{\frac{1-z}{z+1}} \cosh^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right)$  and  $\cosh^{-1}\left(\frac{1}{z}\right)$

01.30.27.1903.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right) = \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right); z \notin (-1, 0)$$

01.30.27.1904.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right) = \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right) - \pi i; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1905.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z+1}}\right) = \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right) + \left( \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1 \right) \frac{\pi i}{2}$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right)$  and  $\cosh^{-1}(z)$

01.30.27.1906.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right) = -\frac{\pi i}{2} + \cosh^{-1}(z); 0 < \arg(z) \leq \pi$$

01.30.27.1907.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right) = \frac{\pi i}{2} + \cosh^{-1}(z); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1908.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right) = \frac{\pi i}{2} - \cosh^{-1}(z) ; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1909.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right) = \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} \cosh^{-1}(z) + \frac{\pi \sqrt{-z}}{2 \sqrt{z}}$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right)$ and $\cosh^{-1}(z)$

01.30.27.1910.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = -\frac{\pi i}{2} + \cosh^{-1}(z) ; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1911.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = \frac{\pi i}{2} + \cosh^{-1}(z) ; \operatorname{Im}(z) < 0$$

01.30.27.1912.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = \frac{\pi i}{2} - \cosh^{-1}(z) ; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1913.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = -\frac{3\pi i}{2} + \cosh^{-1}(z) ; (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1914.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) = \frac{\pi i}{2} \left( \sqrt{1-z^2} \sqrt{\frac{1}{1-z^2}} - \frac{i \sqrt{-z}}{\sqrt{z}} - 1 \right) + \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} \cosh^{-1}(z)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right)$ and $\cosh^{-1}\left(\frac{1}{z}\right)$

01.30.27.1915.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = \frac{\pi i}{2} + \cosh^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1) \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.30.27.1916.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = -\frac{\pi i}{2} + \cosh^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0$$

01.30.27.1917.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = \frac{3\pi i}{2} + \cosh^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.1918.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = -\frac{3\pi i}{2} + \cosh^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1919.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = \frac{\pi i}{2} - \cosh^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1920.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = \frac{3\pi i}{2} - \cosh^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1921.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2-1}}\right) = \frac{\pi}{2} \left( \sqrt{\frac{1}{-z}} \sqrt{z} - \frac{\sqrt{-z}}{\sqrt{z}} + \sqrt{\frac{1}{z^2}} \sqrt{-z^2} + 3i \left( \sqrt{1+\frac{1}{z}} \sqrt{\frac{z}{z+1}} - 1 \right) + i \sqrt{iz} \sqrt{-\frac{i}{z}} - i \sqrt{-iz} \sqrt{\frac{i}{z}} \right) + \sqrt{\frac{z+1}{1-z}} \sqrt{\frac{1-z}{z+1}} \cosh^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right)$  and  $\cosh^{-1}\left(\frac{1}{z}\right)$

01.30.27.1922.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right) = \frac{\pi i}{2} + \cosh^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1923.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right) = -\frac{\pi i}{2} + \cosh^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1924.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right) = \frac{\pi i}{2} - \cosh^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1925.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2-1}}\right) = \sqrt{\frac{1}{1-z}} \sqrt{1-z} \cosh^{-1}\left(\frac{1}{z}\right) + \frac{\pi z}{2} \sqrt{-\frac{1}{z^2}}$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right)$ and $\cosh^{-1}\left(\frac{1}{z}\right)$

01.30.27.1926.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = \frac{\pi i}{2} + \cosh^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0$$

01.30.27.1927.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = -\frac{\pi i}{2} + \cosh^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1) \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1928.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = \frac{\pi i}{2} - \cosh^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1929.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = -\frac{3\pi i}{2} + \cosh^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1930.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1-z^2}}\right) = \frac{\pi i}{2} \left( \frac{i\sqrt{-z^2}}{z} + 2\sqrt{z} \sqrt{\frac{1}{z}} - \sqrt{1-z} \sqrt{\frac{1}{1-z}} - \sqrt{z+1} \sqrt{\frac{1}{z+1}} \right) + \sqrt{1-z} \sqrt{\frac{1}{1-z}} \cosh^{-1}\left(\frac{1}{z}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right)$ and $\cosh^{-1}\left(\frac{1}{z}\right)$

01.30.27.1931.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = \frac{\pi i}{2} + \cosh^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0$$

01.30.27.1932.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = -\frac{\pi i}{2} + \cosh^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1933.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = \frac{\pi i}{2} - \cosh^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1934.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = -\frac{3\pi i}{2} + \cosh^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1935.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2-1}}\right) = \sqrt{\frac{1}{1-z}} \sqrt{1-z} \cosh^{-1}\left(\frac{1}{z}\right) + \left(\sqrt{\frac{z^2}{z^2-1}} \sqrt{\frac{z^2-1}{z^2}} - i z \sqrt{-\frac{1}{z^2} - 1}\right) \frac{\pi i}{2}$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right)$ and $\cosh^{-1}(z)$

01.30.27.1936.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right) = -\frac{\pi i}{2} + 2 \cosh^{-1}(z); 0 < \arg(z) \leq \frac{3\pi}{4}$$

01.30.27.1937.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right) = \frac{\pi i}{2} + 2 \cosh^{-1}(z); -\frac{3\pi}{4} \leq \arg(z) < 0$$

01.30.27.1938.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right) = 2 \cosh^{-1}(z) + \frac{\pi\sqrt{-z^2}}{2z} ; 0 < \arg(z) \leq \frac{3\pi}{4} \vee -\frac{3\pi}{4} \leq \arg(z) < 0$$

01.30.27.1939.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{1-z^2}}\right) = \frac{\sqrt{2z\sqrt{1-z^2}-1}}{\sqrt{1-2z\sqrt{1-z^2}}} \left( \frac{\pi}{2} - \frac{\pi\sqrt{1-2z^2}\sqrt{z^4-z^2}}{2\sqrt{-z^2}\sqrt{z^2-1}\sqrt{2z^2-1}} \left( \frac{\sqrt{z^2}}{z} - \sqrt{\frac{1}{z}}\sqrt{z} \sqrt{\frac{1}{\sqrt{2}z+1}} \sqrt{\sqrt{2}z+1} + \sqrt{-\frac{1}{z}}\sqrt{-z} \sqrt{\frac{1}{1-\sqrt{2}z}} \sqrt{1-\sqrt{2}z} + \frac{\sqrt{z^4-z^2}}{z\sqrt{z^2-1}} - 2 \right) - \frac{2\sqrt{1-z}\sqrt{1-2z^2}\sqrt{z^4-z^2}}{\sqrt{z-1}\sqrt{-z^2}\sqrt{z^2-1}\sqrt{2z^2-1}} \cosh^{-1}(z) \right)$$

**Involving  $\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right)$**

**Involving  $\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right)$  and  $\cosh^{-1}\left(\frac{1}{z}\right)$**

01.30.27.1940.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = \frac{\pi i}{2} + 2 \cosh^{-1}\left(\frac{1}{z}\right) ; 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1941.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = -\frac{\pi i}{2} + 2 \cosh^{-1}\left(\frac{1}{z}\right) ; -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1942.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = \frac{3\pi i}{2} + 2 \cosh^{-1}\left(\frac{1}{z}\right) ; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.1943.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = -\frac{3\pi i}{2} + 2 \cosh^{-1}\left(\frac{1}{z}\right) ; -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1944.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{z^2-1}}\right) = \frac{\sqrt{\frac{2\sqrt{z^2-1}}{z^2}-1}}{\sqrt{1-\frac{2\sqrt{z^2-1}}{z^2}}}\left(\frac{\pi}{2} + \frac{z^3\sqrt{z^2-2}\sqrt{z^2-1}}{2\sqrt{1-z}(z+1)\sqrt{-z^4+3z^2-2}}\sqrt{\frac{1-z^2}{z^4}}\sqrt{\frac{1}{z}}\right. \\ \left. + \sqrt{\frac{-z+1}{z}}\left(\pi\left(\frac{z^3}{1-z^2}\sqrt{\frac{1-z^2}{z^2}}\sqrt{\frac{1-z^2}{z^4}} + \sqrt{\frac{1}{z^2}}z - \sqrt{\frac{1}{z}}\sqrt{\frac{z}{z+\sqrt{2}}}\sqrt{\frac{z+\sqrt{2}}{z}}\sqrt{z} + \right.\right. \\ \left.\left. \sqrt{1-\frac{\sqrt{2}}{z}}\sqrt{\frac{-1}{z}}\sqrt{-z}\sqrt{\frac{z}{z-\sqrt{2}}}-2\right) + \frac{4}{\sqrt{\frac{1}{z}-1}}\sqrt{1-\frac{1}{z}}\cosh^{-1}\left(\frac{1}{z}\right)\right)\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2}/\sqrt{1-\sqrt{1+z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2}/\sqrt{1-\sqrt{1+z^2}}\right)$  and  $\cosh^{-1}(iz)$

01.30.27.1945.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = -\frac{3\pi i}{4} + \frac{1}{2}\cosh^{-1}(iz) ; 0 < \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.30.27.1946.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{4} + \frac{1}{2}\cosh^{-1}(iz) ; -\frac{\pi}{2} < \arg(z) \leq 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.30.27.1947.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = \frac{3\pi i}{4} + \frac{1}{2}\cosh^{-1}(iz) ; \frac{\pi}{2} < \arg(z) \leq \pi$$



01.30.27.1948.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2}}{\sqrt{1 - \sqrt{1 + z^2}}} \right) = -\frac{\pi i}{4} + \frac{1}{2} \cosh^{-1}(iz) /; -\pi < \arg(z) < -\frac{\pi}{2} \bigvee (iz \in \mathbb{R} \wedge iz > 1)$$

01.30.27.1949.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2}}{\sqrt{1 - \sqrt{1 + z^2}}} \right) = \frac{3\pi i}{4} - \frac{1}{2} \cosh^{-1}(iz) /; (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.30.27.1950.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2}}{\sqrt{1 - \sqrt{1 + z^2}}} \right) =$$

$$\frac{\pi i}{4} \left( -2\sqrt{-iz} \sqrt{\frac{i}{z}} - 2\sqrt{iz} \sqrt{-\frac{i}{z}} + \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} + 3\sqrt{\frac{1}{iz+1}} \sqrt{iz+1} - z \sqrt{\frac{1}{z^2}} - \frac{2i\sqrt{-z^4}}{z^2} \right) +$$

$$\frac{1}{2} \sqrt{\frac{z}{z-i}} \sqrt{\frac{z-i}{z}} \cosh^{-1}(iz)$$

Involving  $\operatorname{sech}^{-1} \left( \frac{\sqrt{2}}{\sqrt{1 - \sqrt{1 - z^2}}} \right)$  and  $\cosh^{-1}(z)$

01.30.27.1951.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2}}{\sqrt{1 - \sqrt{1 - z^2}}} \right) = \frac{\pi i}{4} + \frac{1}{2} \cosh^{-1}(z) /; 0 < \arg(z) \leq \frac{\pi}{2} \bigvee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1952.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2}}{\sqrt{1 - \sqrt{1 - z^2}}} \right) = -\frac{\pi i}{4} + \frac{1}{2} \cosh^{-1}(z) /; -\frac{\pi}{2} < \arg(z) < 0 \bigvee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1953.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2}}{\sqrt{1 - \sqrt{1 - z^2}}} \right) = -\frac{3\pi i}{4} + \frac{1}{2} \cosh^{-1}(z) /; \frac{\pi}{2} < \arg(z) < \pi \bigvee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1954.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1-z^2}}}\right) = \frac{3\pi i}{4} + \frac{1}{2} \cosh^{-1}(z) ; -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.30.27.1955.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1-z^2}}}\right) = \frac{3\pi i}{4} - \frac{1}{2} \cosh^{-1}(z) ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1956.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1-z^2}}}\right) =$$

$$\frac{1}{4} i \pi \left( \sqrt{\frac{1}{1-z}} \sqrt{1-z} - 2 \sqrt{-\frac{1}{z}} \sqrt{-z} - 2 \sqrt{\frac{1}{z}} \sqrt{z} + i \sqrt{-\frac{1}{z^2}} z + \frac{2i \sqrt{-z^4}}{z^2} + 3 \sqrt{\frac{1}{z+1}} \sqrt{z+1} \right) +$$

$$\frac{1}{2} \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} \cosh^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2/\left(1-\sqrt{1+z^2}\right)}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2/\left(1-\sqrt{1+z^2}\right)}\right)$  and  $\cosh^{-1}(iz)$

01.30.27.1957.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = -\frac{3\pi i}{4} + \frac{1}{2} \cosh^{-1}(iz) ; 0 \leq \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.30.27.1958.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{4} + \frac{1}{2} \cosh^{-1}(iz) ; -\frac{\pi}{2} < \arg(z) < 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.30.27.1959.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = \frac{3\pi i}{4} + \frac{1}{2} \cosh^{-1}(iz) ; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.1960.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{4} + \frac{1}{2} \cosh^{-1}(iz) ; -\pi < \arg(z) < -\frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1961.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = \frac{3\pi i}{4} - \frac{1}{2} \cosh^{-1}(iz) ; (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.30.27.1962.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{4} \left( \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} + 3 \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} - 2 \sqrt{-iz} \sqrt{\frac{i}{z}} - 2 \sqrt{iz} \sqrt{-\frac{i}{z}} - z \sqrt{\frac{1}{z^2}} - \frac{2i\sqrt{-z^4}}{z^2} + 2 \sqrt{-z^2} \sqrt{-\frac{1}{z^2}} - 2 \right) + \frac{1}{2} \sqrt{\frac{z}{z-i}} \sqrt{\frac{z-i}{z}} \cosh^{-1}(iz)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2/(1-\sqrt{1-z^2})}\right)$  and  $\cosh^{-1}(z)$

01.30.27.1963.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{4} + \frac{1}{2} \cosh^{-1}(z) ; 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1964.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = -\frac{\pi i}{4} + \frac{1}{2} \cosh^{-1}(z) ; -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1965.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = -\frac{3\pi i}{4} + \frac{1}{2} \cosh^{-1}(z) ; \frac{\pi}{2} \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1966.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = \frac{3\pi i}{4} + \frac{1}{2} \cosh^{-1}(z) ; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.1967.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) = \frac{3\pi i}{4} - \frac{1}{2} \cosh^{-1}(z) ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1968.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1-z^2}}}\right) =$$

$$\frac{1}{4}i\pi\left(-2+\sqrt{\frac{1}{1-z}}\sqrt{1-z}-2\sqrt{\frac{1}{z}}\sqrt{-z}-2\sqrt{\frac{1}{z}}\sqrt{z}+i\sqrt{-\frac{1}{z^2}}z+2\sqrt{\frac{1}{z^2}}\sqrt{z^2}+\frac{2i\sqrt{-z^4}}{z^2}+3\sqrt{\frac{1}{z+1}}\sqrt{z+1}\right)+\frac{1}{2}\sqrt{\frac{1+z}{z}}\sqrt{\frac{z}{z+1}}\cosh^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z^2}/\left(z\sqrt{1-\sqrt{1-z^2}}\right)\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z^2}/\left(z\sqrt{1-\sqrt{1-z^2}}\right)\right)$  and  $\cosh^{-1}(z)$

01.30.27.1969.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z^2}}{z\sqrt{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{4} + \frac{1}{2}\cosh^{-1}(z) ; 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1970.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z^2}}{z\sqrt{1-\sqrt{1-z^2}}}\right) = -\frac{\pi i}{4} + \frac{1}{2}\cosh^{-1}(z) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1971.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z^2}}{z\sqrt{1-\sqrt{1-z^2}}}\right) = \frac{1}{2}\cosh^{-1}(z) - \frac{\pi\sqrt{1-z}}{4\sqrt{z-1}}$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{z}\sqrt{2z^2}/\left(1-\sqrt{1-z^2}\right)\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{z}\sqrt{2z^2}/\left(1-\sqrt{1-z^2}\right)\right)$  and  $\cosh^{-1}(z)$

01.30.27.1972.01

$$\operatorname{sech}^{-1}\left(\frac{1}{z} \sqrt{\frac{2z^2}{1-\sqrt{1-z^2}}}\right) = \frac{\pi i}{4} + \frac{1}{2} \cosh^{-1}(z) ; 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1973.01

$$\operatorname{sech}^{-1}\left(\frac{1}{z} \sqrt{\frac{2z^2}{1-\sqrt{1-z^2}}}\right) = -\frac{\pi i}{4} + \frac{1}{2} \cosh^{-1}(z) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1974.01

$$\operatorname{sech}^{-1}\left(\frac{1}{z} \sqrt{\frac{2z^2}{1-\sqrt{1-z^2}}}\right) = \frac{1}{2} \cosh^{-1}(z) - \frac{\pi \sqrt{1-z}}{4 \sqrt{z-1}}$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z} / \sqrt{z - \sqrt{z^2 - 1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z} / \sqrt{z - \sqrt{z^2 - 1}}\right)$  and  $\cosh^{-1}\left(\frac{1}{z}\right)$

01.30.27.1975.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z - \sqrt{z^2 - 1}}}\right) = -\frac{\pi i}{4} + \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right) ;$$

$$0 < \arg(z) \leq \frac{\pi}{2} \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1) \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1976.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z - \sqrt{z^2 - 1}}}\right) = \frac{\pi i}{4} + \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right) ; -\frac{\pi}{2} < \arg(z) < 0 \vee \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1977.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z - \sqrt{z^2 - 1}}}\right) = -\frac{5\pi i}{4} + \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right) ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1978.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2-1}}}\right) = \frac{\pi i}{4} \left( -i \sqrt{-z} \sqrt{z^2} \left(\frac{1}{z}\right)^{3/2} + \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} + 2 \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 3 \right) + \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z/(z-\sqrt{z^2-1})}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z/(z-\sqrt{z^2-1})}\right)$  and  $\cosh^{-1}\left(\frac{1}{z}\right)$

01.30.27.1979.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{z^2-1}}}\right) = -\frac{\pi i}{4} + \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right) /;$$

$$0 < \arg(z) \leq \frac{\pi}{2} \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.1980.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{z^2-1}}}\right) = \frac{\pi i}{4} + \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right) /; -\frac{\pi}{2} < \arg(z) < 0 \vee \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1981.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{z^2-1}}}\right) = \frac{\pi i}{4} \left( \sqrt{\frac{1}{z}} \sqrt{-\frac{i}{z}} \sqrt{-iz} \sqrt{-z} + \frac{\sqrt{z-1} \sqrt{-z}}{\sqrt{(1-z)z}} + \sqrt{-\frac{i}{z}} \sqrt{iz} - 2 \right) + \frac{1}{2} \cosh^{-1}\left(\frac{1}{z}\right)$$

**Involving  $\tanh^{-1}$**

**Involving  $\operatorname{sech}^{-1}(z)$**

Involving  $\operatorname{sech}^{-1}(z)$  and  $\tanh^{-1}\left(\sqrt{1-z^2}\right)$

01.30.27.1982.01

$$\operatorname{sech}^{-1}(z) = \tanh^{-1}\left(\sqrt{1-z^2}\right) /; -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.30.27.1983.01

$$\operatorname{sech}^{-1}(z) = -\pi i + \tanh^{-1}\left(\sqrt{1-z^2}\right) /; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.1984.01

$$\operatorname{sech}^{-1}(z) = \pi i + \tanh^{-1}\left(\sqrt{1-z^2}\right) /; -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1985.01

$$\operatorname{sech}^{-1}(z) = \pi i - \tanh^{-1}\left(\sqrt{1-z^2}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1986.01

$$\operatorname{sech}^{-1}(z) = i\pi \left( 1 - \sqrt{z} \sqrt{\frac{1}{z} - \frac{i\sqrt{-z}}{2\sqrt{z}} - \frac{i\sqrt{z^2}}{2\sqrt{-z^2}}} \right) + \sqrt{\frac{1}{z+1}} \sqrt{z+1} \tanh^{-1}\left(\sqrt{1-z^2}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\tanh^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right)$

01.30.27.1987.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + \tanh^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right); \operatorname{Im}(z) > 0$$

01.30.27.1988.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + \tanh^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right); -\pi < \arg(z) \leq 0$$

01.30.27.1989.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{2} + \tanh^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1990.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - \tanh^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.1991.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{\frac{z-1}{z}}} \sqrt{\frac{1-z}{z}}$$

$$\left( \frac{\pi}{2} \left( \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} + 1 \right) + \sqrt{-1-\frac{1}{z}} \sqrt{1-z} \sqrt{\frac{1}{z}} z \sqrt{\frac{1}{1-z^2}} \tanh^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\tanh^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right)$

01.30.27.1992.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + \tanh^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right); \operatorname{Im}(z) > 0$$

01.30.27.1993.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + \tanh^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.1994.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{2} + \tanh^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.1995.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - \tanh^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.1996.01

$$\operatorname{sech}^{-1}(z) = \frac{\sqrt{\frac{1-z}{z}}}{\sqrt{\frac{z-1}{z}}} \left( \frac{\pi}{2} \left( \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} + 1 \right) + z \sqrt{-\frac{1}{z^2}} \tanh^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\tanh^{-1}\left(\frac{2\sqrt{1-z^2}}{z^2-2}\right)$

01.30.27.1997.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} - \frac{1}{2} \tanh^{-1}\left(\frac{2\sqrt{1-z^2}}{z^2-2}\right); \operatorname{Im}(z) > 0 \wedge |z| \geq \sqrt{2}$$

01.30.27.1998.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - \frac{1}{2} \tanh^{-1}\left(\frac{2\sqrt{1-z^2}}{z^2-2}\right); -\pi < \arg(z) \leq 0 \wedge |z| \geq \sqrt{2}$$

01.30.27.1999.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + \frac{1}{2} \tanh^{-1}\left(\frac{2\sqrt{1-z^2}}{z^2-2}\right); (z \in \mathbb{R} \wedge z < -\sqrt{2})$$



01.30.27.2000.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{\frac{z-1}{z}}} \sqrt{\frac{1-z}{z}}$$

$$\left( \frac{\pi}{4} \left( -\sqrt{\frac{1}{z^2}} z - \sqrt{\frac{\sqrt{2}}{z}} - 1 \sqrt{\frac{1}{z}} \sqrt{\frac{z}{\sqrt{2}-z}} \sqrt{z} + \sqrt{-\frac{1}{z}} \sqrt{-\frac{z+\sqrt{2}}{z}} \sqrt{-z} \sqrt{-\frac{z}{z+\sqrt{2}}} - \frac{\sqrt{\frac{1}{z^2}-1}}{\sqrt{\frac{1}{z^4}-\frac{1}{z^2} z}} + 2 \right) \right)$$

$$\frac{z \sqrt{z^2-1}}{2 \sqrt{z^2-z^4}} \operatorname{tanh}^{-1} \left( \frac{2 \sqrt{1-z^2}}{z^2-2} \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{tanh}^{-1} \left( \frac{z^2-2}{2 \sqrt{1-z^2}} \right)$

01.30.27.2001.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{4} - \frac{1}{2} \operatorname{tanh}^{-1} \left( \frac{z^2-2}{2 \sqrt{1-z^2}} \right) /; 0 < \arg(z) \leq \frac{\pi}{2}$$

01.30.27.2002.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{4} - \frac{1}{2} \operatorname{tanh}^{-1} \left( \frac{z^2-2}{2 \sqrt{1-z^2}} \right) /; -\frac{\pi}{2} < \arg(z) \leq 0$$

01.30.27.2003.01

$$\operatorname{sech}^{-1}(z) = -\frac{3 \pi i}{4} - \frac{1}{2} \operatorname{tanh}^{-1} \left( \frac{z^2-2}{2 \sqrt{1-z^2}} \right) /; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.2004.01

$$\operatorname{sech}^{-1}(z) = \frac{3 \pi i}{4} - \frac{1}{2} \operatorname{tanh}^{-1} \left( \frac{z^2-2}{2 \sqrt{1-z^2}} \right) /; -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.30.27.2005.01

$$\operatorname{sech}^{-1}(z) = \frac{5 \pi i}{4} - \frac{1}{2} \operatorname{tanh}^{-1} \left( \frac{z^2-2}{2 \sqrt{1-z^2}} \right) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2006.01

$$\operatorname{sech}^{-1}(z) = \frac{3 \pi i}{4} + \frac{1}{2} \operatorname{tanh}^{-1} \left( \frac{z^2-2}{2 \sqrt{1-z^2}} \right) /; (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2007.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{\frac{z-1}{z}}} \sqrt{\frac{1-z}{z}} \left( \frac{\pi}{4} \left( \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - \frac{\sqrt{z^2}}{z} + 2 \right) - \frac{z \sqrt{z^2-1}}{2 \sqrt{z^2-z^4}} \tanh^{-1} \left( \frac{z^2-2}{2 \sqrt{1-z^2}} \right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\tanh^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right)$

01.30.27.2008.01

$$\operatorname{sech}^{-1}(z) = -\pi i + 2 \tanh^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right); \operatorname{Im}(z) > 0$$

01.30.27.2009.01

$$\operatorname{sech}^{-1}(z) = \pi i + 2 \tanh^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > -1)$$

01.30.27.2010.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2 \tanh^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2011.01

$$\operatorname{sech}^{-1}(z) = 2 \sqrt{z+1} \sqrt{\frac{1}{z+1}} \tanh^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right) + \pi \sqrt{\frac{1}{z}} \sqrt{-z}$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\tanh^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right)$

01.30.27.2012.01

$$\operatorname{sech}^{-1}(z) = -\pi i - 2 \tanh^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right); \operatorname{Im}(z) > 0$$

01.30.27.2013.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2 \tanh^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2014.01

$$\operatorname{sech}^{-1}(z) = \pi i + 2 \tanh^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right); (z \in \mathbb{R} \wedge z < 1)$$

01.30.27.2015.01

$$\operatorname{sech}^{-1}(z) = \frac{2 \sqrt{-1-z}}{\sqrt{-1+z}} \sqrt{\frac{1-z}{1+z}} \tanh^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right) + \pi \sqrt{\frac{1}{z}} \sqrt{-z}$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\tanh^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right)$

01.30.27.2016.01

$$\operatorname{sech}^{-1}(z) = -\pi i + 2 \tanh^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right); \operatorname{Im}(z) > 0$$

01.30.27.2017.01

$$\operatorname{sech}^{-1}(z) = \pi i + 2 \tanh^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.30.27.2018.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2 \tanh^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right); (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2019.01

$$\operatorname{sech}^{-1}(z) = 2 \sqrt{\frac{1}{1-z^2}} \sqrt{1-z^2} \tanh^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right) + \pi \sqrt{\frac{1}{z}} \sqrt{-z}$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\tanh^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right)$

01.30.27.2020.01

$$\operatorname{sech}^{-1}(z) = 2 \tanh^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right); |\arg(z)| < \pi$$

01.30.27.2021.01

$$\operatorname{sech}^{-1}(z) = 2\pi i + 2 \tanh^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2022.01

$$\operatorname{sech}^{-1}(z) = -2 \tanh^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2023.01

$$\operatorname{sech}^{-1}(z) = \left(1 - \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}}\right) \pi i + 2 \sqrt{z+1} \sqrt{\frac{1}{z+1}} \tanh^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\tanh^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right)$

01.30.27.2024.01

$$\operatorname{sech}^{-1}(z) = -2 \tanh^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right); z \notin (-\infty, 1)$$

01.30.27.2025.01

$$\operatorname{sech}^{-1}(z) = 2\pi i + 2 \tanh^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2026.01

$$\operatorname{sech}^{-1}(z) = 2 \tanh^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right); (z \in \mathbb{R} \wedge 0 < z < 1) \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2027.01

$$\operatorname{sech}^{-1}(z) = \left(1 - \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}}\right) \pi i + \frac{2\sqrt{-1-z}}{\sqrt{-1+z}} \sqrt{\frac{1-z}{1+z}} \tanh^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\tanh^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right)$

01.30.27.2028.01

$$\operatorname{sech}^{-1}(z) = 2 \tanh^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right); z \notin (-1, 0)$$

01.30.27.2029.01

$$\operatorname{sech}^{-1}(z) = 2\pi i + 2 \tanh^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2030.01

$$\operatorname{sech}^{-1}(z) = \left(1 - \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}}\right) \pi i + 2 \tanh^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right)$  and  $\tanh^{-1}(iz)$

01.30.27.2031.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = -2 \tanh^{-1}(iz) + \frac{\pi i}{2}; |z| < 1 \wedge \operatorname{Im}(z) \geq 0 \vee 0 < \arg(z) \leq \frac{\pi}{2}$$

01.30.27.2032.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = 2 \tanh^{-1}(iz) - \frac{\pi i}{2}; |z| < 1 \wedge \operatorname{Im}(z) < 0 \vee -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2033.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = 2 \tanh^{-1}(iz) + \frac{3\pi i}{2}; |z| > 1 \wedge -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2034.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = -2 \tanh^{-1}(iz) - \frac{3\pi i}{2}; |z| > 1 \wedge \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.2035.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = 2 \tanh^{-1}(iz) + \frac{3\pi i}{2}; |z| > 1 \wedge -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2036.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2}}{z-1} \left(-2i \tanh^{-1}(iz) - \frac{\pi}{2}\right); |z| < 1 \vee -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.30.27.2037.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2} \sqrt{z+1}}{z-1} \sqrt{\frac{1}{z+1}} \left(-2i \tanh^{-1}(iz) + \frac{3\pi}{2}\right); |z| > 1 \wedge \left(\frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}\right)$$

01.30.27.2038.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2}}{1-z} \sqrt{z+1} \sqrt{\frac{1}{z+1}} \left(\pi \left(z \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} - \frac{1}{2}\right) + 2i \tanh^{-1}(iz)\right);$$

$$|z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2} \vee |z| > 1$$

01.30.27.2039.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2} \sqrt{z+1}}{1-z} \sqrt{\frac{1}{z+1}} \left(\pi \left(\sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} z + \frac{3}{2}\right) + 2i \tanh^{-1}(iz)\right);$$

$$|z| \leq 1 \wedge \left(\frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right)$  and  $\tanh^{-1}\left(\frac{i}{z}\right)$

01.30.27.2040.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = -\frac{\pi i}{2} + 2 \tanh^{-1}\left(\frac{i}{z}\right); |z| \leq 1 \wedge 0 \leq \arg(z) < \frac{\pi}{2} \vee |z| > 1 \wedge \operatorname{Im}(z) > 0$$

01.30.27.2041.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\pi i}{2} - 2 \tanh^{-1}\left(\frac{i}{z}\right); |z| \leq 1 \wedge -\frac{\pi}{2} \leq \arg(z) < 0 \vee |z| > 1 \wedge -\pi < \arg(z) \leq 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2042.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{3\pi i}{2} + 2 \tanh^{-1}\left(\frac{i}{z}\right); |z| \leq 1 \wedge \frac{\pi}{2} \leq \arg(z) \leq \pi$$

01.30.27.2043.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = -\frac{3\pi i}{2} - 2 \tanh^{-1}\left(\frac{i}{z}\right); |z| \leq 1 \wedge -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.2044.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2}}{z-1} \left(\pi \left(z \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} - \frac{1}{2}\right) + 2i \tanh^{-1}\left(\frac{i}{z}\right)\right); |z| < 1 \vee -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.30.27.2045.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2} \sqrt{z+1}}{z-1} \sqrt{\frac{1}{z+1}} \left( \pi \left( \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} z + \frac{3}{2} \right) + 2i \tanh^{-1}\left(\frac{i}{z}\right) \right);$$

$$|z| > 1 \wedge \left( \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \right)$$

01.30.27.2046.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2} \sqrt{z+1}}{1-z} \sqrt{\frac{1}{z+1}} \left( -2i \tanh^{-1}\left(\frac{i}{z}\right) - \frac{\pi}{2} \right); |z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2} \vee |z| > 1$$

01.30.27.2047.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2} \sqrt{z+1}}{1-z} \sqrt{\frac{1}{z+1}} \left( -2i \tanh^{-1}\left(\frac{i}{z}\right) + \frac{3\pi}{2} \right); |z| \leq 1 \wedge \left( \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right)$  and  $\tanh^{-1}(iz^r)$

01.30.27.2048.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{\frac{-(z-1)^2}{z^2+1}}}{\sqrt{\frac{(z-1)^2}{z^2+1}}} \left( \frac{\pi}{2} + 2i \tanh^{-1}\left( i z^{\frac{1-z}{1+z}} \sqrt{\frac{1+z}{1-z}} \right) \right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right)$  and  $\tanh^{-1}(\sqrt{z})$

01.30.27.2049.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = 2 \tanh^{-1}(\sqrt{z}); z \notin (1, \infty)$$

01.30.27.2050.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = 2\pi i + 2 \tanh^{-1}(\sqrt{z}); (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2051.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = i\pi \left( 1 - \sqrt{1-z} \sqrt{\frac{1}{1-z}} \right) + 2 \tanh^{-1}(\sqrt{z})$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right)$  and  $\tanh^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.2052.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = \pi i + 2 \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) \geq 0$$

01.30.27.2053.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = -\pi i + 2 \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) < 0$$

01.30.27.2054.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = 2 \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right) + \pi \sqrt{-\frac{1}{z}} \sqrt{z}$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right)$  and  $\tanh^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.2055.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = \pi i + 2 \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right); 0 \leq \arg(z) < \pi$$

01.30.27.2056.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = -\pi i + 2 \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) < 0$$

01.30.27.2057.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = \pi i - 2 \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2058.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = 2 \sqrt{z} \sqrt{\frac{1}{z}} \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right) + \pi \sqrt{-\frac{1}{z}} \sqrt{z}$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right)$  and  $\tanh^{-1}(\sqrt{z})$

01.30.27.2059.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = \pi i + 2 \tanh^{-1}(\sqrt{z}); -\pi < \arg(z) \leq 0$$

01.30.27.2060.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = -\pi i + 2 \tanh^{-1}(\sqrt{z}); \operatorname{Im}(z) > 0$$

01.30.27.2061.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = \pi i - 2 \tanh^{-1}(\sqrt{z}); (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2062.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = 2 \sqrt{\frac{1}{z}} \sqrt{z} \tanh^{-1}(\sqrt{z}) + \pi \sqrt{\frac{1}{z}} \sqrt{-z}$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right)$  and  $\tanh^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.2063.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = 2 \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right); z \notin (-\infty, 1)$$

01.30.27.2064.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = 2\pi i + 2 \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2065.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = -2 \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2066.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = \pi i \left(1 - \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}}\right) + 2 \sqrt{\frac{1}{z}} \sqrt{z} \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right)$  and  $\tanh^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.2067.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = 2 \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right); z \notin (0, 1)$$

01.30.27.2068.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = 2\pi i + 2 \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2069.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = \pi i \left(1 - \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}}\right) + 2 \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right)$  and  $\tanh^{-1}(\sqrt{-z})$

01.30.27.2070.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = 2 \tanh^{-1}(\sqrt{-z}); z \notin (-\infty, -1)$$

01.30.27.2071.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = 2\pi i + 2 \tanh^{-1}(\sqrt{-z}); (z \in \mathbb{R} \wedge z < -1)$$



01.30.27.2072.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = i\pi\left(1 - \sqrt{1+z}\sqrt{\frac{1}{1+z}}\right) + 2 \tanh^{-1}(\sqrt{-z})$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right)$  and  $\tanh^{-1}\left(\frac{1}{\sqrt{-z}}\right)$

01.30.27.2073.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = -\pi i + 2 \tanh^{-1}\left(\frac{1}{\sqrt{-z}}\right); \operatorname{Im}(z) > 0$$

01.30.27.2074.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = \pi i + 2 \tanh^{-1}\left(\frac{1}{\sqrt{-z}}\right); \operatorname{Im}(z) \leq 0$$

01.30.27.2075.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = 2 \tanh^{-1}\left(\frac{1}{\sqrt{-z}}\right) + \pi \sqrt{\frac{1}{z}} \sqrt{-z}$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right)$  and  $\tanh^{-1}\left(\sqrt{-\frac{1}{z}}\right)$

01.30.27.2076.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = -\pi i + 2 \tanh^{-1}\left(\sqrt{-\frac{1}{z}}\right); \operatorname{Im}(z) > 0$$

01.30.27.2077.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = \pi i + 2 \tanh^{-1}\left(\sqrt{-\frac{1}{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2078.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = \pi i - 2 \tanh^{-1}\left(\sqrt{-\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z > 0)$$

01.30.27.2079.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = 2 \sqrt{-\frac{1}{z}} \sqrt{-z} \tanh^{-1}\left(\sqrt{-\frac{1}{z}}\right) + \pi \sqrt{\frac{1}{z}} \sqrt{-z}$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right)$  and  $\tanh^{-1}(\sqrt{-z})$

01.30.27.2080.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = \pi i + 2 \tanh^{-1}(\sqrt{-z}); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2081.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = -\pi i + 2 \tanh^{-1}(\sqrt{-z}) /; \operatorname{Im}(z) < 0$$

01.30.27.2082.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = \pi i - 2 \tanh^{-1}(\sqrt{-z}) /; (z \in \mathbb{R} \wedge z > 0)$$

01.30.27.2083.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = 2 \sqrt{-\frac{1}{z}} \sqrt{-z} \tanh^{-1}(\sqrt{-z}) + \pi \sqrt{-\frac{1}{z}} \sqrt{z}$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right)$  and  $\tanh^{-1}\left(\frac{1}{\sqrt{-z}}\right)$

01.30.27.2084.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = 2 \tanh^{-1}\left(\frac{1}{\sqrt{-z}}\right) /; z \notin (-1, \infty)$$

01.30.27.2085.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = 2\pi i + 2 \tanh^{-1}\left(\frac{1}{\sqrt{-z}}\right) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2086.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = -2 \tanh^{-1}\left(\frac{1}{\sqrt{-z}}\right) /; (z \in \mathbb{R} \wedge z > 0)$$

01.30.27.2087.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = \pi \sqrt{-\frac{1}{z}} \left( \sqrt{z} - \sqrt{\frac{1}{z+1}} \sqrt{z+1} \sqrt{\frac{1}{z}} z \right) + 2 \sqrt{-\frac{1}{z}} \sqrt{-z} \tanh^{-1}\left(\frac{1}{\sqrt{-z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right)$  and  $\tanh^{-1}\left(\sqrt{-\frac{1}{z}}\right)$

01.30.27.2088.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = -\pi i + 2 \tanh^{-1}\left(\sqrt{-\frac{1}{z}}\right) /; \operatorname{Im}(z) > 0$$

01.30.27.2089.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = \pi i + 2 \tanh^{-1}\left(\sqrt{-\frac{1}{z}}\right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2090.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = \pi i - 2 \tanh^{-1}\left(\sqrt{-\frac{1}{z}}\right) /; (z \in \mathbb{R} \wedge z > 0)$$

01.30.27.2091.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = 2 \sqrt{-z} \sqrt{-\frac{1}{z}} \tanh^{-1}\left(\sqrt{-\frac{1}{z}}\right) + \pi \sqrt{\frac{1}{z}} \sqrt{-z}$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right)$ and $\tanh^{-1}(z)$

01.30.27.2092.01

$$\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right) = 2 \tanh^{-1}(z) /; -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2093.01

$$\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right) = -2 \tanh^{-1}(z) /; \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2094.01

$$\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right) = 2\pi i - 2 \tanh^{-1}(z) /; (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2095.01

$$\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right) = 2\pi i + 2 \tanh^{-1}(z) /; (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.0036.01

$$\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right) = \frac{2\sqrt{z^2}}{z} \tanh^{-1}(z) /; z \notin (-\infty, -1) \wedge z \notin (1, \infty)$$

01.30.27.2096.01

$$\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right) = i\pi \left( 1 - \sqrt{1-z^2} \sqrt{\frac{1}{1-z^2}} \right) + \frac{2\sqrt{z^2}}{z} \tanh^{-1}(z)$$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right)$ and $\tanh^{-1}\left(\frac{1}{z}\right)$

01.30.27.2097.01

$$\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right) = \pi i + 2 \tanh^{-1}\left(\frac{1}{z}\right) /; 0 \leq \arg(z) \leq \frac{\pi}{2}$$

01.30.27.2098.01

$$\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right) = -\pi i + 2 \tanh^{-1}\left(\frac{1}{z}\right) /; -\frac{\pi}{2} < \arg(z) < 0$$

01.30.27.2099.01

$$\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right) = -\pi i - 2 \tanh^{-1}\left(\frac{1}{z}\right) /; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.2100.01

$$\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right) = \pi i - 2 \tanh^{-1}\left(\frac{1}{z}\right) /; -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.30.27.2101.01

$$\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right) = i\pi \left( 1 + \frac{i\sqrt{-z^2}}{\sqrt{z^2}} - \sqrt{-z^2} \sqrt{-\frac{1}{z^2}} \right) + \frac{2\sqrt{z^2}}{z} \tanh^{-1}\left(\frac{1}{z}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{z^2-1}{z^2+1}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{z^2-1}{z^2+1}\right)$ and $\tanh^{-1}(z)$

01.30.27.2102.01

$$\operatorname{sech}^{-1}\left(\frac{z^2-1}{z^2+1}\right) = -\pi i + 2 \tanh^{-1}(z) ; 0 < \arg(z) < \frac{\pi}{2}$$

01.30.27.2103.01

$$\operatorname{sech}^{-1}\left(\frac{z^2-1}{z^2+1}\right) = \pi i - 2 \tanh^{-1}(z) ; \frac{\pi}{2} \leq \arg(z) \leq \pi$$

01.30.27.2104.01

$$\operatorname{sech}^{-1}\left(\frac{z^2-1}{z^2+1}\right) = \pi i + 2 \tanh^{-1}(z) ; -\frac{\pi}{2} \leq \arg(z) \leq 0$$

01.30.27.2105.01

$$\operatorname{sech}^{-1}\left(\frac{z^2-1}{z^2+1}\right) = -\pi i - 2 \tanh^{-1}(z) ; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.2106.01

$$\operatorname{sech}^{-1}\left(\frac{z^2-1}{z^2+1}\right) = i\pi \left( 1 + \frac{i}{\sqrt{\frac{1}{z^2}}} \sqrt{-\frac{1}{z^2}} - \sqrt{-z^2} \sqrt{-\frac{1}{z^2}} \right) + 2 \sqrt{\frac{1}{z^2}} z \tanh^{-1}(z)$$

#### Involving $\operatorname{sech}^{-1}\left(\frac{z^2-1}{z^2+1}\right)$ and $\tanh^{-1}\left(\frac{1}{z}\right)$

01.30.27.2107.01

$$\operatorname{sech}^{-1}\left(\frac{z^2-1}{z^2+1}\right) = 2 \tanh^{-1}\left(\frac{1}{z}\right) ; -\frac{\pi}{2} \leq \arg(z) < 0 \vee 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2108.01

$$\operatorname{sech}^{-1}\left(\frac{z^2-1}{z^2+1}\right) = -2 \tanh^{-1}\left(\frac{1}{z}\right) ; \frac{\pi}{2} \leq \arg(z) < \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2109.01

$$\operatorname{sech}^{-1}\left(\frac{z^2-1}{z^2+1}\right) = 2\pi i - 2 \tanh^{-1}\left(\frac{1}{z}\right) ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2110.01

$$\operatorname{sech}^{-1}\left(\frac{z^2-1}{z^2+1}\right) = 2\pi i + 2 \tanh^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2111.01

$$\operatorname{sech}^{-1}\left(\frac{z^2-1}{z^2+1}\right) = i\pi \left(1 - \sqrt{\frac{z^2}{z^2-1}} \sqrt{\frac{z^2-1}{z^2}}\right) + 2\sqrt{\frac{1}{z^2}} z \tanh^{-1}\left(\frac{1}{z}\right)$$

### Involving $\operatorname{sech}^{-1}(\sqrt{1-z})$

#### Involving $\operatorname{sech}^{-1}(\sqrt{1-z})$ and $\tanh^{-1}(\sqrt{z})$

01.30.27.0037.01

$$\operatorname{sech}^{-1}(\sqrt{1-z}) = \tanh^{-1}(\sqrt{z})$$

#### Involving $\operatorname{sech}^{-1}(\sqrt{1-z})$ and $\tanh^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.2112.01

$$\operatorname{sech}^{-1}(\sqrt{1-z}) = \frac{\pi i}{2} + \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right); 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2113.01

$$\operatorname{sech}^{-1}(\sqrt{1-z}) = -\frac{\pi i}{2} + \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2114.01

$$\operatorname{sech}^{-1}(\sqrt{1-z}) = \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right) + \frac{\sqrt{z-1} \pi}{2\sqrt{1-z}}$$

#### Involving $\operatorname{sech}^{-1}(\sqrt{1-z})$ and $\tanh^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.2115.01

$$\operatorname{sech}^{-1}(\sqrt{1-z}) = \frac{\pi i}{2} + \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right); 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2116.01

$$\operatorname{sech}^{-1}(\sqrt{1-z}) = -\frac{\pi i}{2} + \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2117.01

$$\operatorname{sech}^{-1}(\sqrt{1-z}) = \frac{\pi i}{2} - \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2118.01

$$\operatorname{sech}^{-1}(\sqrt{1-z}) = \sqrt{z} \sqrt{\frac{1}{z}} \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right) + \frac{\sqrt{z-1} \pi}{2\sqrt{1-z}}$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z}}\right)$  and  $\tanh^{-1}(\sqrt{z})$

01.30.27.2119.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z}}\right) = -\frac{\pi i}{2} + \tanh^{-1}(\sqrt{z}) ; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2120.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z}}\right) = \frac{\pi i}{2} + \tanh^{-1}(\sqrt{z}) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2121.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z}}\right) = \frac{\pi i}{2} - \tanh^{-1}(\sqrt{z}) ; (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2122.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z}}\right) = \sqrt{z} \sqrt{\frac{1}{z}} \tanh^{-1}(\sqrt{z}) - \frac{\pi \sqrt{z-1} \sqrt{z}}{2\sqrt{1-z}} \sqrt{\frac{1}{z}}$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z}}\right)$  and  $\tanh^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.2123.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z}}\right) = \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right) ; |\arg(z)| < \pi$$

01.30.27.2124.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z}}\right) = -\tanh^{-1}\left(\frac{1}{\sqrt{z}}\right) ; (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2125.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z}}\right) = \sqrt{\frac{1}{z}} \sqrt{z} \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z}}\right)$  and  $\tanh^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.2126.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z}}\right) = \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right)$ and $\tanh^{-1}(\sqrt{z})$

01.30.27.2127.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right) = \frac{\pi i}{2} + \tanh^{-1}(\sqrt{z}) \text{ ; } -\pi < \arg(z) \leq 0$$

01.30.27.2128.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right) = -\frac{\pi i}{2} + \tanh^{-1}(\sqrt{z}) \text{ ; } \operatorname{Im}(z) > 0$$

01.30.27.2129.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right) = \frac{\pi i}{2} - \tanh^{-1}(\sqrt{z}) \text{ ; } (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2130.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right) = \sqrt{\frac{1}{z}} \sqrt{z} \tanh^{-1}(\sqrt{z}) + \frac{1}{2} \pi \sqrt{\frac{1}{z}} \sqrt{-z}$$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right)$ and $\tanh^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.2131.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right) = \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right) \text{ ; } z \notin (-\infty, 1)$$

01.30.27.2132.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right) = -\tanh^{-1}\left(\frac{1}{\sqrt{z}}\right) \text{ ; } (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2133.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right) = \pi i + \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right) \text{ ; } (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2134.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right) = \frac{\pi i}{2} \left(1 - \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}}\right) + \sqrt{z} \sqrt{\frac{1}{z}} \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right)$  and  $\tanh^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.2135.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right) = \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right); z \notin (0, 1)$$

01.30.27.2136.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right) = \pi i + \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2137.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right) = \frac{\pi i}{2} \left(1 - \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}}\right) + \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z-1}{z}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z-1}{z}}\right)$  and  $\tanh^{-1}(\sqrt{z})$

01.30.27.2138.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z-1}{z}}\right) = \frac{\pi i}{2} + \tanh^{-1}(\sqrt{z}); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2139.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z-1}{z}}\right) = -\frac{\pi i}{2} + \tanh^{-1}(\sqrt{z}); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2140.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z-1}{z}}\right) = \frac{\pi i}{2} - \tanh^{-1}(\sqrt{z}); (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2141.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z-1}{z}}\right) = \frac{\pi i}{2} \left(\sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - i \sqrt{-z} \sqrt{\frac{1}{z} - 1}\right) + \sqrt{\frac{1}{z}} \sqrt{z} \tanh^{-1}(\sqrt{z})$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z-1}{z}}\right)$  and  $\tanh^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.2142.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z-1}{z}}\right) = \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right); |\arg(z)| < \pi$$



01.30.27.2143.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z-1}{z}}\right) = -\tanh^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2144.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z-1}{z}}\right) = \sqrt{z} \sqrt{\frac{1}{z}} \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z-1}{z}}\right)$  and  $\tanh^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.2145.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z-1}{z}}\right) = \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{1-z^2}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{1-z^2}\right)$  and  $\tanh^{-1}(z)$

01.30.27.2146.01

$$\operatorname{sech}^{-1}\left(\sqrt{1-z^2}\right) = \tanh^{-1}(z); -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.30.27.2147.01

$$\operatorname{sech}^{-1}\left(\sqrt{1-z^2}\right) = -\tanh^{-1}(z); \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.30.27.0038.01

$$\operatorname{sech}^{-1}\left(\sqrt{1-z^2}\right) = \frac{\sqrt{z^2}}{z} \tanh^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{1-z^2}\right)$  and  $\tanh^{-1}\left(\frac{1}{z}\right)$

01.30.27.2148.01

$$\operatorname{sech}^{-1}\left(\sqrt{1-z^2}\right) = \frac{\pi i}{2} + \tanh^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2149.01

$$\operatorname{sech}^{-1}\left(\sqrt{1-z^2}\right) = -\frac{\pi i}{2} + \tanh^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2150.01

$$\operatorname{sech}^{-1}\left(\sqrt{1-z^2}\right) = -\frac{\pi i}{2} - \tanh^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2151.01

$$\operatorname{sech}^{-1}\left(\sqrt{1-z^2}\right) = \frac{\pi i}{2} - \tanh^{-1}\left(\frac{1}{z}\right) /; -\pi < \arg(z) \leq -\frac{\pi}{2} \bigvee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2152.01

$$\operatorname{sech}^{-1}\left(\sqrt{1-z^2}\right) = \frac{\sqrt{z^2}}{z} \tanh^{-1}\left(\frac{1}{z}\right) + \frac{\pi i}{2} \left( 1 + \frac{i\sqrt{-z^2}}{\sqrt{z^2}} - \sqrt{\frac{z^2}{z^2-1}} \sqrt{\frac{z^2-1}{z^2}} \right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right)$  and  $\tanh^{-1}(z)$

01.30.27.2153.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right) = -\frac{\pi i}{2} + \tanh^{-1}(z) /; 0 < \arg(z) < \frac{\pi}{2} \bigvee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2154.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right) = \tanh^{-1}(z) + \frac{\pi i}{2} /; -\frac{\pi}{2} < \arg(z) < 0 \bigvee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2155.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right) = -\frac{\pi i}{2} - \tanh^{-1}(z) /; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.2156.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right) = \frac{\pi i}{2} - \tanh^{-1}(z) /; -\pi < \arg(z) \leq -\frac{\pi}{2} \bigvee (i z \in \mathbb{R} \wedge i z < 0) \bigvee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2157.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right) = \frac{3\pi i}{2} - \tanh^{-1}(z) /; (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2158.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right) = \frac{\pi i}{2} \left( i \sqrt{-\frac{1}{z^2}} z - \sqrt{i z} \sqrt{-\frac{i}{z}} - \sqrt{1-z^2} \sqrt{\frac{1}{1-z^2}} + 2 \right) + i \sqrt{-i z} \sqrt{-\frac{i}{z}} \tanh^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right)$  and  $\tanh^{-1}\left(\frac{1}{z}\right)$

01.30.27.2159.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right) = \tanh^{-1}\left(\frac{1}{z}\right); \operatorname{Re}(z) > 0$$

01.30.27.2160.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right) = \pi i - \tanh^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) \leq -\frac{\pi}{2} \quad \bigvee \quad (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2161.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right) = -\pi i - \tanh^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.2162.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right) = -\tanh^{-1}\left(\frac{1}{z}\right); (i z \in \mathbb{R} \wedge i z < 0)$$

01.30.27.2163.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right) = \frac{\pi}{2} \left( -2i\sqrt{z} \sqrt{\frac{1}{z}} + \frac{\sqrt{-z}}{\sqrt{z}} + 2i + \frac{\sqrt{z^2}}{\sqrt{-z^2}} \right) + i\sqrt{-\frac{i}{z}} \sqrt{-iz} \tanh^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right)$  and  $\tanh^{-1}(z)$

01.30.27.2164.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right) = -\frac{\pi i}{2} + \tanh^{-1}(z); 0 < \arg(z) < \frac{\pi}{2} \quad \bigvee \quad (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2165.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right) = \frac{\pi i}{2} + \tanh^{-1}(z); -\frac{\pi}{2} \leq \arg(z) < 0 \quad \bigvee \quad (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2166.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right) = \frac{\pi i}{2} - \tanh^{-1}(z); \frac{\pi}{2} \leq \arg(z) < \pi \quad \bigvee \quad (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2167.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right) = -\frac{\pi i}{2} - \tanh^{-1}(z); -\pi < \arg(z) < -\frac{\pi}{2} \quad \bigvee \quad (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2168.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right) = \frac{\pi i}{2} \left(1 + i z^2 \sqrt{-\frac{1}{z^4}} - \sqrt{\frac{1}{1-z^2}} \sqrt{1-z^2}\right) + \sqrt{\frac{1}{z^2}} z \tanh^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right)$  and  $\tanh^{-1}\left(\frac{1}{z}\right)$

01.30.27.2169.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right) = \tanh^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.30.27.2170.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right) = -\tanh^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.2171.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right) = z \sqrt{\frac{1}{z^2}} \tanh^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right)$  and  $\tanh^{-1}(z)$

01.30.27.2172.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right) = -\frac{\pi i}{2} + \tanh^{-1}(z); 0 < \arg(z) < \frac{\pi}{2}$$

01.30.27.2173.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right) = \frac{\pi i}{2} + \tanh^{-1}(z); -\frac{\pi}{2} \leq \arg(z) \leq 0$$

01.30.27.2174.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right) = \frac{\pi i}{2} - \tanh^{-1}(z); \frac{\pi}{2} \leq \arg(z) \leq \pi$$

01.30.27.2175.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right) = -\frac{\pi i}{2} - \tanh^{-1}(z); -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.2176.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right) = \frac{\pi i}{2} \left( i \sqrt{-\frac{1}{z^4}} z^2 - \sqrt{-z^2} \sqrt{-\frac{1}{z^2} + 1} \right) + \sqrt{\frac{1}{z^2}} z \tanh^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right)$  and  $\tanh^{-1}\left(\frac{1}{z}\right)$

01.30.27.2177.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right) = \tanh^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} \leq \arg(z) < 0 \vee 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2178.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right) = -\tanh^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} \leq \arg(z) < \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2179.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right) = \pi i - \tanh^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2180.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right) = \pi i + \tanh^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2181.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right) = \frac{\pi i}{2} \left( 1 - \sqrt{\frac{z^2}{z^2-1}} \sqrt{\frac{z^2-1}{z^2}} \right) + z \sqrt{\frac{1}{z^2}} \tanh^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2-1}{z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2-1}{z^2}}\right)$  and  $\tanh^{-1}(z)$

01.30.27.2182.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2-1}{z^2}}\right) = -\frac{\pi i}{2} + \tanh^{-1}(z); 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2183.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2-1}{z^2}}\right) = \frac{\pi i}{2} + \tanh^{-1}(z) ; -\frac{\pi}{2} \leq \arg(z) < 0 \quad \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2184.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2-1}{z^2}}\right) = \frac{\pi i}{2} - \tanh^{-1}(z) ; \frac{\pi}{2} \leq \arg(z) < \pi \quad \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2185.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2-1}{z^2}}\right) = -\frac{\pi i}{2} - \tanh^{-1}(z) ; -\pi < \arg(z) < -\frac{\pi}{2} \quad \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2186.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2-1}{z^2}}\right) = z \sqrt{\frac{1}{z^2}} \tanh^{-1}(z) + \left( \sqrt{\frac{z^2}{z^2-1}} \sqrt{\frac{z^2-1}{z^2}} - i \sqrt{\frac{1}{z^2}} \sqrt{-z^2-1} \right) \frac{\pi i}{2}$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2-1}{z^2}}\right)$  and  $\tanh^{-1}\left(\frac{1}{z}\right)$

01.30.27.2187.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2-1}{z^2}}\right) = \tanh^{-1}\left(\frac{1}{z}\right) ; -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.30.27.2188.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2-1}{z^2}}\right) = -\tanh^{-1}\left(\frac{1}{z}\right) ; \frac{\pi}{2} \leq \arg(z) \leq \pi \quad \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.2189.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2-1}{z^2}}\right) = z \sqrt{\frac{1}{z^2}} \tanh^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2} (1-z^2)^{1/4} / \sqrt{\sqrt{1-z^2}-1}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2} (1-z^2)^{1/4} / \sqrt{\sqrt{1-z^2}-1}\right)$  and  $\tanh^{-1}(z)$

01.30.27.2190.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1-z^2)^{1/4}}{\sqrt{\sqrt{1-z^2}-1}} \right) = -\frac{\pi i}{2} + \frac{1}{2} \tanh^{-1}(z) ; 0 < \arg(z) < \frac{\pi}{2}$$

01.30.27.2191.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1-z^2)^{1/4}}{\sqrt{\sqrt{1-z^2}-1}} \right) = \frac{\pi i}{2} + \frac{1}{2} \tanh^{-1}(z) ; -\frac{\pi}{2} \leq \arg(z) \leq 0$$

01.30.27.2192.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1-z^2)^{1/4}}{\sqrt{\sqrt{1-z^2}-1}} \right) = \frac{\pi i}{2} - \frac{1}{2} \tanh^{-1}(z) ; \frac{\pi}{2} \leq \arg(z) \leq \pi$$

01.30.27.2193.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1-z^2)^{1/4}}{\sqrt{\sqrt{1-z^2}-1}} \right) = -\frac{\pi i}{2} - \frac{1}{2} \tanh^{-1}(z) ; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.2194.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1-z^2)^{1/4}}{\sqrt{\sqrt{1-z^2}-1}} \right) = \frac{\pi}{2} \left( i - i \sqrt{\frac{1}{z^2}} \sqrt{z^2} + \frac{\sqrt{-z^4}}{z^2} \right) + \frac{1}{2} \left( z \sqrt{\frac{1}{z^2}} \right) \tanh^{-1}(z)$$

Involving  $\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1-z^2)^{1/4}}{\sqrt{\sqrt{1-z^2}-1}} \right)$  and  $\tanh^{-1} \left( \frac{1}{z} \right)$

01.30.27.2195.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1-z^2)^{1/4}}{\sqrt{\sqrt{1-z^2}-1}} \right) = -\frac{\pi i}{4} + \frac{1}{2} \tanh^{-1} \left( \frac{1}{z} \right) ; 0 < \arg(z) < \frac{\pi}{2}$$

01.30.27.2196.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1-z^2)^{1/4}}{\sqrt{\sqrt{1-z^2}-1}} \right) = \frac{\pi i}{4} + \frac{1}{2} \tanh^{-1} \left( \frac{1}{z} \right) ; -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2197.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1-z^2)^{1/4}}{\sqrt{\sqrt{1-z^2}-1}} \right) = \frac{\pi i}{4} - \frac{1}{2} \tanh^{-1} \left( \frac{1}{z} \right); \frac{\pi}{2} \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2198.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1-z^2)^{1/4}}{\sqrt{\sqrt{1-z^2}-1}} \right) = -\frac{\pi i}{4} - \frac{1}{2} \tanh^{-1} \left( \frac{1}{z} \right); -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.2199.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1-z^2)^{1/4}}{\sqrt{\sqrt{1-z^2}-1}} \right) = \frac{3\pi i}{4} + \frac{1}{2} \tanh^{-1} \left( \frac{1}{z} \right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2200.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1-z^2)^{1/4}}{\sqrt{\sqrt{1-z^2}-1}} \right) = \frac{3\pi i}{4} - \frac{1}{2} \tanh^{-1} \left( \frac{1}{z} \right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2201.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1-z^2)^{1/4}}{\sqrt{\sqrt{1-z^2}-1}} \right) = \frac{\pi}{4} \left( \sqrt{-\frac{1}{z^4}} \sqrt{\frac{1}{1-z^2}} \sqrt{1-z^2} z^2 + 2i - 2i \sqrt{\frac{1}{z^2}} \sqrt{z^2} + \frac{2\sqrt{-z^4}}{z^2} \right) + \frac{1}{2} z \sqrt{\frac{1}{z^2}} \tanh^{-1} \left( \frac{1}{z} \right)$$

Involving  $\operatorname{sech}^{-1} \left( \sqrt{2} (z^2 - 1)^{1/4} / \sqrt{\sqrt{z^2 - 1} - z} \right)$

Involving  $\operatorname{sech}^{-1} \left( \sqrt{2} (z^2 - 1)^{1/4} / \sqrt{\sqrt{z^2 - 1} - z} \right)$  and  $\tanh^{-1}(z)$

01.30.27.2202.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (z^2 - 1)^{1/4}}{\sqrt{\sqrt{z^2 - 1} - z}} \right) = \frac{\pi i}{4} + \frac{1}{2} \tanh^{-1}(z); 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1) \vee (i z \in \mathbb{R} \wedge i z > 0)$$



01.30.27.2203.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (z^2 - 1)^{1/4}}{\sqrt{\sqrt{z^2 - 1} - z}} \right) = -\frac{\pi i}{4} + \frac{1}{2} \tanh^{-1}(z) ; -\frac{\pi}{2} < \arg(z) < 0$$

01.30.27.2204.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (z^2 - 1)^{1/4}}{\sqrt{\sqrt{z^2 - 1} - z}} \right) = \frac{\pi i}{4} - \frac{1}{2} \tanh^{-1}(z) ; \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2205.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (z^2 - 1)^{1/4}}{\sqrt{\sqrt{z^2 - 1} - z}} \right) = -\frac{\pi i}{4} - \frac{1}{2} \tanh^{-1}(z) ; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2206.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (z^2 - 1)^{1/4}}{\sqrt{\sqrt{z^2 - 1} - z}} \right) = \frac{3\pi i}{4} + \frac{1}{2} \tanh^{-1}(z) ; (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2207.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (z^2 - 1)^{1/4}}{\sqrt{\sqrt{z^2 - 1} - z}} \right) =$$

$$\frac{\pi}{4} \left( -\frac{\sqrt{-z}}{\sqrt{z}} + 2i - 2i \sqrt{-\frac{1}{z}} \sqrt{-z} - \frac{\sqrt{-z^4}}{z^2} + iz \sqrt{-\frac{1}{z^2}} \sqrt{iz} \sqrt{\frac{1}{1-z^2}} \sqrt{1-z^2} \sqrt{\frac{i}{z}} \right) - \frac{1}{2} i \sqrt{\frac{i}{z}} \sqrt{iz} \tanh^{-1}(z)$$

Involving  $\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (z^2 - 1)^{1/4}}{\sqrt{\sqrt{z^2 - 1} - z}} \right)$  and  $\tanh^{-1} \left( \frac{1}{z} \right)$

01.30.27.2208.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (z^2 - 1)^{1/4}}{\sqrt{\sqrt{z^2 - 1} - z}} \right) = \frac{\pi i}{2} + \frac{1}{2} \tanh^{-1} \left( \frac{1}{z} \right) ; 0 \leq \arg(z) \leq \frac{\pi}{2}$$

01.30.27.2209.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (z^2 - 1)^{1/4}}{\sqrt{\sqrt{z^2 - 1} - z}} \right) = -\frac{\pi i}{2} + \frac{1}{2} \tanh^{-1} \left( \frac{1}{z} \right); -\frac{\pi}{2} < \arg(z) < 0$$

01.30.27.2210.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (z^2 - 1)^{1/4}}{\sqrt{\sqrt{z^2 - 1} - z}} \right) = -\frac{1}{2} \tanh^{-1} \left( \frac{1}{z} \right); \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.2211.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (z^2 - 1)^{1/4}}{\sqrt{\sqrt{z^2 - 1} - z}} \right) = \frac{1}{2} \tanh^{-1} \left( \frac{1}{z} \right); (i z \in \mathbb{R} \wedge i z > 0)$$

01.30.27.2212.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (z^2 - 1)^{1/4}}{\sqrt{\sqrt{z^2 - 1} - z}} \right) = \frac{\pi}{4} \left( 2i - 2i \sqrt{-\frac{1}{z}} \sqrt{-z} - \frac{\sqrt{-z^4}}{z^2} - \frac{\sqrt{-z}}{\sqrt{z}} \right) - \frac{1}{2} i \sqrt{\frac{i}{z}} \sqrt{i z} \tanh^{-1} \left( \frac{1}{z} \right)$$

Involving  $\operatorname{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1-z^2}}{\sqrt{1-z^2}-1}} \right)$

Involving  $\operatorname{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1-z^2}}{\sqrt{1-z^2}-1}} \right)$  and  $\tanh^{-1}(z)$

01.30.27.2213.01

$$\operatorname{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1-z^2}}{\sqrt{1-z^2}-1}} \right) = -\frac{\pi i}{2} + \frac{1}{2} \tanh^{-1}(z); 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2214.01

$$\operatorname{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1-z^2}}{\sqrt{1-z^2}-1}} \right) = \frac{\pi i}{2} + \frac{1}{2} \tanh^{-1}(z); -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2215.01

$$\operatorname{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1-z^2}}{\sqrt{1-z^2}-1}} \right) = \frac{\pi i}{2} - \frac{1}{2} \tanh^{-1}(z); \frac{\pi}{2} \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2216.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1-z^2}}{\sqrt{1-z^2}-1}}\right) = -\frac{\pi i}{2} - \frac{1}{2} \tanh^{-1}(z) ; -\pi < \arg(z) < -\frac{\pi}{2} \quad (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2217.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1-z^2}}{\sqrt{1-z^2}-1}}\right) = \frac{\pi i}{2} \left( -\sqrt{\frac{1}{z^2}} \sqrt{z^2} - \frac{i\sqrt{-z^4}}{z^2} + \sqrt{\frac{z^2}{z^2-1}} \sqrt{\frac{z^2-1}{z^2}} \right) + \frac{1}{2} z \sqrt{\frac{1}{z^2}} \tanh^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2\sqrt{1-z^2}/(\sqrt{1-z^2}-1)}\right)$  and  $\tanh^{-1}\left(\frac{1}{z}\right)$

01.30.27.2218.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1-z^2}}{\sqrt{1-z^2}-1}}\right) = -\frac{\pi i}{4} + \frac{1}{2} \tanh^{-1}\left(\frac{1}{z}\right) ; 0 < \arg(z) < \frac{\pi}{2} \quad (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2219.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1-z^2}}{\sqrt{1-z^2}-1}}\right) = \frac{\pi i}{4} + \frac{1}{2} \tanh^{-1}\left(\frac{1}{z}\right) ; -\frac{\pi}{2} \leq \arg(z) < 0 \quad (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2220.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1-z^2}}{\sqrt{1-z^2}-1}}\right) = \frac{\pi i}{4} - \frac{1}{2} \tanh^{-1}\left(\frac{1}{z}\right) ; \frac{\pi}{2} \leq \arg(z) < \pi \quad (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2221.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1-z^2}}{\sqrt{1-z^2}-1}}\right) = -\frac{\pi i}{4} - \frac{1}{2} \tanh^{-1}\left(\frac{1}{z}\right) ; -\pi < \arg(z) < -\frac{\pi}{2} \quad (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2222.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1-z^2}}{\sqrt{1-z^2}-1}}\right) = \frac{1}{4} \pi \sqrt{\frac{1}{z^2}} \left( \sqrt{-z^2} + \frac{i\sqrt{-z^2}\sqrt{z^2-1}}{\sqrt{1-z^2}} - i\sqrt{z^2} \right) + \frac{1}{2} \left( z \sqrt{\frac{1}{z^2}} \right) \tanh^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2\sqrt{z^2-1}/(\sqrt{z^2-1}-z)}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2\sqrt{z^2-1}/(\sqrt{z^2-1}-z)}\right)$  and  $\tanh^{-1}(z)$

01.30.27.2223.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{z^2-1}}{\sqrt{z^2-1}-z}}\right) = \frac{\pi i}{4} + \frac{1}{2} \tanh^{-1}(z); 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1) \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.30.27.2224.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{z^2-1}}{\sqrt{z^2-1}-z}}\right) = -\frac{\pi i}{4} + \frac{1}{2} \tanh^{-1}(z); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2225.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{z^2-1}}{\sqrt{z^2-1}-z}}\right) = \frac{\pi i}{4} - \frac{1}{2} \tanh^{-1}(z); \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2226.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{z^2-1}}{\sqrt{z^2-1}-z}}\right) = -\frac{\pi i}{4} - \frac{1}{2} \tanh^{-1}(z); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2227.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{z^2-1}}{\sqrt{z^2-1}-z}}\right) = \frac{\pi i}{4} \left(1 - \sqrt{\frac{i}{z}} \sqrt{-iz} - \frac{i\sqrt{z}}{\sqrt{-z}} - \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} + \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}}\right) - \frac{1}{2} i \sqrt{\frac{i}{z}} \sqrt{iz} \tanh^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{z^2-1}}{\sqrt{z^2-1}-z}}\right)$  and  $\tanh^{-1}\left(\frac{1}{z}\right)$

01.30.27.2228.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{z^2-1}}{\sqrt{z^2-1}-z}}\right) = \frac{\pi i}{2} + \frac{1}{2} \tanh^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2229.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{z^2-1}}{\sqrt{z^2-1}-z}}\right) = -\frac{\pi i}{2} + \frac{1}{2} \tanh^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2230.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{z^2-1}}{\sqrt{z^2-1}-z}}\right) = -\frac{1}{2} \tanh^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.2231.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{z^2-1}}{\sqrt{z^2-1}-z}}\right) = \frac{1}{2} \tanh^{-1}\left(\frac{1}{z}\right); (iz \in \mathbb{R} \wedge iz > 0)$$

01.30.27.2232.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{z^2-1}}{\sqrt{z^2-1}-z}}\right) = \frac{\pi}{4} \left( -2i \sqrt{-\frac{1}{z}} \sqrt{-z} - \frac{\sqrt{-z^4}}{z^2} - \frac{\sqrt{-z}}{\sqrt{z}} + 2i \sqrt{1-z} \sqrt{\frac{1}{1-z}} \right) - \frac{1}{2} i \sqrt{\frac{i}{z}} \sqrt{iz} \tanh^{-1}\left(\frac{1}{z}\right)$$

**Involving  $\operatorname{coth}^{-1}$**

**Involving  $\operatorname{sech}^{-1}(z)$**

**Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{coth}^{-1}\left(\sqrt{1-z^2}\right)$**

01.30.27.2233.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + \operatorname{coth}^{-1}\left(\sqrt{1-z^2}\right); \operatorname{Im}(z) > 0$$

01.30.27.2234.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + \operatorname{coth}^{-1}\left(\sqrt{1-z^2}\right); -\pi < \arg(z) \leq 0$$

01.30.27.2235.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{2} + \operatorname{coth}^{-1}\left(\sqrt{1-z^2}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2236.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - \operatorname{coth}^{-1}\left(\sqrt{1-z^2}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2237.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{\frac{z-1}{z}}} \sqrt{\frac{1-z}{z}}$$

$$\left( \frac{\pi}{2} \left( \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} + 1 \right) + \sqrt{-1-\frac{1}{z}} \sqrt{1-z} \sqrt{\frac{1}{z}} z \sqrt{\frac{1}{1-z^2}} \operatorname{coth}^{-1}\left(\sqrt{1-z^2}\right) \right)$$

**Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{coth}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right)$**

01.30.27.2238.01

$$\operatorname{sech}^{-1}(z) = \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right); -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.30.27.2239.01

$$\operatorname{sech}^{-1}(z) = -\pi i + \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right); \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.2240.01

$$\operatorname{sech}^{-1}(z) = \pi i + \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right); -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2241.01

$$\operatorname{sech}^{-1}(z) = \pi i - \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2242.01

$$\operatorname{sech}^{-1}(z) = i\pi \left(1 - \sqrt{z} \sqrt{\frac{1}{z}} - \frac{i\sqrt{-z}}{2\sqrt{z}} - \frac{i\sqrt{z^2}}{2\sqrt{-z^2}}\right) + \sqrt{\frac{1}{z+1}} \sqrt{z+1} \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{1-z^2}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{coth}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right)$

01.30.27.2243.01

$$\operatorname{sech}^{-1}(z) = \operatorname{coth}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2244.01

$$\operatorname{sech}^{-1}(z) = -\pi i + \operatorname{coth}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right); \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.2245.01

$$\operatorname{sech}^{-1}(z) = \pi i + \operatorname{coth}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right); -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2246.01

$$\operatorname{sech}^{-1}(z) = -\operatorname{coth}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2247.01

$$\operatorname{sech}^{-1}(z) = i\pi \left(1 - \sqrt{z} \sqrt{\frac{1}{z}} - \frac{i\sqrt{-z}}{2\sqrt{z}} - \frac{i\sqrt{z^2}}{2\sqrt{-z^2}}\right) + \sqrt{1-z} \sqrt{\frac{1}{1-z}} \operatorname{coth}^{-1}\left(\sqrt{\frac{1}{1-z^2}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{coth}^{-1}\left(\frac{2\sqrt{1-z^2}}{z^2-2}\right)$

01.30.27.2248.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{4} - \frac{1}{2} \operatorname{coth}^{-1}\left(\frac{2\sqrt{1-z^2}}{z^2-2}\right); 0 < \arg(z) \leq \frac{\pi}{2}$$

01.30.27.2249.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{4} - \frac{1}{2} \operatorname{coth}^{-1}\left(\frac{2\sqrt{1-z^2}}{z^2-2}\right); -\frac{\pi}{2} < \arg(z) \leq 0$$

01.30.27.2250.01

$$\operatorname{sech}^{-1}(z) = -\frac{3\pi i}{4} - \frac{1}{2} \operatorname{coth}^{-1}\left(\frac{2\sqrt{1-z^2}}{z^2-2}\right); \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.2251.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{4} - \frac{1}{2} \operatorname{coth}^{-1}\left(\frac{2\sqrt{1-z^2}}{z^2-2}\right); -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.30.27.2252.01

$$\operatorname{sech}^{-1}(z) = \frac{5\pi i}{4} - \frac{1}{2} \operatorname{coth}^{-1}\left(\frac{2\sqrt{1-z^2}}{z^2-2}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2253.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{4} + \frac{1}{2} \operatorname{coth}^{-1}\left(\frac{2\sqrt{1-z^2}}{z^2-2}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2254.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{\frac{z-1}{z}}} \sqrt{\frac{1-z}{z}} \left( \frac{\pi}{4} \left( \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - \frac{\sqrt{z^2}}{z} + 2 \right) - \frac{z\sqrt{z^2-1}}{2\sqrt{z^2-z^4}} \operatorname{coth}^{-1}\left(\frac{2\sqrt{1-z^2}}{z^2-2}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{coth}^{-1}\left(\frac{z^2-2}{2\sqrt{1-z^2}}\right)$

01.30.27.2255.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} - \frac{1}{2} \operatorname{coth}^{-1}\left(\frac{z^2-2}{2\sqrt{1-z^2}}\right); \operatorname{Im}(z) > 0 \wedge |z| \geq \sqrt{2}$$

01.30.27.2256.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - \frac{1}{2} \operatorname{coth}^{-1}\left(\frac{z^2-2}{2\sqrt{1-z^2}}\right); -\pi < \arg(z) \leq 0 \wedge |z| \geq \sqrt{2}$$

01.30.27.2257.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + \frac{1}{2} \operatorname{coth}^{-1}\left(\frac{z^2 - 2}{2\sqrt{1 - z^2}}\right); (z \in \mathbb{R} \wedge z < -\sqrt{2})$$

01.30.27.2258.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{\frac{z-1}{z}}} \sqrt{\frac{1-z}{z}}$$

$$\left( \frac{\pi}{4} \left[ -\sqrt{\frac{1}{z^2}} z - \sqrt{\frac{\sqrt{2}}{z}} - 1 \sqrt{\frac{1}{z}} \sqrt{\frac{z}{\sqrt{2}-z}} \sqrt{z} + \sqrt{-\frac{1}{z}} \sqrt{-\frac{z+\sqrt{2}}{z}} \sqrt{-z} \sqrt{-\frac{z}{z+\sqrt{2}}} - \frac{\sqrt{\frac{1}{z^2}-1}}{\sqrt{\frac{1}{z^4}-\frac{1}{z^2}} z} + 2 \right] - \frac{z\sqrt{z^2-1}}{2\sqrt{z^2-z^4}} \operatorname{coth}^{-1}\left(\frac{z^2-2}{2\sqrt{1-z^2}}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{coth}^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right)$

01.30.27.2259.01

$$\operatorname{sech}^{-1}(z) = 2 \operatorname{coth}^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right); |\arg(z)| < \pi$$

01.30.27.2260.01

$$\operatorname{sech}^{-1}(z) = 2\pi i + 2 \operatorname{coth}^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2261.01

$$\operatorname{sech}^{-1}(z) = -2 \operatorname{coth}^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2262.01

$$\operatorname{sech}^{-1}(z) = \left(1 - \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}}\right) \pi i + 2 \sqrt{z+1} \sqrt{\frac{1}{z+1}} \operatorname{coth}^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{coth}^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right)$

01.30.27.2263.01

$$\operatorname{sech}^{-1}(z) = -2 \operatorname{coth}^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right); z \notin (-\infty, 1)$$



01.30.27.2264.01

$$\operatorname{sech}^{-1}(z) = 2\pi i + 2 \operatorname{coth}^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2265.01

$$\operatorname{sech}^{-1}(z) = 2 \operatorname{coth}^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right); (z \in \mathbb{R} \wedge 0 < z < 1) \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2266.01

$$\operatorname{sech}^{-1}(z) = \left(1 - \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}}\right) \pi i + \frac{2\sqrt{-1-z}}{\sqrt{-1+z}} \sqrt{\frac{1-z}{1+z}} \operatorname{coth}^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{coth}^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right)$

01.30.27.2267.01

$$\operatorname{sech}^{-1}(z) = 2 \operatorname{coth}^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right); z \notin (-\infty, 0) \wedge z \notin (1, \infty)$$

01.30.27.2268.01

$$\operatorname{sech}^{-1}(z) = 2\pi i + 2 \operatorname{coth}^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2269.01

$$\operatorname{sech}^{-1}(z) = -2 \operatorname{coth}^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right); (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2270.01

$$\operatorname{sech}^{-1}(z) = \left(1 - \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}}\right) \pi i + 2 \sqrt{\frac{1+z}{1-z}} \sqrt{\frac{1-z}{1+z}} \operatorname{coth}^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{coth}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right)$

01.30.27.2271.01

$$\operatorname{sech}^{-1}(z) = -\pi i + 2 \operatorname{coth}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right); \operatorname{Im}(z) > 0$$

01.30.27.2272.01

$$\operatorname{sech}^{-1}(z) = \pi i + 2 \operatorname{coth}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > -1)$$

01.30.27.2273.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2 \operatorname{coth}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2274.01

$$\operatorname{sech}^{-1}(z) = 2\sqrt{z+1} \sqrt{\frac{1}{z+1}} \operatorname{coth}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right) + \pi \sqrt{\frac{1}{z}} \sqrt{-z}$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{coth}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right)$

01.30.27.2275.01

$$\operatorname{sech}^{-1}(z) = -\pi i - 2 \operatorname{coth}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) /; \operatorname{Im}(z) > 0$$

01.30.27.2276.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2 \operatorname{coth}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2277.01

$$\operatorname{sech}^{-1}(z) = \pi i + 2 \operatorname{coth}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) /; (z \in \mathbb{R} \wedge z < 1)$$

01.30.27.2278.01

$$\operatorname{sech}^{-1}(z) = \frac{2\sqrt{-1-z}}{\sqrt{-1+z}} \sqrt{\frac{1-z}{1+z}} \operatorname{coth}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) + \pi \sqrt{\frac{1}{z}} \sqrt{-z}$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{coth}^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right)$

01.30.27.2279.01

$$\operatorname{sech}^{-1}(z) = -\pi i + 2 \operatorname{coth}^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right) /; \operatorname{Im}(z) > 0$$

01.30.27.2280.01

$$\operatorname{sech}^{-1}(z) = \pi i + 2 \operatorname{coth}^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right) /; \operatorname{Im}(z) \leq 0$$

01.30.27.2281.01

$$\operatorname{sech}^{-1}(z) = 2 \operatorname{coth}^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right) + \pi \sqrt{\frac{1}{z}} \sqrt{-z}$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right)$  and  $\operatorname{coth}^{-1}(iz)$

01.30.27.2282.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = -\frac{\pi i}{2} - 2 \operatorname{coth}^{-1}(iz) /; |z| \leq 1 \wedge 0 \leq \arg(z) < \frac{\pi}{2} \vee |z| > 1 \wedge \operatorname{Im}(z) > 0$$

01.30.27.2283.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\pi i}{2} + 2 \coth^{-1}(iz) /; |z| \leq 1 \wedge -\frac{\pi}{2} \leq \arg(z) < 0 \vee |z| > 1 \wedge -\pi < \arg(z) \leq 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2284.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{3\pi i}{2} - 2 \coth^{-1}(iz) /; |z| \leq 1 \wedge \frac{\pi}{2} \leq \arg(z) \leq \pi$$

01.30.27.2285.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = -\frac{3\pi i}{2} + 2 \coth^{-1}(iz) /; |z| \leq 1 \wedge -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.2286.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2}}{1-z} \sqrt{z+1} \sqrt{\frac{1}{z+1}} \left(2i \coth^{-1}(iz) - \frac{\pi}{2}\right) /; |z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2} \vee |z| > 1$$

01.30.27.2287.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2}}{1-z} \sqrt{z+1} \sqrt{\frac{1}{z+1}} \left(2i \coth^{-1}(iz) + \frac{3\pi}{2}\right) /; |z| \leq 1 \wedge \left(\frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}\right)$$

01.30.27.2288.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2}}{z-1} \sqrt{z+1} \sqrt{\frac{1}{z+1}} \left(\pi \left(\sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} z + \frac{3}{2}\right) - 2i \coth^{-1}(iz)\right) /; |z| > 1 \wedge \left(\frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right)$  and  $\coth^{-1}\left(\frac{i}{z}\right)$

01.30.27.2289.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = 2 \coth^{-1}\left(\frac{i}{z}\right) + \frac{\pi i}{2} /; |z| < 1 \wedge \operatorname{Im}(z) \geq 0 \vee 0 < \arg(z) \leq \frac{\pi}{2}$$

01.30.27.2290.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = -2 \coth^{-1}\left(\frac{i}{z}\right) - \frac{\pi i}{2} /; |z| < 1 \wedge \operatorname{Im}(z) < 0 \vee -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2291.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = -2 \coth^{-1}\left(\frac{i}{z}\right) + \frac{3\pi i}{2} /; |z| > 1 \wedge -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2292.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = 2 \coth^{-1}\left(\frac{i}{z}\right) - \frac{3\pi i}{2} /; |z| > 1 \wedge \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.2293.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = -2 \coth^{-1}\left(\frac{i}{z}\right) + \frac{3\pi i}{2} /; |z| > 1 \wedge -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2294.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2}}{z-1} \left(2i \operatorname{coth}^{-1}\left(\frac{i}{z}\right) - \frac{\pi}{2}\right); |z| < 1 \vee -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.30.27.2295.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2} \sqrt{z+1}}{z-1} \sqrt{\frac{1}{z+1}} \left(2i \operatorname{coth}^{-1}\left(\frac{i}{z}\right) + \frac{3\pi}{2}\right); |z| > 1 \wedge \left(\frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}\right)$$

01.30.27.2296.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2}}{1-z} \sqrt{z+1} \sqrt{\frac{1}{z+1}} \left(\pi \left(z \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} - \frac{1}{2}\right) - 2i \operatorname{coth}^{-1}\left(\frac{i}{z}\right)\right);$$

$$|z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2} \vee |z| > 1$$

01.30.27.2297.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{-(z-1)^2} \sqrt{z+1}}{1-z} \sqrt{\frac{1}{z+1}} \left(\pi \left(\sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} z + \frac{3}{2}\right) - 2i \operatorname{coth}^{-1}\left(\frac{i}{z}\right)\right);$$

$$|z| \leq 1 \wedge \left(\frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right)$  and  $\operatorname{coth}^{-1}(iz')$

01.30.27.2298.01

$$\operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right) = \frac{\sqrt{\frac{-(z-1)^2}{z^2+1}}}{\sqrt{\frac{(z-1)^2}{z^2+1}}} \left(\frac{\pi}{2} - 2i \operatorname{coth}^{-1}\left(iz \frac{1-z}{1+z} \sqrt{\frac{(1+z)^2}{(1-z)^2}}\right)\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right)$  and  $\operatorname{coth}^{-1}(\sqrt{z})$

01.30.27.2299.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = \pi i + 2 \operatorname{coth}^{-1}(\sqrt{z}); \operatorname{Im}(z) \geq 0$$

01.30.27.2300.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = -\pi i + 2 \operatorname{coth}^{-1}(\sqrt{z}); \operatorname{Im}(z) < 0$$

01.30.27.2301.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = 2 \operatorname{coth}^{-1}(\sqrt{z}) + \pi \sqrt{-\frac{1}{z}} \sqrt{z}$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right)$  and  $\operatorname{coth}^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.2302.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = 2 \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{z}}\right); z \notin (1, \infty)$$

01.30.27.2303.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = 2\pi i + 2 \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2304.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = i\pi \left(1 - \sqrt{1-z}\right) \sqrt{\frac{1}{1-z}} + 2 \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right)$  and  $\operatorname{coth}^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.2305.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = 2 \operatorname{coth}^{-1}\left(\sqrt{\frac{1}{z}}\right); z \notin (1, \infty) \wedge z \notin (-\infty, 0)$$

01.30.27.2306.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = 2\pi i + 2 \operatorname{coth}^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2307.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = -2 \operatorname{coth}^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2308.01

$$\operatorname{sech}^{-1}\left(\frac{1-z}{1+z}\right) = i\pi \left(1 - \sqrt{1-z}\right) \sqrt{\frac{1}{1-z}} + 2\sqrt{z} \sqrt{\frac{1}{z}} \operatorname{coth}^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right)$  and  $\operatorname{coth}^{-1}(\sqrt{z})$

01.30.27.2309.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = 2 \operatorname{coth}^{-1}(\sqrt{z}); z \notin (-\infty, 1)$$

01.30.27.2310.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = 2\pi i + 2 \operatorname{coth}^{-1}(\sqrt{z}); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2311.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = -2 \operatorname{coth}^{-1}(\sqrt{z}) /; (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2312.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = \pi \sqrt{\frac{1}{z}} \left( \sqrt{\frac{1}{1-z}} \sqrt{1-z} \sqrt{-\frac{1}{z}} z + \sqrt{-z} \right) + 2 \sqrt{\frac{1}{z}} \sqrt{z} \operatorname{coth}^{-1}(\sqrt{z})$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right)$  and  $\operatorname{coth}^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.2313.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = -\pi i + 2 \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{z}}\right) /; \operatorname{Im}(z) > 0$$

01.30.27.2314.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = \pi i + 2 \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{z}}\right) /; -\pi < \arg(z) \leq 0$$

01.30.27.2315.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = \pi i - 2 \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{z}}\right) /; (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2316.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = 2 \sqrt{\frac{1}{z}} \sqrt{z} \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{z}}\right) + \pi \sqrt{\frac{1}{z}} \sqrt{-z}$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right)$  and  $\operatorname{coth}^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.2317.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = -\pi i + 2 \operatorname{coth}^{-1}\left(\sqrt{\frac{1}{z}}\right) /; \operatorname{Im}(z) > 0$$

01.30.27.2318.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = \pi i + 2 \operatorname{coth}^{-1}\left(\sqrt{\frac{1}{z}}\right) /; \operatorname{Im}(z) \leq 0$$

01.30.27.2319.01

$$\operatorname{sech}^{-1}\left(\frac{z-1}{z+1}\right) = 2 \operatorname{coth}^{-1}\left(\sqrt{\frac{1}{z}}\right) + \pi \sqrt{\frac{1}{z}} \sqrt{-z}$$

**Involving  $\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right)$**

Involving  $\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right)$  and  $\operatorname{coth}^{-1}(\sqrt{-z})$

01.30.27.2320.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = -\pi i + 2 \operatorname{coth}^{-1}(\sqrt{-z}) \quad ; \operatorname{Im}(z) > 0$$

01.30.27.2321.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = \pi i + 2 \operatorname{coth}^{-1}(\sqrt{-z}) \quad ; \operatorname{Im}(z) \leq 0$$

01.30.27.2322.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = 2 \operatorname{coth}^{-1}(\sqrt{-z}) + \pi \sqrt{\frac{1}{z}} \sqrt{-z}$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right)$  and  $\operatorname{coth}^{-1}\left(\frac{1}{\sqrt{-z}}\right)$

01.30.27.2323.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = 2 \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{-z}}\right) \quad ; z \notin (-\infty, -1)$$

01.30.27.2324.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = 2\pi i + 2 \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{-z}}\right) \quad ; (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2325.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = i\pi \left(1 - \sqrt{1+z} \sqrt{\frac{1}{1+z}}\right) + 2 \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{-z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right)$  and  $\operatorname{coth}^{-1}\left(\sqrt{-\frac{1}{z}}\right)$

01.30.27.2326.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = 2 \operatorname{coth}^{-1}\left(\sqrt{-\frac{1}{z}}\right) \quad ; z \notin (-\infty, -1) \wedge z \notin (0, \infty)$$

01.30.27.2327.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = 2\pi i + 2 \operatorname{coth}^{-1}\left(\sqrt{-\frac{1}{z}}\right) \quad ; (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2328.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = -2 \operatorname{coth}^{-1}\left(\sqrt{-\frac{1}{z}}\right) \quad ; (z \in \mathbb{R} \wedge z > 0)$$

01.30.27.2329.01

$$\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) = i\pi \left(1 - \sqrt{1+z} \sqrt{\frac{1}{1+z}}\right) + 2 \sqrt{-z} \sqrt{-\frac{1}{z}} \operatorname{coth}^{-1}\left(\sqrt{-\frac{1}{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right)$  and  $\operatorname{coth}^{-1}(\sqrt{-z})$

01.30.27.2330.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = 2 \operatorname{coth}^{-1}(\sqrt{-z}) /; z \notin (-1, \infty)$$

01.30.27.2331.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = \pi i + 2 \operatorname{coth}^{-1}(\sqrt{-z}) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2332.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = -2 \operatorname{coth}^{-1}(\sqrt{-z}) /; (z \in \mathbb{R} \wedge z > 0)$$

01.30.27.2333.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = \pi \sqrt{-\frac{1}{z}} \left( \sqrt{z} - \sqrt{\frac{1}{z+1}} \sqrt{z+1} \sqrt{\frac{1}{z}} z \right) + 2 \sqrt{-\frac{1}{z}} \sqrt{-z} \operatorname{coth}^{-1}(\sqrt{-z})$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right)$  and  $\operatorname{coth}^{-1}\left(\frac{1}{\sqrt{-z}}\right)$

01.30.27.2334.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = \pi i + 2 \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{-z}}\right) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2335.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = -\pi i + 2 \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{-z}}\right) /; \operatorname{Im}(z) < 0$$

01.30.27.2336.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = \pi i - 2 \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{-z}}\right) /; (z \in \mathbb{R} \wedge z > 0)$$

01.30.27.2337.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = 2 \sqrt{-\frac{1}{z}} \sqrt{-z} \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{-z}}\right) + \pi \sqrt{-\frac{1}{z}} \sqrt{z}$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right)$  and  $\operatorname{coth}^{-1}\left(\sqrt{-\frac{1}{z}}\right)$

01.30.27.2338.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = \pi i + 2 \operatorname{coth}^{-1}\left(\sqrt{-\frac{1}{z}}\right) /; \operatorname{Im}(z) \geq 0$$

01.30.27.2339.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = -\pi i + 2 \operatorname{coth}^{-1}\left(\sqrt{-\frac{1}{z}}\right) /; \operatorname{Im}(z) < 0$$



01.30.27.2340.01

$$\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) = 2 \operatorname{coth}^{-1}\left(\sqrt{-\frac{1}{z}}\right) + \pi \sqrt{-\frac{1}{z}} \sqrt{z}$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right)$ and $\operatorname{coth}^{-1}(z)$

01.30.27.2341.01

$$\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right) = \pi i + 2 \operatorname{coth}^{-1}(z) ; 0 \leq \arg(z) \leq \frac{\pi}{2}$$

01.30.27.2342.01

$$\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right) = -\pi i + 2 \operatorname{coth}^{-1}(z) ; -\frac{\pi}{2} < \arg(z) < 0$$

01.30.27.2343.01

$$\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right) = -\pi i - 2 \operatorname{coth}^{-1}(z) ; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.2344.01

$$\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right) = \pi i - 2 \operatorname{coth}^{-1}(z) ; -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.30.27.2345.01

$$\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right) = i\pi \left( 1 + \frac{i\sqrt{-z^2}}{\sqrt{z^2}} - \sqrt{-z^2} \sqrt{-\frac{1}{z^2}} \right) + \frac{2\sqrt{z^2}}{z} \operatorname{coth}^{-1}(z)$$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right)$ and $\operatorname{coth}^{-1}\left(\frac{1}{z}\right)$

01.30.27.2346.01

$$\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right) = 2 \operatorname{coth}^{-1}\left(\frac{1}{z}\right) ; -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2347.01

$$\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right) = -2 \operatorname{coth}^{-1}\left(\frac{1}{z}\right) ; \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2348.01

$$\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right) = 2\pi i - 2 \operatorname{coth}^{-1}\left(\frac{1}{z}\right) ; (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2349.01

$$\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right) = 2\pi i + 2 \operatorname{coth}^{-1}\left(\frac{1}{z}\right) ; (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2350.01

$$\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right) = \frac{2\sqrt{z^2}}{z} \operatorname{coth}^{-1}\left(\frac{1}{z}\right); z \notin (-\infty, -1) \wedge z \notin (1, \infty)$$

01.30.27.2351.01

$$\operatorname{sech}^{-1}\left(\frac{1-z^2}{1+z^2}\right) = i\pi \left(1 - \sqrt{1-z^2} \sqrt{\frac{1}{1-z^2}}\right) + \frac{2\sqrt{z^2}}{z} \operatorname{coth}^{-1}\left(\frac{1}{z}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{z^2-1}{z^2+1}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{z^2-1}{z^2+1}\right)$ and $\operatorname{coth}^{-1}(z)$

01.30.27.2352.01

$$\operatorname{sech}^{-1}\left(\frac{z^2-1}{z^2+1}\right) = 2 \operatorname{coth}^{-1}(z); -\frac{\pi}{2} \leq \arg(z) < 0 \vee 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2353.01

$$\operatorname{sech}^{-1}\left(\frac{z^2-1}{z^2+1}\right) = -2 \operatorname{coth}^{-1}(z); \frac{\pi}{2} \leq \arg(z) < \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2354.01

$$\operatorname{sech}^{-1}\left(\frac{z^2-1}{z^2+1}\right) = 2\pi i - 2 \operatorname{coth}^{-1}(z); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2355.01

$$\operatorname{sech}^{-1}\left(\frac{z^2-1}{z^2+1}\right) = 2\pi i + 2 \operatorname{coth}^{-1}(z); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2356.01

$$\operatorname{sech}^{-1}\left(\frac{z^2-1}{z^2+1}\right) = i\pi \left(1 - \sqrt{\frac{z^2}{z^2-1}} \sqrt{\frac{z^2-1}{z^2}}\right) + 2\sqrt{\frac{1}{z^2}} z \operatorname{coth}^{-1}(z)$$

#### Involving $\operatorname{sech}^{-1}\left(\frac{z^2-1}{z^2+1}\right)$ and $\operatorname{coth}^{-1}\left(\frac{1}{z}\right)$

01.30.27.2357.01

$$\operatorname{sech}^{-1}\left(\frac{z^2-1}{z^2+1}\right) = -\pi i + 2 \operatorname{coth}^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \frac{\pi}{2}$$

01.30.27.2358.01

$$\operatorname{sech}^{-1}\left(\frac{z^2-1}{z^2+1}\right) = \pi i - 2 \operatorname{coth}^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} \leq \arg(z) \leq \pi$$

01.30.27.2359.01

$$\operatorname{sech}^{-1}\left(\frac{z^2-1}{z^2+1}\right) = \pi i + 2 \operatorname{coth}^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} \leq \arg(z) \leq 0$$

01.30.27.2360.01

$$\operatorname{sech}^{-1}\left(\frac{z^2-1}{z^2+1}\right) = -\pi i - 2 \operatorname{coth}^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.2361.01

$$\operatorname{sech}^{-1}\left(\frac{z^2-1}{z^2+1}\right) = i\pi \left( 1 + \frac{i}{\sqrt{\frac{1}{z^2}}} \sqrt{-\frac{1}{z^2}} - \sqrt{-z^2} \sqrt{-\frac{1}{z^2}} \right) + 2 \sqrt{\frac{1}{z^2}} z \operatorname{coth}^{-1}\left(\frac{1}{z}\right)$$

### Involving $\operatorname{sech}^{-1}(\sqrt{1-z})$

#### Involving $\operatorname{sech}^{-1}(\sqrt{1-z})$ and $\operatorname{coth}^{-1}(\sqrt{z})$

01.30.27.2362.01

$$\operatorname{sech}^{-1}(\sqrt{1-z}) = \frac{\pi i}{2} + \operatorname{coth}^{-1}(\sqrt{z}); 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2363.01

$$\operatorname{sech}^{-1}(\sqrt{1-z}) = -\frac{\pi i}{2} + \operatorname{coth}^{-1}(\sqrt{z}); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2364.01

$$\operatorname{sech}^{-1}(\sqrt{1-z}) = \operatorname{coth}^{-1}(\sqrt{z}) + \frac{\sqrt{z-1} \pi}{2\sqrt{1-z}}$$

#### Involving $\operatorname{sech}^{-1}(\sqrt{1-z})$ and $\operatorname{tanh}^{-1}(\sqrt{z})$

01.30.27.2365.01

$$\operatorname{sech}^{-1}(\sqrt{1-z}) = \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

#### Involving $\operatorname{sech}^{-1}(\sqrt{1-z})$ and $\operatorname{tanh}^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.2366.01

$$\operatorname{sech}^{-1}(\sqrt{1-z}) = \operatorname{coth}^{-1}\left(\sqrt{\frac{1}{z}}\right); |\arg(z)| < \pi$$

01.30.27.2367.01

$$\operatorname{sech}^{-1}(\sqrt{1-z}) = -\operatorname{coth}^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2368.01

$$\operatorname{sech}^{-1}(\sqrt{1-z}) = \sqrt{z} \sqrt{\frac{1}{z}} \operatorname{coth}^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z}}\right)$  and  $\operatorname{coth}^{-1}(\sqrt{z})$

$$\text{01.30.27.2369.01} \\ \operatorname{sech}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z}}\right) = \operatorname{coth}^{-1}(\sqrt{z}) /; |\arg(z)| < \pi$$

$$\text{01.30.27.2370.01} \\ \operatorname{sech}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z}}\right) = -\operatorname{coth}^{-1}(\sqrt{z}) /; (z \in \mathbb{R} \wedge z < 0)$$

$$\text{01.30.27.2371.01} \\ \operatorname{sech}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z}}\right) = \sqrt{\frac{1}{z}} \sqrt{z} \operatorname{coth}^{-1}(\sqrt{z})$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z}}\right)$  and  $\operatorname{coth}^{-1}\left(\frac{1}{\sqrt{z}}\right)$

$$\text{01.30.27.2372.01} \\ \operatorname{sech}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z}}\right) = -\frac{\pi i}{2} + \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{z}}\right) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

$$\text{01.30.27.2373.01} \\ \operatorname{sech}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z}}\right) = \frac{\pi i}{2} + \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{z}}\right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

$$\text{01.30.27.2374.01} \\ \operatorname{sech}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z}}\right) = \frac{\pi i}{2} - \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{z}}\right) /; (z \in \mathbb{R} \wedge z < 0)$$

$$\text{01.30.27.2375.01} \\ \operatorname{sech}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z}}\right) = \sqrt{z} \sqrt{\frac{1}{z}} \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi \sqrt{z-1} \sqrt{z}}{2 \sqrt{1-z}} \sqrt{\frac{1}{z}}$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z}}\right)$  and  $\operatorname{coth}^{-1}\left(\sqrt{\frac{1}{z}}\right)$

$$\text{01.30.27.2376.01} \\ \operatorname{sech}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z}}\right) = -\frac{\pi i}{2} + \operatorname{coth}^{-1}\left(\sqrt{\frac{1}{z}}\right) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2377.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z}}\right) = \frac{\pi i}{2} + \operatorname{coth}^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2378.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{z}}\right) = \operatorname{coth}^{-1}\left(\sqrt{\frac{1}{z}}\right) - \frac{\pi \sqrt{z-1} \sqrt{z}}{2\sqrt{1-z}} \sqrt{\frac{1}{z}}$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right)$ and $\operatorname{coth}^{-1}(\sqrt{z})$

01.30.27.2379.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right) = \operatorname{coth}^{-1}(\sqrt{z}); z \notin (-\infty, 1)$$

01.30.27.2380.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right) = -\operatorname{coth}^{-1}(\sqrt{z}); (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2381.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right) = \pi i + \operatorname{coth}^{-1}(\sqrt{z}); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2382.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right) = \frac{\pi i}{2} \left(1 - \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}}\right) + \sqrt{z} \sqrt{\frac{1}{z}} \operatorname{coth}^{-1}(\sqrt{z})$$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right)$ and $\operatorname{coth}^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.2383.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right) = \frac{\pi i}{2} + \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{z}}\right); -\pi < \arg(z) \leq 0$$

01.30.27.2384.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right) = -\frac{\pi i}{2} + \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) > 0$$

01.30.27.2385.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right) = \frac{\pi i}{2} - \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2386.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right) = \sqrt{\frac{1}{z}} \sqrt{z} \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{z}}\right) + \frac{1}{2} \pi \sqrt{\frac{1}{z}} \sqrt{-z}$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right)$  and  $\operatorname{coth}^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.2387.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right) = -\frac{\pi i}{2} + \operatorname{coth}^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) > 0$$

01.30.27.2388.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right) = \frac{\pi i}{2} + \operatorname{coth}^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) \leq 0$$

01.30.27.2389.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{-z}}\right) = \operatorname{coth}^{-1}\left(\sqrt{\frac{1}{z}}\right) + \frac{1}{2}\pi\sqrt{\frac{1}{z}}\sqrt{-z}$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z-1}{z}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z-1}{z}}\right)$  and  $\operatorname{coth}^{-1}(\sqrt{z})$

01.30.27.2390.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z-1}{z}}\right) = \operatorname{coth}^{-1}(\sqrt{z}); |\arg(z)| < \pi$$

01.30.27.2391.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z-1}{z}}\right) = -\operatorname{coth}^{-1}(\sqrt{z}); (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2392.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z-1}{z}}\right) = \sqrt{z}\sqrt{\frac{1}{z}}\operatorname{coth}^{-1}(\sqrt{z})$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z-1}{z}}\right)$  and  $\operatorname{coth}^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.2393.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z-1}{z}}\right) = -\frac{\pi i}{2} + \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2394.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z-1}{z}}\right) = \frac{\pi i}{2} + \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2395.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z-1}{z}}\right) = \frac{\pi i}{2} - \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2396.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z-1}{z}}\right) = -\frac{\pi \sqrt{z} \sqrt{z-1}}{2\sqrt{1-z}} \sqrt{\frac{1}{z}} + \sqrt{\frac{1}{z}} \sqrt{z} \operatorname{coth}^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z-1}{z}}\right)$  and  $\operatorname{coth}^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.2397.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z-1}{z}}\right) = -\frac{\pi i}{2} + \operatorname{coth}^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2398.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z-1}{z}}\right) = \frac{\pi i}{2} + \operatorname{coth}^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2399.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z-1}{z}}\right) = -\frac{\pi \sqrt{z} \sqrt{z-1}}{2\sqrt{1-z}} \sqrt{\frac{1}{z}} + \operatorname{coth}^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{1-z^2}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{1-z^2}\right)$  and  $\operatorname{coth}^{-1}(z)$

01.30.27.2400.01

$$\operatorname{sech}^{-1}\left(\sqrt{1-z^2}\right) = \frac{\pi i}{2} + \operatorname{coth}^{-1}(z); 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2401.01

$$\operatorname{sech}^{-1}\left(\sqrt{1-z^2}\right) = -\frac{\pi i}{2} + \operatorname{coth}^{-1}(z); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2402.01

$$\operatorname{sech}^{-1}\left(\sqrt{1-z^2}\right) = -\frac{\pi i}{2} - \operatorname{coth}^{-1}(z); \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2403.01

$$\operatorname{sech}^{-1}\left(\sqrt{1-z^2}\right) = \frac{\pi i}{2} - \operatorname{coth}^{-1}(z); -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2404.01

$$\operatorname{sech}^{-1}\left(\sqrt{1-z^2}\right) = \frac{\sqrt{z^2}}{z} \operatorname{coth}^{-1}(z) + \frac{\pi i}{2} \left(1 + \frac{i\sqrt{-z^2}}{\sqrt{z^2}} - \sqrt{\frac{z^2}{z^2-1}} \sqrt{\frac{z^2-1}{z^2}}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{1-z^2}\right)$  and  $\operatorname{coth}^{-1}\left(\frac{1}{z}\right)$

01.30.27.2405.01

$$\operatorname{sech}^{-1}\left(\sqrt{1-z^2}\right) = \operatorname{coth}^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.30.27.2406.01

$$\operatorname{sech}^{-1}\left(\sqrt{1-z^2}\right) = -\operatorname{coth}^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.30.27.2407.01

$$\operatorname{sech}^{-1}\left(\sqrt{1-z^2}\right) = \frac{\sqrt{z^2}}{z} \operatorname{coth}^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right)$  and  $\operatorname{coth}^{-1}(z)$

01.30.27.0039.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right) = \operatorname{coth}^{-1}(z); \operatorname{Re}(z) > 0$$

01.30.27.2408.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right) = \pi i - \operatorname{coth}^{-1}(z); -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2409.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right) = -\pi i - \operatorname{coth}^{-1}(z); \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.2410.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right) = -\operatorname{coth}^{-1}(z); (i z \in \mathbb{R} \wedge i z < 0)$$

01.30.27.0040.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right) = \frac{\pi i}{2} \left(1 - \frac{\sqrt{z^2}}{z}\right) + i \sqrt{-\frac{i}{z}} \sqrt{-i z} \operatorname{coth}^{-1}(z); \operatorname{Re}(z) \geq 0 \vee \operatorname{Im}(z) \leq 0$$

01.30.27.0041.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right) = i \sqrt{-i z} \sqrt{-\frac{i}{z}} \operatorname{coth}^{-1}(z) - \pi i; \operatorname{Re}(z) < 0 \wedge \operatorname{Im}(z) > 0$$



01.30.27.2411.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right) = \frac{\pi}{2} \left( -2i\sqrt{z} \sqrt{\frac{1}{z}} + \frac{\sqrt{-z}}{\sqrt{z}} + 2i + \frac{\sqrt{z^2}}{\sqrt{-z^2}} \right) + i\sqrt{-\frac{i}{z}} \sqrt{-iz} \operatorname{coth}^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right)$  and  $\operatorname{coth}^{-1}\left(\frac{1}{z}\right)$

01.30.27.2412.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right) = -\frac{\pi i}{2} + \operatorname{coth}^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2413.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right) = \operatorname{coth}^{-1}\left(\frac{1}{z}\right) + \frac{\pi i}{2}; -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2414.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right) = -\frac{\pi i}{2} - \operatorname{coth}^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.2415.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right) = \frac{\pi i}{2} - \operatorname{coth}^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < 0) \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2416.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right) = \frac{3\pi i}{2} - \operatorname{coth}^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2417.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{z}\right) = \frac{\pi i}{2} \left( i\sqrt{-\frac{1}{z^2}} z - \sqrt{iz} \sqrt{-\frac{i}{z}} - \sqrt{1-z^2} \sqrt{\frac{1}{1-z^2}} + 2 \right) + i\sqrt{-iz} \sqrt{-\frac{i}{z}} \operatorname{coth}^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right)$  and  $\operatorname{coth}^{-1}(z)$

01.30.27.2418.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right) = \operatorname{coth}^{-1}(z); -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.30.27.2419.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right) = -\operatorname{coth}^{-1}(z); \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.2420.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right) = z \sqrt{\frac{1}{z^2}} \operatorname{coth}^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right)$  and  $\operatorname{coth}^{-1}\left(\frac{1}{z}\right)$

01.30.27.2421.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right) = -\frac{\pi i}{2} + \operatorname{coth}^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2422.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right) = \frac{\pi i}{2} + \operatorname{coth}^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2423.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right) = \frac{\pi i}{2} - \operatorname{coth}^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2424.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right) = -\frac{\pi i}{2} - \operatorname{coth}^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2425.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{z^2}}\right) = \frac{\pi i}{2} \left(1 + i z^2 \sqrt{-\frac{1}{z^4}} - \sqrt{\frac{1}{1-z^2}} \sqrt{1-z^2}\right) + \sqrt{\frac{1}{z^2}} z \operatorname{coth}^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right)$  and  $\operatorname{coth}^{-1}(z)$

01.30.27.2426.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right) = \operatorname{coth}^{-1}(z); -\frac{\pi}{2} \leq \arg(z) < 0 \vee 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2427.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right) = -\operatorname{coth}^{-1}(z) ; \frac{\pi}{2} \leq \arg(z) < \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2428.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right) = \pi i - \operatorname{coth}^{-1}(z) ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2429.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right) = \pi i + \operatorname{coth}^{-1}(z) ; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2430.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right) = \frac{\pi i}{2} \left(1 - \sqrt{\frac{z^2}{z^2-1}} \sqrt{\frac{z^2-1}{z^2}}\right) + z \sqrt{\frac{1}{z^2}} \operatorname{coth}^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right)$  and  $\operatorname{coth}^{-1}\left(\frac{1}{z}\right)$

01.30.27.2431.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right) = -\frac{\pi i}{2} + \operatorname{coth}^{-1}\left(\frac{1}{z}\right) ; 0 < \arg(z) < \frac{\pi}{2}$$

01.30.27.2432.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right) = \frac{\pi i}{2} + \operatorname{coth}^{-1}\left(\frac{1}{z}\right) ; -\frac{\pi}{2} \leq \arg(z) \leq 0$$

01.30.27.2433.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right) = \frac{\pi i}{2} - \operatorname{coth}^{-1}\left(\frac{1}{z}\right) ; \frac{\pi}{2} \leq \arg(z) \leq \pi$$

01.30.27.2434.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right) = -\frac{\pi i}{2} - \operatorname{coth}^{-1}\left(\frac{1}{z}\right) ; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.2435.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{-z^2}}\right) = \frac{\pi i}{2} \left(i \sqrt{-\frac{1}{z^4}} z^2 - \sqrt{-z^2} \sqrt{-\frac{1}{z^2} + 1}\right) + \sqrt{\frac{1}{z^2}} z \operatorname{coth}^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2-1}{z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2-1}{z^2}}\right)$  and  $\operatorname{coth}^{-1}(z)$

01.30.27.2436.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2-1}{z^2}}\right) = \operatorname{coth}^{-1}(z) /; -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.30.27.2437.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2-1}{z^2}}\right) = -\operatorname{coth}^{-1}(z) /; \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.2438.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2-1}{z^2}}\right) = z \sqrt{\frac{1}{z^2}} \operatorname{coth}^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2-1}{z^2}}\right)$  and  $\operatorname{coth}^{-1}\left(\frac{1}{z}\right)$

01.30.27.2439.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2-1}{z^2}}\right) = -\frac{\pi i}{2} + \operatorname{coth}^{-1}\left(\frac{1}{z}\right) /; 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2440.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2-1}{z^2}}\right) = \frac{\pi i}{2} + \operatorname{coth}^{-1}\left(\frac{1}{z}\right) /; -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2441.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2-1}{z^2}}\right) = \frac{\pi i}{2} - \operatorname{coth}^{-1}\left(\frac{1}{z}\right) /; \frac{\pi}{2} \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2442.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2-1}{z^2}}\right) = -\frac{\pi i}{2} - \operatorname{coth}^{-1}\left(\frac{1}{z}\right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2443.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2-1}{z^2}}\right) = z\sqrt{\frac{1}{z^2}} \operatorname{coth}^{-1}\left(\frac{1}{z}\right) + \left(\sqrt{\frac{z^2}{z^2-1}}\sqrt{\frac{z^2-1}{z^2}} - i\sqrt{\frac{1}{z^2}}\sqrt{-z^2-1}\right)\frac{\pi i}{2}$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2}(1-z^2)^{1/4} / \sqrt{\sqrt{1-z^2}-1}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2}(1-z^2)^{1/4} / \sqrt{\sqrt{1-z^2}-1}\right)$  and  $\operatorname{coth}^{-1}(z)$

01.30.27.2444.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1-z^2)^{1/4}}{\sqrt{\sqrt{1-z^2}-1}}\right) = -\frac{\pi i}{4} + \frac{1}{2}\operatorname{coth}^{-1}(z) ; 0 < \arg(z) < \frac{\pi}{2}$$

01.30.27.2445.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1-z^2)^{1/4}}{\sqrt{\sqrt{1-z^2}-1}}\right) = \frac{\pi i}{4} + \frac{1}{2}\operatorname{coth}^{-1}(z) ; -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2446.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1-z^2)^{1/4}}{\sqrt{\sqrt{1-z^2}-1}}\right) = \frac{\pi i}{4} - \frac{1}{2}\operatorname{coth}^{-1}(z) ; \frac{\pi}{2} \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2447.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1-z^2)^{1/4}}{\sqrt{\sqrt{1-z^2}-1}}\right) = -\frac{\pi i}{4} - \frac{1}{2}\operatorname{coth}^{-1}(z) ; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.2448.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1-z^2)^{1/4}}{\sqrt{\sqrt{1-z^2}-1}}\right) = \frac{3\pi i}{4} + \frac{1}{2}\operatorname{coth}^{-1}(z) ; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2449.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1-z^2)^{1/4}}{\sqrt{\sqrt{1-z^2}-1}} \right) = \frac{3\pi i}{4} - \frac{1}{2} \operatorname{coth}^{-1}(z) ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2450.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1-z^2)^{1/4}}{\sqrt{\sqrt{1-z^2}-1}} \right) = \frac{\pi}{4} \left( \sqrt{-\frac{1}{z^4}} \sqrt{\frac{1}{1-z^2}} \sqrt{1-z^2} z^2 + 2i - 2i \sqrt{\frac{1}{z^2}} \sqrt{z^2} + \frac{2\sqrt{-z^4}}{z^2} \right) + \frac{1}{2} z \sqrt{\frac{1}{z^2}} \operatorname{coth}^{-1}(z)$$

Involving  $\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1-z^2)^{1/4}}{\sqrt{\sqrt{1-z^2}-1}} \right)$  and  $\operatorname{coth}^{-1} \left( \frac{1}{z} \right)$

01.30.27.2451.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1-z^2)^{1/4}}{\sqrt{\sqrt{1-z^2}-1}} \right) = -\frac{\pi i}{2} + \frac{1}{2} \operatorname{coth}^{-1} \left( \frac{1}{z} \right) ; 0 < \arg(z) < \frac{\pi}{2}$$

01.30.27.2452.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1-z^2)^{1/4}}{\sqrt{\sqrt{1-z^2}-1}} \right) = \frac{\pi i}{2} + \frac{1}{2} \operatorname{coth}^{-1} \left( \frac{1}{z} \right) ; -\frac{\pi}{2} \leq \arg(z) \leq 0$$

01.30.27.2453.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1-z^2)^{1/4}}{\sqrt{\sqrt{1-z^2}-1}} \right) = \frac{\pi i}{2} - \frac{1}{2} \operatorname{coth}^{-1} \left( \frac{1}{z} \right) ; \frac{\pi}{2} \leq \arg(z) \leq \pi$$

01.30.27.2454.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1-z^2)^{1/4}}{\sqrt{\sqrt{1-z^2}-1}} \right) = -\frac{\pi i}{2} - \frac{1}{2} \operatorname{coth}^{-1} \left( \frac{1}{z} \right) ; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.2455.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1-z^2)^{1/4}}{\sqrt{\sqrt{1-z^2}-1}} \right) = \frac{\pi}{2} \left( i - i \sqrt{\frac{1}{z^2}} \sqrt{z^2} + \frac{\sqrt{-z^4}}{z^2} \right) + \frac{1}{2} \left( z \sqrt{\frac{1}{z^2}} \right) \operatorname{coth}^{-1} \left( \frac{1}{z} \right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}(z^2-1)^{1/4}}{\sqrt{\sqrt{z^2-1}-z}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}(z^2-1)^{1/4}}{\sqrt{\sqrt{z^2-1}-z}}\right)$  and  $\operatorname{coth}^{-1}(z)$

01.30.27.2456.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}(z^2-1)^{1/4}}{\sqrt{\sqrt{z^2-1}-z}}\right) = \frac{\pi i}{2} + \frac{1}{2} \operatorname{coth}^{-1}(z) ; 0 \leq \arg(z) \leq \frac{\pi}{2}$$

01.30.27.2457.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}(z^2-1)^{1/4}}{\sqrt{\sqrt{z^2-1}-z}}\right) = -\frac{\pi i}{2} + \frac{1}{2} \operatorname{coth}^{-1}(z) ; -\frac{\pi}{2} < \arg(z) < 0$$

01.30.27.2458.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}(z^2-1)^{1/4}}{\sqrt{\sqrt{z^2-1}-z}}\right) = -\frac{1}{2} \operatorname{coth}^{-1}(z) ; \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.2459.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}(z^2-1)^{1/4}}{\sqrt{\sqrt{z^2-1}-z}}\right) = \frac{1}{2} \operatorname{coth}^{-1}(z) ; (i z \in \mathbb{R} \wedge i z > 0)$$

01.30.27.2460.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}(z^2-1)^{1/4}}{\sqrt{\sqrt{z^2-1}-z}}\right) = \frac{\pi}{4} \left( 2i - 2i \sqrt{-\frac{1}{z}} \sqrt{-z} - \frac{\sqrt{-z^4}}{z^2} - \frac{\sqrt{-z}}{\sqrt{z}} \right) - \frac{1}{2} i \sqrt{\frac{i}{z}} \sqrt{i z} \operatorname{coth}^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}(z^2-1)^{1/4}}{\sqrt{\sqrt{z^2-1}-z}}\right)$  and  $\operatorname{coth}^{-1}\left(\frac{1}{z}\right)$

01.30.27.2461.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (z^2 - 1)^{1/4}}{\sqrt{\sqrt{z^2 - 1} - z}} \right) = \frac{\pi i}{4} + \frac{1}{2} \operatorname{coth}^{-1} \left( \frac{1}{z} \right); 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1) \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.30.27.2462.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (z^2 - 1)^{1/4}}{\sqrt{\sqrt{z^2 - 1} - z}} \right) = -\frac{\pi i}{4} + \frac{1}{2} \operatorname{coth}^{-1} \left( \frac{1}{z} \right); -\frac{\pi}{2} < \arg(z) < 0$$

01.30.27.2463.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (z^2 - 1)^{1/4}}{\sqrt{\sqrt{z^2 - 1} - z}} \right) = \frac{\pi i}{4} - \frac{1}{2} \operatorname{coth}^{-1} \left( \frac{1}{z} \right); \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2464.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (z^2 - 1)^{1/4}}{\sqrt{\sqrt{z^2 - 1} - z}} \right) = -\frac{\pi i}{4} - \frac{1}{2} \operatorname{coth}^{-1} \left( \frac{1}{z} \right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2465.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (z^2 - 1)^{1/4}}{\sqrt{\sqrt{z^2 - 1} - z}} \right) = \frac{3\pi i}{4} + \frac{1}{2} \operatorname{coth}^{-1} \left( \frac{1}{z} \right); (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2466.01

$$\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (z^2 - 1)^{1/4}}{\sqrt{\sqrt{z^2 - 1} - z}} \right) =$$

$$\frac{\pi}{4} \left( -\frac{\sqrt{-z}}{\sqrt{z}} + 2i - 2i \sqrt{-\frac{1}{z}} \sqrt{-z} - \frac{\sqrt{-z^4}}{z^2} + iz \sqrt{-\frac{1}{z^2}} \sqrt{iz} \sqrt{\frac{1}{1-z^2}} \sqrt{1-z^2} \sqrt{\frac{i}{z}} \right) - \frac{1}{2} i \sqrt{\frac{i}{z}} \sqrt{iz} \operatorname{coth}^{-1} \left( \frac{1}{z} \right)$$

Involving  $\operatorname{sech}^{-1} \left( \sqrt{2 \sqrt{1-z^2}} / (\sqrt{1-z^2} - 1) \right)$



Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1-z^2}}{\sqrt{1-z^2}-1}}\right)$  and  $\operatorname{coth}^{-1}(z)$

01.30.27.2467.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1-z^2}}{\sqrt{1-z^2}-1}}\right) = -\frac{\pi i}{4} + \frac{1}{2}\operatorname{coth}^{-1}(z); 0 < \arg(z) < \frac{\pi}{2} \quad (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2468.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1-z^2}}{\sqrt{1-z^2}-1}}\right) = \frac{\pi i}{4} + \frac{1}{2}\operatorname{coth}^{-1}(z); -\frac{\pi}{2} \leq \arg(z) < 0 \quad (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2469.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1-z^2}}{\sqrt{1-z^2}-1}}\right) = \frac{\pi i}{4} - \frac{1}{2}\operatorname{coth}^{-1}(z); \frac{\pi}{2} \leq \arg(z) < \pi \quad (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2470.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1-z^2}}{\sqrt{1-z^2}-1}}\right) = -\frac{\pi i}{4} - \frac{1}{2}\operatorname{coth}^{-1}(z); -\pi < \arg(z) < -\frac{\pi}{2} \quad (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2471.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1-z^2}}{\sqrt{1-z^2}-1}}\right) = \frac{1}{4}\pi\sqrt{\frac{1}{z^2}}\left(\sqrt{-z^2} + \frac{i\sqrt{-z^2}\sqrt{z^2-1}}{\sqrt{1-z^2}} - i\sqrt{z^2}\right) + \frac{1}{2}\left(z\sqrt{\frac{1}{z^2}}\right)\operatorname{coth}^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1-z^2}}{\sqrt{1-z^2}-1}}\right)$  and  $\operatorname{coth}^{-1}\left(\frac{1}{z}\right)$

01.30.27.2472.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1-z^2}}{\sqrt{1-z^2}-1}}\right) = -\frac{\pi i}{2} + \frac{1}{2}\operatorname{coth}^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \frac{\pi}{2} \quad (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2473.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1-z^2}}{\sqrt{1-z^2}-1}}\right) = \frac{\pi i}{2} + \frac{1}{2}\operatorname{coth}^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} \leq \arg(z) < 0 \quad (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2474.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1-z^2}}{\sqrt{1-z^2}-1}}\right) = \frac{\pi i}{2} - \frac{1}{2}\operatorname{coth}^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} \leq \arg(z) < \pi \quad (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2475.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1-z^2}}{\sqrt{1-z^2}-1}}\right) = -\frac{\pi i}{2} - \frac{1}{2} \operatorname{coth}^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \quad (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2476.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1-z^2}}{\sqrt{1-z^2}-1}}\right) = \frac{\pi i}{2} \left( -\sqrt{\frac{1}{z^2}} \sqrt{z^2} - \frac{i\sqrt{-z^4}}{z^2} + \sqrt{\frac{z^2}{z^2-1}} \sqrt{\frac{z^2-1}{z^2}} \right) + \frac{1}{2} z \sqrt{\frac{1}{z^2}} \operatorname{coth}^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2\sqrt{z^2-1}/(\sqrt{z^2-1}-z)}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2\sqrt{z^2-1}/(\sqrt{z^2-1}-z)}\right)$  and  $\operatorname{coth}^{-1}(z)$

01.30.27.2477.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{z^2-1}}{\sqrt{z^2-1}-z}}\right) = \frac{\pi i}{2} + \frac{1}{2} \operatorname{coth}^{-1}(z); 0 < \arg(z) \leq \frac{\pi}{2} \quad (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2478.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{z^2-1}}{\sqrt{z^2-1}-z}}\right) = -\frac{\pi i}{2} + \frac{1}{2} \operatorname{coth}^{-1}(z); -\frac{\pi}{2} < \arg(z) < 0 \quad (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2479.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{z^2-1}}{\sqrt{z^2-1}-z}}\right) = -\frac{1}{2} \operatorname{coth}^{-1}(z); \frac{\pi}{2} < \arg(z) \leq \pi \quad \vee \quad -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.2480.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{z^2-1}}{\sqrt{z^2-1}-z}}\right) = \frac{1}{2} \operatorname{coth}^{-1}(z); (i z \in \mathbb{R} \wedge i z > 0)$$

01.30.27.2481.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{z^2-1}}{\sqrt{z^2-1}-z}}\right) = \frac{\pi}{4} \left( -2i \sqrt{-\frac{1}{z}} \sqrt{-z} - \frac{\sqrt{-z^4}}{z^2} - \frac{\sqrt{-z}}{\sqrt{z}} + 2i \sqrt{1-z} \sqrt{\frac{1}{1-z}} \right) - \frac{1}{2} i \sqrt{\frac{i}{z}} \sqrt{i z} \operatorname{coth}^{-1}(z)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2\sqrt{z^2-1}/(\sqrt{z^2-1}-z)}\right)$  and  $\operatorname{coth}^{-1}\left(\frac{1}{z}\right)$

01.30.27.2482.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{z^2-1}}{\sqrt{z^2-1}-z}}\right) = \frac{\pi i}{4} + \frac{1}{2} \operatorname{coth}^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1) \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.30.27.2483.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{z^2-1}}{\sqrt{z^2-1}-z}}\right) = -\frac{\pi i}{4} + \frac{1}{2} \operatorname{coth}^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2484.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{z^2-1}}{\sqrt{z^2-1}-z}}\right) = \frac{\pi i}{4} - \frac{1}{2} \operatorname{coth}^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2485.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{z^2-1}}{\sqrt{z^2-1}-z}}\right) = -\frac{\pi i}{4} - \frac{1}{2} \operatorname{coth}^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2486.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{z^2-1}}{\sqrt{z^2-1}-z}}\right) = \frac{\pi i}{4} \left(1 - \sqrt{\frac{i}{z}} \sqrt{-iz} - \frac{i\sqrt{z}}{\sqrt{-z}} - \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} + \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}}\right) - \frac{1}{2} i \sqrt{\frac{i}{z}} \sqrt{iz} \operatorname{coth}^{-1}\left(\frac{1}{z}\right)$$

**Involving  $\operatorname{csch}^{-1}$**

**Involving  $\operatorname{sech}^{-1}(z)$**

**Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csch}^{-1}(iz)$**

01.30.27.0046.02

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} - \operatorname{csch}^{-1}(iz); \operatorname{Im}(z) > 0 \vee 0 < z < 1$$

01.30.27.0043.02

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + \operatorname{csch}^{-1}(iz); \operatorname{Im}(z) < 0 \vee z > 1 \vee z < 0$$

01.30.27.0042.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left(\frac{\pi}{2} - i \operatorname{csch}^{-1}(iz)\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csch}^{-1}\left(\frac{iz^2}{2-z^2}\right)$

01.30.27.2487.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{4} - \frac{1}{2} \operatorname{csch}^{-1}\left(\frac{iz^2}{2-z^2}\right); 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2488.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{4} + \frac{1}{2} \operatorname{csch}^{-1}\left(\frac{iz^2}{2-z^2}\right); -\frac{\pi}{2} \leq \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2489.01

$$\operatorname{sech}^{-1}(z) = -\frac{3\pi i}{4} + \frac{1}{2} \operatorname{csch}^{-1}\left(\frac{iz^2}{2-z^2}\right); \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.2490.01

$$\operatorname{sech}^{-1}(z) = \frac{3\pi i}{4} - \frac{1}{2} \operatorname{csch}^{-1}\left(\frac{iz^2}{2-z^2}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2491.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left( \frac{1}{2} \pi \left( 1 - \frac{1}{2} z \sqrt{\frac{1}{z^2}} \right) - \frac{iz}{2} \sqrt{\frac{1}{z^2}} \operatorname{csch}^{-1}\left(\frac{iz^2}{2-z^2}\right) \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csch}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{-z-1}}\right)$

01.30.27.2492.01

$$\operatorname{sech}^{-1}(z) = -\pi i - 2 \operatorname{csch}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{-z-1}}\right); \operatorname{Im}(z) > 0$$

01.30.27.2493.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2 \operatorname{csch}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{-z-1}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2494.01

$$\operatorname{sech}^{-1}(z) = \pi i + 2 \operatorname{csch}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{-z-1}}\right); (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2495.01

$$\operatorname{sech}^{-1}(z) = -\pi i + 2 \operatorname{csch}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{-z-1}}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2496.01

$$\operatorname{sech}^{-1}(z) = -2 \sqrt{-z-1} \sqrt{-\frac{1}{z}} \sqrt{-(z-1)z} \sqrt{\frac{1}{1-z^2}} \operatorname{csch}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{-z-1}}\right) - \frac{\pi \sqrt{z-1} \sqrt{z}}{\sqrt{1-z}} \sqrt{\frac{1}{z}}$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csch}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{z+1}}\right)$

01.30.27.2497.01

$$\operatorname{sech}^{-1}(z) = -\pi i + 2 \operatorname{csch}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{z+1}}\right); \operatorname{Im}(z) > 0$$

01.30.27.2498.01

$$\operatorname{sech}^{-1}(z) = \pi i + 2 \operatorname{csch}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{z+1}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2499.01

$$\operatorname{sech}^{-1}(z) = \pi i - 2 \operatorname{csch}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{z+1}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2500.01

$$\operatorname{sech}^{-1}(z) = -\pi i - 2 \operatorname{csch}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{z+1}}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2501.01

$$\operatorname{sech}^{-1}(z) = \frac{2\sqrt{z-1}\sqrt{z+1}}{\sqrt{(1-z)z}} \sqrt{-\frac{z}{z+1}} \operatorname{csch}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{z+1}}\right) - \frac{\pi\sqrt{z-1}\sqrt{z}}{\sqrt{1-z}} \sqrt{\frac{1}{z}}$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csch}^{-1}\left(\sqrt{-\frac{2z}{z+1}}\right)$

01.30.27.2502.01

$$\operatorname{sech}^{-1}(z) = -\pi i + 2 \operatorname{csch}^{-1}\left(\sqrt{-\frac{2z}{z+1}}\right); \operatorname{Im}(z) > 0$$

01.30.27.2503.01

$$\operatorname{sech}^{-1}(z) = \pi i + 2 \operatorname{csch}^{-1}\left(\sqrt{-\frac{2z}{z+1}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2504.01

$$\operatorname{sech}^{-1}(z) = -\pi i - 2 \operatorname{csch}^{-1}\left(\sqrt{-\frac{2z}{z+1}}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2505.01

$$\operatorname{sech}^{-1}(z) = 2\sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} \operatorname{csch}^{-1}\left(\sqrt{-\frac{2z}{z+1}}\right) - \frac{\pi\sqrt{z-1}\sqrt{z}}{\sqrt{1-z}} \sqrt{\frac{1}{z}}$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csch}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{1-z}}\right)$

01.30.27.2506.01

$$\operatorname{sech}^{-1}(z) = 2 \operatorname{csch}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{1-z}}\right); |\arg(z)| < \pi$$

01.30.27.2507.01

$$\operatorname{sech}^{-1}(z) = -2 \operatorname{csch}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{1-z}}\right); (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2508.01

$$\operatorname{sech}^{-1}(z) = 2\sqrt{z} \sqrt{\frac{1}{z}} \operatorname{csch}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{1-z}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csch}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{z-1}}\right)$

01.30.27.2509.01

$$\operatorname{sech}^{-1}(z) = -2 \operatorname{csch}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{z-1}}\right); z \notin (-\infty, 1)$$

01.30.27.2510.01

$$\operatorname{sech}^{-1}(z) = 2 \operatorname{csch}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{z-1}}\right); (z \in \mathbb{R} \wedge z < 1)$$

01.30.27.2511.01

$$\operatorname{sech}^{-1}(z) = -2\sqrt{z-1} \sqrt{\frac{1}{z-1}} \operatorname{csch}^{-1}\left(\frac{\sqrt{-2z}}{\sqrt{z-1}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csch}^{-1}\left(\sqrt{\frac{2z}{1-z}}\right)$

01.30.27.2512.01

$$\operatorname{sech}^{-1}(z) = 2 \operatorname{csch}^{-1}\left(\sqrt{\frac{2z}{1-z}}\right); z \notin (-\infty, 0) \wedge z \notin (1, \infty)$$

01.30.27.2513.01

$$\operatorname{sech}^{-1}(z) = -2 \operatorname{csch}^{-1}\left(\sqrt{\frac{2z}{1-z}}\right); (z \in \mathbb{R} \wedge z < 0) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2514.01

$$\operatorname{sech}^{-1}(z) = 2\sqrt{\frac{z}{1-z}} \sqrt{\frac{1-z}{z}} \operatorname{csch}^{-1}\left(\sqrt{\frac{2z}{1-z}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csch}^{-1}\left(\sqrt{-z^2}\right)$

01.30.27.2515.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} + \operatorname{csch}^{-1}\left(\sqrt{-z^2}\right); 0 < \arg(z) < \pi$$

01.30.27.2516.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} + \operatorname{csch}^{-1}\left(\sqrt{-z^2}\right); -\pi < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2517.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - \operatorname{csch}^{-1}\left(\sqrt{-z^2}\right); (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2518.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} - \operatorname{csch}^{-1}\left(\sqrt{-z^2}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2519.01

$$\operatorname{sech}^{-1}(z) = \frac{1}{\sqrt{1 - \frac{1}{z}}} \sqrt{\frac{1}{z} - 1} \left( \frac{z}{\sqrt{-z^2}} \operatorname{csch}^{-1}\left(\sqrt{-z^2}\right) + \frac{\pi}{2} \right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csch}^{-1}\left(\frac{z}{\sqrt{1-z^2}}\right)$

01.30.27.2520.01

$$\operatorname{sech}^{-1}(z) = \operatorname{csch}^{-1}\left(\frac{z}{\sqrt{1-z^2}}\right); -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.30.27.2521.01

$$\operatorname{sech}^{-1}(z) = -\pi i - \operatorname{csch}^{-1}\left(\frac{z}{\sqrt{1-z^2}}\right); \frac{\pi}{2} \leq \arg(z) < \pi$$

01.30.27.2522.01

$$\operatorname{sech}^{-1}(z) = \pi i - \operatorname{csch}^{-1}\left(\frac{z}{\sqrt{1-z^2}}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2523.01

$$\operatorname{sech}^{-1}(z) = \pi i + \operatorname{csch}^{-1}\left(\frac{z}{\sqrt{1-z^2}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2524.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi}{2\sqrt{1 - \frac{1}{z}}} \sqrt{\frac{1}{z} - 1} \left( 1 - z \sqrt{\frac{1}{z^2}} \right) + z \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z+1}} \sqrt{z+1} \operatorname{csch}^{-1}\left(\frac{z}{\sqrt{1-z^2}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csch}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right)$

01.30.27.2525.01

$$\operatorname{sech}^{-1}(z) = \operatorname{csch}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right); \operatorname{Re}(z) > 0$$

01.30.27.2526.01

$$\operatorname{sech}^{-1}(z) = -\pi i + \operatorname{csch}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right); \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.2527.01

$$\operatorname{sech}^{-1}(z) = \pi i + \operatorname{csch}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2528.01

$$\operatorname{sech}^{-1}(z) = -\operatorname{csch}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right); (i z \in \mathbb{R} \wedge i z > 0)$$

01.30.27.2529.01

$$\operatorname{sech}^{-1}(z) = -\pi i - \operatorname{csch}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right); (i z \in \mathbb{R} \wedge i z < 0)$$

01.30.27.2530.01

$$\operatorname{sech}^{-1}(z) = \pi i - \operatorname{csch}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2531.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi}{2\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left(1-z\sqrt{\frac{1}{z^2}}\right) + \sqrt{\frac{1}{z^2}} \sqrt{z^2} \sqrt{\frac{1}{1+z}} \sqrt{1+z} \operatorname{csch}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csch}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right)$

01.30.27.2532.01

$$\operatorname{sech}^{-1}(z) = -\operatorname{csch}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z > 1)$$



01.30.27.2533.01

$$\operatorname{sech}^{-1}(z) = -\operatorname{csch}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) - \pi i /; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.2534.01

$$\operatorname{sech}^{-1}(z) = -\operatorname{csch}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) + \pi i /; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.2535.01

$$\operatorname{sech}^{-1}(z) = \operatorname{csch}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) /; (z \in \mathbb{R} \wedge 0 < z < 1) \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.30.27.2536.01

$$\operatorname{sech}^{-1}(z) = -\pi i + \operatorname{csch}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) /; (i z \in \mathbb{R} \wedge i z < 0)$$

01.30.27.2537.01

$$\operatorname{sech}^{-1}(z) = \operatorname{csch}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) + \pi i /; (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2538.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi}{2\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left(1-z\sqrt{\frac{1}{z^2}}\right) - \frac{\sqrt{-z^2}\sqrt{-1+z^2}}{\sqrt{1-z}} \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{1+z}} \operatorname{csch}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csch}^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right)$

01.30.27.2539.01

$$\operatorname{sech}^{-1}(z) = \operatorname{csch}^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) /; -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2540.01

$$\operatorname{sech}^{-1}(z) = -\pi i + \operatorname{csch}^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) /; \frac{\pi}{2} < \arg(z) < \pi$$

01.30.27.2541.01

$$\operatorname{sech}^{-1}(z) = \pi i + \operatorname{csch}^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2542.01

$$\operatorname{sech}^{-1}(z) = -\operatorname{csch}^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right); (z \in \mathbb{R} \wedge z > 1) \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.30.27.2543.01

$$\operatorname{sech}^{-1}(z) = -\operatorname{csch}^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) - \pi i; (i z \in \mathbb{R} \wedge i z < 0)$$

01.30.27.2544.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi}{2\sqrt{1-\frac{1}{z}}} \sqrt{\frac{1}{z}-1} \left(1-z\sqrt{\frac{1}{z^2}}\right) + \sqrt{\frac{1}{1-z}} \sqrt{1-z} \sqrt{z^2} \sqrt{\frac{1}{z^2}} \operatorname{csch}^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right)$$

Involving  $\operatorname{sech}^{-1}(z)$  and  $\operatorname{csch}^{-1}\left(\frac{z^2}{2\sqrt{1-z^2}}\right)$

01.30.27.2545.01

$$\operatorname{sech}^{-1}(z) = -\frac{\pi i}{2} - \frac{1}{2} \operatorname{csch}^{-1}\left(\frac{z^2}{2\sqrt{1-z^2}}\right); \operatorname{Im}(z) > 0 \wedge |z| \geq \sqrt{2}$$

01.30.27.2546.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi i}{2} - \frac{1}{2} \operatorname{csch}^{-1}\left(\frac{z^2}{2\sqrt{1-z^2}}\right); -\pi < \arg(z) \leq 0 \wedge |z| \geq \sqrt{2}$$

01.30.27.2547.01

$$\operatorname{sech}^{-1}(z) = \frac{\pi}{4\sqrt{\frac{z-1}{z}}} \sqrt{\frac{1}{z}-1} \left(2 - \frac{\sqrt{\frac{1}{z^4}-\frac{1}{z^2}} z}{\sqrt{-1+\frac{1}{z^2}}} - \sqrt{\frac{1}{z^2}} z + \frac{\sqrt{-\frac{1}{z}} \sqrt{z} \sqrt{-\sqrt{2}+z}}{\sqrt{\sqrt{2}-z}} + \frac{\sqrt{\frac{\sqrt{2}+z}{z}}}{\sqrt{\frac{1}{z}} \sqrt{\sqrt{2}+z}}\right) - \frac{z^{3/2} \sqrt{(1-z)(z+\sqrt{2})}}{2\sqrt{z-1} \sqrt{z^2-2}} \sqrt{\frac{z^2}{1-z^2}} \sqrt{\frac{\sqrt{2}-z}{z}} \sqrt{\frac{1-z^2}{z^4}} \operatorname{csch}^{-1}\left(\frac{z^2}{2\sqrt{1-z^2}}\right)$$

Involving  $\operatorname{sech}^{-1}(c z)$

Involving  $\operatorname{sech}^{-1}(i z)$  and  $\operatorname{csch}^{-1}(z)$

01.30.27.2548.01

$$\operatorname{sech}^{-1}(i z) = -\frac{\pi i}{2} + \operatorname{csch}^{-1}(z); \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.2549.01

$$\operatorname{sech}^{-1}(iz) = \frac{\pi i}{2} - \operatorname{csch}^{-1}(z); \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.30.27.2550.01

$$\operatorname{sech}^{-1}(iz) = \frac{1}{\sqrt{1 + \frac{i}{z}}} \sqrt{-1 - \frac{i}{z}} \left( i \operatorname{csch}^{-1}(z) + \frac{\pi}{2} \right)$$

Involving  $\operatorname{sech}^{-1}(-iz)$  and  $\operatorname{csch}^{-1}(z)$

01.30.27.2551.01

$$\operatorname{sech}^{-1}(-iz) = \frac{\pi i}{2} + \operatorname{csch}^{-1}(z); -\frac{\pi}{2} \leq \arg(z) < -\frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.30.27.2552.01

$$\operatorname{sech}^{-1}(-iz) = -\frac{\pi i}{2} - \operatorname{csch}^{-1}(z); \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.30.27.2553.01

$$\operatorname{sech}^{-1}(-iz) = \frac{\sqrt{-iz-1} \sqrt{-iz}}{2\sqrt{iz+1}} \sqrt{\frac{i}{z}} (2i \operatorname{csch}^{-1}(z) - \pi)$$

Involving  $\operatorname{sech}^{-1}(\sqrt{cz})$

Involving  $\operatorname{sech}^{-1}(\sqrt{z})$  and  $\operatorname{csch}^{-1}(\sqrt{-z})$

01.30.27.2554.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = \frac{\pi i}{2} + \operatorname{csch}^{-1}(\sqrt{-z}); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2555.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = -\frac{\pi i}{2} + \operatorname{csch}^{-1}(\sqrt{-z}); 0 < \arg(z) \leq \pi$$

01.30.27.2556.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = -\frac{\pi i}{2} - \operatorname{csch}^{-1}(\sqrt{-z}); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2557.01

$$\operatorname{sech}^{-1}(\sqrt{z}) = \sqrt{-\frac{1}{z}} \sqrt{-z} \sqrt{\frac{1}{1-z}} \sqrt{1-z} \operatorname{csch}^{-1}(\sqrt{-z}) - \frac{1}{2} \pi \sqrt{-\frac{1}{z}} \sqrt{\frac{z}{1-z}} \sqrt{1-z}$$

Involving  $\operatorname{sech}^{-1}(\sqrt{-z})$  and  $\operatorname{csch}^{-1}(\sqrt{z})$

01.30.27.0044.02

$$\operatorname{sech}^{-1}(\sqrt{-z}) = \frac{\pi i}{2} + \operatorname{csch}^{-1}(\sqrt{z}); \operatorname{Im}(z) > 0 \vee z < -1$$

01.30.27.0045.02

$$\operatorname{sech}^{-1}(\sqrt{-z}) = -\frac{\pi i}{2} + \operatorname{csch}^{-1}(\sqrt{z}) ; -\pi < \arg(z) \leq 0$$

01.30.27.2558.01

$$\operatorname{sech}^{-1}(\sqrt{-z}) = -\frac{\pi i}{2} - \operatorname{csch}^{-1}(\sqrt{z}) ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2559.01

$$\operatorname{sech}^{-1}(\sqrt{-z}) = \sqrt{\frac{1}{z}} \sqrt{z} \sqrt{\frac{1}{z+1}} \sqrt{z+1} \operatorname{csch}^{-1}(\sqrt{z}) - \frac{1}{2} \pi \sqrt{\frac{1}{z}} \sqrt{-\frac{z}{z+1}} \sqrt{z+1}$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{cz}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$ and $\operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right)$

01.30.27.2560.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right) + \frac{\pi i}{2} ; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2561.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right) - \frac{\pi i}{2} ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2562.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right) + \frac{\pi i}{2} ; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2563.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = \sqrt{\frac{1}{1-z}} \sqrt{1-z} \sqrt{-\frac{1}{z}} \sqrt{-z} \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right) + \frac{1}{2} \pi \sqrt{\frac{z}{1-z}} \sqrt{1-z} \sqrt{-\frac{1}{z}}$$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$ and $\operatorname{csch}^{-1}\left(\sqrt{-\frac{1}{z}}\right)$

01.30.27.2564.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = \operatorname{csch}^{-1}\left(\sqrt{-\frac{1}{z}}\right) + \frac{\pi i}{2} ; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < 1)$$

01.30.27.2565.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = \operatorname{csch}^{-1}\left(\sqrt{-\frac{1}{z}}\right) - \frac{\pi i}{2} ; \operatorname{Im}(z) < 0$$

01.30.27.2566.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\operatorname{csch}^{-1}\left(\sqrt{-\frac{1}{z}}\right) - \frac{\pi i}{2} ; (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2567.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) = \sqrt{\frac{1}{1-z}} \sqrt{1-z} \operatorname{csch}^{-1}\left(\sqrt{\frac{1}{z}}\right) + \frac{\pi}{2} \sqrt{\frac{z}{1-z}} \sqrt{1-z} \sqrt{\frac{1}{z}}$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{-z}}\right)$  and  $\operatorname{csch}^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.30.27.2568.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{-z}}\right) = \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi i}{2}; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2569.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{-z}}\right) = \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{z}}\right) + \frac{\pi i}{2}; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 0)$$

01.30.27.2570.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{-z}}\right) = -\operatorname{csch}^{-1}\left(\frac{1}{\sqrt{z}}\right) + \frac{\pi i}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2571.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{-z}}\right) = \sqrt{\frac{1}{z}} \sqrt{z} \sqrt{\frac{1}{z+1}} \sqrt{z+1} \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{z}}\right) + \frac{1}{2} \pi \sqrt{\frac{1}{z}} \sqrt{-\frac{z}{1+z}} \sqrt{1+z}$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{-z}}\right)$  and  $\operatorname{csch}^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.30.27.2572.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{-z}}\right) = \operatorname{csch}^{-1}\left(\sqrt{\frac{1}{z}}\right) - \frac{\pi i}{2}; \operatorname{Im}(z) > 0$$

01.30.27.2573.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{-z}}\right) = \operatorname{csch}^{-1}\left(\sqrt{\frac{1}{z}}\right) + \frac{\pi i}{2}; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > -1)$$

01.30.27.2574.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{-z}}\right) = -\operatorname{csch}^{-1}\left(\sqrt{\frac{1}{z}}\right) - \frac{\pi i}{2}; (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2575.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{-z}}\right) = \sqrt{\frac{1}{z+1}} \sqrt{z+1} \operatorname{csch}^{-1}\left(\sqrt{\frac{1}{z}}\right) + \frac{1}{2} \pi \sqrt{\frac{1}{z}} \sqrt{-\frac{z}{1+z}} \sqrt{1+z}$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{c z^2}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{z^2}\right)$  and  $\operatorname{csch}^{-1}(iz)$

01.30.27.2576.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = -\frac{\pi i}{2} - \operatorname{csch}^{-1}(iz) ; 0 < \arg(z) \leq \frac{\pi}{2} \bigvee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.30.27.2577.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = \frac{\pi i}{2} + \operatorname{csch}^{-1}(iz) ; -\frac{\pi}{2} < \arg(z) < 0 \bigvee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2578.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = \frac{\pi i}{2} - \operatorname{csch}^{-1}(iz) ; \frac{\pi}{2} < \arg(z) < \pi \bigvee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2579.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = -\frac{\pi i}{2} + \operatorname{csch}^{-1}(iz) ; -\pi < \arg(z) \leq -\frac{\pi}{2} \bigvee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2580.01

$$\operatorname{sech}^{-1}\left(\sqrt{z^2}\right) = -\frac{i\sqrt{-z-1}\sqrt{-z}}{\sqrt{(1-z)z}} \sqrt{\frac{z-1}{z+1}} \operatorname{csch}^{-1}(iz) + \frac{1}{2}\pi\sqrt{-z^2} \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2-1}} \sqrt{z^2-1}$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{-z^2}\right)$  and  $\operatorname{csch}^{-1}(z)$

01.30.27.2581.01

$$\operatorname{sech}^{-1}\left(\sqrt{-z^2}\right) = \frac{\pi i}{2} + \operatorname{csch}^{-1}(z) ; 0 < \arg(z) < \frac{\pi}{2} \bigvee (iz \in \mathbb{R} \wedge iz < -1)$$

01.30.27.2582.01

$$\operatorname{sech}^{-1}\left(\sqrt{-z^2}\right) = -\frac{\pi i}{2} + \operatorname{csch}^{-1}(z) ; -\frac{\pi}{2} < \arg(z) \leq 0 \bigvee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.30.27.2583.01

$$\operatorname{sech}^{-1}\left(\sqrt{-z^2}\right) = -\frac{\pi i}{2} - \operatorname{csch}^{-1}(z) ; \frac{\pi}{2} < \arg(z) \leq \pi \bigvee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.30.27.2584.01

$$\operatorname{sech}^{-1}\left(\sqrt{-z^2}\right) = \frac{\pi i}{2} - \operatorname{csch}^{-1}(z) ; -\pi < \arg(z) < -\frac{\pi}{2} \bigvee (iz \in \mathbb{R} \wedge iz > 1)$$

01.30.27.2585.01

$$\operatorname{sech}^{-1}\left(\sqrt{-z^2}\right) = \frac{\sqrt{-iz-1}\sqrt{iz-1}}{z} \sqrt{\frac{z^2}{z^2+1}} \operatorname{csch}^{-1}(z) + \frac{1}{2}\pi\sqrt{z^2} \sqrt{-\frac{1}{z^2}} \sqrt{-z^2-1} \sqrt{-\frac{1}{z^2+1}}$$

Involving  $\operatorname{sech}^{-1}\left(a(bz^c)^m\right)$

Involving  $\operatorname{sech}^{-1}\left(a(bz^c)^m\right)$  and  $\operatorname{csch}^{-1}(iab^mz^{mc})$

01.30.27.2586.01

$$\operatorname{sech}^{-1}(a(bz^c)^m) = \frac{1}{\sqrt{1 - \frac{(bz^c)^{-m}}{a}}} \sqrt{\frac{(bz^c)^{-m}}{a} - 1} \left( \frac{\pi}{2} - \frac{ib^m z^{mc}}{(bz^c)^m} \operatorname{csch}^{-1}(iab^m z^{mc}) \right); 2m \in \mathbb{Z}$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{1+2z^2}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1}{1+2z^2}\right)$ and $\operatorname{csch}^{-1}\left(\frac{1}{z}\right)$

01.30.27.2587.01

$$\operatorname{sech}^{-1}\left(\frac{1}{1+2z^2}\right) = 2 \operatorname{csch}^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.30.27.2588.01

$$\operatorname{sech}^{-1}\left(\frac{1}{1+2z^2}\right) = -2 \operatorname{csch}^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.30.27.2589.01

$$\operatorname{sech}^{-1}\left(\frac{1}{1+2z^2}\right) = \frac{2\sqrt{z^2}}{z} \operatorname{csch}^{-1}\left(\frac{1}{z}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{z^2}{z^2+2}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{z^2}{z^2+2}\right)$ and $\operatorname{csch}^{-1}(z)$

01.30.27.2590.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{z^2+2}\right) = 2 \operatorname{csch}^{-1}(z); -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.30.27.2591.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{z^2+2}\right) = -2 \operatorname{csch}^{-1}(z); \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.2592.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{z^2+2}\right) = 2z \sqrt{\frac{1}{z^2}} \operatorname{csch}^{-1}(z)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z+1}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z+1}}\right)$ and $\operatorname{csch}^{-1}\left(\frac{1}{\sqrt{z}}\right)$

$$\text{sech}^{-1}\left(\frac{1}{\sqrt{z+1}}\right) = \text{csch}^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\text{sech}^{-1}\left(\frac{1}{\sqrt{z+1}}\right)$  and  $\text{csch}^{-1}\left(\sqrt{\frac{1}{z}}\right)$

$$\text{sech}^{-1}\left(\frac{1}{\sqrt{z+1}}\right) = \text{csch}^{-1}\left(\sqrt{\frac{1}{z}}\right); |\arg(z)| < \pi$$

$$\text{sech}^{-1}\left(\frac{1}{\sqrt{z+1}}\right) = -\text{csch}^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z < 0)$$

$$\text{sech}^{-1}\left(\frac{1}{\sqrt{z+1}}\right) = \sqrt{z} \sqrt{\frac{1}{z}} \text{csch}^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\text{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1+cz}}\right)$

Involving  $\text{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right)$  and  $\text{csch}^{-1}\left(\frac{i}{z}\right)$

$$\text{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right) = -\frac{\pi i}{4} + \frac{1}{2} \text{csch}^{-1}\left(\frac{i}{z}\right); \text{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

$$\text{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right) = \frac{\pi i}{4} - \frac{1}{2} \text{csch}^{-1}\left(\frac{i}{z}\right); \text{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > -1)$$

$$\text{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-z}}\right) = -\frac{\sqrt{z+1}}{\sqrt{-z-1}} \left(\frac{1}{2} i \text{csch}^{-1}\left(\frac{i}{z}\right) + \frac{\pi}{4}\right)$$

Involving  $\text{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1+z}}\right)$  and  $\text{csch}^{-1}\left(\frac{i}{z}\right)$

$$\text{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1+z}}\right) = \frac{\pi i}{4} + \frac{1}{2} \text{csch}^{-1}\left(\frac{i}{z}\right); \text{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < 1)$$



01.30.27.2601.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1+z}}\right) = -\frac{\pi i}{4} - \frac{1}{2} \operatorname{csch}^{-1}\left(\frac{i}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2602.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1+z}}\right) = -\frac{\sqrt{1-z}}{\sqrt{z-1}} \left(\frac{\pi}{4} - \frac{i}{2} \operatorname{csch}^{-1}\left(\frac{i}{z}\right)\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1+cz}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right)$  and  $\operatorname{csch}^{-1}\left(\frac{i}{z}\right)$

01.30.27.2603.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = -\frac{\pi i}{4} + \frac{1}{2} \operatorname{csch}^{-1}\left(\frac{i}{z}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2604.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = \frac{\pi i}{4} - \frac{1}{2} \operatorname{csch}^{-1}\left(\frac{i}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.30.27.2605.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = -\frac{3\pi i}{4} - \frac{1}{2} \operatorname{csch}^{-1}\left(\frac{i}{z}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2606.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-z}}\right) = \frac{\pi i}{2} \left(\sqrt{1-z} \sqrt{\frac{1}{1-z}} + \frac{i\sqrt{z+1}}{2\sqrt{-z-1}} - 1\right) - \frac{i\sqrt{z+1}}{2\sqrt{-z-1}} \operatorname{csch}^{-1}\left(\frac{i}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1+z}}\right)$  and  $\operatorname{csch}^{-1}\left(\frac{i}{z}\right)$

01.30.27.2607.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1+z}}\right) = \frac{\pi i}{4} + \frac{1}{2} \operatorname{csch}^{-1}\left(\frac{i}{z}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.30.27.2608.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1+z}}\right) = -\frac{\pi i}{4} - \frac{1}{2} \operatorname{csch}^{-1}\left(\frac{i}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.30.27.2609.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1+z}}\right) = -\frac{3\pi i}{4} + \frac{1}{2} \operatorname{csch}^{-1}\left(\frac{i}{z}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2610.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1+z}}\right) = \frac{\pi i}{2} \left( \sqrt{z+1} \sqrt{\frac{1}{z+1}} + \frac{i\sqrt{1-z}}{2\sqrt{z-1}} - 1 \right) + \frac{i\sqrt{1-z}}{2\sqrt{z-1}} \operatorname{csch}^{-1}\left(\frac{i}{z}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right)$  and  $\operatorname{csch}^{-1}(\sqrt{z})$

01.30.27.2611.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right) = \operatorname{csch}^{-1}(\sqrt{z}) ; |\arg(z)| < \pi$$

01.30.27.2612.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right) = -\operatorname{csch}^{-1}(\sqrt{z}) ; (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.2613.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right) = -\pi i - \operatorname{csch}^{-1}(\sqrt{z}) ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.0048.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right) = \frac{\pi i}{2} \left( \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 1 \right) + \sqrt{z} \sqrt{\frac{1}{z}} \operatorname{csch}^{-1}(\sqrt{z})$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-1-z}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-1-z}}\right)$  and  $\operatorname{csch}^{-1}(\sqrt{z})$

01.30.27.2614.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-1-z}}\right) = \operatorname{csch}^{-1}(\sqrt{z}) ; |\arg(z)| < \pi$$

01.30.27.2615.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-1-z}}\right) = -\operatorname{csch}^{-1}(\sqrt{z}) ; (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2616.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-1-z}}\right) = \sqrt{\frac{1}{z}} \sqrt{z} \operatorname{csch}^{-1}(\sqrt{z})$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z+1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z+1}}\right)$  and  $\operatorname{csch}^{-1}(\sqrt{z})$

01.30.27.2617.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z+1}}\right) = \operatorname{csch}^{-1}(\sqrt{z}) /; |\arg(z)| < \pi$$

01.30.27.2618.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z+1}}\right) = -\pi i - \operatorname{csch}^{-1}(\sqrt{z}) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.30.27.2619.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z+1}}\right) = -\operatorname{csch}^{-1}(\sqrt{z}) /; (z \in \mathbb{R} \wedge z < -1)$$

01.30.27.0047.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z}{z+1}}\right) = \left(\sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1\right) \frac{\pi i}{2} + \sqrt{\frac{1}{z}} \sqrt{z} \operatorname{csch}^{-1}(\sqrt{z})$$

### Involving $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right)$  and  $\operatorname{csch}^{-1}\left(\frac{1}{z}\right)$

01.30.27.2620.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right) = \operatorname{csch}^{-1}\left(\frac{1}{z}\right) /; -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.30.27.2621.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right) = -\operatorname{csch}^{-1}\left(\frac{1}{z}\right) /; \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.30.27.2622.01

$$\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right) = \frac{\sqrt{z^2}}{z} \operatorname{csch}^{-1}\left(\frac{1}{z}\right)$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{z^2+1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{z^2+1}}\right)$  and  $\operatorname{csch}^{-1}\left(\frac{1}{z}\right)$

01.30.27.2623.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{z^2+1}}\right) = \operatorname{csch}^{-1}\left(\frac{1}{z}\right); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.30.27.2624.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{z^2+1}}\right) = -\operatorname{csch}^{-1}\left(\frac{1}{z}\right); \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.30.27.2625.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{1}{z^2+1}}\right) = \left(\sqrt{z^2+1} \sqrt{\frac{1}{z^2+1}} - 1\right) \frac{\pi i}{2} + \frac{\sqrt{z^2}}{z} \operatorname{csch}^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right)$  and  $\operatorname{csch}^{-1}(z)$

01.30.27.2626.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right) = \operatorname{csch}^{-1}(z); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.30.27.2627.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right) = -\pi i - \operatorname{csch}^{-1}(z); \frac{\pi}{2} < \arg(z) < \pi \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.30.27.2628.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right) = \pi i - \operatorname{csch}^{-1}(z); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0) \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.30.27.2629.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right) = -\operatorname{csch}^{-1}(z); (iz \in \mathbb{R} \wedge iz < -1)$$

01.30.27.0049.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right) = \frac{\pi \sqrt{-z^2}}{2z} \left(1 - \frac{\sqrt{z^2}}{z}\right) + \frac{\sqrt{z^2}}{z} \operatorname{csch}^{-1}(z); \operatorname{Re}(z) \operatorname{Im}(z) \neq 0$$

01.30.27.2630.01

$$\operatorname{sech}^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right) = \frac{\pi}{2} \left( \sqrt{-\frac{1}{z^2}} z \left( \sqrt{\frac{1}{z^2}} z - 1 \right) + i - i \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} \right) + \frac{\sqrt{iz+1} \sqrt{z} \sqrt{-z^2-1}}{\sqrt{-z} \sqrt{z^2+1}} \sqrt{\frac{1}{iz+1}} \operatorname{csch}^{-1}(z)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1+z^2}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1+z^2}}\right)$ and $\operatorname{csch}^{-1}(z)$

01.30.27.2631.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1+z^2}}\right) = \operatorname{csch}^{-1}(z) ; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.30.27.2632.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1+z^2}}\right) = -\operatorname{csch}^{-1}(z) ; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.30.27.2633.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1+z^2}}\right) = -\pi i - \operatorname{csch}^{-1}(z) ; (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.30.27.2634.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1+z^2}}\right) = -\pi i + \operatorname{csch}^{-1}(z) ; (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.30.27.2635.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1+z^2}}\right) = z \sqrt{\frac{1}{z^2}} \operatorname{csch}^{-1}(z) + \frac{\pi i}{2} \left( \sqrt{\frac{z^2}{z^2+1}} \sqrt{\frac{z^2+1}{z^2}} - 1 \right)$$

### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{-1-z^2}}\right)$

#### Involving $\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{-1-z^2}}\right)$ and $\operatorname{csch}^{-1}(z)$

01.30.27.2636.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{-1-z^2}}\right) = \operatorname{csch}^{-1}(z) ; -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.30.27.2637.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{-1-z^2}}\right) = -\operatorname{csch}^{-1}(z) /; \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.30.27.2638.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{-1-z^2}}\right) = \sqrt{\frac{1}{z^2}} z \operatorname{csch}^{-1}(z)$$

**Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2+1}}\right)$**

**Involving  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2+1}}\right)$  and  $\operatorname{csch}^{-1}(z)$**

01.30.27.2639.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2+1}}\right) = \operatorname{csch}^{-1}(z) /; \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.30.27.2640.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2+1}}\right) = -\operatorname{csch}^{-1}(z) /; \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.27.2641.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{z^2}{z^2+1}}\right) = \left(\sqrt{\frac{z^2+1}{z^2}} \sqrt{\frac{z^2}{z^2+1}} - 1\right) \frac{\pi i}{2} + \sqrt{\frac{1}{z^2}} z \operatorname{csch}^{-1}(z)$$

**Involving  $\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{-1-z^2}}\right)$**

**Involving  $\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{-1-z^2}}\right)$  and  $\operatorname{csch}^{-1}\left(\frac{1}{z}\right)$**

01.30.27.2642.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{-1-z^2}}\right) = -\frac{\pi i}{2} + 2 \operatorname{csch}^{-1}\left(\frac{1}{z}\right) /; 0 < \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.30.27.2643.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{-1-z^2}}\right) = \frac{\pi i}{2} + 2 \operatorname{csch}^{-1}\left(\frac{1}{z}\right) /; -\frac{\pi}{2} < \arg(z) \leq 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.30.27.2644.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{-1-z^2}}\right) = -\frac{\pi i}{2} - 2 \operatorname{csch}^{-1}\left(\frac{1}{z}\right); \frac{3\pi}{4} \leq \arg(z) \leq \pi$$

01.30.27.2645.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{-1-z^2}}\right) = \frac{\pi i}{2} - 2 \operatorname{csch}^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) \leq -\frac{3\pi}{4}$$

01.30.27.2646.01

$$\operatorname{sech}^{-1}\left(\frac{1}{2z\sqrt{-1-z^2}}\right) = \frac{\sqrt{2z\sqrt{-1-z^2}-1}}{\sqrt{1-2z\sqrt{-1-z^2}}} \left( \frac{\pi}{2} - \frac{\pi\sqrt{2z^2+1}\sqrt{z^4+z^2}}{2\sqrt{z^2}\sqrt{-2z^2-1}\sqrt{z^2+1}} \left( -\frac{\sqrt{-z^2}}{z} - i\sqrt{\frac{i}{z}}\sqrt{-iz}\sqrt{\frac{1}{1-i\sqrt{2}z}}\sqrt{1-i\sqrt{2}z} + i\sqrt{\frac{-i}{z}}\sqrt{iz}\sqrt{\frac{1}{\sqrt{2}iz+1}}\sqrt{\sqrt{2}iz+1} - \frac{\sqrt{z^4+z^2}}{z\sqrt{-z^2-1}} \right) + \frac{2\sqrt{2z^2+1}\sqrt{z^4+z^2}}{\sqrt{z^2}\sqrt{-2z^2-1}\sqrt{z^2+1}} \operatorname{csch}^{-1}\left(\frac{1}{z}\right) \right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{-1-z^2}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{-1-z^2}}\right)$  and  $\operatorname{csch}^{-1}(z)$

01.30.27.2647.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{-1-z^2}}\right) = -\frac{\pi i}{2} + 2 \operatorname{csch}^{-1}(z); 0 < \arg(z) < \frac{\pi}{2} \wedge |z| \geq \sqrt{2}$$

01.30.27.2648.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{-1-z^2}}\right) = \frac{\pi i}{2} + 2 \operatorname{csch}^{-1}(z); -\frac{\pi}{2} < \arg(z) \leq 0 \wedge |z| \geq \sqrt{2}$$

01.30.27.2649.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{-1-z^2}}\right) = \frac{\pi i}{2} - 2 \operatorname{csch}^{-1}(z); \frac{\pi}{2} < \arg(z) \leq \pi \wedge |z| \geq \sqrt{2}$$

01.30.27.2650.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{-1-z^2}}\right) = -\frac{\pi i}{2} - 2 \operatorname{csch}^{-1}(z); -\pi < \arg(z) < -\frac{\pi}{2} \wedge |z| \geq \sqrt{2}$$

01.30.27.2651.01

$$\operatorname{sech}^{-1}\left(\frac{z^2}{2\sqrt{-1-z^2}}\right) = \frac{\sqrt{\frac{2\sqrt{-1-z^2}}{z^2}-1}}{\sqrt{1-\frac{2\sqrt{-1-z^2}}{z^2}}}$$

$$\left(\frac{\pi}{2} - \frac{z^3\sqrt{-z^2-2}\sqrt{-z^2-1}}{2\sqrt{1-iz}(iz+1)\sqrt{-z^4-3z^2-2}} \sqrt{\frac{z^2+1}{z^4}} \sqrt{\frac{i-z}{z}} \sqrt{\frac{i}{z}} \left(\pi\left(-\frac{z^3}{z^2+1}\sqrt{\frac{z^2+1}{z^2}}\sqrt{\frac{z^2+1}{z^4}} + \sqrt{-\frac{1}{z^2}}z + i\sqrt{\frac{z-i\sqrt{2}}{z}}\sqrt{\frac{i}{z}}\sqrt{iz}\sqrt{\frac{z}{-i\sqrt{2}+z}} - i\sqrt{\frac{z+i\sqrt{2}}{z}}\sqrt{\frac{i}{z}}\sqrt{-iz}\sqrt{\frac{z}{i\sqrt{2}+z}}\right) + 4\operatorname{csch}^{-1}(z)\right)\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right)$  and  $\operatorname{csch}^{-1}\left(\frac{1}{z}\right)$

01.30.27.2652.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{2} + \frac{1}{2}\operatorname{csch}^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.30.27.2653.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} + \frac{1}{2}\operatorname{csch}^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) \leq 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.30.27.2654.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} - \frac{1}{2}\operatorname{csch}^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) \leq 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.30.27.2655.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{2} - \frac{1}{2}\operatorname{csch}^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz > 1)$$



01.30.27.2656.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2}}{\sqrt{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} \left(1 - \frac{i\sqrt{-z^2}}{\sqrt{z^2}} - \sqrt{\frac{z^2+1}{z^2}} \sqrt{\frac{z^2}{z^2+1}}\right) + \frac{\sqrt{z}\sqrt{-z^2-1}}{2\sqrt{-z}\sqrt{z^2+1}} \operatorname{csch}^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2/\left(1-\sqrt{1+z^2}\right)}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2/\left(1-\sqrt{1+z^2}\right)}\right)$  and  $\operatorname{csch}^{-1}\left(\frac{1}{z}\right)$

01.30.27.2657.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{2} + \frac{1}{2} \operatorname{csch}^{-1}\left(\frac{1}{z}\right) /; 0 \leq \arg(z) < \frac{\pi}{2} \bigvee (iz \in \mathbb{R} \wedge iz < -1)$$

01.30.27.2658.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} + \frac{1}{2} \operatorname{csch}^{-1}\left(\frac{1}{z}\right) /; -\frac{\pi}{2} < \arg(z) < 0 \bigvee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.30.27.2659.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} - \frac{1}{2} \operatorname{csch}^{-1}\left(\frac{1}{z}\right) /; \frac{\pi}{2} < \arg(z) < \pi \bigvee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.30.27.2660.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{2} - \frac{1}{2} \operatorname{csch}^{-1}\left(\frac{1}{z}\right) /; -\pi < \arg(z) < -\frac{\pi}{2} \bigvee (iz \in \mathbb{R} \wedge iz > 1) \bigvee (z \in \mathbb{R} \wedge z < 0)$$

01.30.27.2661.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2}{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} \left(1 + i\sqrt{-\frac{1}{z^2}}\sqrt{z^2} - \sqrt{\frac{z^2+1}{z^2}}\sqrt{\frac{z^2}{z^2+1}}\right) + \frac{\sqrt{z}\sqrt{-z^2-1}}{2\sqrt{-z}\sqrt{z^2+1}} \operatorname{csch}^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z^2}/\left(z\sqrt{1-\sqrt{1+z^2}}\right)\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z^2}/\left(z\sqrt{1-\sqrt{1+z^2}}\right)\right)$  and  $\operatorname{csch}^{-1}\left(\frac{1}{z}\right)$

01.30.27.2662.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z^2}}{z\sqrt{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{2} + \frac{1}{2} \operatorname{csch}^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.30.27.2663.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z^2}}{z\sqrt{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} + \frac{1}{2} \operatorname{csch}^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) \leq 0$$

01.30.27.2664.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z^2}}{z\sqrt{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{2} - \frac{1}{2} \operatorname{csch}^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) \leq \pi$$

01.30.27.2665.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z^2}}{z\sqrt{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} - \frac{1}{2} \operatorname{csch}^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.30.27.2666.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z^2}}{z\sqrt{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} \left(1 - \frac{i\sqrt{-z}}{\sqrt{z}} - \sqrt{\frac{z-i}{z}} \sqrt{\frac{z}{z-i}}\right) + \frac{\sqrt{iz-1} \sqrt{-iz} \sqrt{z} \sqrt{-z^2-1}}{2\sqrt{-z} \sqrt{z(i+z)} \sqrt{z^2+1}} \operatorname{csch}^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{z} \sqrt{2z^2 / (1 - \sqrt{1+z^2})}\right)$

Involving  $\operatorname{sech}^{-1}\left(\frac{1}{z} \sqrt{2z^2 / (1 - \sqrt{1+z^2})}\right)$  and  $\operatorname{csch}^{-1}\left(\frac{1}{z}\right)$

01.30.27.2667.01

$$\operatorname{sech}^{-1}\left(\frac{1}{z} \sqrt{\frac{2z^2}{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} + \frac{1}{2} \operatorname{csch}^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.30.27.2668.01

$$\operatorname{sech}^{-1}\left(\frac{1}{z} \sqrt{\frac{2z^2}{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{2} + \frac{1}{2} \operatorname{csch}^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) \leq 0$$

01.30.27.2669.01

$$\operatorname{sech}^{-1}\left(\frac{1}{z} \sqrt{\frac{2z^2}{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} - \frac{1}{2} \operatorname{csch}^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) \leq \pi \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.30.27.2670.01

$$\operatorname{sech}^{-1}\left(\frac{1}{z} \sqrt{\frac{2z^2}{1-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{2} - \frac{1}{2} \operatorname{csch}^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.30.27.2671.01

$$\operatorname{sech}^{-1}\left(\frac{1}{z} \sqrt{\frac{2z^2}{1-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} \left( \frac{i\sqrt{-z}}{\sqrt{z}} - \sqrt{\frac{z+i}{z}} \sqrt{\frac{z}{z+i}} + 1 \right) + \frac{i\sqrt{-iz-1}}{2\sqrt{iz+1}} \operatorname{csch}^{-1}\left(\frac{1}{z}\right)$$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z} / \sqrt{z - \sqrt{z^2 + 1}}\right)$

Involving  $\operatorname{sech}^{-1}\left(\sqrt{2z} / \sqrt{z - \sqrt{z^2 + 1}}\right)$  and  $\operatorname{csch}^{-1}(z)$

01.30.27.2672.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z - \sqrt{z^2 + 1}}}\right) = \frac{\pi i}{2} + \frac{1}{2} \operatorname{csch}^{-1}(z); 0 < \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.30.27.2673.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z - \sqrt{z^2 + 1}}}\right) = -\frac{\pi i}{2} + \frac{1}{2} \operatorname{csch}^{-1}(z); -\frac{\pi}{2} < \arg(z) < 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.30.27.2674.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z - \sqrt{z^2 + 1}}}\right) = -\frac{1}{2} \operatorname{csch}^{-1}(z); \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.30.27.2675.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z - \sqrt{z^2 + 1}}}\right) = \frac{1}{2} \operatorname{csch}^{-1}(z); (iz \in \mathbb{R} \wedge iz > 1)$$

01.30.27.2676.01

$$\operatorname{sech}^{-1}\left(\frac{\sqrt{2z}}{\sqrt{z-\sqrt{z^2+1}}}\right) = \frac{\pi i}{4} \left( -i \sqrt{\frac{1}{z^2}} \sqrt{-\frac{1}{z}} z^{3/2} - i \sqrt{-\frac{1}{z}} \sqrt{z-\sqrt{z^2+1}} \sqrt{\frac{1}{z^2+1}+1} \right) + \frac{1}{2} \sqrt{\frac{1}{z^2}} z \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} \operatorname{csch}^{-1}(z)$$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{2z/(z-\sqrt{1+z^2})}\right)$

### Involving $\operatorname{sech}^{-1}\left(\sqrt{2z/(z-\sqrt{1+z^2})}\right)$ and $\operatorname{csch}^{-1}(z)$

01.30.27.2677.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{1+z^2}}}\right) = \frac{\pi i}{2} + \frac{1}{2} \operatorname{csch}^{-1}(z) ; 0 < \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.30.27.2678.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{1+z^2}}}\right) = -\frac{\pi i}{2} + \frac{1}{2} \operatorname{csch}^{-1}(z) ; -\frac{\pi}{2} < \arg(z) \leq 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.30.27.2679.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{1+z^2}}}\right) = -\frac{1}{2} \operatorname{csch}^{-1}(z) ; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.30.27.2680.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{1+z^2}}}\right) = \frac{1}{2} \operatorname{csch}^{-1}(z) ; (iz \in \mathbb{R} \wedge iz > 1)$$

01.30.27.2681.01

$$\operatorname{sech}^{-1}\left(\sqrt{\frac{2z}{z-\sqrt{1+z^2}}}\right) = \frac{\pi i}{4} \left( \frac{i\sqrt{-z}}{\sqrt{z}} \left( \sqrt{\frac{1}{z^2}} z + 1 \right) - \sqrt{z^2+1} \sqrt{\frac{1}{z^2+1}+1} \right) + \frac{1}{2} \sqrt{\frac{1}{z^2}} z \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} \operatorname{csch}^{-1}(z)$$

## Inequalities

01.30.29.0001.01

$$\operatorname{sech}^{-1}(x) \geq 0 ; 0 < x \leq 1 \wedge x \in \mathbb{R}$$

## Zeros

---

01.30.30.0001.01

$$\operatorname{sech}^{-1}(z) = 0 \ ; \ z = 1$$

## History

---

The function  $\operatorname{sech}^{-1}$  is encountered often in mathematics and the natural sciences.

## Copyright

---

This document was downloaded from [functions.wolfram.com](http://functions.wolfram.com), a comprehensive online compendium of formulas involving the special functions of mathematics. For a key to the notations used here, see <http://functions.wolfram.com/Notations/>.

Please cite this document by referring to the [functions.wolfram.com](http://functions.wolfram.com) page from which it was downloaded, for example:

<http://functions.wolfram.com/Constants/E/>

To refer to a particular formula, cite [functions.wolfram.com](http://functions.wolfram.com) followed by the citation number.

*e.g.*: <http://functions.wolfram.com/01.03.03.0001.01>

This document is currently in a preliminary form. If you have comments or suggestions, please email [comments@functions.wolfram.com](mailto:comments@functions.wolfram.com).

© 2001-2008, Wolfram Research, Inc.