

KelvinBer

View the online version at

● functions.wolfram.com

Download the

● PDF File

Notations

Traditional name

Kelvin function of the first kind

Traditional notation

$\text{ber}(z)$

Mathematica StandardForm notation

`KelvinBer[z]`

Primary definition

03.14.02.0001.01

$$\text{ber}(z) = \frac{1}{2} \left(I_0(\sqrt[4]{-1} z) + J_0(\sqrt[4]{-1} z) \right)$$

Specific values

Values at fixed points

03.14.03.0001.01

$$\text{ber}(0) = 1$$

Values at infinities

03.14.03.0002.01

$$\lim_{x \rightarrow \infty} \text{ber}(x) = \infty$$

General characteristics

Domain and analyticity

$\text{ber}(z)$ is an entire, and so analytic, function of z , which is defined in the whole complex z -plane.

03.14.04.0001.01

$$z \rightarrow \text{ber}(z) :: \mathbb{C} \rightarrow \mathbb{C}$$

Symmetries and periodicities

Parity

03.14.04.0002.01

$$\operatorname{ber}(-z) = \operatorname{ber}(z)$$

Mirror symmetry

03.14.04.0003.01

$$\operatorname{ber}(\bar{z}) = \overline{\operatorname{ber}(z)}$$

Periodicity

No periodicity

Poles and essential singularities

The function $\operatorname{ber}(z)$ has only one singular point at $z = \infty$. It is an essential singular point.

03.14.04.0004.01

$$\operatorname{Sing}_z(\operatorname{ber}(z)) = \{\{\infty, \infty\}\}$$

Branch points

The function $\operatorname{ber}(z)$ does not have branch points.

03.14.04.0005.01

$$\mathcal{BP}_z(\operatorname{ber}(z)) = \{\}$$

Branch cuts

The function $\operatorname{ber}(z)$ does not have branch cuts.

03.14.04.0006.01

$$\mathcal{BC}_z(\operatorname{ber}(z)) = \{\}$$

Series representations**Generalized power series****Expansions at generic point $z = z_0$**

03.14.06.0001.01

$$\operatorname{ber}(z) \propto \operatorname{ber}(z_0) + \frac{\operatorname{bei}_1(z_0) + \operatorname{ber}_1(z_0)}{\sqrt{2}} (z - z_0) - \frac{1}{4} (\operatorname{ber}(z_0) - \operatorname{bei}_2(z_0)) (z - z_0)^2 + \dots /; (z \rightarrow z_0)$$

03.14.06.0002.01

$$\operatorname{ber}(z) \propto \operatorname{ber}(z_0) + \frac{\operatorname{bei}_1(z_0) + \operatorname{ber}_1(z_0)}{\sqrt{2}} (z - z_0) - \frac{1}{4} (\operatorname{ber}(z_0) - \operatorname{bei}_2(z_0)) (z - z_0)^2 + O((z - z_0)^3)$$

03.14.06.0003.01

$$\text{ber}(z) = \sum_{k=0}^{\infty} \frac{(-1+i)^k 2^{-\frac{3k}{2}-1}}{k!} \left(\sum_{j=0}^{\lfloor \frac{k}{2} \rfloor} \binom{k}{2j} (i(1-i^k) \text{bei}_{4j-k}(z_0) + (1+i^k) \text{ber}_{4j-k}(z_0)) - \sum_{j=0}^{\lfloor \frac{k-1}{2} \rfloor} \binom{k}{2j+1} (i(1-i^k) \text{bei}_{4j-k+2}(z_0) + (1+i^k) \text{ber}_{4j-k+2}(z_0)) \right) (z-z_0)^k$$

03.14.06.0004.01

$$\text{ber}(z) = \frac{\sqrt{\pi} z_0^{-n}}{2} \sum_{k=0}^{\infty} \frac{2^k}{k!} \left({}_1\tilde{F}_2\left(\frac{1}{2}; \frac{1-k}{2}, \frac{2-k}{2}; \frac{i z_0^2}{4}\right) + {}_1\tilde{F}_2\left(\frac{1}{2}; \frac{1-k}{2}, \frac{2-k}{2}; -\frac{i z_0^2}{4}\right) \right) (z-z_0)^k$$

03.14.06.0005.01

$$\text{ber}(z) \propto \text{ber}(z_0) (1 + O(z-z_0))$$

Expansions at $z = 0$

For the function itself

03.14.06.0006.01

$$\text{ber}(z) \propto 1 - \frac{z^4}{64} + \frac{z^8}{147456} - \frac{z^{12}}{2123366400} + \dots /; (z \rightarrow 0)$$

03.14.06.0007.01

$$\text{ber}(z) \propto 1 - \frac{z^4}{64} + \frac{z^8}{147456} - \frac{z^{12}}{2123366400} + O(z^{16})$$

03.14.06.0008.01

$$\text{ber}(z) = \sum_{k=0}^{\infty} \frac{(-1)^k \left(\frac{z}{2}\right)^{4k}}{((2k)!)^2}$$

03.14.06.0009.01

$$\text{ber}(z) = {}_0F_3\left(\frac{1}{2}, \frac{1}{2}, 1; -\frac{z^4}{256}\right)$$

03.14.06.0010.01

$$\text{ber}(z) \propto 1 + O(z^4)$$

03.14.06.0011.01

$$\text{ber}(z) = F_{\infty}(z) /; \left(F_n(z) = \sum_{k=0}^n \frac{(-1)^k \left(\frac{z}{2}\right)^{4k}}{((2k)!)^2} = \text{ber}(z) + \frac{(-1)^n 16^{-n-1} z^{4(n+1)}}{\Gamma(2n+3)^2} {}_1F_4\left(1; n + \frac{3}{2}, n + \frac{3}{2}, n+2, n+2; -\frac{z^4}{256}\right) \right) \bigwedge n \in \mathbb{N}$$

Summed form of the truncated series expansion.

For small integer powers of the function

03.14.06.0012.01

$$\text{ber}(z)^2 \propto 1 - \frac{z^4}{32} + \frac{19z^8}{73728} - \frac{113z^{12}}{530841600} + \dots /; (z \rightarrow 0)$$

03.14.06.0013.01

$$\text{ber}(z)^2 \propto 1 - \frac{z^4}{32} + \frac{19 z^8}{73\,728} - \frac{113 z^{12}}{530\,841\,600} + O(z^{16})$$

03.14.06.0014.01

$$\text{ber}(z)^2 = \frac{1}{2} \sum_{k=0}^{\infty} \frac{16^{-k} (-1)^k \left(\frac{1}{4}\right)_k \left(\frac{3}{4}\right)_k z^{4k}}{\left(\frac{1}{2}\right)_k^3 (k!)^3} + \frac{1}{2} \sum_{k=0}^{\infty} \frac{2^{-4k} z^{4k}}{(k!)^2 (2k)!}$$

03.14.06.0015.01

$$\text{ber}(z)^2 = \frac{1}{2} {}_0F_3\left(\frac{1}{2}, 1, 1; \frac{z^4}{64}\right) + \frac{1}{2} {}_2F_5\left(\frac{1}{4}, \frac{3}{4}; \frac{1}{2}, \frac{1}{2}, \frac{1}{2}, 1, 1; -\frac{z^4}{16}\right)$$

03.14.06.0016.01

$$\text{ber}(z)^2 \propto 1 + O(z^4)$$

03.14.06.0017.01

$$\begin{aligned} \text{ber}(z)^2 = F_{\infty}(z) /; \left(\left(F_n(z) = \frac{1}{2} \sum_{k=0}^n \frac{16^{-k} (-1)^k \left(\frac{1}{4}\right)_k \left(\frac{3}{4}\right)_k z^{4k}}{\left(\frac{1}{2}\right)_k^3 (k!)^3} + \frac{1}{2} \sum_{k=0}^n \frac{2^{-4k} z^{4k}}{(k!)^2 (2k)!} = \right. \right. \\ \left. \left. \text{ber}(z)^2 - \frac{2^{-4n-5} z^{4(n+1)}}{\Gamma(n+2)^2 \Gamma(2n+3)} {}_1F_4\left(1; n + \frac{3}{2}, n+2, n+2, n+2; \frac{z^4}{64}\right) + \right. \right. \\ \left. \left. \frac{(-1)^n z^{4(n+1)} \Gamma\left(2n + \frac{5}{2}\right)}{2 \sqrt{\pi} \Gamma(2n+3)^3} {}_3F_6\left(1, n + \frac{5}{4}, n + \frac{7}{4}; n + \frac{3}{2}, n + \frac{3}{2}, n + \frac{3}{2}, n+2, n+2, n+2; -\frac{z^4}{16}\right) \right) \bigwedge n \in \mathbb{N} \right) \end{aligned}$$

Summed form of the truncated series expansion.

Asymptotic series expansions

Expansions inside Stokes sectors

Expansions containing $z \rightarrow \infty$

In exponential form ||| In exponential form

03.14.06.0018.01

$$\begin{aligned} \text{ber}(z) \propto & -\frac{1}{2\sqrt{2\pi}\sqrt{z}} \left(e^{-\frac{z}{\sqrt{2}}} \left(e^{-\frac{5i\pi}{8} - \frac{iz}{\sqrt{2}}} - e^{\frac{5i\pi}{8} + \frac{iz}{\sqrt{2}}} \right) - \right. \\ & e^{\frac{z}{\sqrt{2}}} \left(e^{\frac{i\pi}{8} - \frac{iz}{\sqrt{2}}} + e^{-\frac{i\pi}{8} + \frac{iz}{\sqrt{2}}} \right) + \frac{1}{8z} \left(e^{\frac{z}{\sqrt{2}}} \left(e^{-\frac{5i\pi}{8} - \frac{iz}{\sqrt{2}}} + e^{\frac{5i\pi}{8} + \frac{iz}{\sqrt{2}}} \right) + e^{-\frac{z}{\sqrt{2}}} \left(e^{\frac{i\pi}{8} - \frac{iz}{\sqrt{2}}} - e^{-\frac{i\pi}{8} + \frac{iz}{\sqrt{2}}} \right) \right) + \\ & \frac{9i}{128z^2} \left(e^{-\frac{z}{\sqrt{2}}} \left(-e^{-\frac{5i\pi}{8} - \frac{iz}{\sqrt{2}}} - e^{\frac{5i\pi}{8} + \frac{iz}{\sqrt{2}}} \right) - e^{\frac{z}{\sqrt{2}}} \left(e^{\frac{i\pi}{8} - \frac{iz}{\sqrt{2}}} - e^{-\frac{i\pi}{8} + \frac{iz}{\sqrt{2}}} \right) \right) + \\ & \left. \frac{75i}{1024z^3} \left(e^{\frac{z}{\sqrt{2}}} \left(e^{-\frac{5i\pi}{8} - \frac{iz}{\sqrt{2}}} - e^{\frac{5i\pi}{8} + \frac{iz}{\sqrt{2}}} \right) + e^{-\frac{z}{\sqrt{2}}} \left(-e^{\frac{i\pi}{8} - \frac{iz}{\sqrt{2}}} - e^{-\frac{i\pi}{8} + \frac{iz}{\sqrt{2}}} \right) \right) + \dots \right) /; -\frac{\pi}{2} < \arg(z) \leq \pi \wedge (|z| \rightarrow \infty) \end{aligned}$$

03.14.06.0019.01

$$\begin{aligned} \text{ber}(z) \propto & -\frac{1}{2\sqrt{2\pi}\sqrt{z}} \left(\sum_{k=0}^{\lfloor \frac{n}{2} \rfloor} \binom{\frac{1}{2}}{2k} \left(e^{-\frac{z}{\sqrt{2}}} \left((-1)^k e^{-\frac{5i\pi}{8} - \frac{iz}{\sqrt{2}}} - e^{\frac{5i\pi}{8} + \frac{iz}{\sqrt{2}}} \right) - e^{\frac{z}{\sqrt{2}}} \left(e^{\frac{i\pi}{8} - \frac{iz}{\sqrt{2}}} + (-1)^k e^{-\frac{i\pi}{8} + \frac{iz}{\sqrt{2}}} \right) \right) \left(\frac{i}{4z^2} \right)^k + \right. \\ & \frac{1}{2z} \sum_{k=0}^{\lfloor \frac{n-1}{2} \rfloor} \binom{\frac{1}{2}}{2k+1} \left(e^{\frac{z}{\sqrt{2}}} \left(e^{-\frac{5i\pi}{8} - \frac{iz}{\sqrt{2}}} + (-1)^k e^{\frac{5i\pi}{8} + \frac{iz}{\sqrt{2}}} \right) + e^{-\frac{z}{\sqrt{2}}} \left((-1)^k e^{\frac{i\pi}{8} - \frac{iz}{\sqrt{2}}} - e^{-\frac{i\pi}{8} + \frac{iz}{\sqrt{2}}} \right) \right) \left(\frac{i}{4z^2} \right)^k + \\ & \left. \dots \right) /; -\frac{\pi}{2} < \arg(z) \leq \pi \wedge (|z| \rightarrow \infty) \wedge n \in \mathbb{N} \end{aligned}$$

03.14.06.0020.01

$$\begin{aligned} \text{ber}(z) \propto & -e^{\frac{z}{\sqrt{2}}} \left(e^{\frac{i\pi}{8} - \frac{iz}{\sqrt{2}}} {}_4F_1 \left(\frac{1}{4}, \frac{1}{4}, \frac{3}{4}, \frac{3}{4}; \frac{i}{2}; \frac{i}{z^2} \right) + e^{-\frac{i\pi}{8} + \frac{iz}{\sqrt{2}}} {}_4F_1 \left(\frac{1}{4}, \frac{1}{4}, \frac{3}{4}, \frac{3}{4}; \frac{1}{2}; -\frac{i}{z^2} \right) \right) + \\ & e^{-\frac{z}{\sqrt{2}}} \left(e^{-\frac{5i\pi}{8} - \frac{iz}{\sqrt{2}}} {}_4F_1 \left(\frac{1}{4}, \frac{1}{4}, \frac{3}{4}, \frac{3}{4}; \frac{1}{2}; -\frac{i}{z^2} \right) - e^{\frac{5i\pi}{8} + \frac{iz}{\sqrt{2}}} {}_4F_1 \left(\frac{1}{4}, \frac{1}{4}, \frac{3}{4}, \frac{3}{4}; \frac{1}{2}; \frac{i}{z^2} \right) \right) + \\ & \frac{1}{8z} \left(e^{\frac{z}{\sqrt{2}}} \left(e^{-\frac{5i\pi}{8} - \frac{iz}{\sqrt{2}}} {}_4F_1 \left(\frac{3}{4}, \frac{3}{4}, \frac{5}{4}, \frac{5}{4}; \frac{3}{2}; \frac{i}{z^2} \right) + e^{\frac{5i\pi}{8} + \frac{iz}{\sqrt{2}}} {}_4F_1 \left(\frac{3}{4}, \frac{3}{4}, \frac{5}{4}, \frac{5}{4}; \frac{3}{2}; -\frac{i}{z^2} \right) \right) + \right. \\ & \left. e^{-\frac{z}{\sqrt{2}}} \left(e^{\frac{i\pi}{8} - \frac{iz}{\sqrt{2}}} {}_4F_1 \left(\frac{3}{4}, \frac{3}{4}, \frac{5}{4}, \frac{5}{4}; \frac{3}{2}; -\frac{i}{z^2} \right) - e^{-\frac{i\pi}{8} + \frac{iz}{\sqrt{2}}} {}_4F_1 \left(\frac{3}{4}, \frac{3}{4}, \frac{5}{4}, \frac{5}{4}; \frac{3}{2}; \frac{i}{z^2} \right) \right) \right) /; -\frac{\pi}{2} < \arg(z) \leq \pi \wedge (|z| \rightarrow \infty) \end{aligned}$$

03.14.06.0021.01

$$\begin{aligned} \text{ber}(z) \propto & -\frac{1}{2\sqrt{2\pi}\sqrt{z}} \left(-e^{\frac{z}{\sqrt{2}}} \left(e^{-\frac{i\pi}{8} + \frac{iz}{\sqrt{2}}} \left(1 + \mathcal{O}\left(\frac{1}{z^2}\right) \right) + e^{\frac{i\pi}{8} - \frac{iz}{\sqrt{2}}} \left(1 + \mathcal{O}\left(\frac{1}{z^2}\right) \right) \right) + \right. \\ & \left. e^{-\frac{z}{\sqrt{2}}} \left(e^{-\frac{5i\pi}{8} - \frac{iz}{\sqrt{2}}} \left(1 + \mathcal{O}\left(\frac{1}{z^2}\right) \right) - e^{\frac{5i\pi}{8} + \frac{iz}{\sqrt{2}}} \left(1 + \mathcal{O}\left(\frac{1}{z^2}\right) \right) \right) \right) /; -\frac{\pi}{2} < \arg(z) \leq \pi \wedge (|z| \rightarrow \infty) \end{aligned}$$

In trigonometric form ||| In trigonometric form

03.14.06.0022.01

$$\begin{aligned} \text{ber}(z) \propto & \frac{1}{\sqrt{2\pi} \sqrt{z}} \left(e^{\frac{z}{\sqrt{2}}} \cos\left(\frac{1}{8}(\pi - 4\sqrt{2}z)\right) + \right. \\ & i e^{-\frac{z}{\sqrt{2}}} \sin\left(\frac{1}{8}(3\pi - 4\sqrt{2}z)\right) + \frac{1}{8z} \left(e^{\frac{z}{\sqrt{2}}} \sin\left(\frac{1}{8}(4\sqrt{2}z + \pi)\right) + i e^{-\frac{z}{\sqrt{2}}} \sin\left(\frac{1}{8}(4\sqrt{2}z - \pi)\right) \right) \Big) + \\ & \frac{9}{128z^2} \left(e^{\frac{z}{\sqrt{2}}} \sin\left(\frac{1}{8}(4\sqrt{2}z - \pi)\right) - i e^{-\frac{z}{\sqrt{2}}} \cos\left(\frac{1}{8}(4\sqrt{2}z - 3\pi)\right) \right) - \\ & \frac{75}{1024z^3} \left(e^{\frac{z}{\sqrt{2}}} \cos\left(\frac{1}{8}(-4\sqrt{2}z - \pi)\right) - i e^{-\frac{z}{\sqrt{2}}} \cos\left(\frac{1}{8}(\pi - 4\sqrt{2}z)\right) \right) + \dots \Big) /; -\frac{\pi}{2} < \arg(z) \leq \pi \wedge (|z| \rightarrow \infty) \end{aligned}$$

03.14.06.0023.01

$$\begin{aligned} \text{ber}(z) \propto & \frac{1}{\sqrt{2\pi} \sqrt{z}} \left(\frac{1}{2z} \sum_{k=0}^{\lfloor \frac{n-1}{2} \rfloor} \frac{\left(\frac{1}{2}\right)_{2k+1}^2}{(2k+1)!} \left(e^{\frac{z}{\sqrt{2}}} \sin\left(\frac{\pi k}{2} + \frac{1}{8}(4\sqrt{2}z + \pi)\right) + (-1)^k e^{-\frac{z}{\sqrt{2}}} i \sin\left(\frac{\pi k}{2} + \frac{1}{8}(4\sqrt{2}z - \pi)\right) \right) \left(-\frac{1}{4z^2}\right)^k + \right. \\ & \sum_{k=0}^{\lfloor \frac{n}{2} \rfloor} \frac{\left(\frac{1}{2}\right)_{2k}^2}{(2k)!} \left((-1)^k e^{\frac{z}{\sqrt{2}}} \cos\left(\frac{\pi k}{2} + \frac{1}{8}(\pi - 4\sqrt{2}z)\right) + i e^{-\frac{z}{\sqrt{2}}} \sin\left(\frac{\pi k}{2} + \frac{1}{8}(3\pi - 4\sqrt{2}z)\right) \right) \left(-\frac{1}{4z^2}\right)^k + \\ & \left. \dots \right) /; -\frac{\pi}{2} < \arg(z) \leq \pi \wedge (|z| \rightarrow \infty) \wedge n \in \mathbb{N} \end{aligned}$$

03.14.06.0024.01

$$\begin{aligned} \text{ber}(z) \propto & \frac{1}{\sqrt{2\pi} \sqrt{z}} \left(\left(e^{\frac{z}{\sqrt{2}}} \cos\left(\frac{1}{8}(\pi - 4\sqrt{2}z)\right) + e^{-\frac{z}{\sqrt{2}}} i \sin\left(\frac{1}{8}(3\pi - 4\sqrt{2}z)\right) \right) {}_8F_3\left(\frac{1}{8}, \frac{1}{8}, \frac{3}{8}, \frac{3}{8}, \frac{5}{8}, \frac{5}{8}, \frac{7}{8}, \frac{7}{8}; \frac{1}{4}, \frac{1}{2}, \frac{3}{4}; -\frac{16}{z^4}\right) + \right. \\ & \frac{1}{8z} \left(e^{\frac{z}{\sqrt{2}}} \sin\left(\frac{1}{8}(4\sqrt{2}z + \pi)\right) + e^{-\frac{z}{\sqrt{2}}} i \sin\left(\frac{1}{8}(4\sqrt{2}z - \pi)\right) \right) {}_8F_3\left(\frac{3}{8}, \frac{3}{8}, \frac{5}{8}, \frac{5}{8}, \frac{7}{8}, \frac{7}{8}, \frac{9}{8}, \frac{9}{8}; \frac{1}{2}, \frac{3}{4}, \frac{5}{4}; -\frac{16}{z^4}\right) - \\ & \frac{9}{128z^2} \left(e^{\frac{z}{\sqrt{2}}} \sin\left(\frac{1}{8}(\pi - 4\sqrt{2}z)\right) + e^{-\frac{z}{\sqrt{2}}} i \cos\left(\frac{1}{8}(3\pi - 4\sqrt{2}z)\right) \right) {}_8F_3\left(\frac{5}{8}, \frac{5}{8}, \frac{7}{8}, \frac{7}{8}, \frac{9}{8}, \frac{9}{8}, \frac{11}{8}, \frac{11}{8}; \frac{3}{4}, \frac{5}{4}, \frac{7}{4}; -\frac{16}{z^4}\right) \\ & \left. - \frac{11}{8} \frac{3}{4} \frac{5}{4} \frac{3}{2}; -\frac{16}{z^4}\right) - \frac{75}{1024z^3} \left(e^{\frac{z}{\sqrt{2}}} \cos\left(\frac{1}{8}(4\sqrt{2}z + \pi)\right) - i e^{-\frac{z}{\sqrt{2}}} \cos\left(\frac{1}{8}(4\sqrt{2}z - \pi)\right) \right) \\ & \left. {}_8F_3\left(\frac{7}{8}, \frac{7}{8}, \frac{9}{8}, \frac{9}{8}, \frac{11}{8}, \frac{11}{8}, \frac{13}{8}, \frac{13}{8}; \frac{5}{4}, \frac{7}{4}, \frac{9}{4}; -\frac{16}{z^4}\right) \right) /; -\frac{\pi}{2} < \arg(z) \leq \pi \wedge (|z| \rightarrow \infty) \end{aligned}$$

03.14.06.0025.01

$$\text{ber}(z) \propto \frac{1}{\sqrt{2\pi} \sqrt{z}} \left(e^{\frac{z}{\sqrt{2}}} \cos\left(\frac{1}{8}(\pi - 4\sqrt{2}z)\right) + i e^{-\frac{z}{\sqrt{2}}} \sin\left(\frac{1}{8}(3\pi - 4\sqrt{2}z)\right) \right) \left(1 + O\left(\frac{1}{z^4}\right)\right) /; -\frac{\pi}{2} < \arg(z) \leq \pi \wedge (|z| \rightarrow \infty)$$

Expansions containing $z \rightarrow -\infty$

In exponential form ||| In exponential form

03.14.06.0026.01

$$\begin{aligned} \text{ber}(z) \propto & \frac{1}{2\sqrt{2\pi}\sqrt{-z}} \left(e^{-\frac{z}{\sqrt{2}}} \left(e^{-\frac{1}{8}(i\pi)-\frac{iz}{\sqrt{2}}} + e^{\frac{i\pi}{8}+\frac{iz}{\sqrt{2}}} \right) + \right. \\ & e^{\frac{z}{\sqrt{2}}} \left(-e^{\frac{3i\pi}{8}-\frac{iz}{\sqrt{2}}} + e^{\frac{3i\pi}{8}+\frac{iz}{\sqrt{2}}} \right) - \frac{1}{8z} \left(e^{\frac{z}{\sqrt{2}}} \left(e^{-\frac{1}{8}(i\pi)-\frac{iz}{\sqrt{2}}} - e^{\frac{i\pi}{8}+\frac{iz}{\sqrt{2}}} \right) + e^{-\frac{z}{\sqrt{2}}} \left(e^{-\frac{1}{8}(3i\pi)-\frac{iz}{\sqrt{2}}} + e^{\frac{3i\pi}{8}+\frac{iz}{\sqrt{2}}} \right) \right) \Bigg) + \\ & \frac{9i}{128z^2} \left(e^{-\frac{z}{\sqrt{2}}} \left(-e^{-\frac{1}{8}(i\pi)-\frac{iz}{\sqrt{2}}} + e^{\frac{i\pi}{8}+\frac{iz}{\sqrt{2}}} \right) + e^{\frac{z}{\sqrt{2}}} \left(-e^{\frac{3i\pi}{8}-\frac{iz}{\sqrt{2}}} - e^{\frac{3i\pi}{8}+\frac{iz}{\sqrt{2}}} \right) \right) - \\ & \left. \frac{75i}{1024z^3} \left(e^{\frac{z}{\sqrt{2}}} \left(e^{-\frac{1}{8}(i\pi)-\frac{iz}{\sqrt{2}}} + e^{\frac{i\pi}{8}+\frac{iz}{\sqrt{2}}} \right) + e^{-\frac{z}{\sqrt{2}}} \left(-e^{-\frac{1}{8}(3i\pi)-\frac{iz}{\sqrt{2}}} + e^{\frac{3i\pi}{8}+\frac{iz}{\sqrt{2}}} \right) \right) + \dots \right) /; \frac{\pi}{2} < \arg(z) \leq \pi \wedge (|z| \rightarrow \infty) \end{aligned}$$

03.14.06.0027.01

$$\begin{aligned} \text{ber}(z) \propto & \frac{1}{2\sqrt{2\pi}\sqrt{-z}} \left(\sum_{k=0}^{\lfloor \frac{n}{2} \rfloor} \frac{\binom{1}{2}_{2k}}{(2k)!} \left(e^{\frac{z}{\sqrt{2}}} \left(-e^{\frac{3i\pi}{8}-\frac{iz}{\sqrt{2}}} + (-1)^k e^{\frac{3i\pi}{8}+\frac{iz}{\sqrt{2}}} \right) + e^{-\frac{z}{\sqrt{2}}} \left((-1)^k e^{-\frac{i\pi}{8}-\frac{iz}{\sqrt{2}}} + e^{\frac{i\pi}{8}+\frac{iz}{\sqrt{2}}} \right) \right) \left(\frac{i}{4z^2} \right)^k - \right. \\ & \frac{1}{2z} \sum_{k=0}^{\lfloor \frac{n-1}{2} \rfloor} \frac{\binom{1}{2}_{2k+1}}{(2k+1)!} \left(e^{\frac{z}{\sqrt{2}}} \left(e^{-\frac{i\pi}{8}-\frac{iz}{\sqrt{2}}} - (-1)^k e^{\frac{i\pi}{8}+\frac{iz}{\sqrt{2}}} \right) + e^{-\frac{z}{\sqrt{2}}} \left((-1)^k e^{-\frac{3i\pi}{8}-\frac{iz}{\sqrt{2}}} + e^{\frac{3i\pi}{8}+\frac{iz}{\sqrt{2}}} \right) \right) \left(\frac{i}{4z^2} \right)^k + \\ & \left. \dots \right) /; \frac{\pi}{2} < \arg(z) \leq \pi \wedge (|z| \rightarrow \infty) \wedge n \in \mathbb{N} \end{aligned}$$

03.14.06.0028.01

$$\begin{aligned} \text{ber}(z) \propto & \frac{1}{2\sqrt{2\pi}\sqrt{-z}} \left(e^{-\frac{z}{\sqrt{2}}} \left(e^{\frac{i\pi}{8}+\frac{iz}{\sqrt{2}}} {}_4F_1\left(\frac{1}{4}, \frac{1}{4}, \frac{3}{4}, \frac{3}{4}; \frac{1}{2}; \frac{i}{z^2}\right) + e^{-\frac{i\pi}{8}-\frac{iz}{\sqrt{2}}} {}_4F_1\left(\frac{1}{4}, \frac{1}{4}, \frac{3}{4}, \frac{3}{4}; \frac{1}{2}; -\frac{i}{z^2}\right) \right) + \right. \\ & e^{\frac{z}{\sqrt{2}}} \left(e^{\frac{3i\pi}{8}+\frac{iz}{\sqrt{2}}} {}_4F_1\left(\frac{1}{4}, \frac{1}{4}, \frac{3}{4}, \frac{3}{4}; \frac{1}{2}; -\frac{i}{z^2}\right) - e^{\frac{3i\pi}{8}-\frac{iz}{\sqrt{2}}} {}_4F_1\left(\frac{1}{4}, \frac{1}{4}, \frac{3}{4}, \frac{3}{4}; \frac{1}{2}; \frac{i}{z^2}\right) \right) - \\ & \frac{1}{8z} \left(e^{-\frac{z}{\sqrt{2}}} \left(e^{\frac{3i\pi}{8}+\frac{iz}{\sqrt{2}}} {}_4F_1\left(\frac{3}{4}, \frac{3}{4}, \frac{5}{4}, \frac{5}{4}; \frac{3}{2}; \frac{i}{z^2}\right) + e^{-\frac{3i\pi}{8}-\frac{iz}{\sqrt{2}}} {}_4F_1\left(\frac{3}{4}, \frac{3}{4}, \frac{5}{4}, \frac{5}{4}; \frac{3}{2}; -\frac{i}{z^2}\right) \right) + \right. \\ & \left. e^{\frac{z}{\sqrt{2}}} \left(e^{-\frac{i\pi}{8}-\frac{iz}{\sqrt{2}}} {}_4F_1\left(\frac{3}{4}, \frac{3}{4}, \frac{5}{4}, \frac{5}{4}; \frac{3}{2}; \frac{i}{z^2}\right) - e^{\frac{i\pi}{8}+\frac{iz}{\sqrt{2}}} {}_4F_1\left(\frac{3}{4}, \frac{3}{4}, \frac{5}{4}, \frac{5}{4}; \frac{3}{2}; -\frac{i}{z^2}\right) \right) \right) /; \frac{\pi}{2} < \arg(z) \leq \pi \wedge (|z| \rightarrow \infty) \end{aligned}$$

03.14.06.0029.01

$$\text{ber}(z) \propto \frac{(-1)^{3/8}}{2\sqrt{2\pi}\sqrt{-z}} \left(e^{\frac{z}{\sqrt{2}}} \left(\sqrt{-1} e^{-\frac{iz}{\sqrt{2}}} + e^{\frac{iz}{\sqrt{2}}} \right) \left(1 + O\left(\frac{1}{z}\right) \right) - e^{-\frac{z}{\sqrt{2}}} \left((-1)^{3/4} e^{\frac{iz}{\sqrt{2}}} + i e^{-\frac{iz}{\sqrt{2}}} \right) \left(1 + O\left(\frac{1}{z}\right) \right) \right) /; (z \rightarrow -\infty)$$

03.14.06.0030.01

$$\text{ber}(z) \propto \frac{1}{2\sqrt{2}\pi\sqrt{-z}} \left(e^{-\frac{z}{\sqrt{2}}} \left(e^{\frac{i\pi}{8} + \frac{iz}{\sqrt{2}}} \left(1 + \mathcal{O}\left(\frac{1}{z^2}\right) \right) + e^{-\frac{i\pi}{8} - \frac{iz}{\sqrt{2}}} \left(1 + \mathcal{O}\left(\frac{1}{z^2}\right) \right) \right) + e^{\frac{z}{\sqrt{2}}} \left(e^{\frac{3i\pi}{8} + \frac{iz}{\sqrt{2}}} \left(1 + \mathcal{O}\left(\frac{1}{z^2}\right) \right) - e^{\frac{3i\pi}{8} - \frac{iz}{\sqrt{2}}} \left(1 + \mathcal{O}\left(\frac{1}{z^2}\right) \right) \right) \right) /; \frac{\pi}{2} < \arg(z) \leq \pi \wedge (|z| \rightarrow \infty)$$

In trigonometric form ||| In trigonometric form

03.14.06.0031.01

$$\text{ber}(z) \propto \frac{1}{\sqrt{2}\pi\sqrt{-z}} \left(e^{-\frac{z}{\sqrt{2}}} \cos\left(\frac{1}{8}(4\sqrt{2}z + \pi)\right) + e^{\frac{z}{\sqrt{2}}} i \cos\left(\frac{1}{8}(\pi - 4\sqrt{2}z)\right) + \frac{1}{8z} \left(e^{-\frac{z}{\sqrt{2}}} \sin\left(\frac{1}{8}(4\sqrt{2}z - \pi)\right) + i e^{\frac{z}{\sqrt{2}}} \sin\left(\frac{1}{8}(4\sqrt{2}z + \pi)\right) \right) + \frac{9}{128z^2} \left(e^{-\frac{z}{\sqrt{2}}} \sin\left(\frac{1}{8}(-4\sqrt{2}z - \pi)\right) + i e^{\frac{z}{\sqrt{2}}} \sin\left(\frac{1}{8}(4\sqrt{2}z - \pi)\right) \right) + \frac{75}{1024z^3} \left(e^{-\frac{z}{\sqrt{2}}} \cos\left(\frac{1}{8}(\pi - 4\sqrt{2}z)\right) - i e^{\frac{z}{\sqrt{2}}} \cos\left(\frac{1}{8}(-4\sqrt{2}z - \pi)\right) \right) + \dots \right) /; (z \rightarrow -\infty)$$

03.14.06.0032.01

$$\text{ber}(z) \propto \frac{1}{\sqrt{2}\pi\sqrt{-z}} \left(\sum_{k=0}^{\lfloor \frac{n}{2} \rfloor} \frac{\left(\frac{1}{2}\right)_{2k}^2}{(2k)!} \left(e^{-\frac{z}{\sqrt{2}}} \cos\left(\frac{\pi k}{2} + \frac{1}{8}(4\sqrt{2}z + \pi)\right) + i e^{\frac{z}{\sqrt{2}}} \cos\left(\frac{\pi k}{2} + \frac{1}{8}(\pi - 4\sqrt{2}z)\right) \right) \left(\frac{1}{4z^2}\right)^k + \frac{1}{2z} \sum_{k=0}^{\lfloor \frac{n-1}{2} \rfloor} \frac{\left(\frac{1}{2}\right)_{2k+1}^2}{(2k+1)!} \left(e^{-\frac{z}{\sqrt{2}}} \sin\left(\frac{\pi k}{2} + \frac{1}{8}(4\sqrt{2}z - \pi)\right) + (-1)^k i e^{\frac{z}{\sqrt{2}}} \sin\left(\frac{\pi k}{2} + \frac{1}{8}(4\sqrt{2}z + \pi)\right) \right) \left(\frac{1}{4z^2}\right)^k + \dots \right) /; (z \rightarrow -\infty) \wedge n \in \mathbb{N}$$

03.14.06.0033.01

ber(z) ∝

$$\begin{aligned} & \frac{1}{\sqrt{2\pi} \sqrt{-z}} \left(\left(e^{-\frac{z}{\sqrt{2}}} \cos\left(\frac{1}{8}(4\sqrt{2}z + \pi)\right) + i e^{\frac{z}{\sqrt{2}}} \cos\left(\frac{1}{8}(\pi - 4\sqrt{2}z)\right) \right) {}_8F_3\left(\frac{1}{8}, \frac{1}{8}, \frac{3}{8}, \frac{3}{8}, \frac{5}{8}, \frac{5}{8}, \frac{7}{8}, \frac{7}{8}; \frac{1}{4}, \frac{1}{2}, \frac{3}{4}; -\frac{16}{z^4}\right) + \right. \\ & \frac{1}{8z} \left(e^{-\frac{z}{\sqrt{2}}} \sin\left(\frac{1}{8}(4\sqrt{2}z - \pi)\right) + e^{\frac{z}{\sqrt{2}}} i \sin\left(\frac{1}{8}(4\sqrt{2}z + \pi)\right) \right) {}_8F_3\left(\frac{3}{8}, \frac{3}{8}, \frac{5}{8}, \frac{5}{8}, \frac{7}{8}, \frac{7}{8}, \frac{9}{8}, \frac{9}{8}; \frac{1}{2}, \frac{3}{4}, \frac{5}{4}; -\frac{16}{z^4}\right) - \\ & \frac{9}{128z^2} \left(e^{-\frac{z}{\sqrt{2}}} \sin\left(\frac{1}{8}(4\sqrt{2}z + \pi)\right) + i e^{\frac{z}{\sqrt{2}}} \sin\left(\frac{1}{8}(\pi - 4\sqrt{2}z)\right) \right) {}_8F_3\left(\frac{5}{8}, \frac{5}{8}, \frac{7}{8}, \frac{7}{8}, \frac{9}{8}, \frac{9}{8}, \frac{11}{8}, \frac{11}{8}; \frac{3}{4}, \frac{5}{4}, \frac{3}{2}; -\frac{16}{z^4}\right) + \\ & \frac{75}{1024z^3} \left(e^{-\frac{z}{\sqrt{2}}} \cos\left(\frac{1}{8}(\pi - 4\sqrt{2}z)\right) - i e^{\frac{z}{\sqrt{2}}} \cos\left(\frac{1}{8}(-4\sqrt{2}z - \pi)\right) \right) \\ & \left. {}_8F_3\left(\frac{7}{8}, \frac{7}{8}, \frac{9}{8}, \frac{9}{8}, \frac{11}{8}, \frac{11}{8}, \frac{13}{8}, \frac{13}{8}; \frac{5}{4}, \frac{3}{2}, \frac{7}{4}; -\frac{16}{z^4}\right) \right); (z \rightarrow -\infty) \end{aligned}$$

03.14.06.0034.01

$$\text{ber}(z) \propto \frac{1}{\sqrt{2\pi} \sqrt{-z}} \left(e^{-\frac{z}{\sqrt{2}}} \cos\left(\frac{1}{8}(4\sqrt{2}z + \pi)\right) + i e^{\frac{z}{\sqrt{2}}} \cos\left(\frac{1}{8}(\pi - 4\sqrt{2}z)\right) \right) \left(1 + O\left(\frac{1}{z^4}\right) \right); (z \rightarrow -\infty)$$

Expansions for any z in exponential form

Using exponential function with branch cut-free arguments

03.14.06.0035.01

$$\begin{aligned} \text{ber}(z) \propto & \frac{1}{2\sqrt{2\pi}} \sqrt[4]{-1} \left(e^{\frac{z}{\sqrt{2}}} \left(\frac{e^{\frac{iz}{\sqrt{2}}}}{\sqrt{(-1)^{3/4}z}} + \frac{e^{-\frac{iz}{\sqrt{2}}}}{\sqrt[4]{-1}z}} \right) + e^{-\frac{z}{\sqrt{2}}} \left(\frac{e^{-\frac{iz}{\sqrt{2}}}}{\sqrt{(-1)^{3/4}z}} + \frac{e^{\frac{iz}{\sqrt{2}}}}{\sqrt{-\sqrt[4]{-1}z}} \right) + \right. \\ & \frac{(-1)^{3/4}}{8z} \left(e^{\frac{z}{\sqrt{2}}} \left(-\frac{e^{\frac{iz}{\sqrt{2}}}}{\sqrt{(-1)^{3/4}z}} - \frac{ie^{-\frac{iz}{\sqrt{2}}}}{\sqrt[4]{-1}z}} \right) + e^{-\frac{z}{\sqrt{2}}} \left(\frac{e^{-\frac{iz}{\sqrt{2}}}}{\sqrt{(-1)^{3/4}z}} + \frac{ie^{\frac{iz}{\sqrt{2}}}}{\sqrt{-\sqrt[4]{-1}z}} \right) \right) + \\ & \frac{9i}{128z^2} \left(e^{\frac{z}{\sqrt{2}}} \left(\frac{e^{-\frac{iz}{\sqrt{2}}}}{\sqrt[4]{-1}z} - \frac{e^{\frac{iz}{\sqrt{2}}}}{\sqrt{(-1)^{3/4}z}} \right) + e^{-\frac{z}{\sqrt{2}}} \left(\frac{e^{\frac{iz}{\sqrt{2}}}}{\sqrt{-\sqrt[4]{-1}z}} - \frac{e^{-\frac{iz}{\sqrt{2}}}}{\sqrt{(-1)^{3/4}z}} \right) \right) - \\ & \left. \frac{75\sqrt[4]{-1}}{1024z^3} \left(e^{\frac{z}{\sqrt{2}}} \left(\frac{e^{\frac{iz}{\sqrt{2}}}}{\sqrt{(-1)^{3/4}z}} - \frac{ie^{-\frac{iz}{\sqrt{2}}}}{\sqrt[4]{-1}z}} \right) + e^{-\frac{z}{\sqrt{2}}} \left(-\frac{e^{-\frac{iz}{\sqrt{2}}}}{\sqrt{(-1)^{3/4}z}} + \frac{ie^{\frac{iz}{\sqrt{2}}}}{\sqrt{-\sqrt[4]{-1}z}} \right) \right) + \dots \right); (|z| \rightarrow \infty) \end{aligned}$$

03.14.06.0036.01

$$\begin{aligned} \text{ber}(z) \propto & \frac{\sqrt[4]{-1}}{2\sqrt{2\pi}} \left(e^{\frac{z}{\sqrt{2}}} \left(\frac{e^{\frac{iz}{\sqrt{2}}}}{\sqrt{(-1)^{3/4}z}} \left(\sum_{k=0}^{\lfloor \frac{n}{2} \rfloor} \frac{\left(\frac{1}{2}\right)_{2k}^2}{(2k)!} \left(-\frac{i}{4z^2}\right)^k + O\left(\frac{1}{z^{2\lfloor \frac{n}{2} \rfloor + 2}}\right) \right) + \frac{e^{-\frac{iz}{\sqrt{2}}}}{\sqrt{\sqrt[4]{-1}z}} \left(\sum_{k=0}^{\lfloor \frac{n}{2} \rfloor} \frac{\left(\frac{1}{2}\right)_{2k}^2}{(2k)!} \left(\frac{i}{4z^2}\right)^k + O\left(\frac{1}{z^{2\lfloor \frac{n}{2} \rfloor + 2}}\right) \right) \right) + \\ & e^{-\frac{z}{\sqrt{2}}} \left(\frac{e^{-\frac{iz}{\sqrt{2}}}}{\sqrt{(-1)^{3/4}z}} \left(\sum_{k=0}^{\lfloor \frac{n}{2} \rfloor} \frac{\left(\frac{1}{2}\right)_{2k}^2}{(2k)!} \left(-\frac{i}{4z^2}\right)^k + O\left(\frac{1}{z^{2\lfloor \frac{n}{2} \rfloor + 2}}\right) \right) + \frac{e^{\frac{iz}{\sqrt{2}}}}{\sqrt{-\sqrt[4]{-1}z}} \left(\sum_{k=0}^{\lfloor \frac{n}{2} \rfloor} \frac{\left(\frac{1}{2}\right)_{2k}^2}{(2k)!} \left(\frac{i}{4z^2}\right)^k + O\left(\frac{1}{z^{2\lfloor \frac{n}{2} \rfloor + 2}}\right) \right) \right) + \\ & \frac{(-1)^{3/4}}{2z} \left(e^{-\frac{z}{\sqrt{2}}} \left(\frac{ie^{\frac{iz}{\sqrt{2}}}}{\sqrt{-\sqrt[4]{-1}z}} \left(\sum_{k=0}^{\lfloor \frac{n-1}{2} \rfloor} \frac{\left(\frac{1}{2}\right)_{2k+1}^2}{(2k+1)!} \left(\frac{i}{4z^2}\right)^k + O\left(\frac{1}{z^{2\lfloor \frac{n-1}{2} \rfloor + 2}}\right) \right) + \frac{e^{-\frac{iz}{\sqrt{2}}}}{\sqrt{-(-1)^{3/4}z}} \left(\sum_{k=0}^{\lfloor \frac{n-1}{2} \rfloor} \frac{\left(\frac{1}{2}\right)_{2k+1}^2}{(2k+1)!} \left(-\frac{i}{4z^2}\right)^k + \right. \right. \\ & \left. \left. O\left(\frac{1}{z^{2\lfloor \frac{n-1}{2} \rfloor + 2}}\right) \right) \right) - e^{\frac{z}{\sqrt{2}}} \left(\frac{e^{\frac{iz}{\sqrt{2}}}}{\sqrt{(-1)^{3/4}z}} \left(\sum_{k=0}^{\lfloor \frac{n-1}{2} \rfloor} \frac{\left(\frac{1}{2}\right)_{2k+1}^2}{(2k+1)!} \left(-\frac{i}{4z^2}\right)^k + O\left(\frac{1}{z^{2\lfloor \frac{n-1}{2} \rfloor + 2}}\right) \right) + \right. \\ & \left. \left. \frac{ie^{-\frac{iz}{\sqrt{2}}}}{\sqrt{\sqrt[4]{-1}z}} \left(\sum_{k=0}^{\lfloor \frac{n-1}{2} \rfloor} \frac{\left(\frac{1}{2}\right)_{2k+1}^2}{(2k+1)!} \left(\frac{i}{4z^2}\right)^k + O\left(\frac{1}{z^{2\lfloor \frac{n-1}{2} \rfloor + 2}}\right) \right) \right) \right) \Big/ (|z| \rightarrow \infty) \wedge n \in \mathbb{N} \end{aligned}$$

03.14.06.0037.01

$$\begin{aligned} \text{ber}(z) \propto & \frac{1+i}{4\sqrt{\pi}} \left(\frac{1}{\sqrt{-\sqrt[4]{-1}z}} \left(e^{(-1)^{3/4}z} - \frac{\sqrt[4]{-1}e^{-(-1)^{3/4}z}}{\sqrt{-iz^2}} \right) \left(\sum_{k=0}^{\lfloor \frac{n}{2} \rfloor} \frac{\left(\frac{1}{2}\right)_{2k}^2}{(2k)!} \left(\frac{i}{4z^2}\right)^k + O\left(\frac{1}{z^{2\lfloor \frac{n}{2} \rfloor + 2}}\right) \right) + \right. \\ & \left. \frac{1}{\sqrt{(-1)^{3/4}z}} \left(\frac{(-1)^{3/4}e^{-\sqrt[4]{-1}z}}{\sqrt{iz^2}} + e^{\sqrt[4]{-1}z} \right) \left(\sum_{k=0}^{\lfloor \frac{n}{2} \rfloor} \frac{\left(\frac{1}{2}\right)_{2k}^2}{(2k)!} \left(-\frac{i}{4z^2}\right)^k + O\left(\frac{1}{z^{2\lfloor \frac{n}{2} \rfloor + 2}}\right) \right) + \right. \\ & \left. \frac{(-1)^{3/4}}{2z} \left(\frac{1}{\sqrt{-\sqrt[4]{-1}z}} \left(ie^{(-1)^{3/4}z} - \frac{\sqrt[4]{-1}e^{-(-1)^{3/4}z}}{\sqrt{-iz^2}} \right) \left(\sum_{k=0}^{\lfloor \frac{n-1}{2} \rfloor} \frac{\left(\frac{1}{2}\right)_{2k+1}^2}{(2k+1)!} \left(\frac{i}{4z^2}\right)^k + O\left(\frac{1}{z^{2\lfloor \frac{n-1}{2} \rfloor + 2}}\right) \right) + \right. \\ & \left. \left. \frac{1}{\sqrt{(-1)^{3/4}z}} \left(\frac{(-1)^{3/4}e^{-\sqrt[4]{-1}z}}{\sqrt{iz^2}} - e^{\sqrt[4]{-1}z} \right) \left(\sum_{k=0}^{\lfloor \frac{n-1}{2} \rfloor} \frac{\left(\frac{1}{2}\right)_{2k+1}^2}{(2k+1)!} \left(-\frac{i}{4z^2}\right)^k + O\left(\frac{1}{z^{2\lfloor \frac{n-1}{2} \rfloor + 2}}\right) \right) \right) \right) \Big/ (|z| \rightarrow \infty) \wedge n \in \mathbb{N} \end{aligned}$$

03.14.06.0038.01

$$\begin{aligned} \text{ber}(z) \propto & \frac{\sqrt[4]{-1}}{2\sqrt{2\pi}} \left(e^{-\frac{z}{\sqrt{2}}} \left(\frac{e^{\frac{iz}{\sqrt{2}}}}{\sqrt{-\sqrt[4]{-1} z}} {}_4F_1\left(\frac{1}{4}, \frac{1}{4}, \frac{3}{4}, \frac{3}{4}; \frac{1}{2}; \frac{i}{z^2}\right) + \frac{e^{-\frac{iz}{\sqrt{2}}}}{\sqrt{-(-1)^{3/4} z}} {}_4F_1\left(\frac{1}{4}, \frac{1}{4}, \frac{3}{4}, \frac{3}{4}; \frac{1}{2}; -\frac{i}{z^2}\right) \right) + \right. \\ & e^{\frac{z}{\sqrt{2}}} \left(\frac{e^{-\frac{iz}{\sqrt{2}}}}{\sqrt{\sqrt[4]{-1} z}} {}_4F_1\left(\frac{1}{4}, \frac{1}{4}, \frac{3}{4}, \frac{3}{4}; \frac{1}{2}; \frac{i}{z^2}\right) + \frac{e^{\frac{iz}{\sqrt{2}}}}{\sqrt{(-1)^{3/4} z}} {}_4F_1\left(\frac{1}{4}, \frac{1}{4}, \frac{3}{4}, \frac{3}{4}; \frac{1}{2}; -\frac{i}{z^2}\right) \right) + \\ & \left. \frac{(-1)^{3/4}}{8z} \left(e^{-\frac{z}{\sqrt{2}}} \left(\frac{ie^{\frac{iz}{\sqrt{2}}}}{\sqrt{-\sqrt[4]{-1} z}} {}_4F_1\left(\frac{3}{4}, \frac{3}{4}, \frac{5}{4}, \frac{5}{4}; \frac{3}{2}; \frac{i}{z^2}\right) + \frac{e^{-\frac{iz}{\sqrt{2}}}}{\sqrt{-(-1)^{3/4} z}} {}_4F_1\left(\frac{3}{4}, \frac{3}{4}, \frac{5}{4}, \frac{5}{4}; \frac{3}{2}; -\frac{i}{z^2}\right) \right) + \right. \\ & \left. \left. e^{\frac{z}{\sqrt{2}}} \left(-\frac{ie^{-\frac{iz}{\sqrt{2}}}}{\sqrt{\sqrt[4]{-1} z}} {}_4F_1\left(\frac{3}{4}, \frac{3}{4}, \frac{5}{4}, \frac{5}{4}; \frac{3}{2}; \frac{i}{z^2}\right) - \frac{e^{\frac{iz}{\sqrt{2}}}}{\sqrt{(-1)^{3/4} z}} {}_4F_1\left(\frac{3}{4}, \frac{3}{4}, \frac{5}{4}, \frac{5}{4}; \frac{3}{2}; -\frac{i}{z^2}\right) \right) \right) \right) /; (|z| \rightarrow \infty) \end{aligned}$$

03.14.06.0039.01

$$\begin{aligned} \text{ber}(z) \propto & \frac{\sqrt[4]{-1}}{2\sqrt{2\pi}} \left(e^{\frac{z}{\sqrt{2}}} \left(\frac{e^{-\frac{iz}{\sqrt{2}}}}{\sqrt{\sqrt[4]{-1} z}} \left(1 + O\left(\frac{1}{z^2}\right) \right) + \frac{e^{\frac{iz}{\sqrt{2}}}}{\sqrt{-(-1)^{3/4} z}} \left(1 + O\left(\frac{1}{z^2}\right) \right) \right) + \right. \\ & \left. e^{-\frac{z}{\sqrt{2}}} \left(\frac{e^{\frac{iz}{\sqrt{2}}}}{\sqrt{-\sqrt[4]{-1} z}} \left(1 + O\left(\frac{1}{z^2}\right) \right) + \frac{e^{-\frac{iz}{\sqrt{2}}}}{\sqrt{-(-1)^{3/4} z}} \left(1 + O\left(\frac{1}{z^2}\right) \right) \right) \right) /; (|z| \rightarrow \infty) \end{aligned}$$

03.14.06.0040.01

$$\text{ber}(z) \propto \begin{cases} \frac{\sqrt[8]{-1} e^{-\sqrt[4]{-1} z} \left(\sqrt[4]{-1} - (-1)^{3/4} e^{2\sqrt[4]{-1} z} + i e^{i\sqrt{2} z} + e^{\sqrt{2} z} \right)}{2\sqrt{2\pi} \sqrt{z}} & -\frac{1}{4} < \frac{\arg(z)}{\pi} \leq \frac{1}{4} \\ \frac{\sqrt[8]{-1} e^{-\sqrt[4]{-1} z} \left(\sqrt[4]{-1} + (-1)^{3/4} e^{2\sqrt[4]{-1} z} + i e^{i\sqrt{2} z} + e^{\sqrt{2} z} \right)}{2\sqrt{2\pi} \sqrt{z}} & \frac{1}{4} < \frac{\arg(z)}{\pi} \leq \frac{3}{4} \\ \frac{\sqrt[8]{-1} e^{-\sqrt[4]{-1} z} \left(\sqrt[4]{-1} + (-1)^{3/4} e^{2\sqrt[4]{-1} z} + i e^{i\sqrt{2} z} - e^{\sqrt{2} z} \right)}{2\sqrt{2\pi} \sqrt{z}} & \frac{\arg(z)}{\pi} > \frac{3}{4} \quad /; (|z| \rightarrow \infty) \\ \frac{\sqrt[8]{-1} e^{-\sqrt[4]{-1} z} \left(\sqrt[4]{-1} - (-1)^{3/4} e^{2\sqrt[4]{-1} z} - i e^{i\sqrt{2} z} + e^{\sqrt{2} z} \right)}{2\sqrt{2\pi} \sqrt{z}} & -\frac{3}{4} < \frac{\arg(z)}{\pi} \leq -\frac{1}{4} \\ -\frac{\sqrt[8]{-1} e^{-\sqrt[4]{-1} z} \left(\sqrt[4]{-1} + (-1)^{3/4} e^{2\sqrt[4]{-1} z} + i e^{i\sqrt{2} z} - e^{\sqrt{2} z} \right)}{2\sqrt{2\pi} \sqrt{z}} & \text{True} \end{cases}$$

Residue representations

03.14.06.0041.01

$$\text{ber}(z) = \pi \sum_{j=0}^{\infty} \text{res}_s \left(\frac{\left(\frac{z}{4}\right)^{-4s}}{\Gamma(1-s)\Gamma\left(\frac{1}{2}-s\right)^2} \Gamma(s) \right) (-j)$$

Integral representations

On the real axis

Of the direct function

03.14.07.0001.01

$$\text{ber}(z) = \frac{1}{\pi} \int_0^{\pi} \cos\left(\frac{z \cos(t)}{\sqrt{2}}\right) \cosh\left(\frac{z \cos(t)}{\sqrt{2}}\right) dt$$

03.14.07.0002.01

$$\text{ber}(z) = \frac{2}{\pi} \int_0^1 \frac{1}{\sqrt{1-t^2}} \cos\left(\frac{tz}{\sqrt{2}}\right) \cosh\left(\frac{tz}{\sqrt{2}}\right) dt$$

03.14.07.0003.01

$$\text{ber}(z) = \frac{1}{\pi} \int_{-\frac{\pi}{2}}^{\frac{\pi}{2}} \cos\left(\frac{z \sin(t)}{\sqrt{2}}\right) \cosh\left(\frac{z \sin(t)}{\sqrt{2}}\right) dt$$

03.14.07.0004.01

$$\text{ber}(z) = \frac{1}{\pi} \int_0^{\pi} \cos\left(\frac{z \sin(t)}{\sqrt{2}}\right) \cosh\left(\frac{z \sin(t)}{\sqrt{2}}\right) dt$$

Contour integral representations

03.14.07.0005.01

$$\text{ber}(z) = \frac{1}{2i} \int_{\mathcal{L}} \frac{\Gamma(s)}{\Gamma\left(\frac{1}{2}-s\right)^2 \Gamma(1-s)} \left(\frac{z}{4}\right)^{-4s} ds$$

Limit representations

03.14.09.0001.01

$$\text{ber}(z) = \frac{1}{2} \left(\lim_{n \rightarrow \infty} \left(L_n\left(\frac{iz^2}{4n}\right) + L_n\left(-\frac{iz^2}{4n}\right) \right) \right)$$

03.14.09.0002.01

$$\text{ber}(z) = \lim_{a \rightarrow \infty} {}_1F_3\left(a; \frac{1}{2}, \frac{1}{2}, 1; -\frac{z^4}{256a}\right)$$

Differential equations

Ordinary linear differential equations and wronskians

For the direct function itself

03.14.13.0001.01

$$w^{(4)}(z) z^4 + 2 w^{(3)}(z) z^3 - w''(z) z^2 + w'(z) z + z^4 w(z) = 0 /; w(z) = c_1 \operatorname{ber}(z) + c_2 \operatorname{bei}(z) + c_3 \operatorname{ker}(z) + c_4 \operatorname{kei}(z)$$

03.14.13.0002.01

$$W_z(\operatorname{ber}(z), \operatorname{bei}(z), \operatorname{ker}(z), \operatorname{kei}(z)) = -\frac{1}{z^2}$$

03.14.13.0003.01

$$\begin{aligned} &g(z)^4 g'(z)^3 w^{(4)}(z) + 2 g(z)^3 (g'(z)^2 - 3 g(z) g''(z)) g'(z)^2 w^{(3)}(z) - \\ &g(z)^2 (g'(z)^4 + 6 g(z) g''(z) g'(z)^2 + 4 g(z)^2 g^{(3)}(z) g'(z) - 15 g(z)^2 g''(z)^2) g'(z) w''(z) + \\ &g(z) (g'(z)^6 + g(z) g''(z) g'(z)^4 - 2 g(z)^2 g^{(3)}(z) g'(z)^3 + g(z)^2 (6 g''(z)^2 - g(z) g^{(4)}(z)) g'(z)^2 + 10 g(z)^3 g''(z) g^{(3)}(z) g'(z) - \\ &15 g(z)^3 g''(z)^3) w'(z) + g(z)^4 g'(z)^7 w(z) = 0 /; w(z) = c_1 \operatorname{ber}(g(z)) + c_2 \operatorname{bei}(g(z)) + c_3 \operatorname{ker}(g(z)) + c_4 \operatorname{kei}(g(z)) \end{aligned}$$

03.14.13.0004.01

$$W_z(\operatorname{ber}(g(z)), \operatorname{bei}(g(z)), \operatorname{ker}(g(z)), \operatorname{kei}(g(z))) = -\frac{g'(z)^6}{g(z)^2}$$

03.14.13.0005.01

$$\begin{aligned} &g(z)^4 g'(z)^3 h(z)^4 w^{(4)}(z) + 2 g(z)^3 g'(z)^2 (h(z) (g'(z)^2 - 3 g(z) g''(z)) - 2 g(z) g'(z) h'(z)) h(z)^3 w^{(3)}(z) + \\ &g(z)^2 g'(z) (-g'(z)^4 + 6 g(z) g''(z) g'(z)^2 + 4 g(z)^2 g^{(3)}(z) g'(z) - 15 g(z)^2 g''(z)^2) h(z)^2 - \\ &6 g(z) g'(z) (h'(z) g'(z)^2 + g(z) h''(z) g'(z) - 3 g(z) h'(z) g''(z)) h(z) + 12 g(z)^2 g'(z)^2 h'(z)^2 h(z)^2 w''(z) + \\ &g(z) ((g'(z)^6 + g(z) g''(z) g'(z)^4 - 2 g(z)^2 g^{(3)}(z) g'(z)^3 + g(z)^2 (6 g''(z)^2 - g(z) g^{(4)}(z)) g'(z)^2 + \\ &10 g(z)^3 g''(z) g^{(3)}(z) g'(z) - 15 g(z)^3 g''(z)^3) h(z)^3 + 2 g(z) g'(z) (h'(z) g'(z)^4 - 3 g(z) h''(z) g'(z)^3 - \\ &2 g(z) (g(z) h^{(3)}(z) - 3 h'(z) g''(z)) g'(z)^2 + g(z)^2 (9 g''(z) h''(z) + 4 h'(z) g^{(3)}(z)) g'(z) - 15 g(z)^2 h'(z) g''(z)^2) h(z)^2 + \\ &12 g(z)^2 g'(z)^2 h'(z) (h'(z) g'(z)^2 + 2 g(z) h''(z) g'(z) - 3 g(z) h'(z) g''(z)) h(z) - 24 g(z)^3 g'(z)^3 h'(z)^3 h(z) w'(z) + \\ &(g(z)^4 h(z)^4 g'(z)^7 + g(z)^4 (24 h'(z)^4 - 36 h(z) h''(z) h'(z)^2 + 8 h(z)^2 h^{(3)}(z) h'(z) + h(z)^2 (6 h''(z)^2 - h(z) h^{(4)}(z))) g'(z)^3 - \\ &2 g(z)^3 h(z) (g'(z)^2 - 3 g(z) g''(z)) (6 h'(z)^3 - 6 h(z) h''(z) h'(z) + h(z)^2 h^{(3)}(z)) g'(z)^2 + \\ &g(z)^2 h(z)^2 (h(z) h''(z) - 2 h'(z)^2) (g'(z)^4 + 6 g(z) g''(z) g'(z)^2 + 4 g(z)^2 g^{(3)}(z) g'(z) - 15 g(z)^2 g''(z)^2) g'(z) - \\ &g(z) h(z)^3 h'(z) (g'(z)^6 + g(z) g''(z) g'(z)^4 - 2 g(z)^2 g^{(3)}(z) g'(z)^3 + \\ &g(z)^2 (6 g''(z)^2 - g(z) g^{(4)}(z)) g'(z)^2 + 10 g(z)^3 g''(z) g^{(3)}(z) g'(z) - 15 g(z)^3 g''(z)^3) w(z) = 0 /; \\ &w(z) = c_1 h(z) \operatorname{ber}(g(z)) + c_2 h(z) \operatorname{bei}(g(z)) + c_3 h(z) \operatorname{ker}(g(z)) + c_4 h(z) \operatorname{kei}(g(z)) \end{aligned}$$

03.14.13.0006.01

$$W_z(h(z) \operatorname{ber}(g(z)), h(z) \operatorname{bei}(g(z)), h(z) \operatorname{ker}(g(z)), h(z) \operatorname{kei}(g(z))) = -\frac{h(z)^4 g'(z)^6}{g(z)^2}$$

03.14.13.0007.01

$$\begin{aligned} &z^4 w^{(4)}(z) + (6 - 4r - 4s) z^3 w^{(3)}(z) + (4r^2 + 12(s-1)r + 6(s-2)s + 7) z^2 w''(z) + \\ &(2r + 2s - 1)(-2(s-1)s + r(2-4s) - 1) z w'(z) + (a^4 r^4 z^4 r + s^4 + 4r s^3 + 4r^2 s^2) w(z) = 0 /; \\ &w(z) = c_1 z^s \operatorname{ber}(a z^r) + c_2 z^s \operatorname{bei}(a z^r) + c_3 z^s \operatorname{ker}(a z^r) + c_4 z^s \operatorname{kei}(a z^r) \end{aligned}$$

03.14.13.0008.01

$$W_z(z^s \operatorname{ber}(a z^r), z^s \operatorname{bei}(a z^r), z^s \operatorname{ker}(a z^r), z^s \operatorname{kei}(a z^r)) = -a^4 r^6 z^{4r+4s-6}$$

03.14.13.0009.01

$$\begin{aligned} &w^{(4)}(z) - 4(\log(r) + \log(s)) w^{(3)}(z) + 2(2 \log^2(r) + 6 \log(s) \log(r) + 3 \log^2(s)) w''(z) + \\ &4(\log(r) + \log(s)) (-\log^2(s) - 2 \log(r) \log(s)) w'(z) + (a^4 \log^4(r) r^{4z} + \log^4(s) + 4 \log(r) \log^3(s) + 4 \log^2(r) \log^2(s)) w(z) = \\ &0 /; w(z) = c_1 s^z \operatorname{ber}(a r^z) + c_2 s^z \operatorname{bei}(a r^z) + c_3 s^z \operatorname{ker}(a r^z) + c_4 s^z \operatorname{kei}(a r^z) \end{aligned}$$

03.14.13.0010.01

$$W_z(s^z \operatorname{ber}(a r^z), s^z \operatorname{bei}(a r^z), s^z \operatorname{ker}(a r^z), s^z \operatorname{kei}(a r^z)) = -a^4 r^{4z} s^{4z} \log^6(r)$$

Transformations

Transformations and argument simplifications

Argument involving basic arithmetic operations

03.14.16.0001.01

$$\operatorname{ber}(-z) = \operatorname{ber}(z)$$

03.14.16.0002.01

$$\operatorname{ber}(i z) = \operatorname{ber}(z)$$

03.14.16.0003.01

$$\operatorname{ber}(-i z) = \operatorname{ber}(z)$$

03.14.16.0004.01

$$\operatorname{ber}\left(\frac{1}{\sqrt[4]{-1}} z\right) = \operatorname{ber}\left(\sqrt[4]{-1} z\right)$$

03.14.16.0005.01

$$\operatorname{ber}((-1)^{-3/4} z) = \operatorname{ber}\left(\sqrt[4]{-1} z\right)$$

03.14.16.0006.01

$$\operatorname{ber}((-1)^{3/4} z) = \operatorname{ber}\left(\sqrt[4]{-1} z\right)$$

03.14.16.0007.01

$$\operatorname{ber}\left(\sqrt[4]{z^4}\right) = \operatorname{ber}(z)$$

Addition formulas

03.14.16.0008.01

$$\operatorname{ber}(z_1 - z_2) = \sum_{k=-\infty}^{\infty} (\operatorname{ber}_k(z_1) \operatorname{ber}_k(z_2) - \operatorname{bei}_k(z_1) \operatorname{bei}_k(z_2)) /; \left| \frac{z_2}{z_1} \right| < 1$$

03.14.16.0009.01

$$\operatorname{ber}(z_1 + z_2) = \sum_{k=-\infty}^{\infty} (-1)^k (\operatorname{ber}_k(z_1) \operatorname{ber}_k(z_2) - \operatorname{bei}_k(z_1) \operatorname{bei}_k(z_2)) /; \left| \frac{z_2}{z_1} \right| < 1$$

Multiple arguments

03.14.16.0010.01

$$\operatorname{ber}(z_1 z_2) = \sum_{k=0}^{\infty} \frac{(1 - z_1^2)^k \left(\frac{z_2}{2}\right)^k}{k!} \left(\cos\left(\frac{3k\pi}{4}\right) \operatorname{ber}_k(z_2) - \sin\left(\frac{3k\pi}{4}\right) \operatorname{bei}_k(z_2) \right) /; \left| \frac{z_2}{z_1} \right| < 1$$

Related transformations

Involving $\operatorname{bei}(z)$

03.14.16.0011.01

$$\operatorname{ber}(z) + i \operatorname{bei}(z) = I_0(\sqrt[4]{-1} z)$$

03.14.16.0012.01

$$\operatorname{ber}(z) - i \operatorname{bei}(z) = I_0((-1)^{3/4} z)$$

Differentiation

Low-order differentiation

03.14.20.0001.01

$$\frac{\partial \operatorname{ber}(z)}{\partial z} = \frac{\operatorname{bei}_1(z) + \operatorname{ber}_1(z)}{\sqrt{2}}$$

03.14.20.0002.01

$$\frac{\partial^2 \operatorname{ber}(z)}{\partial z^2} = \frac{1}{2} (\operatorname{bei}_2(z) - \operatorname{ber}_2(z))$$

Symbolic differentiation

03.14.20.0003.01

$$\frac{\partial^n \operatorname{ber}(z)}{\partial z^n} = 2^{n-1} \sqrt{\pi} z^{-n} \left({}_1\tilde{F}_2\left(\frac{1}{2}; \frac{1-n}{2}, \frac{2-n}{2}; \frac{i z^2}{4}\right) + {}_1\tilde{F}_2\left(\frac{1}{2}; \frac{1-n}{2}, \frac{2-n}{2}; -\frac{1}{4}(i z^2)\right) \right); n \in \mathbb{N}$$

03.14.20.0004.01

$$\frac{\partial^n \operatorname{ber}(z)}{\partial z^n} = (-1 + i)^n 2^{-\frac{3n}{2}-1}$$

$$\left(\sum_{k=0}^{\lfloor \frac{n}{2} \rfloor} \binom{n}{2k} (i(1-i^n) \operatorname{bei}_{4k-n}(z) + (1+i^n) \operatorname{ber}_{4k-n}(z)) - \sum_{k=0}^{\lfloor \frac{n-1}{2} \rfloor} \binom{n}{2k+1} (i(1-i^n) \operatorname{bei}_{4k-n+2}(z) + (1+i^n) \operatorname{ber}_{4k-n+2}(z)) \right); n \in \mathbb{N}$$

03.14.20.0005.01

$$\frac{\partial^n \operatorname{ber}(z)}{\partial z^n} = (-1 + i)^n 2^{-\frac{3n}{2}-1} \sum_{k=0}^{\lfloor \frac{n}{2} \rfloor} \binom{n+1}{2k+1} \binom{n}{2k} ((i - i^{n+1}) \operatorname{bei}_{4k-n}(z) + (1 + i^n) \operatorname{ber}_{4k-n}(z)) - \frac{(1+i)\sqrt{2}(4k-n+1)}{z} \binom{n}{2k+1} ((-i + i^n) \operatorname{bei}_{4k-n+1}(z) + (-1 + i^{n+1}) \operatorname{ber}_{4k-n+1}(z)); n \in \mathbb{N}$$

03.14.20.0006.01

$$\frac{\partial^n \operatorname{ber}(z)}{\partial z^n} = \pi G_{2,6}^{1,2} \left(\frac{z}{4}, \frac{1}{4} \left| \begin{matrix} \frac{1-n}{4}, \frac{3-n}{4} \\ -\frac{n}{4}, 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, \frac{2-n}{4} \end{matrix} \right. \right); n \in \mathbb{N}$$

Fractional integro-differentiation

With respect to z

03.14.20.0007.01

$$\frac{\partial^\alpha \operatorname{ber}(z)}{\partial z^\alpha} = 2^{2\alpha+\frac{1}{2}} \pi^2 z^{-\alpha} {}_2\tilde{F}_5 \left(\frac{1}{4}, \frac{3}{4}; \frac{1}{2}, \frac{1}{4}, \frac{\alpha}{4}, \frac{1}{2}, \frac{\alpha}{4}, \frac{3}{4}, \frac{\alpha}{4}, 1 - \frac{\alpha}{4}; -\frac{z^4}{256} \right)$$

Integration

Indefinite integration

03.14.21.0001.01

$$\int \text{ber}(az) dz = z {}_1F_4\left(\frac{1}{4}; \frac{1}{2}, \frac{1}{2}, 1, \frac{5}{4}; -\frac{1}{256} a^4 z^4\right)$$

Definite integration

03.14.21.0002.01

$$\int_0^\infty t^{\alpha-1} e^{-pt} \text{ber}(t) dt = p^{-\alpha} \Gamma(\alpha) {}_4F_3\left(\frac{\alpha+1}{4}, \frac{\alpha+2}{4}, \frac{\alpha+3}{4}, \frac{\alpha}{4}; \frac{1}{2}, \frac{1}{2}, 1; -\frac{1}{p^4}\right) /;$$

$$\text{Re}(\alpha) > 0 \wedge \left(\text{Re}(p) > \frac{1}{\sqrt{2}} \vee \left(\text{Re}(p) = \frac{1}{\sqrt{2}} \wedge \text{Re}(\alpha) < \frac{3}{2} \right) \right)$$

Integral transforms

Laplace transforms

03.14.22.0001.01

$$\mathcal{L}_t[\text{ber}(t)](z) = \frac{1}{\sqrt[4]{z^4+1}} \cos\left(\frac{1}{2} \tan^{-1}\left(\frac{1}{z^2}\right)\right) /; \text{Re}(z) > \frac{1}{\sqrt{2}}$$

Mellin transforms

03.14.22.0002.01

$$\mathcal{M}_t[e^{-pt} \text{ber}(t)](z) = p^{-z} \Gamma(z) {}_4F_3\left(\frac{z+1}{4}, \frac{z+2}{4}, \frac{z+3}{4}, \frac{z}{4}; \frac{1}{2}, \frac{1}{2}, 1; -\frac{1}{p^4}\right) /; \text{Re}(z) > 0 \wedge \text{Re}(p) > \frac{1}{\sqrt{2}}$$

Representations through more general functions

Through hypergeometric functions

Involving ${}_p\tilde{F}_q$

03.14.26.0001.01

$$\text{ber}(z) = \pi {}_0\tilde{F}_3\left(\frac{1}{2}, \frac{1}{2}, 1; -\frac{z^4}{256}\right)$$

Involving ${}_pF_q$

03.14.26.0002.01

$$\text{ber}(z) = {}_0F_3\left(\frac{1}{2}, \frac{1}{2}, 1; -\frac{z^4}{256}\right)$$

Through Meijer G

Classical cases for the direct function itself

03.14.26.0003.01

$$\text{ber}(z) = \pi G_{0,4}^{1,0} \left(\frac{z^4}{256} \middle| 0, 0, \frac{1}{2}, \frac{1}{2} \right)$$

Classical cases for powers of ber

03.14.26.0004.01

$$\text{ber}(\sqrt[4]{z})^2 = \frac{1}{2} \pi^{3/2} G_{1,5}^{1,0} \left(\frac{z}{64} \middle| 0, 0, 0, \frac{1}{2}, \frac{1}{2} \right) + \frac{1}{2} \sqrt{\frac{\pi}{2}} G_{2,6}^{1,2} \left(\frac{z}{16} \middle| 0, 0, 0, \frac{1}{4}, \frac{3}{4}, \frac{1}{2}, \frac{1}{2}, \frac{1}{2} \right)$$

Brychkov Yu.A. (2006)

03.14.26.0005.01

$$\text{ber}(z)^2 = \frac{1}{2} \pi^{3/2} G_{1,5}^{1,0} \left(\frac{z^4}{64} \middle| 0, 0, 0, \frac{1}{2}, \frac{1}{2} \right) + \frac{1}{2} \sqrt{\frac{\pi}{2}} G_{2,6}^{1,2} \left(\frac{z^4}{16} \middle| 0, 0, 0, \frac{1}{4}, \frac{3}{4}, \frac{1}{2}, \frac{1}{2}, \frac{1}{2} \right)$$

Brychkov Yu.A. (2006)

Classical cases involving powers of bei

03.14.26.0006.01

$$\text{bei}(\sqrt[4]{z})^2 + \text{ber}(\sqrt[4]{z})^2 = \pi^{3/2} G_{1,5}^{1,0} \left(\frac{z}{64} \middle| 0, 0, 0, \frac{1}{2}, \frac{1}{2} \right)$$

Brychkov Yu.A. (2006)

03.14.26.0007.01

$$\text{bei}(\sqrt[4]{z})^2 - \text{ber}(\sqrt[4]{z})^2 = -\sqrt{\frac{\pi}{2}} G_{2,6}^{1,2} \left(\frac{z}{16} \middle| 0, 0, 0, \frac{1}{4}, \frac{3}{4}, \frac{1}{2}, \frac{1}{2}, \frac{1}{2} \right)$$

Brychkov Yu.A. (2006)

03.14.26.0008.01

$$\text{bei}(z)^2 + \text{ber}(z)^2 = \pi^{3/2} G_{1,5}^{1,0} \left(\frac{z^4}{64} \middle| 0, 0, 0, \frac{1}{2}, \frac{1}{2} \right)$$

Brychkov Yu.A. (2006)

03.14.26.0009.01

$$\text{bei}(z)^2 - \text{ber}(z)^2 = -\sqrt{\frac{\pi}{2}} G_{2,6}^{1,2} \left(\frac{z^4}{16} \middle| 0, 0, 0, \frac{1}{4}, \frac{3}{4}, \frac{1}{2}, \frac{1}{2}, \frac{1}{2} \right)$$

Brychkov Yu.A. (2006)

Classical cases involving bei

03.14.26.0010.01

$$\operatorname{bei}(\sqrt[4]{z}) \operatorname{ber}(\sqrt[4]{z}) = \frac{1}{2} \sqrt{\frac{\pi}{2}} G_{2,6}^{1,2} \left(\frac{z}{16} \left| \begin{matrix} \frac{1}{4}, \frac{3}{4} \\ \frac{1}{2}, 0, 0, 0, \frac{1}{2}, \frac{1}{2} \end{matrix} \right. \right)$$

Brychkov Yu.A. (2006)

03.14.26.0011.01

$$\operatorname{bei}(\sqrt[4]{z}) \operatorname{ber}(\sqrt[4]{z}) = \frac{i \pi^{3/2}}{2 \sqrt{2}} G_{3,7}^{1,2} \left(-\frac{z}{16} \left| \begin{matrix} \frac{1}{4}, \frac{3}{4}, 0 \\ \frac{1}{2}, 0, 0, 0, 0, \frac{1}{2}, \frac{1}{2} \end{matrix} \right. \right); -\pi < \arg(z) \leq 0$$

03.14.26.0012.01

$$\operatorname{bei}(z) \operatorname{ber}(z) = \frac{1}{2} \sqrt{\frac{\pi}{2}} G_{2,6}^{1,2} \left(\frac{z^4}{16} \left| \begin{matrix} \frac{1}{4}, \frac{3}{4} \\ \frac{1}{2}, 0, 0, 0, \frac{1}{2}, \frac{1}{2} \end{matrix} \right. \right); -\frac{\pi}{4} \leq \arg(z) \leq \frac{\pi}{4} \wedge \frac{3\pi}{4} < \arg(z) \leq \pi \wedge -\pi < \arg(z) < -\frac{3\pi}{4}$$

03.14.26.0013.01

$$\operatorname{bei}(z) \operatorname{ber}(z) = \frac{i \pi^{3/2}}{2 \sqrt{2}} G_{3,7}^{1,2} \left(-\frac{z^4}{16} \left| \begin{matrix} \frac{1}{4}, \frac{3}{4}, 0 \\ \frac{1}{2}, 0, 0, 0, 0, \frac{1}{2}, \frac{1}{2} \end{matrix} \right. \right); -\frac{\pi}{2} < \arg(z) \leq 0 \wedge \frac{\pi}{2} < \arg(z) \leq \pi$$

Classical cases involving kei

03.14.26.0014.01

$$\operatorname{ber}(\sqrt[4]{z}) \operatorname{kei}(\sqrt[4]{z}) = -\frac{1}{8} \sqrt{\pi} G_{0,4}^{2,0} \left(\frac{z}{64} \left| \begin{matrix} \\ 0, \frac{1}{2}, 0, 0 \end{matrix} \right. \right) - \frac{1}{8 \sqrt{2\pi}} G_{2,6}^{3,2} \left(\frac{z}{16} \left| \begin{matrix} \frac{1}{4}, \frac{3}{4} \\ 0, \frac{1}{2}, \frac{1}{2}, 0, 0, \frac{1}{2} \end{matrix} \right. \right)$$

Brychkov Yu.A. (2006)

03.14.26.0015.01

$$\operatorname{ber}(z) \operatorname{kei}(z) = -\frac{1}{8} \sqrt{\pi} G_{0,4}^{2,0} \left(\frac{z^4}{64} \left| \begin{matrix} \\ 0, \frac{1}{2}, 0, 0 \end{matrix} \right. \right) - \frac{1}{8 \sqrt{2\pi}} G_{2,6}^{3,2} \left(\frac{z^4}{16} \left| \begin{matrix} \frac{1}{4}, \frac{3}{4} \\ 0, \frac{1}{2}, \frac{1}{2}, 0, 0, \frac{1}{2} \end{matrix} \right. \right); -\frac{\pi}{4} < \arg(z) \leq \frac{\pi}{4}$$

Brychkov Yu.A. (2006)

Classical cases involving ker

03.14.26.0016.01

$$\operatorname{ber}(\sqrt[4]{z}) \operatorname{ker}(\sqrt[4]{z}) = \frac{1}{8} \sqrt{\pi} G_{0,4}^{2,0} \left(\frac{z}{64} \left| \begin{matrix} \\ 0, 0, 0, \frac{1}{2} \end{matrix} \right. \right) + \frac{1}{8 \sqrt{2\pi}} G_{2,6}^{3,2} \left(\frac{z}{16} \left| \begin{matrix} \frac{1}{4}, \frac{3}{4} \\ 0, 0, \frac{1}{2}, 0, \frac{1}{2}, \frac{1}{2} \end{matrix} \right. \right)$$

Brychkov Yu.A. (2006)

03.14.26.0017.01

$$\operatorname{ber}(z) \operatorname{ker}(z) = \frac{1}{8} \sqrt{\pi} G_{0,4}^{2,0} \left(\frac{z^4}{64} \left| \begin{matrix} \\ 0, 0, 0, \frac{1}{2} \end{matrix} \right. \right) + \frac{1}{8 \sqrt{2\pi}} G_{2,6}^{3,2} \left(\frac{z^4}{16} \left| \begin{matrix} \frac{1}{4}, \frac{3}{4} \\ 0, 0, \frac{1}{2}, 0, \frac{1}{2}, \frac{1}{2} \end{matrix} \right. \right); -\frac{\pi}{4} < \arg(z) \leq \frac{\pi}{4}$$

Brychkov Yu.A. (2006)

Classical cases involving bei, ker and kei

03.14.26.0018.01

$$\operatorname{bei}(\sqrt[4]{z}) \operatorname{kei}(\sqrt[4]{z}) + \operatorname{ber}(\sqrt[4]{z}) \operatorname{ker}(\sqrt[4]{z}) = \frac{1}{4} \sqrt{\pi} G_{0,4}^{2,0} \left(\frac{z}{64} \middle| 0, 0, 0, \frac{1}{2} \right)$$

Brychkov Yu.A. (2006)

03.14.26.0019.01

$$\operatorname{bei}(\sqrt[4]{z}) \operatorname{kei}(\sqrt[4]{z}) - \operatorname{ber}(\sqrt[4]{z}) \operatorname{ker}(\sqrt[4]{z}) = -\frac{1}{2^{5/2} \sqrt{\pi}} G_{2,6}^{3,2} \left(\frac{z}{16} \middle| 0, 0, \frac{1}{2}, 0, \frac{1}{2}, \frac{1}{2} \right)$$

Brychkov Yu.A. (2006)

03.14.26.0020.01

$$\operatorname{ber}(\sqrt[4]{z}) \operatorname{kei}(\sqrt[4]{z}) + \operatorname{bei}(\sqrt[4]{z}) \operatorname{ker}(\sqrt[4]{z}) = -\frac{1}{2^{5/2} \sqrt{\pi}} G_{2,6}^{3,2} \left(\frac{z}{16} \middle| 0, \frac{1}{2}, \frac{1}{2}, 0, 0, \frac{1}{2} \right)$$

Brychkov Yu.A. (2006)

03.14.26.0021.01

$$\operatorname{bei}(\sqrt[4]{z}) \operatorname{ker}(\sqrt[4]{z}) - \operatorname{ber}(\sqrt[4]{z}) \operatorname{kei}(\sqrt[4]{z}) = \frac{1}{4} \sqrt{\pi} G_{0,4}^{2,0} \left(\frac{z}{64} \middle| 0, \frac{1}{2}, 0, 0 \right)$$

Brychkov Yu.A. (2006)

03.14.26.0022.01

$$\operatorname{bei}(z) \operatorname{kei}(z) + \operatorname{ber}(z) \operatorname{ker}(z) = \frac{1}{4} \sqrt{\pi} G_{0,4}^{2,0} \left(\frac{z^4}{64} \middle| 0, 0, 0, \frac{1}{2} \right) /; -\frac{\pi}{4} < \arg(z) \leq \frac{\pi}{4}$$

Brychkov Yu.A. (2006)

03.14.26.0023.01

$$\operatorname{bei}(z) \operatorname{kei}(z) - \operatorname{ber}(z) \operatorname{ker}(z) = -\frac{1}{2^{5/2} \sqrt{\pi}} G_{2,6}^{3,2} \left(\frac{z^4}{16} \middle| 0, 0, \frac{1}{2}, 0, \frac{1}{2}, \frac{1}{2} \right) /; -\frac{\pi}{4} < \arg(z) \leq \frac{\pi}{4}$$

Brychkov Yu.A. (2006)

03.14.26.0024.01

$$\operatorname{ber}(z) \operatorname{kei}(z) + \operatorname{bei}(z) \operatorname{ker}(z) = -\frac{1}{2^{5/2} \sqrt{\pi}} G_{2,6}^{3,2} \left(\frac{z^4}{16} \middle| 0, \frac{1}{2}, \frac{1}{2}, 0, 0, \frac{1}{2} \right) /; -\frac{\pi}{4} < \arg(z) \leq \frac{\pi}{4}$$

Brychkov Yu.A. (2006)

03.14.26.0025.01

$$\operatorname{bei}(z) \operatorname{ker}(z) - \operatorname{ber}(z) \operatorname{kei}(z) = \frac{1}{4} \sqrt{\pi} G_{0,4}^{2,0} \left(\frac{z^4}{64} \middle| 0, \frac{1}{2}, 0, 0 \right) /; -\frac{\pi}{4} < \arg(z) \leq \frac{\pi}{4} \vee \frac{3\pi}{4} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{3\pi}{4}$$

Brychkov Yu.A. (2006)

Classical cases involving Bessel J

03.14.26.0026.01

$$J_0((-1)^{3/4} z) \operatorname{ber}(z) = \frac{1}{2} \sqrt{\pi} \left(G_{0,4}^{1,0} \left(-\frac{z^4}{64} \middle| 0, 0, 0, \frac{1}{2} \right) + \sqrt{2} G_{2,4}^{1,1} \left(i z^2 \middle| \frac{1}{2}, \frac{1}{4} \right) \right)$$

Classical cases involving Bessel I

03.14.26.0027.01

$$I_0(\sqrt[4]{-1} z) \operatorname{ber}(z) = \frac{1}{2} \sqrt{\pi} \left(G_{0,4}^{1,0} \left(-\frac{z^4}{64} \middle| 0, 0, 0, \frac{1}{2} \right) + \sqrt{2} G_{2,4}^{1,1} \left(i z^2 \middle| \frac{1}{2}, \frac{1}{4} \right) \right)$$

Classical cases involving Bessel K

03.14.26.0028.01

$$K_0(\sqrt[4]{-1} z) \operatorname{ber}(z) = -\frac{1}{4} \pi^{3/2} \left(2 G_{3,5}^{2,1} \left(i z^2 \middle| \frac{1}{2}, -\frac{1}{4}, \frac{1}{4} \right) - \frac{1}{2 \pi^2} G_{0,4}^{3,0} \left(-\frac{z^4}{64} \middle| 0, 0, \frac{1}{2}, 0 \right) \right) /; -\frac{\pi}{2} < \arg(z) \leq 0$$

Classical cases involving ${}_0F_1$

03.14.26.0029.01

$${}_0F_1 \left(; 1; \frac{i \sqrt{z}}{4} \right) \operatorname{ber}(\sqrt[4]{z}) = \frac{1}{2} \sqrt{\frac{\pi}{2}} \left(\sqrt{2} \pi G_{1,5}^{1,0} \left(\frac{z}{64} \middle| \frac{1}{2} \right) + G_{2,6}^{1,2} \left(\frac{z}{16} \middle| \frac{3}{4}, \frac{1}{4} \right) + i G_{2,6}^{1,2} \left(\frac{z}{16} \middle| \frac{1}{2}, 0, 0, 0, \frac{1}{2}, \frac{1}{2} \right) \right)$$

03.14.26.0030.01

$${}_0F_1 \left(; 1; \frac{i z^2}{4} \right) \operatorname{ber}(z) = \frac{1}{2} \sqrt{\frac{\pi}{2}} \left(\sqrt{2} \pi G_{1,5}^{1,0} \left(\frac{z^4}{64} \middle| \frac{1}{2} \right) + G_{2,6}^{1,2} \left(\frac{z^4}{16} \middle| \frac{3}{4}, \frac{1}{4} \right) + i G_{2,6}^{1,2} \left(\frac{z^4}{16} \middle| \frac{1}{2}, 0, 0, \frac{1}{2}, \frac{1}{2}, 0 \right) \right) /; -\frac{\pi}{4} < \arg(z) \leq \frac{\pi}{4} \vee \frac{3\pi}{4} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq \frac{5\pi}{4}$$

03.14.26.0031.01

$${}_0F_1 \left(; 1; \frac{i z^2}{4} \right) \operatorname{ber}(z) = \sqrt{\frac{\pi}{2}} \left(\frac{G_{0,4}^{1,0} \left(-\frac{z^4}{64} \middle| 0, 0, 0, \frac{1}{2} \right)}{\sqrt{2}} + G_{2,4}^{1,1} \left(i z^2 \middle| \frac{1}{2}, \frac{1}{4} \right) \right)$$

Generalized cases for the direct function itself

03.14.26.0032.01

$$\operatorname{ber}(z) = \pi G_{0,4}^{1,0} \left(\frac{z}{4}, \frac{1}{4} \middle| 0, 0, \frac{1}{2}, \frac{1}{2} \right)$$

Generalized cases for powers of ber

03.14.26.0033.01

$$\operatorname{ber}(z)^2 = \frac{1}{2} \pi^{3/2} G_{1,5}^{1,0} \left(\frac{z}{2\sqrt{2}}, \frac{1}{4} \middle| \frac{1}{2} \right) + \frac{1}{2} \sqrt{\frac{\pi}{2}} G_{2,6}^{1,2} \left(\frac{z}{2}, \frac{1}{4} \middle| 0, 0, 0, \frac{1}{2}, \frac{1}{2}, \frac{1}{2} \right)$$

Brychkov Yu.A. (2006)

03.14.26.0034.01

$$\text{ber}(z)^2 = \frac{1}{2} \sqrt{\pi} G_{0,4}^{1,0} \left(\frac{\sqrt{-1} z}{2\sqrt{2}}, \frac{1}{4} \middle| 0, 0, 0, \frac{1}{2} \right) + \frac{\pi^{3/2}}{2\sqrt{2}} G_{3,7}^{1,2} \left(\frac{1}{2} \sqrt[4]{-1} z, \frac{1}{4} \middle| \frac{1}{4}, \frac{3}{4}, \frac{1}{2} \right)$$

Generalized cases involving powers of bei

03.14.26.0035.01

$$\text{bei}(z)^2 + \text{ber}(z)^2 = \pi^{3/2} G_{1,5}^{1,0} \left(\frac{z}{2\sqrt{2}}, \frac{1}{4} \middle| 0, 0, 0, \frac{1}{2}, \frac{1}{2} \right)$$

Brychkov Yu.A. (2006)

03.14.26.0036.01

$$\text{bei}(z)^2 - \text{ber}(z)^2 = -\sqrt{\frac{\pi}{2}} G_{2,6}^{1,2} \left(\frac{z}{2}, \frac{1}{4} \middle| \frac{1}{4}, \frac{3}{4} \right)$$

Brychkov Yu.A. (2006)

Generalized cases involving bei

03.14.26.0037.01

$$\text{bei}(z) \text{ber}(z) = \frac{1}{2} \sqrt{\frac{\pi}{2}} G_{2,6}^{1,2} \left(\frac{z}{2}, \frac{1}{4} \middle| \frac{1}{2}, 0, 0, 0, \frac{1}{2}, \frac{1}{2} \right)$$

Brychkov Yu.A. (2006)

03.14.26.0038.01

$$\text{bei}(z) \text{ber}(-z) = \frac{i \pi^{3/2}}{2\sqrt{2}} G_{3,7}^{1,2} \left(\frac{1}{2} \sqrt[4]{-1} z, \frac{1}{4} \middle| \frac{1}{4}, \frac{3}{4}, 0 \right)$$

Generalized cases involving kei

03.14.26.0039.01

$$\text{ber}(z) \text{kei}(z) = -\frac{1}{8} \sqrt{\pi} G_{0,4}^{2,0} \left(\frac{z}{2\sqrt{2}}, \frac{1}{4} \middle| 0, \frac{1}{2}, 0, 0 \right) - \frac{1}{8\sqrt{2}\pi} G_{2,6}^{3,2} \left(\frac{z}{2}, \frac{1}{4} \middle| 0, \frac{1}{2}, \frac{1}{2}, 0, 0, \frac{1}{2} \right)$$

Brychkov Yu.A. (2006)

Generalized cases involving ker

03.14.26.0040.01

$$\text{ber}(z) \text{ker}(z) = \frac{1}{8} \sqrt{\pi} G_{0,4}^{2,0} \left(\frac{z}{2\sqrt{2}}, \frac{1}{4} \middle| 0, 0, 0, \frac{1}{2} \right) + \frac{1}{8\sqrt{2}\pi} G_{2,6}^{3,2} \left(\frac{z}{2}, \frac{1}{4} \middle| 0, 0, \frac{1}{2}, 0, \frac{1}{2}, \frac{1}{2} \right)$$

Brychkov Yu.A. (2006)

Generalized cases involving bei, ker and kei

03.14.26.0041.01

$$\operatorname{bei}(z) \operatorname{kei}(z) + \operatorname{ber}(z) \operatorname{ker}(z) = \frac{1}{4} \sqrt{\pi} G_{0,4}^{2,0} \left(\frac{z}{2\sqrt{2}}, \frac{1}{4} \mid 0, 0, 0, \frac{1}{2} \right)$$

Brychkov Yu.A. (2006)

03.14.26.0042.01

$$\operatorname{bei}(z) \operatorname{kei}(z) - \operatorname{ber}(z) \operatorname{ker}(z) = -\frac{1}{4\sqrt{2\pi}} G_{2,6}^{3,2} \left(\frac{z}{2}, \frac{1}{4} \mid 0, 0, \frac{1}{2}, 0, \frac{1}{2}, \frac{1}{2} \right)$$

Brychkov Yu.A. (2006)

03.14.26.0043.01

$$\operatorname{bei}(z) \operatorname{ker}(z) + \operatorname{ber}(z) \operatorname{kei}(z) = -\frac{1}{4\sqrt{2\pi}} G_{2,6}^{3,2} \left(\frac{z}{2}, \frac{1}{4} \mid 0, \frac{1}{2}, \frac{1}{2}, 0, 0, \frac{1}{2} \right)$$

Brychkov Yu.A. (2006)

03.14.26.0044.01

$$\operatorname{bei}(z) \operatorname{ker}(z) - \operatorname{ber}(z) \operatorname{kei}(z) = \frac{1}{4} \sqrt{\pi} G_{0,4}^{2,0} \left(\frac{z}{2\sqrt{2}}, \frac{1}{4} \mid 0, \frac{1}{2}, 0, 0 \right)$$

Brychkov Yu.A. (2006)

Generalized cases involving Bessel J

03.14.26.0045.01

$$J_0((-1)^{3/4} z) \operatorname{ber}(z) = \frac{1}{2} \sqrt{\pi} \left(G_{0,4}^{1,0} \left(\frac{\sqrt[4]{-1} z}{2\sqrt{2}}, \frac{1}{4} \mid 0, 0, 0, \frac{1}{2} \right) + \sqrt{2} G_{2,4}^{1,1} \left(\sqrt[4]{-1} z, \frac{1}{2} \mid \frac{1}{2}, \frac{1}{4}, 0, 0, 0, \frac{1}{4} \right) \right)$$

Generalized cases involving Bessel I

03.14.26.0046.01

$$I_0(\sqrt[4]{-1} z) \operatorname{ber}(z) = \frac{1}{2} \sqrt{\pi} \left(G_{0,4}^{1,0} \left(\frac{\sqrt[4]{-1} z}{2\sqrt{2}}, \frac{1}{4} \mid 0, 0, 0, \frac{1}{2} \right) + \sqrt{2} G_{2,4}^{1,1} \left(\sqrt[4]{-1} z, \frac{1}{2} \mid \frac{1}{2}, \frac{1}{4}, 0, 0, 0, \frac{1}{4} \right) \right)$$

Generalized cases involving Bessel K

03.14.26.0047.01

$$K_0(\sqrt[4]{-1} z) \operatorname{ber}(z) = -\frac{1}{4} \pi^{3/2} \left(2 G_{3,5}^{2,1} \left(\sqrt[4]{-1} z, \frac{1}{2} \mid \frac{1}{2}, -\frac{1}{4}, \frac{1}{4}, 0, 0, -\frac{1}{4}, 0, \frac{1}{4} \right) - \frac{1}{2\pi^2} G_{0,4}^{3,0} \left(\frac{\sqrt[4]{-1} z}{2\sqrt{2}}, \frac{1}{4} \mid 0, 0, \frac{1}{2}, 0 \right) \right)$$

Generalized cases involving ${}_0F_1$

03.14.26.0048.01

$${}_0F_1\left(1; \frac{iz^2}{4}\right) \text{ber}(z) = \frac{1}{2} \sqrt{\frac{\pi}{2}} \left(\sqrt{2} \pi G_{1,5}^{1,0}\left(\frac{z}{2\sqrt{2}}, \frac{1}{4} \mid 0, 0, 0, \frac{1}{2}, \frac{1}{2}\right) + G_{2,6}^{1,2}\left(\frac{z}{2}, \frac{1}{4} \mid 0, 0, 0, \frac{3}{4}, \frac{1}{4}, \frac{1}{2}, \frac{1}{2}\right) + i G_{2,6}^{1,2}\left(\frac{z}{2}, \frac{1}{4} \mid \frac{1}{2}, 0, 0, 0, \frac{3}{4}, \frac{1}{4}, \frac{1}{2}, \frac{1}{2}\right) \right)$$

03.14.26.0049.01

$${}_0F_1\left(1; \frac{iz^2}{4}\right) \text{ber}(z) = \frac{1}{2} \sqrt{\pi} \left(G_{0,4}^{1,0}\left(\frac{\sqrt[4]{-1} z}{2\sqrt{2}}, \frac{1}{4} \mid 0, 0, 0, \frac{1}{2}\right) + \sqrt{2} G_{2,4}^{1,1}\left(\sqrt[4]{-1} z, \frac{1}{2} \mid \frac{1}{2}, \frac{1}{4}, 0, 0, 0, \frac{1}{4}\right) \right)$$

Representations through equivalent functions

With related functions

03.14.27.0001.01

$$\text{ber}(z) = \frac{1}{2} \left(I_0\left(\sqrt[4]{-z^4}\right) + J_0\left(\sqrt[4]{-z^4}\right) \right)$$

03.14.27.0002.01

$$\text{ber}(z) = \frac{1}{2} \left(I_0\left(\sqrt[4]{-1} z\right) + J_0\left(\sqrt[4]{-1} z\right) \right)$$

03.14.27.0003.01

$$\text{ber}(z) + i \text{bei}(z) = I_0\left(\sqrt[4]{-1} z\right)$$

03.14.27.0004.01

$$\text{ber}(z) - i \text{bei}(z) = J_0\left(\sqrt[4]{-1} z\right)$$

Theorems

History

Copyright

This document was downloaded from functions.wolfram.com, a comprehensive online compendium of formulas involving the special functions of mathematics. For a key to the notations used here, see <http://functions.wolfram.com/Notations/>.

Please cite this document by referring to the functions.wolfram.com page from which it was downloaded, for example:

<http://functions.wolfram.com/Constants/E/>

To refer to a particular formula, cite functions.wolfram.com followed by the citation number.

e.g.: <http://functions.wolfram.com/01.03.03.0001.01>

This document is currently in a preliminary form. If you have comments or suggestions, please email comments@functions.wolfram.com.

© 2001-2008, Wolfram Research, Inc.